Journal of The Chemical Society

Chemical Communications

Index 1981

Journal of the Chemical Society
Chemical Communications

1981, pp. 1—1292

© Copyright 1981 by the Royal Society of Chemistry

AUTHOR INDEX, 1981

Abadie, Marc J. M., 347–8
Abdesaken, Fereydon, 191–2
Abdul Malik, K. M., 103–4
Abe, Takashi, 242–3
Abel, Edward W., 29–30
Abell, Chris, 856–8
Abraham, Edward P., 246–7, 917–19, 1146–7
Abraham, Michael H., 905–6
Abramovitch, Dorota A., 561–2
Abramovitch, Rudolph A., 36–7 561–2, 703–4, 704–5, 1087–8
Abushanab, Elie, 26–8
Acher, Francine, 632–4
Ackland, Mark J., 1006–7
Ackroyd, John, 339–40
Adam, Michael J., 733
Adams, David M., 226–7
Adams, Harry, 348–50
Adams, Richard D., 878–9
Ades, Dominique, 1055–7
Adlington, Robert M., 65–7, 404–5, 1175–6
Agosta, William C., 118–20
Agostini, Giancarlo, 1019–20
Aharon-Shalom, Eliezer, 828–9
Ahlberg, Per, 998–9
Ahmad, Fasih, 1110–11
Ahmad, Faujan B. H., 166–9, 169–71
Ahmad, Munir M., 67–8
Aime, Silvio, 300–2
Akhtar, Muhammed, 129–30
Al-Allaf, Talal A. K., 55–6
Albeck, Michael, 828–9
Albers, Michel O., 408–9
Albini, Angelo, 50–1, 138–9, 1089–91
Alborz, Manoochehr, 551–3
Alemagna, Andreina, 894–5
Alexandrov, G., 441–2
Al-Hamdany, Raad, 171–3
Alkabets, Rivka, 622–3, 981–2
Allcock, Harry R., 852–3
Allen, Geoffrey C., 691–2
Allen, George H., 793–5
Al-Obaidi, Yassin N., 494–6
Alonso, Jose L., 577–8
Alves, Alfredo S., 1164–5
Aly, Mohamed M., 176–8
Amita, Fujitsugu, 725–6
Anastassiou, Apostolos G., 647–8
Andell, Ove S., 1098–9
Andersen, Niels H., 306–7
Andersen, Richard A., 985–6
Anderson, D. Keith, 179–80
Anderson, Paul C., 73–4
Ando, Akiri, 1289–91
Ando, Wataru, 597–8, 621–2
Andreetti, Giovanni Dario, 350–2, 533–4
Andrews, David G., 809–10
Aneja, Rajindra, 1030–1
Ankner, Kjell, 120–1
Annunziata, Rita, 777–8, 1005–6
Antonio, Mark R., 382–3
Aoai, Toshiaki, 546–7
Aoyama, Yasuhiro, 444–6
Apatu, Jonas O., 1079–80
Apeloig, Yitzhak, 396–8
Aragozzini, Fabrizio, 575–6
Arai, Heihachiro, 1174
Arimoto, Masao, 460–1
Arita, Ikuo, 585–7
Armstrong, John E., 1120–1
Arnold, Donald R., 138–9, 1203–4
Asao, Tetsuji, 623–4
Ashcroft, Allison E., 1075–6
Ashcroft, William R., 994–5
Ashworth, Terence V., 78–9, 408–9
Aspinall, Helen C., 724
Astakhova, N. M., 853–5
Ateya, Abdel Monem M., 327–9
Atha, Paul A., 1027–8
Atherton, Eric, 336–7, 1151–2
Atkinson, Robert S., 160–2, 549–50
Attwood, Stephen V., 556–7
Atwood, Jerry L., 292–3, 706–8, 925–7, 1190–1, 1191–3
Audier, Marc, 570–1, 1221–2
Augugliaro, Vincenzo, 1049–50
Averill, Bruce A., 382–3
Avnir, David, 958–9
Ayyangar, Nagaraj R., 399–400, 790–1
Aznar, Fernando, 1181–2
Baba, Toshihide, 400–1
Babar, Mushtaq A., 1046–7
Baccolini, Graziano, 563
Baceiredo, Antoine, 1197–8
Bachi, Mario D., 959–60
Bachmann, Willy, 158–9
Back, Thomas G., 530–1
Badesha, Santokh S., 110–12
Baeckvall, Jan E., 59–61, 1098–9
Bahadur, Gulam, 917–19, 1146–7
Bailey, Neil A., 348–50, 628–30
Bailey, Pamela M., 808–9
Bailey, William F., 155–6
Baker, Arthur D., 829–31
Baker, David S., 547–9
Baker, Paul K., 986–8
Baker, Raymond, 1234–5
Baldwin, Jack E., 246–7, 578–9, 917–19, 934–6, 1121–2, 1146–7 1175–6, 1219–21, 1227–9
Ballantine, James A., 8–9, 9–10, 427–8, 695–6
Bambal, Ramesh B., 790–1
Bando, Masaichi, 725–6
Bandy, Judith A., 729–31
Banks, Lewis G., 522–3
Banwell, Martin G., 1182–3
Baraldi, Pier Giovanni, 599–600
Barber, Michael, 325–7
Barco, Achille, 599–600
Bardshiri, Esfandiar, 195–6
Barefield, E. Kent, 302–4
Barker, Geoffrey K., 652–3, 653–5
Barker, Marten G., 379–81
Barley, Mark, 982–3
Barltrop, John A., 604–6
Barluenga, Jose, 670–1, 1178–9, 1181–2
Barrett, Anthony G. M., 65–7, 404–5, 556–7, 1076–7
Barretta, Andre, 156–8
Barron, Laurence D., 771–2
Barthomeuf, Denise, 39–40
Bartlett, Alan J., 1198–200
Bartok, Mihaly, 106–8, 978–9
Barton, Derek H. R., 503–4, 774–5, 1044–5, 1136–7, 1232–3
Base, Karel, 1162–3
Bashkin, Jim, 117–18
Bassett, Jean Marie, 494–6, 653–5
Battaglia, Arturo, 350–2
Battersby, Alan R., 524–6, 645–7 797–9
Battioni, J. P., 888–90
Battye, P. J., 68–9
Baum, Thomas, 973–4
Baydar, Ahmet E., 1003–4
Beagley, Brian, 710–11
Beal, Michael G., 994–5
Beau, Jean Marie, 572–3
Beaulieu, Pierre, 643–4
Beck, Albert K., 952–3
Beck, Wolfgang, 446–8
Becker, James Y., 982–3
Beckwith, Athelstan L. J., 595–7
Beddard, Carol, 955–6
Beesk, Wolfgang, 664–5
Begley, Michael J., 379–81, 823–5
Begue, Jeane Pierre, 1086–7
Belin, Claude, 1036–7
Bell, John P., 1258–60
Bell, Linda K., 201–2
Bellitto, Carlo, 409–11
Beloeil, Jean Claude, 363–4
Belzecki, Czeslaw, 57–8
Benetti, Simonetta, 599–600
Bennetau, Bernard, 1094–5
Benoiton, N. Leo, 336–7, 543–5, 1225–7
Benton, A. John, 1241–2
Berkovic, Garry E., 768–9
Bernard, Lionel, 784–6
Bernhard, Paul, 1216–17
Berry, Joffre M., 733
Berry, Madeleine, 1027–8
Berti, Corrado, 694–5
Bertrand, Guy, 1197–8
Bertranne, Mireille, 363–4
Bertucci, Carlo, 590–1
Bertz, Steven H., 818–20
Bessodes, Michel, 26–8
Bethwith, Athelstan L. J., 136–7
Bettinetti, Gian Franco, 1089–91
Betts, Michael J., 404–5
Bezems, Gerald J., 265–6
Bhadbhade, Mohan Madhav, 755–6
Bhat, Venkatramana, 1123–4
Bick, I. Ralph C., 1007–9
Bihlmayer, Christoph, 1093–4
Billaud, Denis, 783–4
Billington, David C., 1234–5
Billups, W. Edward, 1258–60
Binder, Werner, 175–6
Bird, Peter H., 513–14, 1284–6
Birker, Paul J. M. W. L., 322–4, 1124–5
Blackburn, G. Michael, 511–13, 930–2, 1188–90
Blackmond, Donna G., 125–6
Bladon, Peter, 1204–6
Blake, Antony B., 796–7
Blandamer, Michael J., 13–14
Blasko, Gabor, 1246–8
Blazejewski, Jean Claude, 503–4
Bloch, Aaron, 920–1
Bloodworth, A. J., 547–9, 1117–8
Blum, Roberto B., 962–3
Boal, James R., 1243–4
Boehm, H. Peter, 679–80
Bojes, Josef, 1171–3
Bojesen, Gustav, 46–7
Bonfand, Andre, 82–3
Bonini, Bianca F., 822–3
Boorman, P. Michael, 1286–8
Booth, Brian L., 788–9
Booth, Martin, 29–30
Bordoli, Robert S., 325–7
Borg, Robert M., 138–9
Bosma, Ruud H. A., 1081–2, 1132–3
Bosman, Wil P., 583–4, 1218–19
Bosnich, B., 1278–80
Bottaro, Jeffrey C., 1121–2
Bottomley, Frank, 28–9
Bottomley, Lawrence A., 1212–14
Boulton, A. J., 736–7
Bour, Jan J., 583–4, 1218–19
Bowen, Michael, 293–5
Bowen, Paul, 677, 679–80
Bowen, Richard D., 836–8
Bowman, Robert G., 257–8
Boyd, Derek R., 838–9
Boyd, Gerhard V., 1003–4
Boyer, Jacqueline, 121–2, 122–3
Boyer, Joseph H., 365–6
Bradbury, J. Howard, 208–9
Bradley, Donald C., 103–4
Bradshaw, A. Peter W., 631–2, 649–50, 1169–70
Brady, Frank, 911–12
Bram, Georges, 1066–7
Branch, Clive L., 946–7
Brand, John C., 748–9, 1107–8
Brandi, Alberto, 1131–2
Brandsma, Lambert, 366–7
Brant, Patrick, 522–3
Braterman, Paul S., 287–9
Brennan, John, 880
Brewer, Donald, 1227–9
Briant, Clive E., 201–2, 963–5
Bristow, Garry S., 1145–6
Broadley, Karen, 19–20
Brocard, Jacques, 1264–5
Brook, Adrian G., 191–2
Brooks, Gerald, 642–3
Broomhead, John A., 1262–3
Brown, Charles, 944–6
Brown, Evelyn, 336–7, 1151–2
Brown, Karen, 973–4
Brown, Kenneth L., 598–9
Brown, Michael P., 805–6
Brown, Peter J. N., 1035–6
Brown, Tom, 648–9
Brownbridge, Peter, 20–1
Bruce, J. Malcolm, 166–9, 169–71, 171–3
Bruce, Michael I., 271–2, 428–30 1070–1, 1253–4
Bruice, Thomas C., 884–6
Brun, Pascual, 966–8
Bucci, Roberto, 659–61
Buchanan, George L., 814–15
Buck, Henk M., 104–6, 358–60, 1148–9
Buckingham, David A., 192–4
Budge, John R., 370–1
Buerki, Stefan, 158–9

Bulsing, J. Mark, 1201–3
Bundle, David R., 1240–1
Bunn, Alan, 15–16
Burch, Robert, 123–4, 845–7, 965–6
Burckett–St. Laurent, James C. T. R., 1141–3
Burgess, John, 13–14
Burke, W. Andrew, 829–31
Burnett, Michael G., 838–9
Bursill, Leslie A., 276–7, 678–9
Burwell, Robert L., Jr., 257–8
Busetto, Luigi, 1101–3
Buss, Antony D., 100–1
Butler, Richard N., 376–7
Cadogan, J. I. G., 1035–6, 1054–5
Cagnoli–Bellavita, Nera, 280–2
Calas, Raymond, 1094–5
Calder, Michael R., 129–30
Calderazzo, Fausto, 181–3, 893–4
Calverley, Martin J., 684–6, 1084–6, 1209–10
Cambillau, Christian, 996–7
Cameron, T. Stanley, 29–30, 937–9
Campbell, Malcolm M., 87–8
Cane, David E., 280–2
Canziani, Franco, 528–9
Cardillo, Giuliana, 465–6
Carless, Howard A. J., 950–1
Carlsen, Lars, 742–3
Carlton, Laurence, 531–2
Carosella, Carmine, 522–3
Carpenter, Barry K., 354–6
Carr, Christopher, 772–3
Carrie, Robert, 1131–2
Carty, Arthur J., 476–7
Carver, John A., 208–9
Caspi, Eliahu, 76–8, 1196–7
Cass, Quezia B., 1248–50
Cassidy, J. F., 68–9
Catena, Robert, 758–9, 759–60
Cava, Michael P., 277–8, 828–9
Cavicchioni, Giorgio, 416–17
Ceasar, Gerald P., 829–31
Ceccherelli, Paolo, 280–2
Cecconi, Franco, 640–1
Cenini, Sergio, 446–8
Cere, Vanda, 764–5
Chadwick, Derek J., 992–4
Chakravarti, Bulbul, 934–6
Chan, Lam, 10–11
Chan, Tak–Hang, 20–1
Chandrasekhar, Jayaraman, 260–1, 882–4
Chang, Chi K., 778–9
Chang, Chu–An, 53–5
Chapleur, Yves, 1125–6
Chapman, David C., 1079–80
Chapman, David J., 468–9
Chapman, Robert D., 332–3
Chappell, S. David, 319–20
Chappuis, Jacques L., 372–3
Charbonnel, Monique, 1036–7
Charpiot, Brigitte, 503–4
Chaudret, Bruno, 266–8
Chauhan, Shive M. S., 675–6
Chawla, Ravinder, 1074–5
Cheetham, Anthony K., 276–7
Chen, Francis M. F., 543–5, 1225–7
Chen, Lih–Ming, 377–8
Chenard, Bertrand L., 179–80
Cherest, Marc, 681–2
Chetwynd–Talbot, Jennifer, 452–4
Chiang, Long, 920–1
Chihara, Teiji, 1120
Childs, Ronald F., 1268–9
Chirakal, Raman, 198–9
Chisholm, Malcolm H., 270, 1229–31
Chiu, Kwok W., 451–2
Chivers, Tristram, 584–5, 1171–3 1214–15
Chodkiewicz, Wladyslaw, 1071–2
Chong, Anthony K. A., 736–7
Chorn, Trevor A., 534–5
Chow, Yuan L., 297–9, 955–6
Chua, Ping Seng, 1278–80
Chuang, Mei–Chen, 329–30
Chueng, Duncan, 302–4
Chung, Bong Young, 1231–2
Chung, Sung–Kee, 346–7
Churchill, Melvyn Rowen, 274–5
Ciani, Gianfranco, 563–5, 1280–2
Cini, Renzo, 196–8
Cinquini, Mauro, 1005–6
Cioffi, Eugene A., 155–6
Clamp, Sara, 897–9
Clark, Charles R., 192–4
Clark, James H., 466–8
Clark, Timothy, 515–16, 579–81, 882–4
Clarke, Thomas C., 384–5
Cliffe, Ian A., 992–4
Clive, Derrick L. J., 434–6, 643–4
Cloke, F. Geoffrey N., 117–18, 156–8
Codding, Penelope W., 584–5, 1171–3
Cole–Hamilton, David J., 58–9, 84–5, 319–20, 1245–6
Colin, Henri, 953–5
Collet, Andre, 1137–9
Collins, P. M., 362–3
Collins, Peter M., 1139–40
Colombo, Lino, 575–6
Colombo, Roberto, 1012–13
Colonna, Martino, 694–5
Colonna, Stefano, 1005–6
Colosimo, Marcello, 659–61
Colquhoun, Howard M., 85–7, 612–13, 847–9, 849–50, 851–2
Colvin, Ernest W., 952–3
Connelly, Neil G., 17–18, 19–20, 43–4, 897–9
Connolly, J. W., 521–2
Cook, John, 924–5
Cooke, Michael, 862–4
Cookson, David J., 12–13
Cookson, Richard C., 1123–4
Cooper, Mervyn K., 381–2
Cooper, Terry A., 353–4
Corbett, David F., 803–5
Corbett, John D., 236–7
Cordes, A. Wallace, 1214–15
Corina, David L., 129–30
Corriu, Robert J. P., 101–3, 121–2, 122–3
Cortez, Cecilia, 1215–16
Corvaja, Carlo, 1019–20
Cory, Robert M., 73–4
Courtneidge, J. L., 1117–8
Courtot, Pierre, 542–3
Couturier, Daniel, 1264–5
Coville, Neil J., 408–9
Cowan, Dwaine, 920–1
Cowley, Alan H., 925–7
Cox, Kevin P., 117–18
Cozzette, Stephen N., 881–2
Cozzi, Franco, 1005–6
Crabtree, Robert H., 1217–18
Cram, Donald J., 625–8
Crawshaw, Thomas H., 430–2, 432–4
Creed, David, 497–9
Crimmin, Michael J., 1175–6
Critchlow, Susan C., 236–7
Crombie, Leslie, 823–5
Crook, Janet E., 933–4
Crout, David H. G., 1175–6
Cruz, Maribel, 1026–7
Cudby, Michael E. A., 15–16
Cullen, William R., 526–8
Cullis, Paul M., 245–6
Czombos, Jozsef, 106–8, 978–9
Czugler, Matyas, 472–3, 1291–2
Daasvatn, Kari, 368–9
Dahlstrom, Phillip L., 411–12, 881–2
Dale, Johannes, 684–6, 1084–6
Dalton, Howard, 482–3
Damtoft, Soeren, 228–9
D'Angeli, Ferruccio, 416–17
Danieli, Bruno, 908–9
Daran, Jean–Claude, 152–4, 1055–7, 1057–9
Darwent, James R., 145–6
Das, Bhupesh C., 37–9, 389–91
Davan, T., 250–1
David, Serge, 780–1
Davidson, Iain M. T., 52–3
Davidson, Jack L., 1059–61
Davidson, R. Stephen, 517–18
Davies, David H., 1073–4
Davies, David L., 862–4
Davies, Gareth M., 395–6, 608–9
Davies, Mary, 8–9, 427–8
Davies, Stephen G., 341–2, 681–2
Davis, Anthony P., 741–2, 1219–21
Davis, Kenneth G., 309–11
Davis, Raymond E., 268–9
Dawe, Robert David, 1180–1
Dawkins, Gordon M., 966–8
Dawoodi, Zain, 801–3
Dawson, Anne, 386–7
Day, A. Colin, 604–6
Day, Peter, 921–2
Dean, Christopher E., 52–3
Debal, Alain, 877–8
De Chirico, Gioacchino, 523–4
Deeming, Antony J., 724
De Jesus, Amelia E., 289–91
De Kanter, Frans J. J., 499–501
Delaney, Mark S., 235–6
Del Buttero, Paola, 446–8, 894–5
Delderfield, James S., 650–2
De Liefde Meijer, Henk J., 342–4
Del Mazza, Dario, 124–5
Delsuc, Marc Andre, 413–14
DeLuca, Hector F., 1157–9
Demailly, Gilles, 1125–6
Demartin, Francesco, 222–3, 528–9
De Mayo, Paul, 820–1, 958–9
Demerseman, Bernard, 665–6
Demonceau, Albert, 688–9
Deng, Robert M. K., 1170–1
Denti, Gianfranco, 348–50
Derome, Andrew E., 1227–9
Derouane, Eric G., 591–3, 1129–31
de Ruiter, Barteld, 1065–6
De Sarlo, Francesco, 1131–2
Desauvage, Stephane, 738–9
De Sennyey, Gerard, 780–1
Desorcie, James L., 852–3
De Sousa Healy, Maria, 149–50
Dessy, Giulia, 409–11
Devlin, J. Alastair, 1272–4
De Waal, Dirk J. A., 78–9
De Wolf, Benoit, 436–7
Diakur, James, 501–2
Dickie, Brian D., 1268–9
Diez–Masa, Jose Carlos, 953–5
Dillon, Keith B., 1170–1
Dilworth, Jonathan R., 132–3
d'Incan, Esther, 1066–7
Dirringer, Marie Christine, 249–50
Dixneuf, Pierre H., 665–6
Doecke, Christopher W., 873–4
Dolphin, David, 982–3
Domazetis, George, 982–3
Dondoni, Alessandro, 350–2, 655–6
Donnelly, Dervilla M. X., 1254–5
Dory, Thomas S., 521–2
Douglas, Kenneth T., 551–3, 944–6
Dowd, Paul, 455–6
Downes, J. Michael, 381–2
Drew, Michael G. B., 388–9, 1241–2
Dromzee, Yves, 152–4, 1055–7
Druy, Mark A., 317–19, 1288–9
Du, Pin C., 641–2
Duc Do Khac Manh, 953–5
Duce, Philip P., 13–14
Dunogues, Jacques, 1094–5
Dupuy, Claude, 36–7
Durand, Marcel, 903–4
Durrant, Michael L., 1028–30
Dutheil, Jean Pierre, 101–3
Dwyer, John, 422–4
Dyke, Andrew F., 537–8, 861–2
Eaborn, Colin, 55–6, 63–4, 175–6 710–11
Eberson, Lennart, 133–4
Ebina, Fujio, 778–9
Eckle, Emil, 1291–2
Ecoto, Jules, 953–5
Eddy, Michael M., 628–30
Edwards, Peter P., 1185–6
Egashira, Makoto, 1047–9
Egsgaard, Helge, 742–3
Eguchi, Shoji, 1193–4
Eguchi, T., 331–2
Eguchi, Tadashi, 1157–9
Eilerman, Robert G., 30–2
Einstein, Frederick W. B., 526–8
Ekanayake, Neela, 1234–5
Elango, Varadaraj, 1246–8
Elder, Michael, 481–2
Elder, R. C., 900–1
Elguero, Jose, 1207–8
Ellestad, George A., 1134–5
Elliott, John D., 1136–7
Elmes, Patricia S., 661–2
El–Mowafy, Azzahra M., 96
El Murr, Nabil, 219–20, 251–3, 960–1
El–Sukkary, Mohammed M. A., 745
Emert, Jack, 758–9, 759–60
Emge, Thomas, 920–1
Endo, Izumi, 296–7
Engelhardt, Guenter, 712–13
England, David A., 930–2
English, Robin B., 407–8, 587–8
Engman, Lars, 828–9
Enkaku, Michiko, 211–13
Epling, Gary A., 973–4
Eremenko, N. K., 989–90
Esho, Ferida S., 388–9
Eshtiagh–Hosseini, H., 199–200
Evans, William J., 292–3, 706–8
Fabre, Claude, 1109–10
Fachinetti, Giuseppe, 181–3

Fagan, Paul J., 257–8
Fajula, Francois, 249–50
Fallab, Silvio, 469–71
Fallon, Gary D., 661–2
Falshaw, Christopher P., 1073–4
Fares, Vincenzo, 409–11
Farina, Vittorio, 643–4
Farrar, David H., 273–4, 415–16 886–8, 1009–11
Fasani, Elisa, 50–1
Fava, Antonino, 764–5
Fawcett, Newton C., 497–9
Feigenbaum, Alexander, 156–8
Felkin, Hugh, 341–2, 681–2
Fender, Brian E. F., 784–6
Fenton, David E., 628–30
Ferguson, George, 912–14
Ferraboschi, Patrizia, 217
Ferrier, Robert J., 983–5
Ferris, James P., 110–12
Fetizon, Marcel, 363–4, 953–5
Fiandanese, Vito, 523–4
Fiaud, Jean Claude, 1159–60
Field, Leslie D., 917–19, 1227–9
Fielding, Peter E., 98–9
Fillebeen–Khan, Tauqir, 341–2
Finch, Arthur, 812–14
Finer–Moore, Janet, 327–9
Finke, Richard G., 232–4
Firnau, Gunter, 198–9
Firsich, David W., 1283–4
Fischer, Mark B., 458–9
Fitch, Andrew N., 784–6
Fitch, Frank R., 422–4
Flambard, Anthony R., 123–4, 965–6
Flamini, Alberto, 409–11
Fleischer, Everly B., 332–3
Florent, Jean Claude, 556–7
Foerster, Horst, 1064–5
Folting, Kirsten, 1229–31
Fontanille, Michael, 1055–7
Foo, L. Yeap, 320–2
Fookes, Christopher J. R., 524–6 645–7, 797–9
Forni, Arrigo, 588–90
Forrester, Alexander R., 253–4
Forster, Mark J., 911–12
Fournet, Alain, 731–2
Fourrey, Jean Louis, 37–9, 389–91
Fox, Arnold, 1052–3
Frank, Arthur J., 593–4
Frankel, Edwin N., 766–7
Fraser–Reid, Bert, 1180–1
Frede, Wolfgang, 1064–5
Freer, Isabel, 80–2
Frew, Aileen A., 805–6
Frey, Henry M., 915–17
Fripiat, Jose, 1026–7
Frolow, Felix, 178–9
Fronczek, Frank R., 858–9
Frost, Peter W., 1104–6
Fruchier, Alain, 1207–8
Fry, Albert J., 120–1
Fuji, Kaoru, 585–7, 899–900
Fujinami, Hideharu, 1274–5
Fujita, Eiichi, 286–7, 460–1, 585–7, 899–900
Fujita, Hisashi, 786–7
Fujita, Shinsaku, 425–6
Fujita, Tetsuro, 585–7
Fujiwara, Hideaki, 35–6
Fujiwara, T., 463–5
Fujiwara, Takaji, 671–3
Fukunishi, Koushi, 1223–4
Funabiki, Takuzo, 601–2
Fusaka, T., 463–5
Fyfe, Colin A., 276–7, 570–1, 678–9
Gabard, Jacqueline, 1137–9
Gabe, E. J., 329–30
Gabetta, Bruno, 908–9
Gadd, Paul G., 379–81
Gainsford, G. J., 875–7
Galas, Anita M. R., 43–4, 189–91
Gallagher, Peter T., 1227–9
Galpin, Ian J., 789–90
Galvin, Robert P., 695–6
Gane, Patrick A. C., 378–9
Garcia, Maria P., 652–3, 653–5, 871–2
Gardiner, Derek J., 159–60
Garlaschelli, Luigi, 528–9, 563–5
Garner, C. David, 1027–8
Garner, Philip, 455–6
Garnett, E. Stephen, 198–9
Garnett, John L., 844–5
Garratt, Peter J., 873–4
Garson, Mary J., 708–10
Gatehouse, Bryan M. K., 370–1
Gatehouse, Bryan M. K. C., 661–2
Gates, Peter N., 812–14
Gaudemer, A., 874–5
Gaughan, Glen, 232–4
Gauvreau, Denis, 46–7
Gavuzzo, Enrico, 432–4
Gawley, Robert E., 568–9
Gawronska, Krystyna, 307–8
Gawronski, Jacek, 307–8
Gebicki, Jerzy, 486–8
Gee, Paul S., 1100–1
Gennari, Cesare, 575–6
Gennari, Giorgio, 1019–20
Gero, Stephen D., 1136–7
Ghatak, Usha R., 746–7
Ghilardi, Carlo A., 47–8, 640–1, 865–6
Ghobt–Sharif, J., 944–6
Giacometti, Giovanni, 1019–20
Gil–Av, E., 75–6
Gilchrist, Thomas L., 657–8, 696–8
Giles, Jeremy R. M., 360–1, 1167–8
Giles, Robin G. F., 534–5, 1051–2
Gill, Daljit S., 986–8, 1037–8
Gillard, R. D., 448–9
Gillies, Duncan G., 911–12
Gilpin, Martin L., 929–30
Gilson, Jean Pierre, 1129–31
Gima, Shinei, 979–81
Giorgianni, Patrizia, 350–2
Glover, Edward E., 481–2
Goedken, Virgil L., 910–11
Goeldner, Maurice Ph., 398–9
Goggin, Peter L., 772–3, 1077–9
Gold, Avram, 293–5
Gold, Victor, 769–71
Golding, Bernard T., 482–3, 1030–1
Goldmann, Annette, 455–6
Gooch, E. Eugene, 1011
Goodfellow, Robin J., 1077–9
Goodman, Leon, 760–1
Goodwin, James G., Jr., 125–6
Goodwin, Trevor W., 418–20, 594–5
Gopalan, Raghavachary, 1016–17
Gordon, Mark S., 890–1
Gormally, John, 386–7
Gosney, Ian, 1035–6
Gotoh, Tetsuya, 90–1
Gourdon, Andre, 156–8
Gowenlock, Brian G., 806–7
Grabowski, J., 737–8
Graetzel, Michael, 183–4
Gramain, Jean Claude, 832–3
Granoth, Itshak, 622–3, 981–2
Graziano, M. Liliana, 720–1
Grebenik, Peter, 452–4
Grebenik, Peter D., 186–7
Greci, Lucedio, 694–5
Green, Ivan R., 534–5
Green, Malcolm L. H., 117–18, 156–8, 186–7
Green, Michael, 494–6, 652–3, 653–5, 689–91, 869–71, 871–2, 966–8, 986–8, 1037–8, 1101–3
Greene, Ruth M. E., 838–9
Greenhalgh, Colin W., 740–1
Greenwood, Norman N., 933–4
Gregson, Anthony K., 98–9
Gregson, David, 716–17
Griffith, William P., 84–5
Griffiths, D. Vaughan, 420–1, 607–8, 1224–5
Griffiths, Gary L., 823–5
Griffiths, Trevor R., 518–20
Grigg, Ronald, 611–12
Grishin, Y. K., 853–5
Groome, Peter, 806–7
Gross, Akiva, 959–60
Gross, M., 1067–9
Grotjahn, Douglas B., 306–7
Groves, John T., 1165–6
Guanti, Giuseppe, 535–6
Guarneri, Mario, 599–600
Gubin, S. P., 989–90
Guenther, Helmut, 645–7
Guerchais, Jacques E., 537–8, 862–4
Guilhem, Jean, 780–1, 1007–9
Guinaudeau, Helene, 1118–19
Gumulka, Maria, 25–6
Gunter, Maxwell J., 799–80
Gupta, Indranil, 449–51
Gutekunst, Brigitte, 191–2
Gutekunst, Gerhard, 191–2
Gutman, Arie L., 645–7
Guy, Sarah C., 1185–6
Hackett, Peter A., 247–8
Hager, David C., 858–9
Hagiwara, Hisahiro, 714–15
Haines, Raymond J., 407–8, 587–8
Hakushi, Tadao, 1031–3
Hall, Laurance D., 733, 1201–3
Halpern, Jack, 1278–80
Hamada, Yoshitaka, 621–2
Hamerlinck, Joep H. H., 104–6, 358–60, 1148–9
Hamill, Gregory P., 829–31
Hamilton, Robert, 456–7, 686–8
Hammer, Brendon C., 942–3
Hanack, Michael, 713–14
Handa, Vijay K., 120–1
Hanessian, Stephen, 1125–6
Hankey, David R., 689–91
Hanousek, Frantisek, 1162–3
Hanson, James R., 285–6, 631–2 649–50, 1006–7, 1169–70
Harbridge, John B., 929–30
Hardy, Michel, 775–7
Harkema, Sybolt, 368–9
Harpp, David N., 513–14, 742–3
Harris, Paul J., 852–3
Harris, Robin K., 15–16
Harrison, Peter J., 797–9
Hartman, John S., 570–1, 678–9
Hartshorn, Michael P., 225–6
Haruna, Mitsumasa, 483–5
Harvey, Ronald G., 1215–16
Hashimoto, Masashi, 282–3, 474–5
Haslam, Edwin, 309–11
Hasler, Heinz, 280–2
Hata, Tsujiaki, 969–70, 970–1
Hatanaka, Naoto, 344–6
Hatton, Peter D., 226–7
Hattori, Soji, 1193–4
Hattori, Tadashi, 1091–2
Hauge, Robert H., 1258–60
Hauger, Denise, 647–8
Haushalter, Robert C., 1165–6
Hawthorne, M. Frederick, 206–7 235–6
Hayashi, Hisaharu, 1187–8
Hayashi, Shuichi, 864–5
Hayashi, Tamio, 313–14
Heaney, Harry, 1079–80
Heath, Graham A., 287–9
Heaton, B. T., 331–2
Heeger, Alan J., 317–19, 1288–9
Heide, Lutz, 334–6
Helsby, Paul, 825–7
Hemingway, Richard W., 320–2
Hendi, Shivakumar B., 1087–8
Henrick, Kim, 85–7
Herbert, Ian R., 1077–9
Hercouet, Alain, 14–15
Hermkens, Pedro H. H., 358–60
Hessner, Bernd, 1101–3
Hevesi, Laszlo, 738–9
Hewes, John D., 206–7
Hicks, Carolyn P., 131–2
Higgins, Raymond, 482–3
Higuchi, Kyoko, 442–3
Hill, Craig L., 765–6
Hillhouse, John H., 295–6
Hillier, Ian H., 1027–8
Hino, Tohru, 855–6
Hino, Yoshihiro, 194–5
Hirai, Hidefumi, 213–14
Hirano, Yutaka, 1157–9
Hirao, Akira, 315–17
Hirata, Fumiaki, 786–7
Hiratsuka, Naohide, 585–7
Hiroi, Kunio, 377–8
Hirose, Yoshiki, 232–4
Hirota, Kosaku, 623–4
Hirth, Christian G., 398–9
Hitchcock, Peter B., 608–9, 1006–7, 1141–3, 1145–6
Hiura, Morio, 979–81
Hoare, John H., 1126–8
Hoff, C. D., 521–2
Hoffman, G. A., 331–2
Holecek, Dale R., 618–19
Holker, John S. E., 1198–200
Hollander, Frederick J., 765–6
Holmes–Smith, Rupert D., 937–9
Holt, Dennis, 920–1
Holton, Dolores M., 1185–6
Holton, John, 698–9
Holweger, Walter, 713–14
Holzwarth, Joseph, 386–7
Hommes, Hendrik, 366–7
Horak, R. Marthinus, 1265–7
Hori, Mikio, 364–5
Horiai, Haruo, 474–5
Horikoshi, Soichiro, 296–7
Horton, Derek, 88–90
Hosako, Reiko, 393–4
Hoshi, Nobuto, 1163–4
Hoshino, Masamatsu, 565–6
Hossain, S. Fazley, 268–9
Hosseini, M. W., 1067–9
Houk, K. N., 579–81
Howard, Diana L., 468–9

Howard, Judith A. K., 716–17, 869–71, 1101–3, 1104–6
Howarth, Oliver W., 258–9, 506–7
Howarth, T. Trefor, 642–3, 929–30
Howe, Arthur T., 784–6
Howell, James A. S., 263–5
Howell, S. Christopher, 507–8
Hoyng, Charles F., 491–2
Hsu, Chien P., 314–15
Hsu, Fenglin, 781–3
Huang, Chorngbao, 365–6
Huang, Harry C., 110–12
Hubert, Andre J., 688–9
Huddleston, Joyce A., 246–7, 1146–7
Huffman, John C., 270, 1229–31
Hull, William E., 289–91
Hunold, Horst Peter, 469–71
Hunt, Eric, 642–3
Hunter, William E., 292–3, 706–8 925–7, 1190–1, 1191–3
Huong Tuong Ing, 225–6
Hursthouse, Michael B., 103–4, 189–91
Husband, James B., 1054–5
Hutton, Alan T., 735–6
Ichiba, Misuzu, 278–80
Ida, Y., 461–3
Iddon, Brian, 1095–7
Iesce, M. Rosaria, 720–1
Igeta, Hiroshi, 1174
Iguchi, Shin, 357–8
Ihara, Yasuji, 393–4
Iida, Hideo, 114–15
Iida, Katsumi, 1140–1
Iida, N., 44–6
Iijima, Satoshi, 180–1, 1140–1
Iitaka, Yoichi, 1157–9, 1267–8
Ikekawa, Nobuo, 115–17, 1157–9
Ikeno, Masayuki, 597–8, 621–2
Imamoto, Tsuneo, 560–1
Imamura, Hayao, 567
Imamura, Paulo M., 734–5
Imanaka, Toshinobu, 1018–19
Inagaki, Yohichi, 725–6
Inoue, Hiroyasu, 1004–5
Inoue, Masashi, 884–6
Inoue, Masatoshi, 338–9, 671–3, 692–4
Inoue, Shohei, 229–30
Inoue, Yoshihisa, 1031–3
Inui, Tomoyuki, 906–7, 936–7
Irikawa, Hajime, 253–4
Iriuchijima, Shinobu, 185
Irngartinger, Hermann, 455–6
Irving, Harry M. N. H., 735–6
Isaac, R. Elwyn, 418–20, 594–5
Ishida, Toshimasa, 338–9, 671–3 692–4
Ishiguro, Masaji, 115–17
Ishihara, Hideta, 979–81
Ishihara, Takayuki, 936–7
Ishikawa, Hiroaki, 718–20
Ishikawa, Mitsuo, 405–6
Iskander, George M., 696–8
Isobe, Kiyoshi, 808–9, 809–10
Isobe, Kohei, 714–15
Itahara, Toshio, 254–5, 859–60
Itai, Akiko, 1157–9
Ito, Kazuo, 483–5
Ito, Satoru, 907–8
Ito, Yoshikatsu, 1187–8
Itoh, Hirofumi, 1091–2
Itsuno, Shinichi, 315–17
Iversen, Tommy, 1240–1
Ivey, William, 293–5
Ivin, Kenneth J., 1062–4
Iwamoto, Masakazu, 842–4
Iwamura, Hiizu, 479–80
Iwasawa, Yasuhiro, 140–2
Iwata, C., 461–3, 463–5
Iyoda, Tomokazu, 1206–7
Izquierdo, Alejandro, 186–7
Jackson, Anthony H., 763–4
Jackson, David A., 478–9
Jackson, Peter F., 415–16
Jackson, Peter G., 1009–11
Jackson, Richard A., 956–7
Jackson, Robert W., 159–60
Jackson, W. G., 875–7
Jackson, W. Roy, 661–2
Jacobs, Peter A., 591–3
Jacobs, Stephen A., 1215–16
Jacquemin, Henri, 731–2
James, Brian R., 982–3
James, E. Joyce, 458–9
Jarvest, Richard L., 245–6
Jarvinen, Gordon D., 305–6
Jaurand, Guy, 572–3
Jaxa-Chamiec, Albert A., 1248–50
Jeannin, Yves, 152–4, 1055–7, 1057–9
Jefferson, D. A., 662–3
Jeffery, John C., 243–5, 867–8, 1101–3, 1255–8
Jenkins, Rhiannydd M., 763–4
Jigajinni, Veerappa B., 87–8
Jimenez, Carmen, 670–1, 1178–9
Jochem, Klaus, 937–9
Joensson, Lennart, 133–4
John, D. Ivor, 901–2
John, Glyn R., 886–8
John, Lian S., 641–2
John, Phillip, 806–7
Johnson, Brian F. G., 273–4, 415–16, 753–5, 886–8, 1009–11
Johnson, Graham, 1269–71
Johnson, W. Curtis, Jr., 590–1
Johnston, Linda J., 958–9
Johnston, Sean M., 376–7
Johnstone, Alexander, 1035–6
Jonas, J., 331–2
Jones, D. Michael, 763–4
Jones, Geraint, 430–2, 432–4, 628–30
Jones, John H., 648–9
Jones, Nigel F., 990–2
Jones, Peter G., 664–5, 1097–8
Jones, Raymond C. F., 823–5
Jones, Richard A., 925–7
Jones, Rodney F., 58–9, 1245–6
Jones, Stuart K. R., 652–3
Jones, William, 677, 679–80
Joseph, John M., 367–8
Joule, John A., 994–5
Jugie, Gerard, 903–4
Jung, Mankil, 246–7, 578–9, 934–6, 1146–7
Jung, Michael E., 962–3
Kabalka, George W., 1011
Kaden, Thomas A., 158–9, 603–4
Kadish, Karl M., 1212–14
Kafuku, Komei, 22–5
Kagawa, Shuichi, 842–4
Kaiya, Toyo, 22
Kaji, Aritsune, 71–2, 1106–7
Kaliba, Claus, 683–4
Kallury, R. Krishna, 191–2
Kalyanasundaram, Kuppuswamy, 437–40
Kameyama, Keiji, 658–9
Kamishimoto, Mutsuko, 1160–2
Kamiya, Kazuhide, 154–5
Kanazawa, Hashime, 278–80
Kanda, Naoya, 1206–7
Kaner, David A., 753–5
Kanjilal, Pranab R., 746–7
Kaptein, Robert, 499–501
Karlin, Kenneth D., 881–2
Kasahara, Chiyoshi, 635–7, 637–8
Kashoulis, Annoula, 915–17
Kasmai, Hamid S., 647–8
Kasturi, Tirumalai R., 557–9
Kataoka, Tadashi, 364–5
Katayama, Sadamu, 761–2
Kathirgamanathan, Poopathy, 378–9
Kato, Hirohiko, 213–14
Kato, Masao, 1173–4
Kato, Mikihiko, 90–1
Kato, Shiro, 855–6
Kato, Tadahiro, 127–8
Katritzky, Alan R., 96
Kauffman, James W., 1258–60
Kaur, Baljit, 971–2
Kaur, Harparkash, 142–3
Kawada, Kosuke, 1289–91
Kawakami, Fumiaki, 213–14
Kawasaki, Koichi, 357–8
Kawasumi, Shohachi, 1047–9
Kayo, Atsushi, 602–3
Kazansky, L. P., 93–4
Kazarina, E., 441–2
Keii, Tominaga, 400–1
Kelle Zeiher, E. H., 900–1
Kemmerer, George E., 701–2
Kennedy, John D., 933–4
Kenner, George W., 789–90
Kent, David E., 511–13, 1188–90
Kermode, Nigel J., 698–9
Kerr, K. Ann, 1286–8
Kerrison, S. John S., 61–2
Kessar, Satinder V., 1074–5
Keubler, Michael, 446–8
Kevill, Dennis N., 83–4, 421–2
Khalafy, Jabbar, 166–9, 169–71
Khaled, M. Abu, 230–2
Khan, Fasihullah, 1049–50
Khan, Hassan A., 146–7, 554–6
Kibayashi, Chihiro, 114–15
Kido, Fusao, 1236–7
Kieffer, Brigitte L., 398–9
Kiernan, Patrick M., 84–5
Kiguchi, T., 692–4
Kikuchi, Hiroyuki, 474–5
Kikuchi, Junichi, 444–6
Kim, Sunggak, 1231–2
Kim, Young Hwan, 75–6
Kimura, Koji, 786–7
Kimura, Tomoo, 1114–15
King, James F., 295–6
King, Joseph A., Jr., 53–5
King, Keith, 518–20
King, Michael A., 353–4
King, Trevor J., 929–30, 1073–4
Kinoshita, Kenji, 22–5
Kintzinger, Jean Pierre, 833–6
Kirby, Gordon W., 619–21
Kistenmacher, Thomas, 920–1
Kitahara, Haruo, 1236–7
Kitayama, Yoshie, 401–2
Kitchin, John, 578–9
Kizas, O. A., 853–5
Klei, Bert, 342–4
Kleimann, Wolfgang, 743–4
Klinowski, Jacek, 570–1, 678–9, 1221–2
Kneale, Brian, 751–2
Knifton, John F., 41–3, 188–9
Knobler, Carolyn B., 206–7
Knoechel, Arndt, 968–9
Knox, Graham R., 373–4
Knox, Selby A. R., 537–8, 861–2 862–4
Kobayashi, Keiji, 479–80
Kobayashi, Kenji, 1114–15
Kobayashi, Masaru, 827–8
Kobayashi, Masatoshi, 56–7
Kobayashi, Nagao, 340
Kobayashi, Toshiaki, 333–4
Kobayasi, Yoshiro, 1289–91
Kobori, Yoshihiro, 92–3
Kodali, Dharmarao, 758–9, 759–60
Kohda, Akira, 951–2, 1116–17
Koinuma, Hideomi, 213–14
Koizumi, Naoyuki, 115–17
Kojima, Natsuko, 185
Kojo, Shosuke, 1223–4
Kokubo, Toshio, 210–11
Kol, Moshe, 443–4
Kolkmann, Friedrich, 930–2, 1188–90
Koma, Yoshiyasu, 474–5
Komatsu, Manki, 442–3
Komatsu, Mitsuo, 585–7
Konarski, Mark M., 1258–60
Konishi, Mitsuo, 313–14
Koreeda, Masato, 974–6
Koridze, A. A., 853–5
Kos, Alexander J., 882–4
Koster, Hajo, 266–8
Kosugi, Hiroshi, 714–15
Kotzyba-Hibert, Florence, 833–6
Koul, Veerinder K., 417–18
Kouwenhoven, Arjan P., 1081–2
Koyama, Hirozo, 364–5
Koyama, Kikuhiko, 202–4
Kozuka, Seizi, 510–11
Krantz, Allen, 486–8
Krause, Larry J., 1282–3
Kress, Albert O., 1087–8
Kress, Jacky, 1039–40
Kroto, Harold W., 199–200, 353–4, 1141–3
Krounbi, Mohamad T., 384–5
Kruger, Gert, 749–50
Kubas, Gregory J., 305–6
Kubicki, Henry, 796–7
Kubo, Kiyotaka, 309
Kulkowit, Sunanta, 616–17
Kulszewicz, Irena, 783–4
Kumada, Makoto, 313–14, 405–6
Kumadaki, Itsumaro, 1289–91
Kumar, Ashwani, 990–2
Kumar, Pawan, 1074–5
Kumar, Surendra, 411–12
Kume, Akiko, 969–70
Kundu, Kalipada, 55–6
Kurek, Alicja, 25–6
Kurita, Jyoji, 211–13
Kuroda, Hideo, 391–2
Kuroda, Kazunori, 1160–2
Kuroda, Takayuki, 1031–3
Kuroki, Nobuhiko, 393–4
Kurz, Michael E., 817–18
Kusabayashi, Shigekazu, 581–2
Kusumi, Takenori, 1271–2
Kusunoki, Shin, 56–7
Kuwabara, Yoshitaka, 623–4
Laali, Khosrow, 769–71
Labes, Mortimer M., 701–2
Ladd, Judith A., 910–11
Ladd, Mark F. C., 1046–7
Ladika, Mladen, 459–60
Lagow, Richard J., 1283–4
Laguna, Antonio, 1097–8
Laguna, Mariano, 1097–8
Lakshmikantham, M. V., 828–9

Lallemand, Jean Yves, 150–2, 413–14
Lanfranchi, Maurizio, 995–6
Lange, M., 888–90
Langry, Kevin C., 283–4
Lanneau, Gerard F., 101–3
Lapin, Stephen, 817–18
Lapinte, Claude, 1109–10
Lappert, Michael F., 6–8, 173–5, 485–6, 698–9, 1145–6, 1190–1, 1191–3
Larcheveque, Marc, 877–8
Larkworthy, Leslie F., 1046–7
Lavie, David, 178–9
Lawrence, F. Timothy, 52–3
Lawson, Alexander J., 1238–9
Lazzaroni, Raffaello, 590–1
Le Baron, Henri, 14–15
Lebibi, Jacques, 1264–5
Le Cocq, Christian, 150–2, 413–14
Le Corre, Maurice, 14–15
Ledsham, Richard C., 921–2
Lee, Hosull, 277–8
Lee, Jae In, 1231–2
Lee, Jung–Si, 458–9
Lee, Marsha, 920–1
Lee, Victor Y., 384–5
Lefort, Daniel, 1086–7
Leger, Serge, 1125–6
Le Goff, Marie Therese, 389–91
Lehmann, Hans, 1216–17
Lehn, J. M., 1067–9
Lehn, Jean Marie, 833–6
Lehtonen, Eeva M. M., 917–19
Lei, Keng Lon, 214–15
Leidl, Erich, 446–8
Leigh, G. Jeffery, 1033–5
Leistner, Eckhard, 334–6
Le Ny, Jean Pierre, 1039–40
Leonelli, Joe, 270
Le Page, Y., 329–30
Lerman, Ori, 443–4
Lesma, Giordano, 908–9
Leung, K. H. W., 142–3
Levisalles, Jacques, 152–4, 1055–7, 1057–9
Levitin, I., 441–2
Lewis, Jack, 273–4, 415–16, 753–5, 886–8, 1009–11
Lexa, D., 888–90
Ley, Steven V., 507–8, 1001–3, 1044–5
Lian, L. Yun, 258–9
Licandro, Emanuela, 446–8, 894–5
Lie Ken Jie, Marcel S. F., 1110–11
Lightner, David A., 372–3
Lilley, Terence H., 309–11
Lim, Bee Lan, 1095–7
Lin, Charles, 752–3
Lindley, Peter F., 1003–4
Lindsell, W. Edward, 531–2
Ling, Lee Mei, 915–17
Lippmaa, E., 712–13
Liu, Hung–wen, 1134–5, 1271–2
Liz, Ramon, 1181–2
Lodge, Elizabeth A., 276–7
Lodge, Susan P., 915–17
Loefaas, Stefan, 998–9
Lombard, Anthonie, 749–50
Long, Mervyn A., 844–5
Lopez, Orosman, 513–14
Lotz, Simon, 749–50
Lough, W. John, 517–18
Loupy, Andre, 1066–7
Lowe, Gordon, 245–6
Lown, J. William, 675–6
Lucy, Andrew R., 43–4
Ludi, Andreas, 1216–17
Ludmer, Zvi, 768–9
Lugade, Ananda G., 790–1
Luh, Tien–Yau, 214–15
Lukacs, Gabor, 999–1001, 1275–7
Lutstorf, Max, 1175–6
Lycka, Antonin, 1162–3
Maah, Mohd Jamil, 199–200
Mabelis, Richard P., 1006–7
Mabon, Gilles, 1040–1
McAteer, Colin H., 506–7
McCabe, Richard W., 395–6, 608–9
Maccagnani, Gaetano, 822–3
McCague, Raymond, 657–8
McCleverty, Jon A., 348–50, 960–1
MacDiarmid, Alan G., 317–19, 1288–9
McDonald, Walter S., 933–4
Macdowell, Alastair A., 1027–8
McFarlane, William, 1185–6
McGahren, William J., 1134–5
Machado, Francisco, 422–4
Machinami, Tomoya, 88–90
McIlgorm, Edward A., 686–8
MacInnes, David, Jr., 317–19
McIntyre, C. Rupert, 1043–4
Mack, Arthur G., 604–6
McKervey, M. Anthony, 616–17 686–8, 912–14
McLaren, Fred R., 73–4
McLaren, Sherry L., 501–2
MacLaughlin, Shane A., 476–7
McManus, John P., 309–11
McNab, Hamish, 722–3, 1054–5
McPartlin, Mary, 415–16, 1009–11
Madruzza, Gian Federico, 280–2
Maeda, Hirokazu, 471–2
Maeder, Marcel, 469–71
Maemoto, Kazuo, 1116–17
Magatani, Yasuhiro, 601–2
Magi, M., 712–13
Magni, Ambrogio, 1280–2
Mahmoud, Foad M. S., 63–4
Mahon, Michael, 507–8
Maiorana, Stefano, 446–8, 894–5
Maitlis, Peter M., 673–4, 808–9, 809–10, 924–5
Majoral, Jean Pierre, 1197–8
Maki, Yoshifumi, 658–9
Malatesta, Vincenzo, 247–8
Malcolme–Lawes, David J., 545–6
Malek, Farideh, 956–7
Malito, John, 1052–3
Malleron, Jean Luc, 1159–60
Malpass, John R., 160–2, 549–50 1028–30
Manabe, Osamu, 391–2
Manassero, Mario, 222–3, 528–9
Mander, Lewis N., 799–80
Mann, Brian E., 809–10
Mann, Stephen, 1083–4
Manojlovic–Muir, Ljubica, 805–6, 1059–61
Mansuy, D., 888–90
Marazano, Christian, 37–9, 389–91
Marchese, Giuseppe, 523–4
Marchetti, Fabio, 181–3, 893–4
Marchetti, Leonardo, 694–5
Margrave, John L., 1258–60
Marini, Peter J., 726–8
Mark, Harry B., Jr., 1021–3
Marks, Tobin J., 257–8
Marston, Andrew, 789–90
Martinengo, Secondo, 528–9, 563–5, 1280–2
Maruyama, Kazuhiro, 162–3, 1277–8
Masamune, Tadashi, 221–2, 904–5
Maskill, H., 1239–40
Materna, Joan, 280–2
Mathias, Eckart, 569–70
Mathieu, Rene, 903–4
Mathur, Pradeep, 263–5
Matisons, Janis G., 1070–1
Matlin, Stephen A., 10–11, 517–18, 763–4
Matsuda, Hiroshi, 906–7
Matsumaru, Naohiko, 565–6
Matsumoto, Akiteru, 263
Matsumoto, Masakatsu, 907–8
Matsumoto, Mutsuo, 210–11
Matsumoto, Shigenobu, 1267–8
Matsunaga, Shinichi, 721–2
Matsuo, Akihiko, 864–5
Matsuo, Mitsuyoshi, 1267–8
Matsuura, Masafumi, 721–2
Matsuura, Teruo, 1187–8
Matthews, Ray W., 911–12
Matturro, Michael G., 878–9
Mayr, Herbert, 683–4
Mays, Martin J., 801–3
Mazerolles, Pierre, 1197–8
Mazzanti, Germana, 822–3
Mead, Kevin A., 861–2, 862–4, 867–8
Medici, Alessandro, 655–6
Mednikov, E. G., 989–90
Mehta, Goverdhan, 755–6, 756–7
Meijs, Gordon F., 136–7, 595–7
Mellea, Michelle F., 1217–18
Metcalfe, Janet C., 430–2, 432–4
Meth–Cohn, Otto, 241–2
Meyer, Charlene A., 1021–3
Meyer, Thomas J., 793–5
Michishita, Atsuyoshi, 401–2
Midollini, Stefano, 47–8, 640–1, 865–6
Mikhailov, V. A., 989–90
Millan, Andres, 673–4
Miller, Adrian L., 703–4
Mills, Andrew, 948–50
Mills, Owen S., 789–90
Mills, Rona M., 17–18, 19–20, 869–71, 966–8, 1101–3
Mills, Stuart, 1014–15
Mincher, David J., 508–10
Mingos, D. Michael P., 201–2, 963–5
Mino, Yoshiki, 338–9
Minoli, Giovanna, 1089–91
Mirodatos, Claude, 39–40
Misawa, Hideto, 496–7
Mislow, Kurt, 234
Misono, Makoto, 1114–15
Mitchell, Paul R., 469–71
Mitchell, Peter R. K., 534–5
Mitchell, Thomas R. B., 456–7, 611–12, 686–8
Mitsudo, Takeaki, 22–5, 496–7
Miura, Iwao, 100
Miura, Masahiro, 581–2
Miyake, Tooru, 718–20
Miyasaka, Tadayo, 286–7
Miyashita, K., 461–3
Miyashita, Kazuhisa, 1106–7
Miyazaki, Jinsei, 210–11
Mody, Naresh V., 327–9
Moinet, Claude, 1040–1
Mol, Johannes C., 1081–2, 1132–3
Molchanov, V. N., 93–4
Moneti, Simonetta, 865–6
Monserrat, Keith, 183–4
Montanari, Fernando, 777–8
Moodie, R. B., 68–9
Moody, Christopher J., 550–1, 657–8, 927–8
Mooiman, Michael B., 33–4
Moore, David S., 1164–5
Moore, Iain, 1255–8
Moore, Peter, 506–7
Moore, Richard N., 501–2
Moretti, Irene, 588–90
Morgan, Philip J., 1175–6
Moriarty, Robert M., 641–2
Morikawa, Fumito, 1018–19
Morimoto, Hiroko, 671–3
Moriya, Hiroyuki, 1140–1
Morris, David G., 1250–1
Morris, David S., 424–5
Morris, George E., 506–7
Morris, Kenneth P., 769–71
Morrison, Colin L., 517–18
Morrison, J. A., 250–1
Morrison, John A., 1282–3
Morzycki, Jacek W., 1044–5
Moss, Stephen, 628–30
Mostowicz, Danuta, 41
Motherwell, William B., 503–4, 774–5, 1044–5, 1232–3
Moxon, Neville T., 98–9
Moynihan, Kelly J., 1286–8
Mtetwa, Eli, 650–2
Muir, Alan S., 812–14
Muir, Kenneth W., 805–6, 1059–61
Mukhopadhyay, Anuradha, 628–30
Mulzer, Johann, 891–2
Munasinghe, V. R. N., 362–3
Murai, Akio, 221–2, 904–5
Murakami, Yuichi, 1091–2
Murakami, Yukito, 444–6
Murata, Ichiro, 717–18, 1143–5
Murray, Elizabeth Ann, 722–3
Murray, Ian E. P., 1059–61
Murray, Keith S., 726–8, 799–80
Murray, Martin, 689–91, 716–17 986–8
Murugesan, Natesan, 1246–8
Muzart, Jacques, 668–9
Nadir, Upender K., 417–18
Nagai, Yoichiro, 617–18, 815–16
Nagao, Yoshimitsu, 286–7
Nagaoka, Masao, 383–4
Nagel, Ulrich, 446–8
Nagy, Janos B., 1129–31
Nairns, David P., 317–19
Naito, Shuichi, 92–3
Naito, T., 44–6, 692–4
Najera, Carmen, 670–1, 1178–9
Nakagawa, Masako, 855–6
Nakagawa, Yoshiteru, 496–7
Nakahama, Seiichi, 315–17
Nakamura, Masaki, 560–1
Nakamura, Ryuichi, 257–8
Nakamura, Tetsuya, 219
Nakanishi, Koji, 1134–5, 1271–2
Nakano, Kumiko, 855–6
Nakano, Taichi, 815–16
Nakashima, Masayo, 1047–9
Nakashima, Thomas T., 501–2
Nakashita, Yoshihiko, 761–2
Nakasuji, Kazuhiro, 717–18, 1143–5
Nakatsu, Kazumi, 22–5
Nakatsuji, Yohji, 219, 471–2
Nakatsuka, Masakatsu, 717–18, 1143–5

Nakayama, Juzo, 565–6
Nakayama, Mitsuru, 864–5
Naldini, Luciana, 222–3
Nango, Mamoru, 393–4
Napier, James, 224–5
Narita, Kenichi, 364–5
Naruta, Yoshinori, 1277–8
Nasehzadeh, Asadollah, 905–6
Naso, Francesco, 523–4
Nassr, Mahmoud A. M., 375–6
Nechvatal, Gordon, 1260–2
Nedelec, Lucien, 775–7
Neff, William E., 766–7
Negita, H., 979–81
Nelson, S. Martin, 388–9
Nelson, William J. H., 1009–11
Nes, William R., 367–8
Nesbit, Michael C., 370–1
Neszmelyi, Andras, 999–1001, 1275–7
Neumann–Spallart, Michael, 437–40
Newkome, George R., 858–9
Newton, Roger F., 922–4, 992–4
Nguyen Kim–Thuan, 56–7
Nicholas, Kenneth M., 268–9
Nicholls, J. Nicola, 273–4, 415–16
Nicolaou, Kyriacos C., 1195–6
Nicolet, Pierre, 347–8
Niecke, Edgar, 72–3
Nielson, Alaistair J., 103–4
Nigrey, Paul J., 317–19
Nijs, Hubert, 1026–7
Nikokavouras, John, 1082–3
Ninomiya, I., 44–6, 692–4
Nishida, Katsuhiko, 786–7
Nishigaki, Sadao, 278–80
Nishijima, Yasunori, 90–1
Nishimura, Hiroaki, 1187–8
Nishioka, Itsuo, 781–3
Nittala, S. Sarma, 178–9
Nixon, John F., 199–200, 1141–3
Noda, Shigeyoshi, 601–2
Node, Manabu, 899–900
Noels, Alfred F., 688–9
Nohr, R. S., 1210–11
Nojima, Masatomo, 581–2
Nomoto, Kyosuke, 338–9
Nomura, Yujiro, 1015–16
Nonaka, Genichiro, 781–3
Noordik, Jan H., 583–4, 1218–19
Norris, Alan F., 424–5
Norris, Robert K., 79–80
Numazawa, Mitsuteru, 383–4
Nyburg, Stanley C., 458–9
Nyfeler, Robert, 649–50
Nystroem, Jan E., 59–61
Oakley, Richard T., 584–5, 1214–15
Oberti, Roberta, 50–1
O'Brien, Eugene, 1198–200
Obuchi, Hidesumi, 405–6
Ochi, Masamitsu, 100
Ochiai, Masahito, 460–1
O Criodain, Thurloch, 1254–5
Odaira, Yoshinobu, 786–7
Ogasawara, Kunio, 635–7, 637–8 1153–5, 1155–6
Ogasawara, Sadao, 140–2
Ogawa, Haruo, 1120, 1274–5
Ogawa, Keiichiro, 1015–16
Ogino, Yoshisada, 721–2
Ohara, Eiichi, 261–2
Oh–Hiraki, Kenji, 1018–19
Ohnishi, Hidefumi, 1174
Ohno, Sachio, 364–5
Ohnuma, Toshio, 127–8
Ohsawa, Akio, 1174
Ohta, Kazuhiko, 154–5
Ohura, Shozo, 842–4
Ojima, Iwao, 344–6
Okada, Keiji, 820–1
Okada, Yoshio, 357–8
Okahara, Mitsuo, 219, 471–2
Okajima, Satoru, 211–13
Okamato, Yoshiyuki, 669–70
Okamoto, Yasuaki, 1018–19
Okamura, Akio, 585–7
Okano, Masaya, 210–11, 546–7
Okano, Takashi, 1193–4
Okrasinski, Stanley J., 1278–80
Oku, Junichi, 229–30
Okuda, Tsutomu, 979–81
Okuhara, Toshio, 1114–15
Okura, Ichiro, 56–7
Oldham, Graham, 545–6
Ollis, W. David, 573–5
Onady, Mark, 900–1
Onan, Kay D., 568–9
O'Neil, Robert M., 695–6
Onishi, Takaharu, 92–3
Ono, Noboru, 71–2
Ono, Yoshio, 400–1
Orena, Mario, 465–6
Orioli, Pierluigi, 196–8
Orpen, A. Guy, 689–91, 1077–9
Orrell, Keith G., 29–30
Ors, Jose, 973–4
Osa, Tetsuo, 94–6, 194–5, 340
Osawa, Yoshio, 383–4
Osborn, John A., 1039–40
Osella, Domenico, 300–2
Osugi, Jiro, 725–6
O'Sullivan, Michael, 1254–5
Ota, Nagayo, 338–9
Otterloo, Bert F., 583–4
Ourevitch, Michele, 996–7
Overend, W. George, 1139–40
Overton, Karl H., 80–2
Owada, Hiroto, 546–7
Ozaslan, Necla, 956–7
Ozawa, Sentaro, 721–2
Packer, Kenneth J., 15–16
Paddick, Kathleen E., 986–8
Pagelot, Alain, 833–6
Pain, Geoffrey N., 652–3, 869–71
Pale, Patrick, 668–9
Paleos, Constantinos M., 1082–3
Palmisano, Giovanni, 908–9
Pankowski, Marek, 1071–2
Panzica, Raymond P., 26–8
Paolucci, Claudio, 764–5
Papamihail, Con, 1182–3
Pardasani, Ramchand T., 171–3
Pardy, Richard B. A., 49–50
Parker, Michael W., 208–9
Parry, Keith P., 285–6
Parsons, David G., 729–31
Pascard, Claudine, 731–2, 780–1
Pate, Brian D., 733
Patel, Arvind D., 491–2
Patel, Narendra J., 934–6
Paxson, Timm E., 618–19
Payne, John D., 897–9
Pearson, Michael J., 946–7, 947–8
Pedrini, Paola, 655–6
Pedrocchi–Fantoni, Giuseppe, 80–2
Pejanovic, Vjera, 166–9
Pellegrin, Valdo, 1207–8
Pelletier, S. William, 327–9
Pelter, Andrew, 164–5, 1014–15, 1149–50
Peng, Shie–Ming, 329–30
Pennington, William T., 1214–15
Peringer, Paul, 841–2
Perkins, M. John, 139–40, 142–3 694–5
Perree–Fauvet, M., 874–5
Perutz, Robin N., 452–4
Perz, Robert, 121–2, 122–3
Petasis, Nicos A., 1195–6
Pete, Jean Pierre, 668–9
Peter, F., 1067–9
Peters, Gunter, 1064–5
Petrovskii, P. V., 853–5
Phalon, Patrice, 759–60
Pharadai, Kalaya, 1118–19
Phelan, Kieran G., 299–300
Pichon, Roger, 542–3
Picken, Douglas J., 80–2
Pickett, Christopher J., 1033–5
Pidcock, Alan, 55–6
Pidgeon, Ivy M., 915–17
Pierpoint, Colin, 1030–1
Pillot, Jean Paul, 1094–5
Pilski, Jacek, 703–4, 704–5
Pinkus, A. George, 1016–17
Piotrowska, Krystyna, 41
Piper, James, 76–8, 1196–7
Pita Boente, Maria I., 619–21
Plesek, Jaromir, 1162–3
Pochini, Andrea, 533–4
Poe, Anthony, 1052–3
Poehler, Theodore, 920–1
Poilblanc, Rene, 266–8
Pointer, David J., 481–2
Poli, Rinaldo, 893–4
Pollicino, Salvatore, 764–5
Pollini, Gian Piero, 599–600
Polo, Joel, 297–9
Polonsky, Judith, 280–2, 731–2
Ponec, Vladimir, 1024–5
Pope, Michael T., 1083–4
Porter, George, 145–6
Porter, Lawrence J., 320–2
Porzi, Gianni, 465–6
Posner, Alan M., 1051–2
Potier, Jacqueline, 1036–7
Potter, Barry V. L., 245–6
Pouet, Marie Jose, 1071–2
Pougny, Jean Rene, 375–6
Povey, David C., 1046–7
Prange, Thierry, 363–4, 731–2
Prasit, Petpiboon, 983–5
Pratt, John M., 33–4
Preston, Peter N., 531–2, 1059–61
Pring, Graham M., 29–30
Pritchard, Robin G., 710–11
Proctor, Kevin J., 1046–7
Proenca, M. Fernanda, 788–9
Pron, Adam, 783–4, 1288–9
Prosyanik, Alexandr V., 588–90
Prout, Keith, 117–18, 156–8
Przyluski, J., 783–4
Puddephatt, Richard J., 805–6
Purnell, Howard, 8–9, 9–10, 427–8, 695–6
Purohit, Arun K., 399–400
Qin, Guanlin, 422–4
Quayle, Peter, 404–5, 1076–7
Quici, Silvio, 777–8
Quick, Andrew, 430–2
Quirk, Jennifer M., 1217–18
Rabie, Christiaan J., 1265–7
Rafalska, Maria, 820–1
Rahmani, Mawardi, 823–5
Rai, Mangat, 971–2
Raimondi C., Carlo, 528–9
Raithby, Paul R., 273–4, 753–5, 801–3, 886–8
Raju, Gonibella J., 557–9
Ramamurthy, V., 112–14, 638–9
Ramamurthy, Vaidhyanathan, 557–9
Ramdas, S., 662–3
Ramesh, V., 112–14
Ramnath, N., 112–14
Ranzi, Bianca M., 1050–1
Rao, J. Madhusudhana, 1149–50
Rao, K. Sambasiva, 755–6
Rao, Nancy A., 1258–60
Rao, V. Jayathirtha, 638–9
Raston, Colin L., 6–8, 173–5, 485–6
Ratcliffe, Arnold H., 1006–7
Ratermann, Andrew L., 1229–31
Raubenheimer, Helgard G., 749–50
Rayanakorn, Mongkon, 8–9, 9–10, 427–8, 695–6
Razay, Hayat, 243–5, 867–8, 1255–8
Reddy, A. Veera, 756–7
Reddy, Boreddy S. R., 1062–4
Reed, Lawrence A., III, 760–1
Reedijk, Jan, 1124–5
Rees, Charles W., 550–1, 657–8, 927–8
Rees, Huw H., 418–20, 594–5
Reetz, Manfred T., 237–9
Reilly, Charlie A., 618–19
Reinecke, Manfred G., 124–5
Reinhoudt, David N., 368–9
Ren, Wu Yun, 110–12
Rest, Antony J., 149–50, 489–90
Reye, Catherine, 121–2, 122–3
Rhouati, Salah, 241–2
Ribas, Juan, 903–4
Ribo, Josep M., 205–6
Ricca, Giuliana Severini, 575–6
Rice, David A., 1241–2
Richards, Kenneth E., 225–6
Ridd, John H., 402–3, 825–7
Ridley, Damon D., 505–6
Rieger, Philip H., 265–6
Risbood, Prabhakar A., 760–1
Rist, Guenther H., 499–501
Ritter, Alfred, 1[illegible]–6
Riviere, Henriette, 1109–10
Rizzuti, Lucio, 1049–50
Roberts, Brian P., 360–1, 748–9, 1107–8, 1167–8
Roberts, Nicholas K., 1278–80
Roberts, Stanley M., 922–4
Robertson, Alan D., 952–3
Robertson, Ross E., 13–14
Robins, David J., 146–7, 554–6, 619–21, 1272–4
Robinson, Ward T., 225–6
Robinson, William R., 1120–1
Rodgers, John R., 271–2, 1070–1 1253–4
Roesky, Herbert W., 1013–14
Rogalska, Ewa, 57–8
Ronchetti, Fiamma, 1050–1
Rondan, Nelson G., 579–81
Rooney, John J., 456–7, 686–8, 1062–4
Rosales, Maria J., 273–4, 886–8
Rosan, Alan M., 311–13
Roselli, Alberto, 1109–10
Rose–Munch, Francoise, 152–4, 1055–7, 1057–9
Rosenthal, Arthur F., 976–8
Rosevear, Alan, 1151–2
Ross, Barry C., 1269–71
Ross, Julian R. H., 751–2
Rosseinsky, David R., 378–9
Rosser, Richard, 1014–15
Rossi, Angelo R., 973–4
Roue, Jean, 537–8, 862–4

Rowbottom, Graham L., 6–8
Rozen, Shlomo, 443–4
Rudler, Henri, 152–4, 1055–7, 1057–9
Ruggeri, Ruggero, 222–3
Rumpel, Horst, 664–5
Rupani, Pushpa, 164–5
Russell, Charles G., 434–6
Russell, Richard A., 108–10, 942–3, 1100–1
Russo, Giovanni, 1050–1
Russo, Maria V., 1059–61
Russo, Peter J., 701–2
Ruth, Thomas J., 733
Ruveda, Edmundo A., 734–5
Ryan, R. R., 305–6
Rzepa, Henry S., 939–40
Sabetian, Khojasteh, 166–9, 169–71
Sacconi, Luigi, 47–8
Sadler, Ian H., 631–2, 649–50, 1169–70
Sadler, Peter J., 61–2
Safa, Kazem D., 175–6
Sai, Midori, 899–900
Saigo, Kazuhiko, 833–6
Sainsbury, Malcolm, 630–1
Saito, Kazuo, 1135–6
Saito, Masayuki, 617–18
Saito, Takashi, 127–8
Sakai, Junya, 400–1
Sakakibara, Jinsaku, 22
Sakakibara, Tohru, 261–2
Sako, Magoichi, 658–9
Sakurai, Tadamitsu, 1004–5
Salaun, Jean Yves, 542–3, 966–8
Salvadori, Piero, 590–1
Sammes, Peter G., 1248–50
Samuelson, Ashoka G., 354–6
Sanchez, Jean Yves, 347–8
Sandall, John P. B., 402–3, 825–7
Sanders, Jeremy K. M., 1201–3
Sandman, Daniel J., 829–31
Sandri, Edda, 764–5
Sandri, Sergio, 465–6
Sandstroem, Magnus, 772–3
Sano, Seiyo, 1223–4
Sansoni, Mirella, 222–3, 528–9
Santaniello, Enzo, 217
Sappa, Enrico, 995–6
Sargeson, A. M., 875–7
Sarti, Sauro, 822–3
Sasaki, Muneo, 725–6
Sasaki, Tadashi, 1193–4
Sasaki, Teruhiko, 22–5
Sasaki, Yoichi, 1135–6
Sasaki, Yoshio, 35–6
Sasaki, Yukichi, 140–2
Sasamoto, Kazumi, 346–7
Sato, Fumie, 180–1, 718–20, 1140–1
Sato, Masao, 180–1, 718–20, 1140–1
Sato, Shingo, 904–5
Sato, Tadashi, 951–2, 1116–17
Satyanarayana, Gutta O. S. V., 746–7
Saveant, J. M., 888–90
Savoia, Diego, 540–1, 541–2
Say, Barry J., 15–16
Scarpati, Rachele, 720–1
Scensny, Patricia M., 881–2
Schaal, Mathias, 446–8
Schappert, Raymond, 455–6
Schardt, Bruce C., 765–6
Scheinmann, Feodor, 339–40
Schiavello, Mario, 1049–50
Schibler, Werner, 603–4
Schierbeek, Abraham J., 1124–5
Schipper, Pieter, 104–6, 358–60, 1148–9
Schleyer, Paul von Rague, 260–1 579–81, 882–4
Schloegl, Robert, 677, 679–80
Schmieder, W., 1013–14
Schmutzler, Reinhard, 609–10, 810–12
Schomburg, Dietmar, 609–10, 810–12
Schramm, Lee C., 327–9
Schrobilgen, Gary, 198–9
Schultz, Arthur G., 224–5
Schumann, Monika, 1064–5
Schwartz, Eduard, 634–5
Schwarzmann, Einhard, 664–5
Sciacovelli, Oronzo, 523–4
Scolastico, Carlo, 575–6
Scott, John W. M., 13–14
Scrimin, Paolo, 416–17
Sedgwick, R. Donald, 325–7
Seebach, Dieter, 952–3
Segall, Yoffi, 622–3
Seisho, Minoru, 1061–2
Seitz, Steven P., 1195–6
Sekine, Mitsuo, 969–70, 970–1
Selig, Henry, 1288–9
Senda, Shigeo, 623–4
Senga, Keitaro, 278–80
Seo, Shujiro, 895–7
Serpone, Nick, 1284–6
Sessions, R. B., 1067–9
Sethuraman, Purisai R., 1083–4
Shahrisa, Aziz, 604–6
Shamma, Maurice, 1118–19, 1246–8
Shanzer, Abraham, 634–5
Shapiro, Stuart, 76–8, 1196–7
Shaver, Alan, 513–14
Shaw, Andrea C., 226–7
Shaw, C. Frank, III, 1111–14
Shaw, Gordon, 508–10
Sheldrick, George M., 664–5, 1097–8
Sheldrick, William S., 1013–14
Shepherd, Alistair G., 1250–1
Sheppard, Robert C., 336–7, 1151–2
Shimanski, Michael, 569–70
Shimidzu, Takeo, 1206–7
Shimizu, Hiroshi, 364–5
Shimizu, Yuzuru, 314–15, 827–8
Shing, Tony, 1139–40
Shinkai, Seiji, 391–2
Shirai, Naohiro, 22
Shirataki, Yoshiaki, 442–3
Shirin, Ezra, 981–2
Shishido, Kozo, 940–2
Shizuka, Haruo, 405–6
Short, Richard L., 537–8
Shreeve, Jean'ne M., 242–3
Shu, Paul, 920–1
Shu–Lin, Wen, 662–3
Siefert, Elmer E., 217–18
Sierra, Manuel Gonzalez, 734–5
Siew, Pik Yuen, 912–14
Sigan, A., 441–2
Simon, Helmut, 645–7
Simonet, Jacques, 1040–1
Simoni, Daniele, 599–600
Simonnin, Marie Paule, 1071–2
Simpkins, Nigel S., 1001–3
Simpson, Thomas J., 195–6, 239–40, 914–15, 1042–3, 1043–4, 1198–200
Sinay, Pierre, 375–6, 572–3
Singh, Anirudh, 1190–1, 1191–3
Singh, Hari, 70–1
Singh, Paramjit, 1074–5
Singh, Pushpa D., 934–6
Singleton, Eric, 78–9, 408–9
Siriwardane, Upali, 513–14
Sironi, Angelo, 563–5, 1280–2
Skala, Gerald, 1243–4
Skelton, Brian W., 428–30, 485–6 698–9
Skinner, Karen L., 549–50
Sladky, Fritz, 841–2
Slapak, Christopher, 179–80
Slovokhotov, Y. L., 989–90
Smal, Mary A., 505–6
Smith, Brian E., 12–13
Smith, Carmen Z., 492–4, 792–3
Smith, Clark W., 1243–4
Smith, John M. A., 348–50
Smith, Kevin M., 283–4
Smyth, Sean M., 422–4
Smyth–King, Rosalind J., 79–80
Snape, Evan W., 1073–4
Snow, Michael R., 271–2
Snow, Roger J., 524–6
Soares, Ana M., 84–5
Sogah, G. D. Y., 625–8
Soma, Mitsuyuki, 539–40
Somanathan, Ratnasamy, 573–5
Somerville, Richard G., 871–2
Sopher, David W., 134–6
Sorcek, Ronald J., 110–12
Soulen, Robert L., 526–8
Soumillion, Jean P., 436–7
Speier, Gabor, 745
Spencer, John L., 716–17, 1104–6
Speranza, Maurizio, 1177–8
Spiro, Michael, 131–2
Spitznagel, Guenther W., 882–4
Sridharan, S., 737–8
Srinivasan, Ra, 973–4
Sriwattanatamma, Patra, 844–5
Stang, Peter J., 459–60
Staunton, James, 708–10, 856–8
Stavber, Stojan, 148, 795–6
Stedman, Geoffrey, 299–300
Steen, Nick D. C. T., 407–8, 587–8
Steinbach, Rainer, 237–9
Stenzel, Desmond J., 239–40, 1042–3
Sterns, Meta, 1262–3
Stevenson, Kenneth L., 593–4
Stewart, Constantine A., 925–7
Stewart, Peter, 164–5
Steyn, Pieter S., 289–91, 1265–7
Stezowski, John J., 1291–2
Stibr, Bohumil, 1162–3
Stirling, Charles J. M., 553–4
Stobart, Stephen R., 937–9
Stobie, Alan, 1232–3
Stoddart, J. Fraser, 430–2, 432–4 612–13, 847–9, 849–50, 851–2
Stokes, James, 920–1
Stone, F. Gordon A., 243–5, 652–3, 653–5, 689–91, 867–8, 869–71, 871–2, 966–8, 1101–3, 1255–8
Stoodley, Richard J., 478–9
Stoop, Ferry, 1024–5
Stragalinou, Anna, 661–2
Straughan, Brian P., 159–60
Street, G. Bryan, 384–5
Struchkov, Y., 441–2
Struchkov, Y. T., 989–90
Suckling, Colin J., 613–15
Suda, Kohji, 263
Sudoh, Rokuro, 261–2
Suematsu, Morio, 623–4
Suffolk, Roger J., 353–4
Sugawara, Tadashi, 479–80
Sugihara, Hideki, 1106–7
Sugimoto, Toyonari, 210–11
Sullivan, B. Patrick, 793–5
Sultanbawa, M. Uvais S., 1204–6
Summers, Lesley J., 1046–7
Sung, Wing L., 1089
Surendrakumar, Sivaguanasundram, 1204–6
Surman, David J., 324–5
Suter, Philip J., 1073–4
Sutherland, Ian O., 573–5, 990–2 992–4
Sutherland, James K., 740–1, 1075–6
Sutou, Naotake, 617–18
Sutthivaiyakit, S., 611–12
Suzuki, Hiroshi, 1015–16
Suzuki, Mikio, 658–9
Swain, Michael L., 840–1
Swenton, John S., 179–80
Swetnam, Stephen P., 1224–5
Swincer, A. Geoffrey, 271–2
Symons, Martyn C. R., 176–8, 1251–2
Szeja, Wieslaw, 215–16
Tadj, Fatemeh, 341–2
Taha, Ahmed A., 1227–9
Takagi, Seiichi, 338–9
Takagi, Tetsu, 357–8
Takahashi, Katsuhiro, 127–8
Takahashi, Katsuya, 221–2
Takahashi, Keiko, 94–6, 194–5
Takahashi, Yasuhiro, 714–15
Takai, Izumi, 261–2
Takaishi, Yoshihisa, 585–7
Takano, Seiichi, 635–7, 637–8, 940–2, 1153–5, 1155–6
Takao, Sachiko, 286–7
Takatoh, Kohki, 717–18
Takegami, Yoshinobu, 22–5, 906–7, 936–7
Takemoto, Tsunematsu, 338–9
Takeno, Hidekazu, 282–3, 474–5
Taketsuru, Hirofumi, 221–2
Takeuchi, Hiroshi, 202–4
Takeuchi, Yoshito, 1015–16
Tamaru, Kenzi, 92–3
Tamura, Nobuhiko, 1155–6
Tamura, Rui, 71–2
Tan, Tiong–Kie, 226–7
Tanabe, Kozo, 602–3
Tanaka, Kenichi, 1061–2
Tanaka, Masato, 333–4
Tanaka, Yoko, 1157–9
Tang, Yi–Noo, 217–18
Tanikaga, Rikuhei, 71–2, 1106–7
Tanimoto, Shigeo, 210–11
Tanizawa, Osamu, 357–8
Tantisewie, Bamrung, 1118–19
Tatjanina, I. V., 93–4
Taya, Kazuo, 1274–5
Taylor, Alan, 1227–9
Taylor, David J., 489–90
Taylor, Graham E., 537–8
Taylor, John A., 482–3
Taylor, Joseph Sherwood, 466–8
Taylor, Michael J., 199–200
Taylor, Nicholas J., 476–7
Teas, Carol L., 268–9
Tebby, John C., 420–1, 607–8
Tedder, John M., 70–1
Teller, Raymond G., 235–6
Teranishi, Shiichiro, 1018–19
Teratani, Shousuke, 1120, 1274–5
Termine, Enrico J., 568–9
Teuben, Jan H., 342–4
Teyssie, Philippe, 688–9
Thaller, Viktor, 1227–9
Thea, Sergio, 535–6

Theobald, Brian R. C., 201–2, 963–5
Thom, Ian G., 373–4
Thomas, Eric J., 901–2
Thomas, John M., 8–9, 9–10, 276–7, 427–8, 570–1, 677, 678–9, 679–80, 695–6, 1221–2
Thomas, Robert, 650–2
Thompson, John T., 1239–40
Thompson, Robert L., 497–9
Thomson, Mary A., 805–6
Thornton-Pett, Mark, 189–91
Tilak, Bal D., 399–400
Tilley, T. Don, 985–6
Tiripicchio, Antonio, 995–6
Tiripicchio Camellini, Marisa, 995–6
Tishbee, A., 75–6
Tkatchenko, Igor, 49–50
Tobe, Yoshito, 786–7
Todesco, Paolo E., 563
Toetsch, Walter, 841–2
Tokoroyama, Takashi, 100
Toma, Lucio, 1050–1
Tomasik, Piotr, 561–2
Tomita, K., 463–5
Tomita, Kenichi, 671–3
Tongpenyai, N., 611–12
Toolenaar, Frank J. C. M., 1024–5
Torchenkova, E. A., 93–4
Torelli, Vesperto, 775–7
Tori, Kazuo, 895–7
Torre, Giovanni, 588–90
Toshimitsu, Akio, 546–7
Towers, Patrick, 740–1
Towns, Elizabeth, 673–4
Trivedi, Harish S., 950–1
Troin, Yves, 832–3
Trombini, Claudio, 540–1, 541–2
Truong Dihn Thac, 1086–7
Truter, Mary R., 729–31
Tsoi, Siu Chung, 550–1, 927–8
Tsuchiya, Susumu, 567
Tsuchiya, Takashi, 211–13
Tsuji, Masachika, 383–4
Tsumaki, Hidetoshi, 597–8
Tucker, Philip M., 691–2
Tuddenham, David, 657–8
Turner, David G., 1104–6
Turner, Eric S., 139–40
Turner, Ralph W., 840–1
Tyler, Andrew N., 325–7
Tyler, Jonathan W., 691–2
Tyobeka, Themba E., 650–2
Tyrrell, Nicholas D., 901–2
Ucciani, Eugene, 82–3
Uchida, Yuzuru, 510–11
Uda, Hisashi, 714–15, 1163–4
Uemura, Sakae, 546–7
Ueno, Akihiko, 94–6, 194–5, 340
Ueno, Fumio B., 1135–6
Ueoka, Toshihiko, 1031–3
Umani-Ronchi, Achille, 540–1, 541–2
Umpleby, J. David, 681–2
Underhill, Allan E., 67–8
Ungaro, Rocco, 533–4
Uno, Hidemitsu, 1277–8
Uomori, Atsuko, 895–7
Urry, Dan W., 230–2
Usher, John J., 246–7, 917–19, 934–6
Uson, Rafael, 1097–8
Utley, James H. P., 134–6, 492–4 792–3
Utsuno, Shunji, 296–7
Uyehara, Tadao, 127–8
Vallee, Danielle, 832–3
Vallejo, Carlos A., 917–19, 934–6
Valles, Asuncion, 205–6
van Bolhuis, Fre, 1065–6
Van Damme, Henri, 1026–7
van de Grampel, Johan C., 1065–6
van den Aardweg, Fred, 1132–3
Van Derveer, Donald G., 302–4
Van der Velden, Jan W. A., 583–4, 1218–19
Van Heerden, Fanie R., 289–91
Van Hummel, Gerrit J., 368–9
Van Rooyen, Petrus H., 1265–7
Varenne, Jeannette, 731–2
Vargas, Luis A., 976–8
Vargas, Maria D., 1009–11
Varma, Manju, 553–4
Vasconi, Gabriella, 1089–91
Vasella, Andrea, 97–8
Vassilopoulos, George, 1082–3
Vasudevan, Sukumaran, 570–1
Vederas, John C., 501–2
Venkatesan, Kailasam, 755–6
Verardo, Giancarlo, 540–1, 541–2
Verkruijsse, Hermann D., 366–7
Veronese, Augusto C., 416–17
Verschoor, Gerrit C., 322–4, 1124–5
Vibuljan, Pongsak, 912–14
Vickerman, John C., 324–5, 422–4
Viljoen, Johanna C., 749–50
Villa, Angiola Chiesi, 446–8
Visco, Steven, 265–6
Vitali, Dario, 893–4
Vitali, Maria Teresa, 777–8
Vitullo, V. P., 737–8
Vleggaar, Robert, 289–91, 1265–7
Voeffray, Robert, 97–8
Vollhardt, K. Peter C., 53–5
Voĭpin, M., 441–2
Voulgaropoulos, Anastasios, 1021–3
Vrbancich, Julian, 771–2
Wada, Masanori, 680–1
Wademan, R. J., 448–9
Wagner, Frank, 302–4
Wakamatsu, Shigeru, 604–6
Wakefield, Basil J., 922–4
Wakselman, Michel, 632–4
Walker, Andrew, 404–5
Walkinshaw, Malcolm D., 914–15
Wallis, Robert C., 428–30, 1070–1
Walsh, Robin, 915–17
Walton, Jennifer K., 428–30, 1253–4
Walton, Richard A., 1120–1
Wamhoff, Heinrich, 743–4
Wan, Calvin S. K., 1235–6
Wan, Peter, 1023–4
Wan, Terence, 1146–7
Wang, An, 83–4
Wang, Jih Tzong, 666–8, 1184–5
Wang, Sue-Lein, 329–30
Wang, Yu, 329–30
Wang, Zhi-qin, 1134–5
Waring, Michael J., 46–7
Warren, Stuart, 100–1
Warrener, Ronald N., 108–10, 942–3, 1100–1
Washburne, Stephen S., 710–11
Wasserman, Harvey J., 274–5
Watanabe, Hamao, 617–18
Watanabe, Hiroshi, 718–20
Watanabe, Hiroyoshi, 22–5, 496–7
Watanabe, Katsuya, 496–7
Watanabe, Toshio, 761–2
Watanabe, Yoshihisa, 22–5, 496–7
Waters, Barry W., 482–3
Watson, William H., 899–900
Watt, Ian, 166–9, 171–3
Watts, Oliver, 341–2
Wautier, Henri, 738–9
Wayda, Andrea L., 292–3, 706–8
Wayland, Bradford B., 475–6, 700–1
Wazeer, Mohamed I. M., 1204–6
Weber, David C., 522–3
Weber, Edwin, 472–3
Webley, Wayne S., 192–4
Weedon, Alan C., 820–1, 1235–6
Weerasinghe, Deepthi K., 630–1
Weferling, Norbert, 609–10, 810–12
Weisleder, David, 766–7
Weitkamp, Jens, 591–3
Welch, Alan J., 201–2, 494–6, 652–3, 653–5, 871–2, 986–8
Went, Michael J., 867–8
Wesołek, Marcel, 1039–40
Wessels, Philippus L., 289–91
West, Bruce O., 370–1, 661–2, 726–8
Westermann, Juergen, 237–9
White, Allan H., 6–8, 428–30, 485–6, 698–9
White, James W., 201–2
White, Lloyd S., 973–4
White, Nicholas D., 494–6
White, Noam, 12–13
White, Peter S., 28–9
White, Robert L., 246–7, 917–19 1146–7
Whiteley, Chris G., 5–6
Whiteley, Mark W., 17–18, 19–20
Whitham, Gordon H., 741–2, 742–3
Whittle, Alan J., 1001–3
Whittle, Robert R., 900–1
Wiberg, Kenneth B., 878–9
Wicha, Jerzy, 25–6
Wickramasinghe, Wasantha A., 1284–6
Widdowson, David A., 1260–2
Wightman, Richard H., 87–8
Wilbredt, Dirk A., 72–3
Wilford, John B., 481–2
Wilhelm, Eberhard, 683–4
Wilken, Rolf Dieter, 968–9
Wilkinson, Geoffrey, 189–91, 451–2, 1164–5
Willetts, Stuart E., 420–1
Williams, Andrew, 535–6
Williams, Brian J., 336–7
Williams, David J., 430–2, 432–4 847–9, 849–50, 851–2, 927–8, 1260–2
Williams, Dudley H., 46–7, 165–6, 424–5, 836–8
Williams, Ffrancon, 666–8, 1184–5
Williams, John R., 752–3
Williams, Kevin J., 8–9, 9–10, 427–8
Williams, Michael L., 428–30
Williams, Robert J. P., 1051–2, 1083–4
Williamson, Michael P., 165–6
Willis, Anthony C., 526–8
Willis, Brian J., 30–2
Willis, Christine L., 285–6
Willis, Clive, 247–8
Wilson, Alan A., 613–15, 1239–40
Witkiewicz, Patricia L., 1111–14
Witt, Sheila D., 217–18
Witten, Ulrich, 1064–5
Wlodarczyk, Andrzej, 348–50
Wojciechowski, P. S., 669–70
Wolff, Steven, 118–20
Wong, George S. K., 820–1
Wong, S. King, 958–9
Wong, Wai-Kwok, 189–91, 451–2
Woods, Bruce A., 475–6, 700–1
Woodthorpe, Katherine L., 160–2, 549–50
Woodward, Peter, 17–18, 19–20, 537–8, 861–2, 862–4, 867–8, 869–71, 966–8, 1101–3
Woolley, Geoffrey T., 922–4
Worthington, Paul A., 507–8
Wrackmeyer, Bernd, 1093–4
Wreford, Stan S., 458–9
Wright, Albert F., 784–6
Wright, J. Neville, 129–30
Wudl, Fred, 828–9
Wyatt, Jane L., 176–8
Wynberg, Hans, 307–8
Wyn-Jones Evan, 386–7
Wynne, Kenneth J., 1210–11
Yagoub, Ahmed K., 696–8
Yagyu, Masami, 357–8
Yamabe, Masaaki, 1173–4
Yamada, Koji, 979–81
Yamada, M., 461–3, 463–5
Yamagata, Hikaru, 970–1
Yamagishi, Akihiko, 539–40, 1128–9, 1168–9
Yamaguchi, Keiichi, 560–1
Yamaguchi, Tsutomu, 602–3
Yamaji, Kenji, 357–8
Yamamoto, Brian R., 73–4
Yamamoto, Masahide, 90–1
Yamamoto, Takakazu, 187–8
Yamamoto, Yoshinori, 162–3
Yamauchi, Masashige, 761–2
Yamazaki, Noboru, 315–17
Yasuda, Mitsuhiro, 115–17
Yatagai, Hidetaka, 162–3
Yates, Keith, 1023–4
Yates, Peter, 449–51, 1126–8
Yavari, Ahmad, 796–7
Yellowlees, Lesley J., 287–9
Yeung Lam Ko, Y. Y. C., 1131–2
Yijima, Chino, 263
Yip, Roderick W., 955–6
Yokoe, Ichiro, 442–3
Yokota, Kanichi, 313–14
Yokoyama, Masataka, 560–1
Yokoyama, ShinYa, 1061–2
Yonaga, Masahiro, 1153–5
Yoneda, Fumio, 391–2, 1160–2
Yoneda, Yukio, 1114–15
Yonemitsu, Tadashi, 309
Yoshida, Masato, 1203–4
Yoshida, Satohiro, 601–2
Yoshida, Toshoi, 127–8
Yoshihara, Minoru, 974–6
Yoshikoshi, Akira, 1236–7
Yoshimura, Yohko, 895–7
Yoshioka, Himeko, 338–9
Young, Charles G., 1262–3
Young, Douglas W., 395–6, 608–9
Yuasa, Yoshifumi, 114–15
Yue, Po-Lock, 1049–50
Yuki, Shunji, 864–5

Yus, Miguel, 670–1, 1178–9
Zabel, Volker, 899–900
Zanazzi, Pier Francesco, 181–3, 893–4
Zanirato, Paolo, 822–3
Zard, Samir Z., 774–5
Zdunek, Leszek Z., 769–71
Zeeman, Mary Lou, 948–50
Ziadeh, Yacoub, 545–6
Zippel, Matthias, 891–2
Zoski, Glenn D., 829–31
Zubieta, Jon, 411–12, 881–2
Zubieta, Jon A., 132–3
Zuckerman, J. J., 521–2
Zupan, Marko, 148, 795–6

SUBJECT INDEX, 1981

A4
5,6–Methanoleukotriene A_4. A stable and biologically active analog of leukotriene A_4, 1195–6
ABSORPTION
Structure and synthesis of 25–hydroxycholecalciferol–26,23–lactone, a metabolite of vitamin D_3, 424–5
Hydrogen uptake and hydrogenation activity of the rare earth intermetallic compound trimagnesiumsamarium treated with anthracene, 567
ABSTRACTION
An ESR study of the generation and reactivity of the borane radical anion ($H_3B^{\cdot-}$) in solution, 360–1
ACENAPHTHYLENE
Surface photochemistry: the photodimerization of acenaphthylene on dry silica gel, 820–1
ACETAL
The regiospecific preparation of 1,4–dioxygenated anthraquinones: a new route to islandicin, digitopurpone, and madeirin, 108–10
Synthesis of some branched trisaccharides using photolabile o–nitrobenzylidene acetals as temporary protecting groups, 362–3
Regiospecific attack of methoxide ion on 4–alkoxy–o–quinone imines. A novel route to p–quinone monoacetals, 425–6
Isotope shifts in carbon–13 NMR spectra of oxygen–18–labeled acetals: multiple labeling effects at β–carbons, 501–2
Hypervalent iodine in organic synthesis. A novel route to the dihydroxyacetone side–chain in the pregnene series, 641–2
Regiospecific (biogenetic–type) synthesis of 2–methyl–5H–pyrano[3,2–c][1]benzopyran–4–one, the basic skeleton in citromycetin, 761–2
Regiospecific cycloaddition of 1–substituted isobenzofurans to quinone acetals, 942–3
ACETALIZATION
Hypervalent iodine in organic synthesis. A novel route to the dihydroxyacetone side–chain in the pregnene series, 641–2
ACETAMIDE
Coordination of amides to cis–diamminediaquaplatinum dication, 61–2
ACETAMIDO
Synthesis and x–ray crystal structure of the first example of an anhydronucleoside with two oxygen bridges between the base and the sugar, 780–1
ACETAMIDOCINNAMATE
The origins of the enantioselection in asymmetric catalytic hydrogenation of amino acid precursors, 1278–80
ACETAMIDODIANHYDROISOPROPYLIDENETALOFURANOSYLPYRIMIDINE
Synthesis and x–ray crystal structure of the first example of an anhydronucleoside with two oxygen bridges between the base and the sugar, 780–1
ACETAMIDOETHENYLTHIO
Reaction of olivanic acids with hypobromous acid: the preparation and use of a versatile intermediate, the C–3 thiol, 803–5
ACETAMIDOETHENYLTHIOOLIVANATE
Reaction of olivanic acids with hypobromous acid: the preparation and use of a versatile intermediate, the C–3 thiol, 803–5
ACETATE
Chemical conversions using sheet silicates: facile ester synthesis by direct addition of acids to alkenes, 8–9
Palladium–promoted 1,4–cycloamination of 1,3–dienes to pyrroles, 59–61
Photocontrol of catalytic activity of capped cyclodextrin, 94–6
Vicinal glycol esters from synthesis gas, 188–9
Fluorescence enhancement of α–naphthyloxyacetic acid in the cavity of γ–cyclodextrin, assisted by a space–regulating molecule, 194–5
Photolysis and thermolysis of phenyl azide in acetic acid, 202–4
Arylation of N–acylpyrroles and –indoles with arenes and palladium acetate, 254–5
Mercuricyclization in carbohydrate chemistry. A highly stereoselective route to α–D–C–glucopyranosyl derivatives, 375–6
Detection of a metalo intermediate and geometrical isomerizations in an oxidative cyclization of a heterocyclic hydrazone with mercury(II) acetate, 376–7
Isolation of ecdysone–3–acetate as a major ecdysteroid from the developing eggs of the desert locust, Schistocerca gregaria, 594–5
The biosynthesis of asperlactone: incorporation studies with acetate–2–^{13}C,2–$^{2}H_3$, 708–10
Room temperature fluorination of alkenes with cesium fluoroxysulfate, 795–6
Hydroisomerization of 1,3–dioxacycloalkanes to esters on platinum. The role of hydrogen in the isomerization, 978–9
Synthesis of a trans–decalin as a potential insect antifeedant, 1001–3
The charge distribution in complexes having molybdenum–molybdenum or chromium–chromium quadruple bonds, studied by gas–phase x–ray photoelectron spectroscopy, 1027–8
Biosynthesis of austin, a polyketide–terpenoid metabolite of Aspergillus ustus, 1042–3
Biosynthesis of terretonin, a polyketide–terpenoid metabolite of Aspergillus terreus, 1043–4
Ketone enolates as nucleophiles in palladium–catalyzed allylic alkylation, 1159–60
Natural abundance carbon–13–carbon–13 coupling constants in a steroid, 1275–7
ACETATO
Acetato–complexes of osmium(II, III, and IV), 1164–5
ACETATOOSMIUM
Acetato–complexes of osmium(II, III, and IV), 1164–5
ACETATOPYRIDINOMETAL
Exchange interactions in a series of novel heteronuclear basic carboxylate complexes containing two iron(III) ions and a divalent metal ion, 796–7
ACETIC
Synthesis of acetic acid from methanol and carbon monoxide on nickel–based catalysts supported on active carbon, 906–7
ACETOACETATE
Substitution of quinizarin and 5–hydroxyquinizarin at C–2, 740–1
ACETOBROMOGLUCOSE
Synthesis of some branched trisaccharides using photolabile o–nitrobenzylidene acetals as temporary protecting groups, 362–3
ACETOLYSIS
Synthesis and solvolysis of tricyclo[3.2.1.$0^{3,6}$]octan–1–ylmethyl toluene–p–sulfonate, 214–15
ACETONE
Preparation and reactions of 1–lithiooxy–1–lithioaminoallene derivatives, 65–7
Grunwald–Winstein plots exhibiting a maximum. Solvolysis of methyl perchlorate, 83–4
Role of metal salts in the synthesis of 1,1,7,7,13,13,19,19–octamethyl[1.1.1.1](2,5)furanophan, 149–50
Bis–1,4–dihydronicotinamides. Intramolecular electronic interaction and its consequence in the reduction of a carbonyl substrate in aprotic solvents, 444–6
Mechanism of the Cope rearrangement of acyclic 1,5–dienes and of the Wacker oxidation of alk–1–enes catalyzed by palladium complexes, 456–7
A catalytic method for α–glycol cleavage, 1232–3
ACETONIDE
Regio– and stereospecific allylic oxidation of germacrane–type sesquiterpene lactones with selenium dioxide and tert–butyl hydroperoxide, 483–5
ACETOPHENONE
Modification of pathways for cathodic reduction via complexation with β–cyclodextrin, 492–4
Anomalous rate of bromination of a ketone: first–order dependence on bromine concentration, 1016–17
ACETOXY
Acyl migrations in Diels–Alder adducts of acyl–1,4–benzoquinones 166–9
Regioselective mercuration of an estradiol derivative: a facile entry to 2–substituted estrogens, 217
Synthesis of ethyl 3–methyl–7–oxo–4–oxa–1–azabicyclo[3.2.0]hept–2–ene–2–carboxylate and the reaction of 4–acetoxyazetidin–2–one with ethyl α–diazoacetoacetate, 642–3
Palladium(II)–catalyzed isomerizations of 3–acetoxy–1,4–dienes to 1–acetoxy–2,4–dienes: stereochemical and preparative aspects, 1030–1

ACETOXYACYLNAPHTHALENE
Acyl migrations in Diels–Alder adducts of acyl–1,4–benzoquinones 166–9
ACETOXYAZETIDINONE
Synthesis of ethyl 3–methyl–7–oxo–4–oxa–1–azabicyclo[3.2.0]hept–2–ene–2–carboxylate and the reaction of 4–acetoxyazetidin–2–one with ethyl α–diazoacetoacetate, 642–3
ACETOXYBENZYLMETHOXYMETHYLENEPROPYLPIPERAZINEDIONE
Approaches to the synthesis of bicyclomycin, 1126–8
ACETOXYCYCLOHEPTENE
Asymmetric hydrolysis of 3–acetylthiocycloheptene and 3–acetoxycycloheptene with a microbial lipase, 185
ACETOXYDIENE
Palladium(II)–catalyzed isomerizations of 3–acetoxy–1,4–dienes to 1–acetoxy–2,4–dienes: stereochemical and preparative aspects, 1030–1
ACETOXYLATION
Electron–transfer chain (ETC) promotion of aromatic substitution reactions. Entry into the $S_{ON}2$ mechanism via ipso radical attack, 133–4
Tetraphenylbismuth monotrifluoroacetate: a new reagent for regioselective aryl ether formation, 503–4
ACETOXYMETHOXYESTRATRIENE
Regioselective mercuration of an estradiol derivative: a facile entry to 2–substituted estrogens, 217
ACETOXYMETHYL
Synthesis and x–ray crystal structure of 1,5–bis(acetoxymethyl)tricyclo[2.1.0.0^{2,5}]pentan–3–one, 455–6
ACETOXYMETHYLTRICYCLOPENTANONE
Synthesis and x–ray crystal structure of 1,5–bis(acetoxymethyl)tricyclo[2.1.0.0^{2,5}]pentan–3–one, 455–6
ACETOXYOXOAZETIDINYLOXOBUTYRATE
Synthesis of ethyl 3–methyl–7–oxo–4–oxa–1–azabicyclo[3.2.0]hept–2–ene–2–carboxylate and the reaction of 4–acetoxyazetidin–2–one with ethyl α–diazoacetoacetate, 642–3
ACETOXYTRIMETHYLAZETIDINONE
Concise syntheses of 4–(arylcarbonylmethyl)–azetidin–2–ones and related systems, 1076–7
ACETOXYTRIMETHYLSILYLAZETIDINONE
Concise syntheses of 4–(arylcarbonylmethyl)–azetidin–2–ones and related systems, 1076–7
ACETYL
[1,5] and [1,2] Acetyl shifts in Diels–Alder adducts of 2–acetyl–6–methyl–1,4–benzoquinone, 169–71
Interaction of alkyl halides with the diironoctacarbonylate anion: the crystal structures of the tetraethylammonium salts of the μ–acetylC^1(Fe^1,Fe^2)O(Fe^1,Fe^3)nonacarbonyl–triangulo–triferrate and μ_2–carbonylnonacarbonyl–μ_3–2,4–dioxapentylidyne–triangulo–triferrate anions, 189–91
Protiodeacetylation of porphyrins and pyrroles: a new partial synthesis of dehydrocoproporphyrin (S411–porphyrin), 283–4
Rearrangement of carboxylates derived from N–acetyl–N–nitroso–α–amino acids, 297–9
Acetyl hypofluorite, the first member of a new family of organic compounds, 443–4
Modification of pathways for cathodic reduction via complexation with β–cyclodextrin, 492–4
Preparation of (–)–(7R)–7–acetyl–7–hydroxy–4,4–dimethoxy–5,6,7,8–tetrahydronaphthalen–1(4H)–one, a chiral AB–synthon for anthracycline synthesis, 1100–1
Unusual stereospecificity in the hydrogenation of an isopropenyl function with Wilkinson's catalyst: a route to chiral methyl valine 1175–6
α–C–Glycopyranosides from Lewis acid–catalyzed condensations of acetylated glycals and enol silanes, 1180–1
ACETYLACETONATE
Palladium–mediated transfer of oxygen from carbonate ion to an organic ligand, 661–2
ACETYLACETONATO
Partial resolution of tris(acetylacetonato)ruthenium(III) on a liquid chromatography column of Δ–tris(1,10–phenanthroline)nickel(II) montmorillonite, 1168–9
ACETYLACETONATORUTHENIUM
Partial resolution of tris(acetylacetonato)ruthenium(III) on a liquid chromatography column of Δ–tris(1,10–phenanthroline)nickel(II) montmorillonite, 1168–9
ACETYLACETONE
Substitution of quinizarin and 5–hydroxyquinizarin at C–2, 740–1
ACETYLALLYLMETHOXYNAPHTHOQUINONE
Synthesis of (±)–eleutherin, (±)–isoeleutherin, and their demethoxy analogs. A novel synthetic approach, 1277–8
ACETYLATION
Acyl migrations in Diels–Alder adducts of acyl–1,4–benzoquinones 166–9
2–Hydroxyethanesulfonyl chloride: a sulfonyl chloride with a primary hydroxy–group, 295–6
Acetylation by keten of phenols supported on solid adsorbents, 1120
ACETYLCHOLINESTERASE
Aryldiazonium salts as photoaffinity labeling reagents for proteins, 398–9
ACETYLCYCLOHEXENYLPHENYLETHANOL
Modification of pathways for cathodic reduction via complexation with β–cyclodextrin, 492–4
ACETYLENE
Carbonylation of organic halides in the presence of terminal acetylenes: novel acetylenic ketone synthesis, 333–4
Ring cleavage of 3–azidothiophenes; a novel extrusion of acetylene, 550–1
Reaction of $[Os_5(CO)_{15}H_2]$ with acetylenes; x–ray crystal structures of $[Os_5(CO)_{15}H_2(CCPh)]$ and $[Os_5(CO)_{13}(PhCCPh)_2]$, 886–8
Solid–state photopolymerization of unsaturated organic cations in layer perovskite halide salts, 921–2
ACETYLENECARBOXYLATE
One–step synthesis of methoxycarbonyl–substituted tetraselenafulvalene under high pressure, 669–70
ACETYLENEDICARBOXYLATE
1,3–Dipolar cycloaddition of a thiazolo[5,4–d]pyrimidine 1–oxide to dimethyl acetylenedicarboxylate. New ring transformation to a pyrrolo[3,2–d]pyrimidine via a pyrimido[4,5–b][1,4]thiazine, 278–80
A novel 1,4–cycloaddition reaction of a stable 2–thianaphthalene derivative. Formation and x–ray crystal structure of 3–benzoyl–1a,2–dimethoxycarbonyl–1–methylthio–1a,7b–dihydrocyclopropa[a]naphthalene, 364–5
Trapping of reactive intermediates from phosphites and dimethyl acetylenedicarboxylate. Diversion of reaction pathway towards stable phosphole derivatives, 420–1
Fixation and deoxygenation of carbon dioxide to form furans using organophosphorus intermediates, 607–8
ACETYLENIC
Carbonylation of organic halides in the presence of terminal acetylenes: novel acetylenic ketone synthesis, 333–4
ACETYLHYDROXYMETHOXYNAPHTHALENONE
Preparation of (–)–(7R)–7–acetyl–7–hydroxy–4,4–dimethoxy–5,6,7,8–tetrahydronaphthalen–1(4H)–one, a chiral AB–synthon for anthracycline synthesis, 1100–1
ACETYLHYDROXYNAPHTHALENE
[1,5] and [1,2] Acetyl shifts in Diels–Alder adducts of 2–acetyl–6–methyl–1,4–benzoquinone, 169–71
ACETYLIDE
Stereospecific introduction of a C–17 side chain in a 14β–hydroxy steroid. X–ray crystal structures of two epimeric 17–ethynyl–17–hydroxy–14β–hydroxy steroids, 363–4
ACETYLISODEHYDROVALINE
Unusual stereospecificity in the hydrogenation of an isopropenyl function with Wilkinson's catalyst: a route to chiral methyl valine 1175–6
ACETYLNAPHTHOQUINONE
[1,5] and [1,2] Acetyl shifts in Diels–Alder adducts of 2–acetyl–6–methyl–1,4–benzoquinone, 169–71
ACETYLNITROSOAMINOCARBOXYLATE
Rearrangement of carboxylates derived from N–acetyl–N–nitroso–α–amino acids, 297–9
ACETYLNITROSOPHENYLALANINE
Rearrangement of carboxylates derived from N–acetyl–N–nitroso–α–amino acids, 297–9
ACETYLNONACARBONYLTRIFERRATE
Interaction of alkyl halides with the diironoctacarbonylate anion: the crystal structures of the tetraethylammonium salts of the μ–acetylC^1(Fe^1,Fe^2)O(Fe^1,Fe^3)nonacarbonyl–triangulo–triferrate and μ_2–carbonylnonacarbonyl–μ_3–2,4–dioxapentylidyne–triangulo–triferrate anions, 189–91
ACETYLPIPERIDINE
Switch from O– and N–protonation of 1–methoxycarbonylpiperidine as the acidity increases, 68–9

ACETYLPORPHYRIN
Protiodeacetylation of porphyrins and pyrroles: a new partial synthesis of dehydrocoproporphyrin (S411–porphyrin), 283–4
ACETYLPYRIDINE
An efficient synthesis of 3-[1-(3-pyridyl)ethyl]indoles, 630–1
ACETYLTHIO
Asymmetric hydrolysis of 3-acetylthiocycloheptene and 3-acetoxycycloheptene with a microbial lipase, 185
ACETYLTHIOCYCLOHEPTENE
Asymmetric hydrolysis of 3-acetylthiocycloheptene and 3-acetoxycycloheptene with a microbial lipase, 185
ACETYLVALINE
Unusual stereospecificity in the hydrogenation of an isopropenyl function with Wilkinson's catalyst: a route to chiral methyl valine 1175–6
ACID
Synthesis gas homologation of aliphatic carboxylic acids, 41–3
A novel type of heteropolynuclear complex anion: x-ray crystal structure of the polymeric complex anion $[Th(H_2O)_3UMo_{12}O_{42}]^{4-}{}_n$, 93–4
Synthesis of xenon difluoride–^{18}F, a novel agent for the preparation of fluorine-18 radiopharmaceuticals, 198–9
Rearrangement of carboxylates derived from N-acetyl-N-nitroso-α-amino acids, 297–9
Nitrogen tracer evidence for a cyclic azide species, 299–300
Fast atom bombardment quadrupole mass spectrometry, 324–5
Racemization of activated, urethane-protected amino-acids by p-dimethylaminopyridine. Significance in solid-phase peptide synthesis, 336–7
X-ray crystal structure of the copper(II) complex of mugineic acid, a naturally occurring metal chelator of graminaceous plants, 338–9
Oxidation of nitrobenzofuroxans, 365–6
Cooperative effects in the catalytic action of N-decanoyl-L-histidine in micelles, 393–4
5-Nitro-3H-1,2-benzoxathiole SS-dioxide, a new reagent for coupling in peptide synthesis, 632–4
Ipso-substitution reactions of 3-substituted indoles with benzoyl tert-butyl nitroxide, 694–5
Reaction of olivanic acids with hypobromous acid: the preparation and use of a versatile intermediate, the C-3 thiol, 803–5
Dye-sensitized photooxygenation of tryptophan to give N'-formylkynurenine, 855–6
Synthesis of acetic acid from methanol and carbon monoxide on nickel-based catalysts supported on active carbon, 906–7
Molecular complexes for efficient metathesis of olefins. The oxo-ligand as catalyst-cocatalyst bridge and the nature of the active species, 1039–40
ipso-Attack in the hydroxylation of o- and p-xylene using bis(trimethylsilyl) peroxide and aluminum chloride, 1079–80
Conversion of linoleic and latex furanoid acid to fish C_{18} dimethyl furanoid isomers, 1110–11
α-C-Glycopyranosides from Lewis acid-catalyzed condensations of acetylated glycals and enol silanes, 1180–1
Reaction of N-tert-butoxycarbonylamino acid anhydrides with tertiary amines and carbodiimides. New precursors for 2-tert-butoxyoxazol-5(4H)-one and N-acylureas, 1225–7
Benzyl trichloroacetimidate, a versatile reagent for acid-catalyzed benzylation of hydroxy-groups, 1240–1
The photochemical decomposition of sulfuric acid catalyzed by tris(triethylphosphine)hydridoplatinum monocation, 1245–6
Conversion of a protopine into an indenobenzazepine. Stereoselective formation of cis- and trans-b/c fused indenobenzazepines, 1246–8
The origins of the enantioselection in asymmetric catalytic hydrogenation of amino acid precursors, 1278–80
ACIDITY
Switch from O- and N-protonation of 1-methoxycarbonylpiperidine as the acidity increases, 68–9
Role of metal salts in the synthesis of 1,1,7,7,13,13,19,19-octamethyl[1.1.1.1](2,5)furanophan, 149–50
A dynamic NMR study of the acidity of superacid media (mixtures of fluorosulfuric acid and antimony pentafluoride from 0 to 90 mol % of antimony pentafluoride, 769–71
ACONITATE
Stereochemistry of the introduction of the hydrogen atom at C-2 of cis-aconitic acid during its transformation into itaconic acid in Aspergillus terreus: a deuterium NMR approach, 1050–1
ACONITUM
A novel rearrangement of hetisine, and x-ray crystal structure of the major product: transformation of a dihydroxybicyclo[2.2.2]octane system to an adamantane-type skeleton, 327–9
ACORENONE
A new approach to spirosesquiterpenes of the acorane family, 953–5
ACRIDINE
Comparison of results obtained in kinetic studies of the interaction between cationic dyes and sodium carboxymethylcellulose using the Joule-heating temperature-jump and laser temperature-jump methods, 386–7
ACRIDINEDIONE
A one-step synthesis of acridines via palladium(II)-catalyzed ring formation of allylated enaminones, 114–15
ACRIDINIUM
The conversion of primary amines into olefins: a mild alternative to the Hofmann elimination, 96
ACRYLAMIDE
Novel syntheses of 3-methyleneazetidin-2-one derivatives and related systems, 404–5
A novel S,N-double rearrangement; x-ray crystal structure of 5-carbamoyl-4-methylthio-2-phenyl-1,3-thiazin-6-one and its 2,3-dihydro derivative, 560–1
A physically supported gel polymer for low pressure, continuous flow solid phase reactions. Application to solid phase peptide synthesis, 1151–2
ACRYLATE
Simple and effective synthesis of pyrido[2,1-b]thiazines, 395–6
A total synthesis of (±)-methylenomycin A, 714–15
ACRYLONITRILE
Electrochemical carbon-carbon bond formation: synthesis of new substituted butadienes, 1040–1
ACTIVATED
Cycloadditions of 3-methoxyfuran with mono-activated dienophiles; application to the synthesis of (±)-avenaciolides, 221–2
ACTIVATION
A reappraisal of the heat capacity of activation and enthalpy of activation for tert-butyl chloride in water-ethyl alcohol mixtures 13–14
High-pressure kinetics of the reaction of p-benzoquinone with di-n-butylamine in some aprotic solvents, 725–6
ACTIVE
Alkaloid-catalyzed asymmetric addition of thiocarboxylic S-acids to cyclohex-2-en-1-ones. Absolute configuration of the adducts by O,S-dibenzoate Cotton effect, 307–8
Use of carbohydrates in the preparation of optically active sulfoxides, 505–6
ACTIVITY
Comparison of activities for hydrogen evolution from water of hydrogenase and colloidal platinum, 56–7
Nickel/titanium oxide catalysts. The role of the titania in providing active sites, 123–4
Volcano-shaped relation between heats of oxide formation of metals and coal-liquefaction activities of liquid-metal catalysts, 721–2
Electronic ligand effects in nickel alloy catalysts, 845–7
ACYL
Acyl migrations in Diels-Alder adducts of acyl-1,4-benzoquinones 166–9
Arylation of N-acylpyrroles and -indoles with arenes and palladium acetate, 254–5
N,N-diacyl arylsulfenamides as an unambiguous and convenient source of arylsulfenium ions, 704–5
Chiral diaza-18-crown-6 derivatives, 992–4
Cyclization of ortho-halogenated N-acylbenzylamines: a formal synthesis of (±)-cherylline, 1074–5
Amidrazones as acyl anion equivalents, 1121–2
Photoinduced 1,5-acyl shift of 3-acylated 3-methyloxepin-2(3H)-ones, 1163–4
ACYLADENINE
Accelerative effect of N^6-acyl groups on the C(8)-hydrogen exchange of 9-substituted adenines, 658–9
ACYLAMINATION
Mechanism of direct side-chain acylamination and aminoarylation of 2- and 4-picoline 1-oxides, 561–2
ACYLAMINOBENZYL
New synthesis of indoles from o-acylaminobenzyltriphenylphosphonium salts, 14–15

ACYLAMINOBENZYLPHOSPHONIUM
New synthesis of indoles from o–acylaminobenzyltriphenylphosphonium salts, 14–15
ACYLAMINODIDEOXYPROSTAGLANDIN
Syntheses of 9α,11α–diacylamino–9,11–dideoxyprostaglandin $F_{2\alpha}$ analogs, 840–1
ACYLATION
New synthesis of indoles from o–acylaminobenzyltriphenylphosphonium salts, 14–15
New synthesis of olivacine via a heteroarylation reaction, 44–6
Regioselective acylation of allyl sulfides via α–silyl intermediates, 377–8
ACYLCHLORO
Selective reaction of silyl enol ethers with α–chloro sulfides containing a ketone group, 1106–7
ACYLDIALKYLUREA
Reaction of N–tert–butoxycarbonylamino acid anhydrides with tertiary amines and carbodiimides. New precursors for 2–tert–butoxyoxazol–5(4H)–one and N–acylureas, 1225–7
ACYLIMIDE
Formation of 3H–1,3–benzodiazepines from quinoline N–acylimides, 211–13
ACYLINDOLE
Arylation of N–acylpyrroles and –indoles with arenes and palladium acetate, 254–5
ACYLMETHYLOXEPINONE
Photoinduced 1,5–acyl shift of 3–acylated 3–methyloxepin–2(3H)–ones, 1163–4
ACYLNAPHTHALENE
Acyl migrations in Diels–Alder adducts of acyl–1,4–benzoquinones 166–9
ACYLNAPHTHOQUINONE
Acyl migrations in Diels–Alder adducts of acyl–1,4–benzoquinones 166–9
ACYLOXYDEOXYHEXENOPYRANOSIDE
Facile access to chiral 5–hydroxy–2–methylhexanoic acid lactones (pheromones of the carpenter bee), 1125–6
ACYLOXYHALO
Stable acyloxychlorophosphorane obtained from 2–(diphenylphosphinyl)benzoic acid and thionyl chloride, 622–3
ACYLOXYHALOPHOSPHORANE
Stable acyloxychlorophosphorane obtained from 2–(diphenylphosphinyl)benzoic acid and thionyl chloride, 622–3
ACYLPYRROLE
Arylation of N–acylpyrroles and –indoles with arenes and palladium acetate, 254–5
ACYLTHIAZOLE
Reactions of trimethylsilylthiazoles with ketens: a new route to regioselective functionalization of the thiazole ring, 655–6
ADAMANTANE
On the symmetry of (–)–1,3,5,7–tetrakis[2–(1S,3S,5R,6S,8R,10R)–D_3–trishomocubanylacetoxymethyl]adamantane, 234
ADAMANTANOL
Crystal and molecular structure of a 2,6–tetradeca–O–methyl–β–cyclodextrin–adamantanol 1:1 inclusion complex, 1291–2
ADAMANTYL
S_H2 reactions of diphenyl diselenide; preparation and reactions of bridgehead selenides, 139–40
A solid silaethene: isolation and characterization, 191–2
Internal return in the solvolysis of secondary alkyl arenesulfonates, 1239–40
ADAMANTYLTRIMETHYLSILOXYBISTRIMETHYLSILYLSILAETHENE
A solid silaethene: isolation and characterization, 191–2
ADDN
Chemical conversions using sheet silicates: facile ester synthesis by direct addition of acids to alkenes, 8–9
Chemical conversions using sheet silicates: novel intermolecular elimination of ammonia from amines, 9–10
Kinetics of addition of 2–methyl–2–silapropene to hydrogen chloride, hydrogen bromide, and oxygen, 52–3
Palladium–promoted 1,4–cycloamination of 1,3–dienes to pyrroles, 59–61
Preparation and reactions of 1–lithiooxy–1–lithioaminoallene derivatives, 65–7
Intramolecular reactions of N–nitrenes: oxidation of 3–amino–2–(arylalkyl)quinazolones, 160–2
Electron and hydrogen atom addition to the tetracyanoplatinate(II) ion: an ESR study, 176–8
Vicinal glycol esters from synthesis gas, 188–9
Asymmetric cyanohydrin synthesis catalyzed by a synthetic cyclic dipeptide, 229–30
$(C_5Me_5)_2UCl$.tetrahydrofuran. Oxidative–addition and related reactions, 232–4
Carbocyclizations employing 2–silyl–1,3–dithianes, 306–7
Alkaloid–catalyzed asymmetric addition of thiocarboxylic S–acids to cyclohex–2–en–1–ones. Absolute configuration of the adducts by O,S–dibenzoate Cotton effect, 307–8
Trapping of reactive intermediates from phosphites and dimethyl acetylenedicarboxylate. Diversion of reaction pathway towards stable phosphole derivatives, 420–1
A pseudobase of pyridine, 448–9
A novel stereoselective route to cis olefins via addition of vinyl cuprates to α,β–unsaturated sulfones and subsequent desulfonylation, 523–4
Intramolecular reactions of N–nitrenes: evidence for nonconcerted addition to alkenes, 549–50
Preparation and crystal structure determination of a diphosphorus compound with a direct λ^5phosphorus–λ^4phosphorus bond, 609–10
Conjugate addition of methyl groups to αβ–unsaturated aldehydes: use of $Me_5Cu_3Li_2$, 643–4
Hydrogenation of alkynes with water and a titanium(II) complex, 665–6
Amidomercuration: a new and regiospecific addition of amides to olefins, 670–1
Evidence for a novel mechanism of the 1,2–bond shift rearrangements catalyzed by coenzyme–B_{12}, 686–8
Synthesis of α–functionalized–alkylplatinum(II) complexes by oxidative addition of geminal dihalides to platinum(0) substrates: x–ray structure of cis–[iodo(iodomethyl)bis(triphenylphosphine)–platinum], 698–9
N,N–diacyl arylsulfenamides as an unambiguous and convenient source of arylsulfenium ions, 704–5
Synthesis of a new Weitz–type organosulfur π–donor: 1,2–bis(thioxanthen–9–ylidene)ethene, 717–18
Two–electron addition reactions and reversible carbonylation of an unsaturated pentanuclear osmium complex; x–ray crystal structure of $[Os_5(CO)_{13}H(PhNC_6H_4N)(PEt_3)]$, 801–3
Reaction of olivanic acids with hypobromous acid: the preparation and use of a versatile intermediate, the C–3 thiol, 803–5
Regiospecific addition of 1,1–dimethylsilaethene to a silicon–oxygen bond, 806–7
Isolation and x–ray crystal structure of a novel dihydroterpyridine dimer formed via an anionic [6 + 4] cycloaddition, 858–9
Stereoselective synthesis of α,β–unsaturated esters, 877–8
Comparison of UV–visible spectra of iron(I)–porphyrin– and iron(II)–porphyrin(thiolato)(thiocarbonyl) and –(carbene) complexes. Relevance to ferrous cytochrome P450 complexes, 888–90
The infrared multiphoton–induced decomposition of silicon–containing four–membered rings. A new source of silaolefins, 915–17
Total synthesis of (S)–(+)–solanone, 951–2
A new type of silicon–tin rearrangement involving neighboring group participation of an α–phosphoryl group, 969–70
Silyl phosphite equivalents: 2,2,2–trichloroethoxycarbonylphosphonates, 970–1
Synthesis of a trans–decalin as a potential insect antifeedant, 1001–3
New method for radioiodinating organic compounds via organoborane reactions, 1011
Selective reaction of silyl enol ethers with α–chloro sulfides containing a ketone group, 1106–7
Threo–selective synthesis of β–methylhomoallyl alcohols via but–2–enyltitanium compounds, 1140–1
Synthesis of ketones and tertiary alcohols from trialkylboranes. Use of lithium tris(phenylthio)methanide, 1149–50
Generation and reactivity of 4–azatricyclo[5.3.1.$1^{3,9}$]dodec–3–ene and 5–azatricyclo[4.4.1.$1^{3,9}$]dodec–5–ene, new bridgehead imines 1193–4
Addition of diphenyldiazomethane to hexaalkoxydimolybdenum ($M\equiv M$) compounds: characterization of $Mo_2(OCHMe_2)_6(N_2CPh_2)_2$(pyridine) by x–ray crystallography, 1229–31
ADDUCT
Photochemical benzylation of 1,4–dicyanonaphthalene. X–ray crystal structure of 6,11–dicyano–5,11–methano–5,6,11,12–tetrahydrodibenzo[a,e]cyclooctene, 50–1
Manganese 4,4',4'',4'''–tetrasulfonated phthalocyanine, its dioxygen

ADDUCT(contd)
adduct, and ESR evidence for intramolecular electron transfer in solution, 98–9
Preparation and crystal and molecular structure of two trialkylamine adducts of tetracarbonylcobalt hydride showing a preferential trialkylammonium–tetracarbonylhydridocobaltate interaction, 181–3
Use of polymer–iodine adducts as positive electrodes of cells, 187–8
IR evidence for a strong hydrogen bond in the fluoride–uracil system, 466–8
Ranks of carbon leaving groups in alkene–forming elimination, 553–4
Second–sphere coordination of neutral and cationic transition metal complexes by crown ethers, 612–13
ADENINE
Accelerative effect of N^6–acyl groups on the C(8)–hydrogen exchange of 9–substituted adenines, 658–9
ADENOSINE
The stereochemistry of 2–substituted–2–oxo–4,5–diphenyl–1,3,2–dioxaphospholanes and the related chiral [^{16}O,^{17}O,^{18}O]phosphate monoesters, 245–6
ADENOSYL
Three–dimensional x–ray crystal structure of S–adenosyl–L–homocysteine, a potent inhibitor of S–adenosylmethionine–dependent methyltransferases, 671–3
ADENOSYLHOMOCYSTEINE
Three–dimensional x–ray crystal structure of S–adenosyl–L–homocysteine, a potent inhibitor of S–adenosylmethionine–dependent methyltransferases, 671–3
ADSORBATE
Photooxidation of water on the surface of hectorite using trans–diaquabis(2,2'–bipyridine)ruthenium(2+) as catalyst, 1026–7
ADSORBENT
Acetylation by keten of phenols supported on solid adsorbents, 1120
ADSORPTION
Zeolite support effects on carbon monoxide–ruthenium interactions 125–6
Geometric and ligand effects in the IR spectra of carbon monoxide adsorbed on a platinum–copper alloy, 1024–5
Stereoselective adsorption on a clay surface modified by an optically active nickel(II) tris(1,10–phenanthroline) chelate, 1128–9
AGENT
Acetyl hypofluorite, the first member of a new family of organic compounds, 443–4
Sand–supported organic reactions: sodium borohydride reduction of carbonyl compounds, 1066–7
AGGREGATE
Chemiluminescence in oriented systems. Chemiluminescence of lucigenin in model–membrane structures, 1082–3
AKYLATION
Specific hydromagnesiation of prop–2–ynylic alcohols. A simple and specific route to terpenoids, 718–20
ALANE
ESR spectra and reactivity of alane radical anions in solution, 1167–8
ALBUMIN
Synthesis of a tetratriacontapeptide corresponding to sequence 112–145 of the β–subunit of human chorionic gonadotropin, 357–8
ALC
New synthesis of indoles from o–acylaminobenzyltriphenylphosphonium salts, 14–15
Stereochemically pure E– and Z–alkenes by the Wittig–Horner reaction, 100–1
Fluoride activation of nucleophilic displacement at tetrahedral phosphorus, 101–3
Use of polymer–iodine adducts as positive electrodes of cells, 187–8
Direct geminal dimethylation of ketones using dimethyltitanium dichloride, 237–9
Carbocyclizations employing 2–silyl–1,3–dithianes, 306–7
Synthesis of η^3–allyl(η^5–cyclopentadienyl)dicarbonylmanganese cations, 311–13
Asymmetric reduction of aromatic ketones with chiral alkoxyamine–borane complexes, 315–17
Chemical conversions using sheet silicates: novel intermolecular dehydrations of alcohols to ethers and polymers, 427–8
Total synthesis of (±)–solavetivone. X–ray crystal structure of 2–hydroxy–6,10–dimethylspiro[4.5]dec–6–en–8–one, 463–5
A new regio– and stereoselective functionalization of allylic and homoallylic alcohols, 465–6
Tetraphenylbismuth monotrifluoroacetate: a new reagent for regioselective aryl ether formation, 503–4
Reactions of o–alkenyloxyarenediazonium fluoroborates and related species with nitroxides, 595–7
Transition metal–catalyzed N–alkylation of amines by alcohols, 611–12
Specific hydromagnesiation of prop–2–ynylic alcohols. A simple and specific route to terpenoids, 718–20
Products of low potential energy in mass spectra as a consequence of ion–dipole attractions. The case of isobutyl alcohol, 836–8
Manganese porphyrin–catalyzed oxidation of olefins to ketones by molecular oxygen, 874–5
Ruthenium–catalyzed oxidation of allyl alcohols by molecular oxygen, 907–8
Formaldehyde as a hydrogen–donor to aldehydes and ketones in metal–catalyzed reactions in water, 924–5
General synthetic approach to the quinolizidine alkaloids via a [2+3]–cycloaddition, 940–2
Photochemical oxidation of nitrobenzyl alcohols in aqueous solution, 1023–4
Threo–selective synthesis of β–methylhomoallyl alcohols via but–2–enyltitanium compounds, 1140–1
Synthesis of ketones and tertiary alcohols from trialkylboranes. Use of lithium tris(phenylthio)methanide, 1149–50
Autorecycling system for reduction of carbonyl compounds to alcohols by 1,5–dihydro–5–deazaflavins, 1160–2
Benzyl trichloroacetimidate, a versatile reagent for acid–catalyzed benzylation of hydroxy–groups, 1240–1
ALDEHYDE
Preparation and reactions of 1–lithiooxy–1–lithioaminoallene derivatives, 65–7
Selective reduction of carbonyl compounds by heterogeneous catalysis on salt surfaces, 121–2
Erythro–selective aldol condensation via triphenyltin enolates. Stereoselection independent of the stereochemistry of the enolates 162–3
Alkylation of lithium trialkylalkynylborates with benzo–1,3–dithiolium fluoroborate, 164–5
Anodic oxidation of vinyl sulfides. A convenient synthesis of α–thiolated aldehydes, 263
Partial oxidation of propene over UV–irradiated vanadium oxide supported on silica, 601–2
Conjugate addition of methyl groups to $\alpha\beta$–unsaturated aldehydes: use of $Me_5Cu_3Li_2$, 643–4
Synthesis of 6–cyano– and 6–carbamoylpurines and 6–carbamoyl–1,2–dihydropurines from N–methylacetonitrilium trifluoromethanesulfonate and diaminomaleonitrile, 788–9
Stereoselective synthesis of α,β–unsaturated esters, 877–8
Formaldehyde as a hydrogen–donor to aldehydes and ketones in metal–catalyzed reactions in water, 924–5
Silyl phosphite equivalents: 2,2,2–trichloroethoxycarbonylphosphonates, 970–1
A new reaction of pentacoordinate phosphorus derivatives: the formation of phosphinates from an oxazaphosph(V)ole and carbonyl compounds, 1054–5
Threo–selective synthesis of β–methylhomoallyl alcohols via but–2–enyltitanium compounds, 1140–1
Preparation and rearrangement of some conjugated phenylsulfinylacetate derivatives, 1248–50
ALDEHYDOARABINOSE
Synthesis of asymmetrically–substituted cyclopentane derivatives from acyclic sugars, 88–90
ALDER
Synthesis of asymmetrically–substituted cyclopentane derivatives from acyclic sugars, 88–90
Cyclizations of azidoformates. Cyclization of aryl azidoformates, 241–2
Diels–Alder reactions of (trimethoxymethyl)cyclopentadienes. Formation of adducts derived from the 2–substituted tautomer, 449–51
Model studies on the synthesis of milbemycin β_3, 556–7
Synthesis and photolysis of 1,2,3,8–tetrakis(trifluoromethyl)cyclooctatetraene, 1289–91
ALDOL
Erythro–selective aldol condensation via triphenyltin enolates. Stereoselection independent of the stereochemistry of the enolates 162–3

ALDOL(contd)
Enantioselective synthesis of the gibbane framework, 635–7
Total synthesis of (±)-prostaglandin I_2 methyl ester and (±)-15-epi-prostaglandin I_2 methyl ester, 922–4
ALIPH
Synthesis gas homologation of aliphatic carboxylic acids, 41–3
Photoinduced hydrogen–deuterium exchange between aromatic and aliphatic hydrocarbon systems catalyzed by [Mo(η-C_5H_5)(Me_2P-$CH_2CH_2PMe_2$)H_3], 186–7
Synthesis of 2,3-disubstituted indoles under mild conditions, 563
Chemical conversions using sheet silicates: novel intermolecular eliminations of hydrogen sulfide from thiols, 695–6
ALKADIENE
Palladium-promoted 1,4-cycloamination of 1,3-dienes to pyrroles, 59–61
Mechanism of the Cope rearrangement of acyclic 1,5-dienes and of the Wacker oxidation of alk-1-enes catalyzed by palladium complexes, 456–7
Synthesis of dirhodium complexes containing s-cis bridging 1,3-diene ligands. X-ray crystal and molecular structure of μ-(η^4-cyclohexa-1,3-diene)-μ-carbonylbis(η^5-indenyl)dirhodium(Rh–Rh), 494–6
Sulfonamidomercuration: a new method for amination of olefins, 1178–9
ALKALI
Synthesis and x-ray crystal structures of three isomeric macrobicyclic polyethers having similar melting points and different complexing power for alkali metal cations, 729–31
ALKALOID
Total synthesis of the macrocyclic spermidine alkaloids (±)-lunarine and (±)-lunaridine, 286–7
Alkaloid-catalyzed asymmetric addition of thiocarboxylic S-acids to cyclohex-2-en-1-ones. Absolute configuration of the adducts by O,S-dibenzoate Cotton effect, 307–8
A novel rearrangement of hetisine, and x-ray crystal structure of the major product: transformation of a dihydroxybicyclo[2.2.2]octane system to an adamantane-type skeleton, 327–9
An unequivocal synthesis of 1-benzyl-3-ethyl-1,6-dihydropyridine and its use for a biogenetically modeled synthesis of (±)-catharanthine, 389–91
Pyrrolizidine alkaloids: evidence for N-(4-aminobutyl)-1,4-diaminobutane (homospermidine) as an intermediate in retronecine biosynthesis, 554–6
Isolation and structure (x-ray analysis) of manicoline A, a new α-aminotropone from Dulacia guianensis (Olacaceae), 731–2
Ozonation in alkaloid chemistry: a mild and selective conversion of vincadifformine into vincamine, 908–9
General synthetic approach to the quinolizidine alkaloids via a [2+3]-cycloaddition, 940–2
Daphnine, a unique bisbenzylisoquinoline alkaloid: x-ray crystal structure of its dihydroiodide, 1007–9
4,5,6,6a-Tetradehydro-N-methyl-7-oxoaporphinium salts, 1118–19
Enantioselective route to both (+)- and (−)-enantiomers of quebrachamine using a single chiral synthon, 1153–5
Synthesis of a potential synthon for the chiral synthesis of the Corynanthe-type indole alkaloids: enantioselective total synthesis of (−)-antirhine, 1155–6
Synthesis and stereochemistry of dicrotaline, a macrocyclic pyrrolizidine alkaloid, 1272–4
ALKANAL
Carbocyclizations employing 2-silyl-1,3-dithianes, 306–7
ALKANE
Desulfonylation of α-nitrosulfones with N-benzyl-1,4-dihydronicotinamide, 71–2
Determination of conformational volume changes in liquid 1-bromoalkanes at high pressure by Raman spectroscopy, 159–60
Transition metal-catalyzed reactions of diazoesters. Insertion into carbon–hydrogen bonds of paraffins by carbenoids, 688–9
Substitution of quinizarin and 5-hydroxyquinizarin at C-2, 740–1
The bond graph, 818–20
Electronic ligand effects in nickel alloy catalysts, 845–7
ALKANOL
Facile synthesis of monoaza crown ethers, 471–2
Hydroisomerization of 1,3-dioxacycloalkanes to esters on platinum. The role of hydrogen in the isomerization, 978–9
ALKANOYL
Synthesis with silicon templates: preparation of macrocyclic amides 634–5
ALKENE
Chemical conversions using sheet silicates: facile ester synthesis by direct addition of acids to alkenes, 8–9
Synthesis of (η^3-allyl)(η^4-cycloocta-1,5-diene)nickel cations: valuable catalysts for the oligomerization of alkenes, 49–50
Bicycloannulation with nitroethene and 1-nitropropene. A one-step synthesis of tricyclenone, 73–4
The conversion of primary amines into olefins: a mild alternative to the Hofmann elimination, 96
Stereochemically pure E- and Z-alkenes by the Wittig–Horner reaction, 100–1
Synthesis, x-ray crystal structure, and reactions of [closo-1,3-μ-2,3-μ-(1,2-μ-(η^2-3,4-CH_2CH_2C(Me):$CHCH_2CH_2CH_2$))-3-H-3-PPh_3-3,1,2-$RhC_2B_9H_9$], a metallacarbaborane catalyst, 235–6
Catalytic activity of supported f-element organometallic complexes 257–8
Chemical conversions using sheet silicates: novel intermolecular dehydrations of alcohols to ethers and polymers, 427–8
Mechanism of the Cope rearrangement of acyclic 1,5-dienes and of the Wacker oxidation of alk-1-enes catalyzed by palladium complexes, 456–7
NMR evidence for a fluxional allyl–hydride species featuring an aliphatic hydrocarbon–iridium(III) interaction, 506–7
A novel stereoselective route to cis olefins via addition of vinyl cuprates to α,β-unsaturated sulfones and subsequent desulfonylation, 523–4
Active metals from potassium–graphite. Palladium–graphite as catalyst in the hydrogenation of nitro compounds, alkenes, and alkynes, 540–1
Photoassisted isomerization of olefins by platinum complexes, 542–3
The direct conversion of α-olefins into vinyl- and allylsilanes catalyzed by rhodium complexes, 673–4
Room temperature fluorination of alkenes with cesium fluoroxysulfate, 795–6
Manganese porphyrin-catalyzed oxidation of olefins to ketones by molecular oxygen, 874–5
New method for radioiodinating organic compounds via organoborane reactions, 1011
Selective formation of alkenes in the conversion of methanol into hydrocarbons on barium ion-exchanged mordenite, 1091–2
Conversion of nonterminal alkenes into secondary alkyl tert-butyl peroxides by peroxymercuriation and reduction with tributyltin hydride, 1117–8
Sulfonamidomercuration: a new method for amination of olefins, 1178–9
ALKENOL
Specific hydromagnesiation of prop-2-ynylic alcohols. A simple and specific route to terpenoids, 718–20
ALKENONE
Palladium-mediated transfer of oxygen from carbonate ion to an organic ligand, 661–2
ALKENYL
Novel synthesis of the 7-oxo-1,3-diazabicyclo[3.2.0]heptane and 8-oxo-1,3-diazabicyclo[4.2.0]octane ring systems, 946–7
The photochemical enolization of an aliphatic α,β-unsaturated ketone, 1235–6
ALKENYLATION
Carbon–carbon bond formation through olefin–methylcarbyne linkage at a diruthenium center: x-ray crystal structure of [Ru_2(CO)(μ-CO)(μ-η^1,η^3-C(Me)C(Me)CH_2)(η-C_5H_5)$_2$], 537–8
Active metals from potassium–graphite. Palladium–graphite-catalyzed vinylic substitution reactions, 541–2
ALKENYLHYDROXYALKYLMETHOXYNAPHTHALENE
Syntheses of naphtho[2,3-c]pyran-5,10-quinones using ceric ammonium nitrate, 534–5
ALKENYLPHOSPHONATE
A novel synthesis of α- and γ-fluoroalkylphosphonates, 511–13
ALKOXIDE
Hexadecamethoxy- and hexadecaethoxytetratungsten: preparation and x-ray crystal and molecular structure of hexadecaethoxytetratungsten, 270
Reactions of a triarylsulfonium salt with alkoxide nucleophiles: involvement of radical intermediates, 346–7
On relative leaving abilities: use of isobasic plots to determine the relative nucleofugalities of thiolates and their oxy-analogs, 551–3
Stereoselective synthesis of α,β-unsaturated esters, 877–8
A new type of silicon–tin rearrangement involving neighboring

ALKOXIDE(contd)
group participation of an α–phosphoryl group, 969–70
ALKOXY
Cesium fluoroxysulfate as a mild fluorinating agent for the fluorination of alkoxy–substituted benzene and naphthalene derivatives, 148
Asymmetric reduction of aromatic ketones with chiral alkoxyamine–borane complexes, 315–17
A new route to 3–alkoxypyridine 1–oxides, 696–8
A stereospecific synthesis of (4R)–alkoxyazetidin–2–ones, 959–60
Electrochemical carbon–carbon bond formation: synthesis of new substituted butadienes, 1040–1
ALKOXYAZETIDINONE
A stereospecific synthesis of (4R)–alkoxyazetidin–2–ones, 959–60
ALKOXYBENZOQUINONE
Regiospecific attack of methoxide ion on 4–alkoxy–o–quinone imines. A novel route to p–quinone monoacetals, 425–6
ALKOXYCINNAMATE
Electrochemical carbon–carbon bond formation: synthesis of new substituted butadienes, 1040–1
ALKOXYDIMOLYBDENUM
Addition of diphenyldiazomethane to hexaalkoxydimolybdenum (M≡M) compounds: characterization of $Mo_2(OCHMe_2)_6(N_2CPh_2)_2$(pyridine) by x–ray crystallography, 1229–31
ALKOXYLATION
A stereospecific synthesis of (4R)–alkoxyazetidin–2–ones, 959–60
ALKOXYMETHYLBENZOQUINONE
Regiospecific attack of methoxide ion on 4–alkoxy–o–quinone imines. A novel route to p–quinone monoacetals, 425–6
ALKOXYPHENYLACRYLONITRILE
Electrochemical carbon–carbon bond formation: synthesis of new substituted butadienes, 1040–1
ALKOXYPHOSPHONIUM
Trapping of reactive intermediates from phosphites and dimethyl acetylenedicarboxylate. Diversion of reaction pathway towards stable phosphole derivatives, 420–1
ALKOXYPYRIDINE
A new route to 3–alkoxypyridine 1–oxides, 696–8
ALKOXYSILANE
Cesium fluoride–promoted Michael addition in heterogeneous catalysis, 122–3
ALKYL
Palladium–promoted 1,4–cycloamination of 1,3–dienes to pyrroles, 59–61
Sulfide extrusion from methyl sulfonium salts of the sulfur–bridged sesquiterpenes, mintsulfide and isomintsulfide by alkyllithium, 127–8
Photosensitized (electron transfer) [2e + 4e] dimerization and cross–cycloaddition of phenylated olefins: trapping the intermediate, 138–9
S_H2 reactions of diphenyl diselenide; preparation and reactions of bridgehead selenides, 139–40
$(C_5Me_5)_2$UCl.tetrahydrofuran. Oxidative–addition and related reactions, 232–4
Organotellurium chemistry. The telluroxide elimination reaction, 277–8
Regioselective acylation of allyl sulfides via α–silyl intermediates, 377–8
Oxidations of cyclopropane, methylcyclopropane, and arenes with the monooxygenase system from Methylococcus capsulatus, 482–3
On the mechanism of base–catalyzed alkane–forming reactions of simple alkylcobaloximes, 598–9
Novel carbon–carbon bond formation at the 5–position of uracils. Facile synthesis of 5–methoxycarbonylmethyluridine and 5–carbamoylmethyluridine, minor component nucleosides derived from transfer ribonuclease, 623–4
Chemical conversions using sheet silicates: novel intermolecular eliminations of hydrogen sulfide from thiols, 695–6
Facile synthesis of 4–alkylidenebut–2–enolides by double dehydrochlorination of 2,2–dichloro–4–alkylbutanolides, 815–16
Ruthenium metal–catalyzed deuterium exchange between organosilanes and perdeuteriobenzene, 844–5
Formation of bicyclic phosphazenes via the reactions of methyl– and phenylmagnesium chloride with hexachlorocyclotriphosphazene, 852–3
The reactions of silyl nitronates with organolithium reagents, 952–3
Hydroisomerization of 1,3–dioxacycloalkanes to esters on platinum. The role of hydrogen in the isomerization, 978–9
Cyclization of ortho–halogenated N–acylbenzylamines: a formal synthesis of (±)–cherylline, 1074–5
Selective reaction of silyl enol ethers with α–chloro sulfides containing a ketone group, 1106–7
Conversion of nonterminal alkenes into secondary alkyl tert–butyl peroxides by peroxymercuriation and reduction with tributyltin hydride, 1117–8
Synthesis of ketones and tertiary alcohols from trialkylboranes. Use of lithium tris(phenylthio)methanide, 1149–50
The preparation and characterization of some organocyanophosphide(I) salts, 1170–1
Reaction of lithium dialkylcuprates with S–2–pyridyl thioates in the presence of oxygen. A carboxylic ester synthesis, 1231–2
ALKYLALKYNYLBORATE
Alkylation of lithium trialkylalkynylborates with benzo–1,3–dithiolium fluoroborate, 164–5
ALKYLAMIDOPHENYL
Selenoxide fragmentation leading to allylic amides, 546–7
ALKYLAMINE
The conversion of primary amines into olefins: a mild alternative to the Hofmann elimination, 96
Preparation and crystal and molecular structure of two trialkylamine adducts of tetracarbonylcobalt hydride showing a preferential trialkylammonium–tetracarbonylhydridocobaltate interaction, 181–3
ALKYLAMMONIUM
Conductive mixed halide adducts of tetrathiafulvalene obtained by electrocrystallization, 378–9
Symmetry and selectivity in the formation of inclusion complexes by macrotricyclic hosts, 990–2
Chiral diaza–18–crown–6 derivatives, 992–4
The crystal structures of propane–1,3–diammonium tetrachlorochromate(II), a sheet ferromagnet, and bis(dimethylammonium) tetrachlorochromate(II), an antiferromagnetic compound containing isolated $[Cr_3Cl_{12}]^{6-}$ units, 1046–7
ALKYLARYL
Cesium fluoroxysulfate as a mild fluorinating agent for the fluorination of alkoxy–substituted benzene and naphthalene derivatives, 148
ALKYLATION
New method for the synthesis of organoboranes, 5–6
Alkylation of lithium trialkylalkynylborates with benzo–1,3–dithiolium fluoroborate, 164–5
A zirconocene(IV) chloroalkyl and dialkyl containing chiral α–carbon atoms, $[Zr(\eta\text{–}C_5H_5)_2(R^*)(X)]$ [$R^* = CH(SiMe_3)C_6H_4$–Me–o, X = Cl or R^*]: synthesis, stereoisomerism, and d^1 reduction products, 173–5
Tetrakis(tert–butyl)tetraborane(4), $(Me_3C)_4B_4$; synthesis of the first peralkyl derivative of a 2N framework electron count deltahedral borane, 250–1
Dimetalation of phenylacetylene. Selective ortho substitution, 366–7
Transition metal–catalyzed N–alkylation of amines by alcohols, 611–12
Novel carbon–carbon bond formation at the 5–position of uracils. Facile synthesis of 5–methoxycarbonylmethyluridine and 5–carbamoylmethyluridine, minor component nucleosides derived from transfer ribonuclease, 623–4
Synthesis and cation complexing of N,N'–bridged bis(1,4,7–trioxa–10–azacyclododecanes), 684–6
Acid–catalyzed intramolecular C–alkylation rearrangements of βγ–unsaturated diazomethyl ketones. A novel synthetic entry to pentaleno–annulated polycyclic systems, 746–7
Reaction of olivanic acids with hypobromous acid: the preparation and use of a versatile intermediate, the C–3 thiol, 803–5
Formation of bicyclic phosphazenes via the reactions of methyl– and phenylmagnesium chloride with hexachlorocyclotriphosphazene, 852–3
The reactions of silyl nitronates with organolithium reagents, 952–3
Unexpected products from the reaction of alkynylstannanes with 9–borabicyclo[3.3.1]nonane, 1093–4
The synthesis and properties of a series of strong but hindered organic bases, 1136–7
Ketone enolates as nucleophiles in palladium–catalyzed allylic alkylation, 1159–60
Utilization of the deuterium isotope effect to suppress enolization during alkylation of ketones, 1215–16
ALKYLBENZENE
Oxidations of cyclopropane, methylcyclopropane, and arenes with the monooxygenase system from Methylococcus capsulatus,

ALKYLBENZENE(contd)
482–3
ALKYLBENZYLAMMONIUM
Micellar control of intramolecular eximer formation of bound substrates, 759–60
ALKYLBORANE
Synthesis of ketones and tertiary alcohols from trialkylboranes. Use of lithium tris(phenylthio)methanide, 1149–50
ALKYLCARBODIIMIDE
Not the alkoxycarbonylamino–acid O–acylisourea, 543–5
ALKYLCOBALOXIME
On the mechanism of base–catalyzed alkane–forming reactions of simple alkylcobaloximes, 598–9
ALKYLCUPRATE
New method for the synthesis of organoboranes, 5–6
Reaction of lithium dialkylcuprates with S–2–pyridyl thioates in the presence of oxygen. A carboxylic ester synthesis, 1231–2
ALKYLCYANOPHOSPHIDE
The preparation and characterization of some organocyanophosphide(I) salts, 1170–1
ALKYLDITHIZONE
New evidence for the structure of dithizone in solution from proton and carbon–13 NMR spectra and nitrogen–15 labeling, 735–6
ALKYLETHYLENE
Template effect of intramolecular hydrogen–bonding in the synthesis of [1.1.1]cryptates, 777–8
ALKYLFURAN
Selective reaction of silyl enol ethers with α–chloro sulfides containing a ketone group, 1106–7
ALKYLGUANIDINE
The synthesis and properties of a series of strong but hindered organic bases, 1136–7
ALKYLHALOOXOTUNGSTEN
Molecular complexes for efficient metathesis of olefins. The oxo–ligand as catalyst–cocatalyst bridge and the nature of the active species, 1039–40
ALKYLIDENE
Facile synthesis of 4–alkylidenebut–2–enolides by double dehydrochlorination of 2,2–dichloro–4–alkylbutanolides, 815–16
Alkyne polymerizations initiated by μ–alkylidene complexes of tungsten. X–ray crystal structure of a chain–carrier intermediate, 1055–7
Facile [1,2]hydrogen–shift reaction promoted by metal–metal bond rupture; x–ray crystal structure of $W_2(CO)_8[C_9H_{14}]$, 1057–9
ALKYLIDENETUNGSTEN
Dinuclear carbene complexes of tungsten as catalysts for metathetical polymerization of alkenes and alkynes; x–ray crystal structure of the insertion product of but–2–yne into a μ–alkylidene carbon–tungsten bond, 152–4
ALKYLIDYNE
Reaction of molybdenum and tungsten alkylidyne complexes with 2,6–xylyl isocyanide and carbon monoxide; structural and mechanistic evidence for novel insertion reactions, 986–8
Evidence for the base–promoted conversion of alkyl–substituted molybdenum and tungsten alkylidyne complexes into anionic vinylalkylidene species, 1037–8
ALKYLIDYNETUNGSTEN
Reaction of molybdenum and tungsten alkylidyne complexes with 2,6–xylyl isocyanide and carbon monoxide; structural and mechanistic evidence for novel insertion reactions, 986–8
ALKYLLITHIUM
Sulfide extrusion from methyl sulfonium salts of the sulfur–bridged sesquiterpenes, mintsulfide and isomintsulfide by alkyllithium, 127–8
ALKYLMAGNESIUM
Formation of bicyclic phosphazenes via the reactions of methyl– and phenylmagnesium chloride with hexachlorocyclotriphosphazene, 852–3
ALKYLPHENYLNAPHTHALENE
Photosensitized (electron transfer) [2e+4e] dimerization and cross–cycloaddition of phenylated olefins: trapping the intermediate, 138–9
ALKYLPHENYLTHIOBORANE
Synthesis of ketones and tertiary alcohols from trialkylboranes. Use of lithium tris(phenylthio)methanide, 1149–50
ALKYLPHOSPHINE
Associative substitution reactions of rhenium pentacarbonyl radical 1052–3
Polyhydridoplatinum clusters: synthesis and x–ray crystal structures of tris(tri–tert–butylphosphine)hexahydridotriplatinum, tetra(tri–tert–butylphosphine)dihydridodiplatinum, and tetra(diisopropylphenylphosphine)octahydridotetraplatinum, 1104–6
Trifluoromethyl Group 2B compounds: formation of mono– and bis(trifluoromethyl)platinum, –palladium, and –nickel trialkylphosphine complexes from the reaction of bis(trifluoromethyl)cadmium–glyme 1:1 compound with the diligand metal dihalides, 1282–3
ALKYLPHOSPHINEOSMIUM
Charge–transfer luminescence from mixed ligand, 2,2',2"–terpyridine–phosphine, complexes of osmium(II), 793–5
ALKYLPHOSPHINEPLATINUM
Polyhydridoplatinum clusters: synthesis and x–ray crystal structures of tris(tri–tert–butylphosphine)hexahydridotriplatinum, tetra(tri–tert–butylphosphine)dihydridodiplatinum, and tetra(diisopropylphenylphosphine)octahydridotetraplatinum, 1104–6
ALKYLPHOSPHINYLCOBALT
Electron–induced nucleophilic substitution reactions in organometallic systems, 265–6
ALKYLPYRROLE
Palladium–promoted 1,4–cycloamination of 1,3–dienes to pyrroles, 59–61
ALKYLSILANE
Ruthenium metal–catalyzed deuterium exchange between organosilanes and perdeuteriobenzene, 844–5
ALKYLSULFINYLPHENYLACETALDEHYDE
Anodic oxidation of vinyl sulfides. A convenient synthesis of α–thiolated aldehydes, 263
ALKYLSULFONYL
Comments on a reported synthesis of 5,6–diazaazulenes, 736–7
ALKYLSULFONYLTHIADIAZOLE
Comments on a reported synthesis of 5,6–diazaazulenes, 736–7
ALKYLSULFONYLTHIADIAZOLYL
Comments on a reported synthesis of 5,6–diazaazulenes, 736–7
ALKYLSULFONYLTHIADIAZOLYLFULVENE
Comments on a reported synthesis of 5,6–diazaazulenes, 736–7
ALKYLTOLUENESULFONAMIDE
Sulfonamidomercuration: a new method for amination of olefins, 1178–9
ALKYLTRIAZENYL
The electronic configuration of 1,3–dialkyltriazenyl radicals, 748–9
ALKYLURACIL
Novel carbon–carbon bond formation at the 5–position of uracils. Facile synthesis of 5–methoxycarbonylmethyluridine and 5–carbamoylmethyluridine, minor component nucleosides derived from transfer ribonuclease, 623–4
ALKYLUREA
The synthesis and properties of a series of strong but hindered organic bases, 1136–7
ALKYNE
Intermolecular cobalt–mediated [2+2+2]cycloadditions: regiospecific one–step construction of bicyclic dienes from α,ω–enynes and alkynes, 53–5
Simple, novel preparation of unsymmetrical triacetylenes, 459–60
Selective linear codimerization of acetylenes and buta–1,3–diene catalyzed by dihydridotetrakis(trialkylphosphine)ruthenium complexes, 496–7
Active metals from potassium–graphite. Palladium–graphite as catalyst in the hydrogenation of nitro compounds, alkenes, and alkynes, 540–1
Hydrogenation of alkynes with water and a titanium(II) complex, 665–6
Reactions of alkynes with bridging alkylidyne ligands in metal complexes: x–ray crystal structures of $[FeW[\mu_2\text{–}C(C_6H_4Me\text{–}4)C(Me)C(Me)](CO)_5(\eta\text{–}C_5H_5)]$ and $(Fe_2W(\mu_3\text{–}CC_6H_4Me\text{–}4)(\mu_2\text{–}Me_3SiC_2SiMe_3)(\mu\text{–}CO)(CO)_6(\eta\text{–}C_5H_5)]$, 867–8
Alkyne polymerizations initiated by μ–alkylidene complexes of tungsten. X–ray crystal structure of a chain–carrier intermediate, 1055–7
ALKYNOL
Specific hydromagnesiation of prop–2–ynylic alcohols. A simple and specific route to terpenoids, 718–20
ALKYNYL
Alkylation of lithium trialkylalkynylborates with benzo–1,3–dithiolium fluoroborate, 164–5
Unexpected products from the reaction of alkynylstannanes with 9–borabicyclo[3.3.1]nonane, 1093–4
ALKYNYLATION
Stereospecific introduction of a C–17 side chain in a 14β–hydroxy

ALKYNYLATION(contd)
steroid. X-ray crystal structures of two epimeric 17-ethynyl-17-hydroxy-14β-hydroxy steroids, 363–4
ALKYNYLSTANNANE
Unexpected products from the reaction of alkynylstannanes with 9-borabicyclo[3.3.1]nonane, 1093–4
ALLENE
Preparation and reactions of 1-lithiooxy-1-lithioaminoallene derivatives, 65–7
Double silylation of allene and buta-1,2-diene: formation of new organosilicon compounds containing both vinylsilane and allylsilane units, 617–18
Unexpected products from the reaction of alkynylstannanes with 9-borabicyclo[3.3.1]nonane, 1093–4
ALLENEDICARBOXYLATE
A new route to 1H-1,5-benzodiazepinones, 339–40
ALLIACOLIDE
The isoprene units of the sesquiterpenoid, alliacolide, 631–2
ALLOY
Electronic ligand effects in nickel alloy catalysts, 845–7
Geometric and ligand effects in the IR spectra of carbon monoxide adsorbed on a platinum–copper alloy, 1024–5
ALLYL
Synthesis of (η^3-allyl)(η^4-cycloocta-1,5-diene)nickel cations: valuable catalysts for the oligomerization of alkenes, 49–50
Asymmetric carbon dioxide insertion into a π-allyltitanium(III) complex, 180–1
Synthesis of η^3-allyl(η^5-cyclopentadienyl)dicarbonylmanganese cations, 311–13
Titanium-promoted allyl transfer to carbon monoxide and other unsaturated molecules, 342–4
Regioselective acylation of allyl sulfides via α-silyl intermediates, 377–8
A new regio- and stereoselective functionalization of allylic and homoallylic alcohols, 465–6
NMR evidence for a fluxional allyl–hydride species featuring an aliphatic hydrocarbon–iridium(III) interaction, 506–7
Selenoxide fragmentation leading to allylic amides, 546–7
Preparation of conjugated carbonyl compounds by photolysis of η^3-allylpalladium complexes, 668–9
The direct conversion of α-olefins into vinyl- and allylsilanes catalyzed by rhodium complexes, 673–4
Stereospecific intramolecular addition of α-lithio sulfoxides or sulfones to inactivated double bonds, 764–5
Ruthenium-catalyzed oxidation of allyl alcohols by molecular oxygen, 907–8
General synthetic approach to the quinolizidine alkaloids via a [2+3]-cycloaddition, 940–2
Ketone enolates as nucleophiles in palladium-catalyzed allylic alkylation, 1159–60
ALLYLACRIDINEDIONE
A one-step synthesis of acridines via palladium(II)-catalyzed ring formation of allylated enaminones, 114–15
ALLYLAMINO
A one-step synthesis of acridines via palladium(II)-catalyzed ring formation of allylated enaminones, 114–15
ALLYLAMINOCYCLOHEXENONE
A one-step synthesis of acridines via palladium(II)-catalyzed ring formation of allylated enaminones, 114–15
ALLYLATION
Regioselective allylation of a Grignard reagent catalyzed by phosphinenickel and -palladium complexes, 313–14
Synthesis of (±)-eleutherin, (±)-isoeleutherin, and their demethoxy analogs. A novel synthetic approach, 1277–8
ALLYLCYCLOPENTADIENYLDICARBONYLMANGANESE
Synthesis of η^3-allyl(η^5-cyclopentadienyl)dicarbonylmanganese cations, 311–13
ALLYLCYCLOPENTADIENYLTITANIUM
Titanium-promoted allyl transfer to carbon monoxide and other unsaturated molecules, 342–4
ALLYLIC
Regioselective allylation of a Grignard reagent catalyzed by phosphinenickel and -palladium complexes, 313–14
Regio- and stereospecific allylic oxidation of germacrane-type sesquiterpene lactones with selenium dioxide and tert-butyl hydroperoxide, 483–5
A novel synthesis of α- and γ-fluoroalkylphosphonates, 511–13
ALLYLNAPHTHOQUINONE
Photocyclization between allyltrimethylsilane and 1,4-naphthoquinone and ring cleavage of the resulting cyclobutane assisted by the trimethylsilyl group, 460–1
ALLYLOXYPHENYL
Reactions of o-alkenyloxyarenediazonium fluoroborates and related species with nitroxides, 595–7
ALLYLPALLADIUM
Palladium-promoted 1,4-cycloamination of 1,3-dienes to pyrroles, 59–61
Preparation of conjugated carbonyl compounds by photolysis of η^3-allylpalladium complexes, 668–9
ALLYLPHOSPHONATE
A novel synthesis of α- and γ-fluoroalkylphosphonates, 511–13
ALLYLSILANE
Double silylation of allene and buta-1,2-diene: formation of new organosilicon compounds containing both vinylsilane and allylsilane units, 617–18
The direct conversion of α-olefins into vinyl- and allylsilanes catalyzed by rhodium complexes, 673–4
ALLYLTITANIUM
Asymmetric carbon dioxide insertion into a π-allyltitanium(III) complex, 180–1
ALLYLTRIMETHYLSILANE
Photocyclization between allyltrimethylsilane and 1,4-naphthoquinone and ring cleavage of the resulting cyclobutane assisted by the trimethylsilyl group, 460–1
ALPHA
Silyl phosphite equivalents: 2,2,2-trichloroethoxycarbonylphosphonates, 970–1
α-Chlorination with carbon tetrachloride and α-hydrogen/deuterium exchange with deuteriochloroform of amidines, 998–9
Solid-phase peptide synthesis without acidolysis: the synthesis of thymosin α_1 on a new benzhydrylamine resin, 1012–13
A catalytic method for α-glycol cleavage, 1232–3
ALUM
Enhanced catalytic activity of specially prepared ferric oxide for the isomerization of but-1-ene and cyclopropane and the dehydration of butan-2-ol, 602–3
ALUMINA
Novel alumina-catalyzed reactions of arylthioalkyl halides, 87–8
Synthesis of light olefins from carbon monoxide and hydrogen over highly dispersed ruthenium/potassium–alumina derived from triruthenium dodecacarbonyl, 1114–15
ALUMINATE
Preparation and crystal structures of the first alkali rich sodium aluminates $Na_7Al_3O_8$ and Na_5AlO_4, 379–81
ALUMINUM
Does the mode of preparation of an aluminosilicate influence the short-range silicon/aluminum ordering?, 678–9
Ordering of silicon and aluminum ions in the framework of NaX zeolites. A solid-state high-resolution silicon-29 NMR study, 712–13
Solid state phosphorus NMR spectroscopy of minerals and soils, 1051–2
ipso-Attack in the hydroxylation of o- and p-xylene using bis(trimethylsilyl) peroxide and aluminum chloride, 1079–80
AMBERLYST
Catalytic deacylation of sugars with strong base ion-exchange resins; an alternative to the Zemplen procedure, 760–1
AMIDATION
N,N-diacyl arylsulfenamides as an unambiguous and convenient source of arylsulfenium ions, 704–5
AMIDE
Coordination of amides to cis-diamminediaquaplatinum dication, 61–2
Preparation and reactions of 1-lithiooxy-1-lithioaminoallene derivatives, 65–7
Reactions of amide anions with α-bromo amides, 416–17
Selenoxide fragmentation leading to allylic amides, 546–7
Synthesis with silicon templates: preparation of macrocyclic amides 634–5
Amidomercuration: a new and regiospecific addition of amides to olefins, 670–1
A new reaction of pentacoordinate phosphorus derivatives: the formation of phosphinates from an oxazaphosph(V)ole and carbonyl compounds, 1054–5
Penicillin biosynthesis: a model for the oxidative cyclization of a peptide to a β-lactam, 1219–21

AMIDINE
α–Chlorination with carbon tetrachloride and α–hydrogen/deuterium exchange with deuteriochloroform of amidines, 998–9
AMIDOCYCLOHEXYLPHENYL
Selenoxide fragmentation leading to allylic amides, 546–7
AMIDRAZONE
Amidrazones as acyl anion equivalents, 1121–2
AMINATION
Chemical conversion of thymidine into 5–methyl–2'–deoxycytidine, 1089
Sulfonamidomercuration: a new method for amination of olefins, 1178–9
AMINE
Chemical conversions using sheet silicates: novel intermolecular elimination of ammonia from amines, 9–10
Palladium–promoted 1,4–cycloamination of 1,3–dienes to pyrroles, 59–61
2–Hydroxyethanesulfonyl chloride: a sulfonyl chloride with a primary hydroxy–group, 295–6
Asymmetric reduction of aromatic ketones with chiral alkoxyamine–borane complexes, 315–17
Facile synthesis of monoaza crown ethers, 471–2
Active metals from potassium–graphite. Palladium–graphite as catalyst in the hydrogenation of nitro compounds, alkenes, and alkynes, 540–1
Preparation of stable quinone methide imines, 565–6
Transition metal–catalyzed N–alkylation of amines by alcohols, 611–12
New uses for old complexes. Hydroborations involving nitrogen and phosphorus complexes of borane, 1014–15
Reaction of N–tert–butoxycarbonylamino acid anhydrides with tertiary amines and carbodiimides. New precursors for 2–tert–butoxyoxazol–5(4H)–one and N–acylureas, 1225–7
AMINO
Intramolecular reactions of N–nitrenes: oxidation of 3–amino–2–(arylalkyl)quinazolones, 160–2
Rearrangement of carboxylates derived from N–acetyl–N–nitroso–α–amino acids, 297–9
Fast atom bombardment quadrupole mass spectrometry, 324–5
Racemization of activated, urethane–protected amino–acids by p–dimethylaminopyridine. Significance in solid–phase peptide synthesis, 336–7
X–ray crystal structure of the copper(II) complex of mugineic acid, a naturally occurring metal chelator of graminaceous plants, 338–9
Cooperative effects in the catalytic action of N–decanoyl–L–histidine in micelles, 393–4
X–ray study of a new heterocycle: the crystal structure of 1,2–dibromo–1,2–diphenyl–1,2–dihydroazeto[1,2–a]pyridinium chlorate, 481–2
Intramolecular reactions of N–nitrenes: evidence for nonconcerted addition to alkenes, 549–50
5–Nitro–3H–1,2–benzoxathiole SS–dioxide, a new reagent for coupling in peptide synthesis, 632–4
Synthesis of 6–cyano– and 6–carbamoylpurines and 6–carbamoyl–1,2–dihydropurines from N–methylacetonitrilium trifluoromethanesulfonate and diaminomaleonitrile, 788–9
Dye–sensitized photooxygenation of tryptophan to give N'–formylkynurenine, 855–6
Solid–state photopolymerization of unsaturated organic cations in layer perovskite halide salts, 921–2
Chiral diaza–18–crown–6 derivatives, 992–4
Electrochemical carbon–carbon bond formation: synthesis of new substituted butadienes, 1040–1
1,2,3–Triazine, 1174
Oxidative aminomercuration of prop–2–ynol. Syntheses of substituted propane–1,2–diimines and 2–aminopropionamidines, 1181–2
The origins of the enantioselection in asymmetric catalytic hydrogenation of amino acid precursors, 1278–80
AMINOADIPYL
Direct proton NMR observation of the cell–free conversion of δ–(L–α–aminoadipyl)–L–cysteinyl–D–valine and δ–(L–α–aminoadipyl)–L–cysteinyl–D–(–)–isoleucine into penicillins, 917–19
AMINOADIPYLCYSTEINYLISOLEUCINE
Direct proton NMR observation of the cell–free conversion of δ–(L–α–aminoadipyl)–L–cysteinyl–D–valine and δ–(L–α–aminoadipyl)–L–cysteinyl–D–(–)–isoleucine into penicillins, 917–19
AMINOADIPYLCYSTEINYLVALINE
Penicillin biosynthesis: conversion of deuterated (L–α–amino–δ–adipyl)–L–cysteinyl–D–valine into isopenicillin N by a cell–free extract of Cephalosporium acremonium, 246–7
AMINOALKYLAZETIDINONE
Novel syntheses of 3–methyleneazetidin–2–one derivatives and related systems, 404–5
AMINOARYLATION
Mechanism of direct side–chain acylamination and aminoarylation of 2– and 4–picoline 1–oxides, 561–2
AMINOARYLETHYLQUINAZOLONE
Intramolecular reactions of N–nitrenes: oxidation of 3–amino–2–(arylalkyl)quinazolones, 160–2
AMINOBENZYLPHOSPHONIUM
New synthesis of indoles from o–acylaminobenzyltriphenylphosphonium salts, 14–15
AMINOCARBOXYLATE
Rearrangement of carboxylates derived from N–acetyl–N–nitroso–α–amino acids, 297–9
AMINOCARBOXYPENTANOYLAMINO
Direct proton NMR observation of the cell–free conversion of δ–(L–α–aminoadipyl)–L–cysteinyl–D–valine and δ–(L–α–aminoadipyl)–L–cysteinyl–D–(–)–isoleucine into penicillins, 917–19
AMINOCYANOFORMIMIDOYLIMIDAZOLE
Synthesis of 6–cyano– and 6–carbamoylpurines and 6–carbamoyl–1,2–dihydropurines from N–methylacetonitrilium trifluoromethanesulfonate and diaminomaleonitrile, 788–9
AMINODIACETYLENE
Solid–state photopolymerization of unsaturated organic cations in layer perovskite halide salts, 921–2
AMINOETHER
The nontemplate synthesis of dinucleating macrocyclic Schiff bases derived from thiophene, and their disilver complexes; x–ray crystal structures of two of the products, 628–30
Synthesis and cation complexing of N,N'–bridged bis(1,4,7–trioxa–10–azacyclododecanes), 684–6
AMINOETHYL
New type of σ–organocobalt complexes: salts of alkyl–mer–[N–(2–aminoethyl)–7–methylsalicylideneaminato](ethylenediamine)cobalt(III). Preparation, characterization, and x–ray crystallographic evidence for structure, 441–2
AMINOIMIDAZOPYRIDINIUM
X–ray study of a new heterocycle: the crystal structure of 1,2–dibromo–1,2–diphenyl–1,2–dihydroazeto[1,2–a]pyridinium chlorate, 481–2
AMINOLEVULINATE
Stereochemistry of formation of methyl and ethyl groups in bacteriochlorophyll a, 645–7
AMINOMALEONITRILE
General synthesis of imidazole C–nucleosides from carbohydrate adducts of diaminomaleonitrile, 110–12
Synthesis of 6–cyano– and 6–carbamoylpurines and 6–carbamoyl–1,2–dihydropurines from N–methylacetonitrilium trifluoromethanesulfonate and diaminomaleonitrile, 788–9
AMINOMERCURATION
Oxidative aminomercuration of prop–2–ynol. Syntheses of substituted propane–1,2–diimines and 2–aminopropionamidines, 1181–2
AMINOMETHYL
A base–labile amine component in four–component condensation (4CC) synthesis, 491–2
AMINOMETHYLFLUORENE
A base–labile amine component in four–component condensation (4CC) synthesis, 491–2
AMINOMUTASE
Stereochemistry of the leucine 2,3–aminomutase from tissue cultures of Andrographis paniculata, 80–2
AMINOPHENYLACRYLONITRILE
Electrochemical carbon–carbon bond formation: synthesis of new substituted butadienes, 1040–1
AMINOPHENYLPHOSPHINEPLATINUM
Substitution of a platinum(II) complex without retention of stereochemistry. Direct evidence for pseudorotation of a five coordinate platinum(II) cationic complex containing chelating phosphine ligands, 381–2
AMINOPHENYLPROPIONALDEHYDE
Catalytic synthesis of 3–substituted indoles using carbon monoxide as building block and supported rhodium as catalyst, 82–3

AMINOPROPIONAMIDINE
Oxidative aminomercuration of prop-2-ynol. Syntheses of substituted propane-1,2-diimines and 2-aminopropionamidines, 1181–2
AMINOPROPYL
Photo-acoustic spectroscopic evidence for site–site interactions in a bifunctional surface-bonded phase, 517–18
AMINOPROPYNE
The chemistry of a 1,3,4-thiadiazin-6-one, 1003–4
AMINOPYRAZOLE
1,2,3-Triazine, 1174
AMINOPYRIMIDINE
An NMR method for the quantitative determination of the N-1:N-3 protonation ratio in 2,4-diaminopyrimidine, 1224–5
AMINOSULFUR
A novel synthesis of α- and γ-fluoroalkylphosphonates, 511–13
AMMINE
Coordination of amides to cis-diamminediaquaplatinum dication, 61–2
Complex containing the bridging formazanido(3–) ligand. Synthesis and x-ray crystal structure of [(WBr(1,2-bis(diphenylphosphino)-ethane)$_2$)$_2$(μ-CH(N$_2$)$_2$)]$^+$-[Cr(NH$_3$)$_2$(NCS)$_4$]$^-$.1/3CH$_2$Cl$_2$, 85–7
A spectrophotometric method for analyzing mixtures of cis- and trans-diamminedichloroplatinum(II) in solution, 131–2
The binding of neutral platinum complexes by crown ethers. X-ray crystal structures of [trans-PtCl$_2$(PMe$_3$)NH$_3$.dibenzo-18-crown-6] and [(trans-PtCl$_2$(PMe$_3$)NH$_3$)$_2$.18-crown-6], 847–9
AMMINEAQUACOPPER
Isolation and x-ray crystal structure of [Cu(NH$_3$)$_4$H$_2$O.18-crown-6]$^{2+}$$_n$[PF$_6$]$^-$$_{2n}$, a linear face-to-face hydrogen bonded chain copolymer, 849–50
AMMINEDICHLOROTRIALKYLPHOSPHINEPLATINUM
The binding of neutral platinum complexes by crown ethers. X-ray crystal structures of [trans-PtCl$_2$(PMe$_3$)NH$_3$.dibenzo-18-crown-6] and [(trans-PtCl$_2$(PMe$_3$)NH$_3$)$_2$.18-crown-6], 847–9
AMMINEDICHLOROTRIMETHYLPHOSPHINEPLATINUM
The binding of neutral platinum complexes by crown ethers. X-ray crystal structures of [trans-PtCl$_2$(PMe$_3$)NH$_3$.dibenzo-18-crown-6] and [(trans-PtCl$_2$(PMe$_3$)NH$_3$)$_2$.18-crown-6], 847–9
AMMINEPLATINUM
The binding of neutral platinum complexes by crown ethers. X-ray crystal structures of [trans-PtCl$_2$(PMe$_3$)NH$_3$.dibenzo-18-crown-6] and [(trans-PtCl$_2$(PMe$_3$)NH$_3$)$_2$.18-crown-6], 847–9
AMMINOIRON
Second-sphere coordination of neutral and cationic transition metal complexes by crown ethers, 612–13
AMMINOTUNGSTEN
Second-sphere coordination of neutral and cationic transition metal complexes by crown ethers, 612–13
AMMONIA
Chemical conversions using sheet silicates: novel intermolecular elimination of ammonia from amines, 9–10
Superacid sites in zeolites, 39–40
Photooxidation of water on the surface of hectorite using trans-diaquabis(2,2'-bipyridine)ruthenium(2+) as catalyst, 1026–7
Photochemical synthesis of ammonia over zeolites, 1049–50
AMMONIUM
Synthesis and x-ray structural characterization of [Me$_4$N]$_3$[(SCH$_2$-CH$_2$S)MoS$_3$]$_2$Fe), the first example of a heteronuclear trimer containing molybdenum in a square-pyramidal geometry, 411–12
Syntheses of naphtho[2,3-c]pyran-5,10-quinones using ceric ammonium nitrate, 534–5
Dynamic properties of molecular complexes and receptor–substrate complementarity. Molecular dynamics of macrotricyclic diammonium cryptates, 833–6
AMORPHOUS
Evidence for x-ray-amorphous zeolites, 591–3
ANCHIMERIC
On anchimerically assisted homolysis via sulfide functions, 1238–9
ANDIBENIN
Biosynthesis of the meroterpenoid metabolite, andibenin B: aromatic precursors, 1198–200
ANDITOMIN
Anditomin, a new C$_{25}$ metabolite from Aspergillus variecolor, 914–15
ANDROGRAPHIS
Stereochemistry of the leucine 2,3-aminomutase from tissue cultures of Andrographis paniculata, 80–2
ANDROSTANONE
Synthesis of 3β-methoxy-5α,14α-card-20(22)-enolide from 3β-methoxy-5α-androstan-17-one. A method for the construction of the cardenolide side-chain, 25–6
Stereospecific introduction of a C-17 side chain in a 14β-hydroxy steroid. X-ray crystal structures of two epimeric 17-ethynyl-17-hydroxy-14β-hydroxy steroids, 363–4
ANDROSTENEDIONE
The status of oxygen atoms in the removal of C-19 in estrogen biosynthesis, 129–30
ANGLE
Direct and indirect tin–hydrogen coupling constants in methyltin trichloride and trimethyltin chloride partially oriented in nematic phases determined by the dilution–spinning method, 35–6
ANHYDRIDE
Biomimetic synthesis of sclerin, 20–1
Not the alkoxycarbonylamino–acid O-acylisourea, 543–5
Synthesis of 1,2,4-trioxanes, 581–2
Photocycloaddition of 2,5-dihydrothiophene SS-dioxides to α,β-unsaturated cyclic anhydrides. Synthesis of 10-hydroxygeraniol, 752–3
Oxygen atom transfer from iodylbenzene to diphenyl diselenide: a convenient method for dehydrogenation of steroidal 3-ketones, 1044–5
Reaction of N-tert-butoxycarbonylamino acid anhydrides with tertiary amines and carbodiimides. New precursors for 2-tert-butoxyoxazol-5(4H)-one and N-acylureas, 1225–7
ANHYDROISOPROPYLIDENETALOFURANOSYLPYRIMIDINE
Synthesis and x-ray crystal structure of the first example of an anhydronucleoside with two oxygen bridges between the base and the sugar, 780–1
ANILINE
A novel synthesis of 1,2,5-benzoxathiazepines, 971–2
ANION
Interconversion of carbocations, free radicals, and carbanions in nitroxide solutions. 70–1
Electrochemical evidence for the generation of new sandwich complexes of iron; cyclopentadienyl(arene)iron anion and cyclopentadienyl(cyclohexadienyl)iron cation, 251–3
An ESR study of the generation and reactivity of the borane radical anion (H$_3$B$\cdot^-$) in solution, 360–1
Methyl and silyl halide radical anions: an ab initio study, 515–16
Generation and thermal reorganization of a linearly-fused N-methyldibenzoazocinyl anion, 647–8
Arsenic pentafluoride radical anion intermediate in the charge-transfer interaction with donors, 701–2
Synthesis and x-ray crystal and molecular structure of the mixed metal cluster hexaosmiumeicosacarbonyldihydridoaurate(1-), 753–5
A monocyclic phosphorane oxide anion and the extraordinary reactivity of its tautomeric phosphine oxide alkoxide, 981–2
Evidence for the base-promoted conversion of alkyl-substituted molybdenum and tungsten alkylidyne complexes into anionic vinylalkylidene species, 1037–8
Amidrazones as acyl anion equivalents, 1121–2
ESR spectra and reactivity of alane radical anions in solution, 1167–8
NMR spectrum of sodium anion in sodium–hexamethylphosphoric triamide solutions, 1185–6
The oxidation of the trisulfur trinitride anion S$_3$N$_3^-$ by molecular oxygen: preparation and the crystal and molecular structure of [(Ph$_3$P)$_2$N]$^+$[S$_2$N$_3$O]$^-$, 1214–15
Synthesis and x-ray characterization of the high-nuclearity [Rh$_{17}$(μ_3-CO)$_3$(μ-CO)$_{15}$(CO)$_{12}$]$^{3-}$ anion containing a tetracapped twinned cuboctahedral cluster, 1280–2
ANISOLE
Electron-transfer chain (ETC) promotion of aromatic substitution reactions. Entry into the S$_{ON}$2 mechanism via ipso radical attack, 133–4
N,N-diacyl arylsulfenamides as an unambiguous and convenient source of arylsulfenium ions, 704–5
NIH shift in hemin-iodosylbenzene mediated hydroxylations, 778–9
ANNULATED
Acid-catalyzed intramolecular C-alkylation rearrangements of βγ-unsaturated diazomethyl ketones. A novel synthetic entry to pentaleno-annulated polycyclic systems, 746–7

ANNULENE
Deoxovanadium(IV) complexes of the dibenzotetramethyltetraaza-[14]annulene ligand: formation of products containing thioxo–, μ–nitrido–, and oxidatively coupled ligands, 910–11
ANTHRACENE
Hydrogen uptake and hydrogenation activity of the rare earth intermetallic compound trimagnesiumsamarium treated with anthracene, 567
Anomalous excimer fluorescence from anthracene derivatives crystallizing in chiral crystal structures, 768–9
ANTHRACYCLINE
Preparation of (–)-(7R)-7-acetyl-7-hydroxy-4,4-dimethoxy-5,6,7,8-tetrahydronaphthalen-1(4H)-one, a chiral AB-synthon for anthracycline synthesis, 1100–1
ANTHRACYCLINONE
Simple novel synthesis of the anthracyclinone system using a new modification of the Marschalk reaction and a carbohydrate as a chiral center source, 508–10
ANTHRANILIC
New synthesis of indoles from o-acylaminobenzyltriphenylphosphonium salts, 14–15
ANTHRAQUINONE
The regiospecific preparation of 1,4-dioxygenated anthraquinones: a new route to islandicin, digitopurpone, and madeirin, 108–10
ANTIBIOTIC
Characterization of eight antibiotics of the quinomycin group by field desorption mass spectrometry, 46–7
Manipulation of the nuclear Overhauser effect by the use of a viscous solvent: the solution conformation of the antibiotic echinomycin, 165–6
Proton–carbon-13 NMR chemical shift correlation, 413–14
New peptide antibiotics, trichopolyns I and II, from Trichoderma polysporum, 585–7
Structure of antibiotic M139603; x-ray crystal structure of the 4-bromo-3,5-dinitrobenzoyl derivative, 1073–4
A circular dichroic method for determining the linkage to symmetric hexocyclitols and hexocyclitolamines: structure of two antibiotics from Nocardia sp., 1134–5
Biosynthesis of a cyclopentyl dienyl isonitrile acid in cultures of the fungus Trichoderma hamatum (Bon.) Bain. aggr, 1227–9
ANTIFEEDANT
Synthesis of cinnamolide and polygodial, 507–8
A hydroperoxychroman with insect antifeedant properties from an African shrub. Characterization of fully-substituted aromatic structures, 1271–2
ANTIFERROMAGNET
The crystal structures of propane-1,3-diammonium tetrachlorochromate(II), a sheet ferromagnet, and bis(dimethylammonium) tetrachlorochromate(II), an antiferromagnetic compound containing isolated $[Cr_3Cl_{12}]^{6-}$ units, 1046–7
ANTIMONATE
Structural change in $(C_5H_5NH)SbBr_4$ with temperature, 979–81
ANTIMONY
A dynamic NMR study of the acidity of superacid media (mixtures of fluorosulfuric acid and antimony pentafluoride from 0 to 90 mol % of antimony pentafluoride, 769–71
ANTIRHEA
Synthesis of a potential synthon for the chiral synthesis of the Corynanthe-type indole alkaloids: enantioselective total synthesis of (–)-antirh ·e, 1155–6
ANTIRHINE
Synthesis of a potential synthon for the chiral synthesis of the Corynanthe-type indole alkaloids: enantioselective total synthesis of (–)-antirhine, 1155–6
AQUACOPPER
Isolation and x-ray crystal structure of $[Cu(NH_3)_4H_2O.18\text{-crown-}6]^{2+}{}_n[PF_6]^-{}_{2n}$, a linear face-to-face hydrogen bonded chain copolymer, 849–50
AQUARUTHENIUM
Synthesis and properties of substituted ruthenium aqua complexes, 1216–17
ARABINOSE
Simple novel synthesis of the anthracyclinone system using a new modification of the Marschalk reaction and a carbohydrate as a chiral center source, 508–10
ARALKENE
Acid catalysis induces a total change from retention to inversion of configuration in carbon dioxide elimination from β-lactones, 891–2
ARANOTIN
Biosynthetic incorporation of cyclo-(L-phenylalanyl-L-phenylalanyl) into bisdethiobis(methylthio)acetylaranotin in Aspergillus terreus, 619–21
ARECA
Structures of dimeric, trimeric, and tetrameric procyanidins from Areca catechu L, 781–3
ARENE
Formation of η^6-arene-closo-carbaferraboranes by the reaction of a closo-carbaborane with cyclooctadiene(η-cyclopentadienyl)iron in the presence of arenes: molecular structure of [closo-1-(η^6-PhMe)-2,4-Me_2-1,2,4-$FeC_2B_9H_9$], 871–2
ARENECHROMIUM
Benzylic functionalization of arene(tricarbonyl)chromium complexes, 1264–5
ARENECYCLOOCTADIENECYCLOPENTADIENYLIRONCARBABORANE
Formation of η^6-arene-closo-carbaferraboranes by the reaction of a closo-carbaborane with cyclooctadiene(η-cyclopentadienyl)iron in the presence of arenes: molecular structure of [closo-1-(η^6-PhMe)-2,4-Me_2-1,2,4-$FeC_2B_9H_9$], 871–2
ARENEDIAZONIUM
Reactions of o-alkenyloxyarenediazonium fluoroborates and related species with nitroxides, 595–7
ARENEDICARBAFERRABORANE
Formation of η^6-arene-closo-carbaferraboranes by the reaction of a closo-carbaborane with cyclooctadiene(η-cyclopentadienyl)iron in the presence of arenes: molecular structure of [closo-1-(η^6-PhMe)-2,4-Me_2-1,2,4-$FeC_2B_9H_9$], 871–2
ARENEIRON
Electrochemical evidence for the generation of new sandwich complexes of iron; cyclopentadienyl(arene)iron anion and cyclopentadienyl(cyclohexadienyl)iron cation, 251–3
ARGININE
Fast atom bombardment quadrupole mass spectrometry, 324–5
AROM
Optical resolution of mutagenic and carcinogenic derivatives of polyaromatic hydrocarbons by high pressure liquid chromatography on a chiral support, 75–6
Photoinduced hydrogen–deuterium exchange between aromatic and aliphatic hydrocarbon systems catalyzed by $[Mo(\eta\text{-}C_5H_5)(Me_2PCH_2CH_2PMe_2)H_3]$, 186–7
Asymmetric reduction of aromatic ketones with chiral alkoxyamine-borane complexes, 315–17
Tetraphenylbismuth monotrifluoroacetate: a new reagent for regioselective aryl ether formation, 503–4
Active metals from potassium–graphite. Palladium–graphite as catalyst in the hydrogenation of nitro compounds, alkenes, and alkynes, 540–1
Synthesis of 2,3-disubstituted indoles under mild conditions, 563
Preparation of stable quinone methide imines, 565–6
Benzylic functionalization of arene(tricarbonyl)chromium complexes, 1264–5
AROM COMPD
Photochemical aromatic cyanomethylation, 817–18
AROMATICITY
Generation and thermal reorganization of a linearly-fused N-methyldibenzoazocinyl anion, 647–8
AROYLACRYLATE
Charge transfer and noncharge transfer crystal forms of (E)-5,5'-dimesitylbifuranylidenediones: an x-ray structural investigation, 823–5
ARSENATE
Hydrogen ordering effects in $DUO_2AsO_4.4D_2O$, 784–6
ARSENIC
Synthesis of xenon difluoride-^{18}F, a novel agent for the preparation of fluorine-18 radiopharmaceuticals, 198–9
Arsenic pentafluoride radical anion intermediate in the charge-transfer interaction with donors, 701–2
ARSINE
A convenient means of predicting the position of the arsenic-75 quadrupole resonance in coordination compounds, 903–4
ARYL
Novel route to β-lactam systems, 41
Novel alumina-catalyzed reactions of arylthioalkyl halides, 87–8
Cyclizations of azidoformates. Cyclization of aryl azidoformates, 241–2
Organotellurium chemistry. The telluroxide elimination reaction, 277–8

ARYL(contd)
Carbonylation of organic halides in the presence of terminal acetylenes: novel acetylenic ketone synthesis, 333–4
Four-membered ring adducts from $2\pi + 2\pi$ cycloaddition of ketenimines to sulfur dioxide. Isolation of 1,2-thiazetidin-3-one 1-oxides, 350–2
A link between photoreduction and photosubstitution of chloroaromatic compounds, 436–7
Facile phosphorus–carbon bond cleavage in the reactions of nitrile oxides with zerovalent triphenylphosphine platinum complexes, 446–8
Tetraphenylbismuth monotrifluoroacetate: a new reagent for regioselective aryl ether formation, 503–4
Elimination–addition mechanisms of sulfonyl group transfer: evidence for a dicarbanionic intermediate in the alkaline hydrolysis of aryl methylsulfonylmethanesulfonate esters, 535–6
Ruthenium metal–catalyzed deuterium exchange between organosilanes and perdeuteriobenzene, 844–5
Acid catalysis induces a total change from retention to inversion of configuration in carbon dioxide elimination from β-lactones, 891–2
General synthetic approach to the quinolizidine alkaloids via a [2+3]-cycloaddition, 940–2
Synthesis of oxetanes by photocycloaddition of aromatic aldehydes to hexamethyl(Dewar benzene), 950–1
Surprising reactivity of very crowded phosphinic derivatives, 1197–8
Reaction of lithium dialkylcuprates with S-2-pyridyl thioates in the presence of oxygen. A carboxylic ester synthesis, 1231–2
ARYLACYLINDOLE
Arylation of N-acylpyrroles and -indoles with arenes and palladium acetate, 254–5
ARYLACYLPYRROLE
Arylation of N-acylpyrroles and -indoles with arenes and palladium acetate, 254–5
ARYLALKANOL
Manganese porphyrin–catalyzed oxidation of olefins to ketones by molecular oxygen, 874–5
ARYLALKANONE
Manganese porphyrin–catalyzed oxidation of olefins to ketones by molecular oxygen, 874–5
ARYLAMMONIUM
Micellar control of intramolecular eximer formation of bound substrates, 759–60
ARYLATION
New method for the synthesis of organoboranes, 5–6
Arylation of N-acylpyrroles and -indoles with arenes and palladium acetate, 254–5
Active metals from potassium–graphite. Palladium–graphite–catalyzed vinylic substitution reactions, 541–2
Arylation of quinones with arenes and palladium acetate, 859–60
The reactions of silyl nitronates with organolithium reagents, 952–3
ARYLAZOMETHYLENE
ortho-Formyl substituted arylazomethylenetriphenylphosphoranes: a novel facile intramolecular thermal rearrangement with nitrogen–nitrogen double bond fission, 894–5
ARYLAZOMETHYLENETRIPHENYLPHOSPHORANE
ortho-Formyl substituted arylazomethylenetriphenylphosphoranes: a novel facile intramolecular thermal rearrangement with nitrogen–nitrogen double bond fission, 894–5
ARYLBENZOFURAN
New neoflavanoid structural-types from Dalbergia, 1254–5
ARYLCARBONYLMETHYLATION
Concise syntheses of 4-(arylcarbonylmethyl)-azetidin-2-ones and related systems, 1076–7
ARYLCUPRATE
New method for the synthesis of organoboranes, 5–6
ARYLCYANOMETHYLENE
A cis–trans equilibrium isotope effect in arylcyanomethylenepyrrolidinones, 205–6
ARYLCYANOMETHYLENEPYRROLIDINONE
A cis–trans equilibrium isotope effect in arylcyanomethylenepyrrolidinones, 205–6
ARYLDIAZONIUM
Aryldiazonium salts as photoaffinity labeling reagents for proteins, 398–9
ARYLDITHIOLYLIUM
Preparation of stable quinone methide imines, 565–6
ARYLETHYL
Intramolecular reactions of N-nitrenes: oxidation of 3-amino-2-(arylalkyl)quinazolones, 160–2
ARYLETHYLENE
The thermal cis–trans-isomerization of some substituted tetraphenylcyclopropanes. An assessment of the importance of mero-stabilization of a 1,3-biradical, 1203–4
ARYLHEXAMETHYLOXATRICYCLOOCTENE
Synthesis of oxetanes by photocycloaddition of aromatic aldehydes to hexamethyl(Dewar benzene), 950–1
ARYLMETHYLAMMONIUM
Micellar control of intramolecular eximer formation of bound substrates, 759–60
ARYLOXIDE
On relative leaving abilities: use of isobasic plots to determine the relative nucleofugalities of thiolates and their oxy-analogs, 551–3
ARYLOXOPHOSPHINDOLE
Surprising reactivity of very crowded phosphinic derivatives, 1197–8
ARYLOXYCYCLOHEXENONE
Rearrangement of a 2-aryloxycyclohex-2-enone. A new enolate Claisen rearrangement?, 224–5
ARYLOXYMETHYL
Protection of histidine side-chains with π-benzyloxymethyl or π-bromobenzyloxymethyl groups, 648–9
ARYLOXYMETHYLATION
Protection of histidine side-chains with π-benzyloxymethyl or π-bromobenzyloxymethyl groups, 648–9
ARYLQUINOLIZIDINOL
General synthetic approach to the quinolizidine alkaloids via a [2+3]-cycloaddition, 940–2
ARYLSILANE
Ruthenium metal–catalyzed deuterium exchange between organosilanes and perdeuteriobenzene, 844–5
ARYLSULFENAMIDE
N,N-diacyl arylsulfenamides as an unambiguous and convenient source of arylsulfenium ions, 704–5
ARYLSULFONYL
Reaction of dimethyloxosulfonium methylide with N-arylsulfonyl-2-phenylaziridines: a new synthesis of N-arylsulfonyl-2-phenylazetidines, 417–18
ARYLSULFONYLAMINO
Regiospecific attack of methoxide ion on 4-alkoxy-o-quinone imines. A novel route to p-quinone monoacetals, 425–6
ARYLSULFONYLAMINOBENZOQUINONE
Regiospecific attack of methoxide ion on 4-alkoxy-o-quinone imines. A novel route to p-quinone monoacetals, 425–6
ARYLSULFONYLAZETIDINE
Reaction of dimethyloxosulfonium methylide with N-arylsulfonyl-2-phenylaziridines: a new synthesis of N-arylsulfonyl-2-phenylazetidines, 417–18
ARYLSULFONYLAZIRIDINE
Reaction of dimethyloxosulfonium methylide with N-arylsulfonyl-2-phenylaziridines: a new synthesis of N-arylsulfonyl-2-phenylazetidines, 417–18
ARYLSULFONYLIMINE
Regiospecific attack of methoxide ion on 4-alkoxy-o-quinone imines. A novel route to p-quinone monoacetals, 425–6
ARYLTHIAZETIDINONE
Four-membered ring adducts from $2\pi + 2\pi$ cycloaddition of ketenimines to sulfur dioxide. Isolation of 1,2-thiazetidin-3-one 1-oxides, 350–2
ARYLTHIOALKANE
Novel alumina-catalyzed reactions of arylthioalkyl halides, 87–8
ASPARVENONE
Carbon-13 and deuterium NMR studies on the biosynthesis of O-methylasparvenone, a hexaketide metabolite of Aspergillus parvulus, 239–40
ASPERGILLUS
Biosynthesis of tajixanthone in Aspergillus variecolor; incorporation of $[^2H_3]$acetate and $[1,2\text{-}^{13}C_2]$acetate, 195–6
Carbon-13 and deuterium NMR studies on the biosynthesis of O-methylasparvenone, a hexaketide metabolite of Aspergillus parvulus, 239–40
Detection of one symmetrical precursor during the biosynthesis of the fungal metabolite austdiol using acetate-$1,2\text{-}^{13}C_2$ and methionine-Me-^{13}C, 575–6
Biosynthetic incorporation of cyclo-(L-phenylalanyl-L-phenylalanyl) into bisdethiobis(methylthio)acetylaranotin in Aspergillus terreus, 619–21
The biosynthesis of asperlactone: incorporation studies with acetate-$2\text{-}^{13}C,2\text{-}^2H_3$, 708–10

ASPERGILLUS(contd)
Anditomin, a new C_{25} metabolite from Aspergillus variecolor, 914–15
Biosynthesis of austin, a polyketide–terpenoid metabolite of Aspergillus ustus, 1042–3
Biosynthesis of terretonin, a polyketide–terpenoid metabolite of Aspergillus terreus, 1043–4
Stereochemistry of the introduction of the hydrogen atom at C–2 of cis–aconitic acid during its transformation into itaconic acid in Aspergillus terreus: a deuterium NMR approach, 1050–1
Biosynthesis of the meroterpenoid metabolite, andibenin B: aromatic precursors, 1198–200
Structures of the austalides A–E, five novel toxic metabolites from Aspergillus ustus, 1265–7
ASPERLACTONE
The biosynthesis of asperlactone: incorporation studies with acetate–2-^{13}C,2-$^{2}H_3$, 708–10
ASSISTANCE
On anchimerically assisted homolysis via sulfide functions, 1238–9
ASSOCN
The association of proteins with polyphenols, 309–11
The relationship between the energies of carbanions, R^-, and their lithiated counterparts, RLi. An ab initio study, 882–4
ASYM
Asymmetric synthesis of β–lactams, 57–8
Synthesis of asymmetrically–substituted cyclopentane derivatives from acyclic sugars, 88–90
Asymmetric carbon dioxide insertion into a π–allyltitanium(III) complex, 180–1
Asymmetric hydrolysis of 3–acetylthiocycloheptene and 3–acetoxycycloheptene with a microbial lipase, 185
Asymmetric cyanohydrin synthesis catalyzed by a synthetic cyclic dipeptide, 229–30
Alkaloid–catalyzed asymmetric addition of thiocarboxylic S–acids to cyclohex–2–en–1–ones. Absolute configuration of the adducts by O,S–dibenzoate Cotton effect, 307–8
Asymmetric reduction of aromatic ketones with chiral alkoxyamine–borane complexes, 315–17
Effective method for the asymmetric synthesis of bis–β–lactams by the cycloaddition of azidoketene to benzylideneamines bearing a chiral β–lactam backbone, 344–6
Use of carbohydrates in the preparation of optically active sulfoxides, 505–6
Optically active trifluoromethylcarbinols as chiral solvating agents for asymmetric transformations at a ring–nitrogen atom, 588–90
Chiral crown complexes catalyze Michael addition reactions to give adducts in high optical yields, 625–8
Enantioselective synthesis of the gibbane framework, 635–7
Asymmetric synthesis in the nickel complex–catalyzed formation of olefins from allyl alcohols and Grignard reagents, 681–2
The phosphinoethylsilyl group as a bifunctional chelate. Asymmetric induction at platinum(II), 937–9
ATOM
Fast atom bombardment quadrupole mass spectrometry, 324–5
Fast atom bombardment of solids (F.A.B.): a new ion source for mass spectrometry, 325–7
New helium–moderator anomaly in recoil tritium chemistry, 545–6
ATP
Three new β,γ–methylene analogs of adenosine triphosphate, 1188–90
ATTACK
ipso–Attack in the hydroxylation of o– and p–xylene using bis(trimethylsilyl) peroxide and aluminum chloride, 1079–80
ATTRACTION
Products of low potential energy in mass spectra as a consequence of ion–dipole attractions. The case of isobutyl alcohol, 836–8
AUSTALIDE
Structures of the austalides A–E, five novel toxic metabolites from Aspergillus ustus, 1265–7
AUSTDIOL
Detection of one symmetrical precursor during the biosynthesis of the fungal metabolite austdiol using acetate–1,2-$^{13}C_2$ and methionine–Me-^{13}C, 575–6
AUSTIN
Biosynthesis of austin, a polyketide–terpenoid metabolite of Aspergillus ustus, 1042–3
AUTORECYCLING
Autorecycling system for reduction of carbonyl compounds to alcohols by 1,5–dihydro–5–deazaflavins, 1160–2
AVENACIOLIDE
Cycloadditions of 3–methoxyfuran with mono–activated dienophiles; application to the synthesis of (±)–avenaciolides, 221–2
AZA
Facile synthesis of monoaza crown ethers, 471–2
Synthesis of a cation complexing doubly N,N'–bridged bis(1,7–dioxa–4,10–diazacyclododecane), 1084–6
Synthesis of 6–aza–nido–decaborane(12) and its derivatives, 1162–3
AZABICYCLOHEXENONE
A novel photochemical route to functionalized β–lactams, 880
AZABICYCLONONANONE
Conformation of 5–phenyl–1–azabicyclo[3.3.1]nonan–2–one, a bridgehead amide, 814–15
AZABICYCLONONENE
α–Chlorination with carbon tetrachloride and α–hydrogen/deuterium exchange with deuteriochloroform of amidines, 998–9
AZABUTYL
Circular dichroism spectra of some trigonal–bipyramidal complexes 296–7
AZABUTYLTRIAZANONANE
Circular dichroism spectra of some trigonal–bipyramidal complexes 296–7
AZACYCLOBUTANONE
Synthesis of potassium 3–methyl–9–oxo–1,4–diazatricyclo[5.2.0.0^{4,6}]non–2–ene–2–carboxylate, 947–8
AZADECABORANE
Synthesis of 6–aza–nido–decaborane(12) and its derivatives, 1162–3
AZAOXAHEPTACYCLOHENEICOSANE
A novel rearrangement of hetisine, and x–ray crystal structure of the major product: transformation of a dihydroxybicyclo[2.2.2]octane system to an adamantane–type skeleton, 327–9
AZAOXAMACROCYCLE
Symmetry and selectivity in the formation of inclusion complexes by macrotricyclic hosts, 990–2
AZAPENEM
Azepenems: synthesis of 4–substituted 7–oxo–1,4–diazabicyclo[3.2.0]hept–2–ene carboxylates, 1269–71
AZATHIABICYCLOHEPTANE
Direct proton NMR observation of the cell–free conversion of δ–(L–α–aminoadipyl)–L–cysteinyl–D–valine and δ–(L–α–aminoadipyl)–L–cysteinyl–D–(–)–isoleucine into penicillins, 917–19
AZATHIACEPHEM
Azepenems: synthesis of 4–substituted 7–oxo–1,4–diazabicyclo[3.2.0]hept–2–ene carboxylates, 1269–71
AZATRICYCLODODECENE
Generation and reactivity of 4–azatricyclo[5.3.1.1^{3,9}]dodec–3–ene and 5–azatricyclo[4.4.1.1^{3,9}]dodec–5–ene, new bridgehead imines 1193–4
AZEPINE
Cyclizations of azidoformates. Cyclization of aryl azidoformates, 241–2
Stable 1H–azepines, 399–400
Pressure–induced synthesis of an N–sulfonyl–1H–azepine by sulfonyl–nitrene insertion into benzene, 790–1
AZETIDINE
Reaction of dimethyloxosulfonium methylide with N–arylsulfonyl–2–phenylaziridines: a new synthesis of N–arylsulfonyl–2–phenylazetidines, 417–18
AZETIDINONE
Novel route to β–lactam systems, 41
Effective method for the asymmetric synthesis of bis–β–lactams by the cycloaddition of azidoketene to benzylideneamines bearing a chiral β–lactam backbone, 344–6
Novel syntheses of 3–methyleneazetidin–2–one derivatives and related systems, 404–5
A new rearrangement of a 4–mercaptoazetidin–2–one via a thioaldehyde intermediate, 578–9
A novel photochemical route to functionalized β–lactams, 880
Novel synthesis of the 7–oxo–1,3–diazabicyclo[3.2.0]heptane and 8–oxo–1,3–diazabicyclo[4.2.0]octane ring systems, 946–7
A stereospecific synthesis of (4R)–alkoxyazetidin–2–ones, 959–60
Concise syntheses of 4–(arylcarbonylmethyl)–azetidin–2–ones and related systems, 1076–7
AZETIDINYLOXOBUTYRATE
Synthesis of ethyl 3–methyl–7–oxo–4–oxa–1–azabicyclo[3.2.0]hept–2–ene–2–carboxylate and the reaction of 4–acetoxyazetidin–2–one with ethyl α–diazoacetoacetate, 642–3

AZETOPYRIDINIUM
X–ray study of a new heterocycle: the crystal structure of 1,2–dibromo–1,2–diphenyl–1,2–dihydroazeto[1,2–a]pyridinium chlorate, 481–2
AZIDATION
Novel synthesis of the 7–oxo–1,3–diazabicyclo[3.2.0]heptane and 8–oxo–1,3–diazabicyclo[4.2.0]octane ring systems, 946–7
AZIDE
Photolysis and thermolysis of phenyl azide in acetic acid, 202–4
Nitrogen tracer evidence for a cyclic azide species, 299–300
Preparation, purification, and x–ray crystal structure of a dimeric manganese(IV) porphyrin complex, 765–6
Pressure–induced synthesis of an N–sulfonyl–1H–azepine by sulfonyl–nitrene insertion into benzene, 790–1
Pyrolysis of phenylalklysulfonyl azides and 2–phenethyl azidoformate. Selectivity of sulfonylnitrenes and contrast between sulfonyl– and carbonylnitrenes, 1087–8
AZIDO
Effective method for the asymmetric synthesis of bis–β–lactams by the cycloaddition of azidoketene to benzylideneamines bearing a chiral β–lactam backbone, 344–6
Ring cleavage of 3–azidothiophenes; a novel extrusion of acetylene, 550–1
Preparation, purification, and x–ray crystal structure of a dimeric manganese(IV) porphyrin complex, 765–6
AZIDOBENZYLOXYCARBONYLALKENYLAZETIDINONE
Novel synthesis of the 7–oxo–1,3–diazabicyclo[3.2.0]heptane and 8–oxo–1,3–diazabicyclo[4.2.0]octane ring systems, 946–7
AZIDOBENZYLOXYCARBONYLMETHOXYCARBONYLVINYLAZETIDINONE
Novel synthesis of the 7–oxo–1,3–diazabicyclo[3.2.0]heptane and 8–oxo–1,3–diazabicyclo[4.2.0]octane ring systems, 946–7
AZIDOCARBOXYPROPENYL
Synthesis of potassium 3–methyl–9–oxo–1,4–diazatricyclo[5.2.0.0^{4,6}]non–2–ene–2–carboxylate, 947–8
AZIDOCARBOXYPROPENYLETHENYLAZACYCLOBUTANONE
Synthesis of potassium 3–methyl–9–oxo–1,4–diazatricyclo[5.2.0.0^{4,6}]non–2–ene–2–carboxylate, 947–8
AZIDOFORMATE
Cyclizations of azidoformates. Cyclization of aryl azidoformates, 241–2
Pyrolysis of phenylalklysulfonyl azides and 2–phenethyl azidoformate. Selectivity of sulfonylnitrenes and contrast between sulfonyl– and carbonylnitrenes, 1087–8
AZIDOHOMOADAMANTANE
Generation and reactivity of 4–azatricyclo[5.3.1.1^{3,9}]dodec–3–ene and 5–azatricyclo[4.4.1.1^{3,9}]dodec–5–ene, new bridgehead imines 1193–4
AZIDOKETENE
Effective method for the asymmetric synthesis of bis–β–lactams by the cycloaddition of azidoketene to benzylideneamines bearing a chiral β–lactam backbone, 344–6
AZIDOPYRIDINE
Photolysis of 2–azidopyridine 1–oxides. A convenient synthesis of 1,2–oxazines, 36–7
AZIDOTHIOPHENE
Ring cleavage of 3–azidothiophenes; a novel extrusion of acetylene, 550–1
Synthesis and x–ray structure of an azathiabenzene derivative, a cyclic sulfimide, 927–8
AZIDOTHIOPHENEAZIDOPROPENOATE
Ring cleavage of 3–azidothiophenes; a novel extrusion of acetylene, 550–1
AZIDOTHIOPHENECARBOXALDEHYDE
Synthesis and x–ray structure of an azathiabenzene derivative, a cyclic sulfimide, 927–8
AZIRIDINE
Intramolecular reactions of N–nitrenes: oxidation of 3–amino–2–(arylalkyl)quinazolones, 160–2
Reaction of dimethyloxosulfonium methylide with N–arylsulfonyl–2–phenylaziridines: a new synthesis of N–arylsulfonyl–2–phenylazetidines, 417–18
Intramolecular reactions of N–nitrenes: evidence for nonconcerted addition to alkenes, 549–50
Optically active trifluoromethylcarbinols as chiral solvating agents for asymmetric transformations at a ring–nitrogen atom, 588–90
Conversion of a protopine into an indenobenzazepine. Stereoselective formation of cis– and trans–b/c fused indenobenzazepines, 1246–8
AZO
Photolysis of 2–azidopyridine 1–oxides. A convenient synthesis of 1,2–oxazines, 36–7
AZOACETOACETATE
Synthesis of ethyl 3–methyl–7–oxo–4–oxa–1–azabicyclo[3.2.0]hept–2–ene–2–carboxylate and the reaction of 4–acetoxyazetidin–2–one with ethyl α–diazoacetoacetate, 642–3
AZOALKENE
Anomalous products from 1,2,5–triaza– and 1,5–diazapentadiene thermolyses: formation of amidines and pyrroles, respectively, 722–3
AZOBENZENEDICARBONYL
Photocontrol of catalytic activity of capped cyclodextrin, 94–6
AZOBENZENEDICARBONYLCYCLODEXTRIN
Photocontrol of catalytic activity of capped cyclodextrin, 94–6
AZOXY
Photochemical oxidation of nitrobenzyl alcohols in aqueous solution, 1023–4
AZOXYBENZALDEHYDE
Photochemical oxidation of nitrobenzyl alcohols in aqueous solution, 1023–4
AZOXYTOLUENESULFONATE
Internal return in the solvolysis of secondary alkyl arenesulfonates, 1239–40
AZULENE
Novel syntheses of 1,6–methano[10]annulene and 4–methylazulene, 1182–3
B12
Evidence for a novel mechanism of the 1,2–bond shift rearrangements catalyzed by coenzyme–B_{12}, 686–8
BACTERIOCHLOROPHYLL
Stereochemistry of formation of methyl and ethyl groups in bacteriochlorophyll a, 645–7
BACTERIOSTAT
Synthesis and structure of a chiral sulfinamidocobalt(III) complex derived from (R)–cysteine, 875–7
BARIUM
Selective formation of alkenes in the conversion of methanol into hydrocarbons on barium ion–exchanged mordenite, 1091–2
BARRIER
Synthesis and fluxional character of derivatives of the type $[HFe_3(CO)_{10}(\mu_2–CNR_2)]$ and $[HFe_3(CO)_9(\mu_3–CH=NR)]$, 263–5
Conformational analysis of 5–tert–butylcyclohexa–1,3–diene, 372–3
Ab initio study of the insertions of CH_2 and SiH_2 into hydrogen, 890–1
Barrier to rotation about the nitrogen–nitrogen bond in 1,1'–bipiperidine, 1015–16
BASE
New synthesis of indoles from o–acylaminobenzyltriphenylphosphonium salts, 14–15
X–ray structure of the reversible dioxygen adduct of [N,N'–(3,3'–dipropylmethylamine)bis(salicylideneaminato)cobalt(II)]: unusual presence of both dioxygenated and nondioxygenated complex molecules in the crystal, 196–8
Simple, novel preparation of unsymmetrical triacetylenes, 459–60
A new synthesis of macrocyclic lactones by rearrangement of 2–hydroxyalkyl–2–phenylsulfonylcycloalkanones, 1123–4
Conversion of a protopine into an indenobenzazepine. Stereoselective formation of cis– and trans–b/c fused indenobenzazepines, 1246–8
The photoisomerizations of protonated Schiff base derivatives of some enals, 1268–9
BASICITY
Elimination–addition mechanisms of sulfonyl group transfer: evidence for a dicarbanionic intermediate in the alkaline hydrolysis of aryl methylsulfonylmethanesulfonate esters, 535–6
The influence of electron delocalization on the rate constants for competing $B_{Ac}2$ and E1cb ester hydrolyses, 884–6
BATTERY
Use of polymer–iodine adducts as positive electrodes of cells, 187–8
Organic batteries: reversible n– and p–type electrochemical doping of polyacetylene, $(CH)_x$, 317–19
BEE
Facile access to chiral 5–hydroxy–2–methylhexanoic acid lactones (pheromones of the carpenter bee), 1125–6
BENZALDEHYDE
Erythro–selective aldol condensation via triphenyltin enolates.

BENZALDEHYDE(contd)
Stereoselection independent of the stereochemistry of the enolates 162–3
Asymmetric cyanohydrin synthesis catalyzed by a synthetic cyclic dipeptide, 229–30
Flavin plus 5–deazaflavin as a turnover oxidation system. Model for the electron bridge from NAD+ to flavin, 391–2
A base–labile amine component in four–component condensation (4CC) synthesis, 491–2
Modification of pathways for cathodic reduction via complexation with β–cyclodextrin, 492–4
3,5–Disubstituted isoxazoles as a latent aldol moiety: application to the synthesis of (±)–[6]–gingerol, 599–600
Synthesis of oxetanes by photocycloaddition of aromatic aldehydes to hexamethyl(Dewar benzene), 950–1
Photochemical oxidation of nitrobenzyl alcohols in aqueous solution, 1023–4
A catalytic method for α–glycol cleavage, 1232–3
BENZAMIDE
A novel route to 2–substituted 1,2–benzisothiazol–3(2H)–ones, 510–11
Ipso–substitution reactions of 3–substituted indoles with benzoyl tert–butyl nitroxide, 694–5
BENZANTHRACENEDIOL
Optical resolution of mutagenic and carcinogenic derivatives of polyaromatic hydrocarbons by high pressure liquid chromatography on a chiral support, 75–6
BENZAZABICYCLOHEPTADIENE
Solvolysis of syn– and anti–N–chloro–1,4–dihydro–1,4–iminonaphthalenes, 1028–30
BENZENE
Cesium fluoroxysulfate as a mild fluorinating agent for the fluorination of alkoxy–substituted benzene and naphthalene derivatives, 148
Asymmetric cyanohydrin synthesis catalyzed by a synthetic cyclic dipeptide, 229–30
Deuterium isotope effect on proton chemical shift in pentadeuteriobenzene, 309
Fluorescence from the intramolecular charge–transfer state of aromatic silanes, 405–6
Oxidations of cyclopropane, methylcyclopropane, and arenes with the monooxygenase system from Methylococcus capsulatus, 482–3
Pressure–induced synthesis of an N–sulfonyl–1H–azepine by sulfonyl–nitrene insertion into benzene, 790–1
Photochemical aromatic cyanomethylation, 817–18
Ruthenium metal–catalyzed deuterium exchange between organosilanes and perdeuteriobenzene, 844–5
Synthesis of oxetanes by photocycloaddition of aromatic aldehydes to hexamethyl(Dewar benzene), 950–1
The absolute configurations of anti–benzene and anti–naphthalene 1,2:3,4–dioxides, 974–6
BENZENEDIAZONIUM
Formation of dihydrobenzofurans by radical cyclization, 136–7
BENZENESELENINATE
Oxidation of 1,1–disubstituted hydrazines to tetrazenes with benzeneseleninic acid, 530–1
BENZENESELENINIC
Oxygen atom transfer from iodylbenzene to diphenyl diselenide: a convenient method for dehydrogenation of steroidal 3–ketones, 1044–5
BENZENESULFONAMIDOBENZOQUINONE
Regiospecific attack of methoxide ion on 4–alkoxy–o–quinone imines. A novel route to p–quinone monoacetals, 425–6
BENZENETHIOLATE
An example of substitution proceeding with retention in the $S_{RN}1$ reaction. Trapping of a pyramidal benzylic radical by benzenethiolate ion, 79–80
BENZHYDRYL
New synthesis of 6–alkylpenicillanic acid derivatives, 10–11
BENZIMIDAZOLYLMETHYLTRIAZAHEPTANE
A new imidazole–containing octadentate ligand, capable of binding two metal ions; the x–ray structure of the dinuclear zinc chloride adduct of 1,1,4,7,7–penta(benzimidazol–2–ylmethyl)–1,4,7–triazaheptane, 1124–5
BENZIMIDAZOLYLMETHYLTRIAZAHEPTANECOPPER
A new imidazole–containing octadentate ligand, capable of binding two metal ions; the x–ray structure of the dinuclear zinc chloride adduct of 1,1,4,7,7–penta(benzimidazol–2–ylmethyl)–1,4,7–triazaheptane, 1124–5
BENZISOTHIAZOLONE
A novel route to 2–substituted 1,2–benzisothiazol–3(2H)–ones, 510–11
BENZO
Oxidation of nitrobenzofuroxans, 365–6
Dimetalation of phenylacetylene. Selective ortho substitution, 366–7
BENZOATE
Alkaloid–catalyzed asymmetric addition of thiocarboxylic S–acids to cyclohex–2–en–1–ones. Absolute configuration of the adducts by O,S–dibenzoate Cotton effect, 307–8
A novel S,N–double rearrangement; x–ray crystal structure of 5–carbamoyl–4–methylthio–2–phenyl–1,3–thiazin–6–one and its 2,3–dihydro derivative, 560–1
Stable acyloxychlorophosphorane obtained from 2–(diphenylphosphinyl)benzoic acid and thionyl chloride, 622–3
New method for radioiodinating organic compounds via organoborane reactions, 1011
Biosynthesis of the meroterpenoid metabolite, andibenin B: aromatic precursors, 1198–200
BENZOBICYCLONONADIENEDIONE
Enantioselective synthesis of the gibbane framework, 635–7
BENZOCROWNDIOL
Synthesis and x–ray crystal structures of three isomeric macrobicyclic polyethers having similar melting points and different complexing power for alkali metal cations, 729–31
BENZOCYCLOBUTENONE
Synthesis and chemistry of 2–trimethylsilylbenzocyclobutenones, 179–80
BENZOCYCLOPENTENEDIONE
Enantioselective synthesis of the gibbane framework, 635–7
BENZODIAZEPINE
Formation of 3H–1,3–benzodiazepines from quinoline N–acylimides, 211–13
BENZODIAZEPINONE
A new route to 1H–1,5–benzodiazepinones, 339–40
BENZODITHIOLETHIONE
An unusual bonding mode for a dithiocarboxylate ligand: a tetradentate interaction; x–ray crystal structure of the product of the reaction of nonacarbonyldiiron with 1,2–benzodithiole–3–thione, 513–14
BENZODITHIOLIUM
Alkylation of lithium trialkylalkynylborates with benzo–1,3–dithiolium fluoroborate, 164–5
BENZOFURAN
Formation of dihydrobenzofurans by radical cyclization, 136–7
Reactions of o–alkenyloxyarenediazonium fluoroborates and related species with nitroxides, 595–7
BENZOFUROXAN
Oxidation of nitrobenzofuroxans, 365–6
BENZONITRILE
Silyl thioketones and silylated thiiranes, 822–3
BENZOPHENANTHRIDINONE
Unusual photocyclization of 1–(N–methyl–1–naphthoylamino)tetramethylcyclohexene: x–ray crystal structure of 4b,8,9,10,10a,10b,–11,12–octahydro–6,8,8,10–tetramethyl–10,12–methanobenzo[i]phenanthridin–5(6H)–one, 692–4
BENZOPHENONE
Effect of ring substituents on the lifetime of biradicals photogenerated from 2,4,6–triisopropylbenzophenones, 1187–8
BENZOPYRANOISOQUINOLINONE
Photocyclization of 2–(pyridylvinyl)chromen–4–ones, 442–3
BENZOPYRENEDIOL
Optical resolution of mutagenic and carcinogenic derivatives of polyaromatic hydrocarbons by high pressure liquid chromatography on a chiral support, 75–6
BENZOQUINONE
Regiospecific attack of methoxide ion on 4–alkoxy–o–quinone imines. A novel route to p–quinone monoacetals, 425–6
High–pressure kinetics of the reaction of p–benzoquinone with di–n–butylamine in some aprotic solvents, 725–6
Arylation of quinones with arenes and palladium acetate, 859–60
Regiospecific cycloaddition of 1–substituted isobenzofurans to quinone acetals, 942–3
BENZOSELENOPHENE
Dimetalation of phenylacetylene. Selective ortho substitution, 366–7
BENZOTHIAZEPINE
Pyrolysis of phenylalklysulfonyl azides and 2–phenethyl azidoform-

BENZOTHIAZEPINE(contd)
ate. Selectivity of sulfonylnitrenes and contrast between sulfonyl– and carbonylnitrenes, 1087–8
BENZOTHIOPHENE
1,3–Cycloaddition of benzyne to thiophens, 124–5
BENZOTRICYCLOUNDECENONE
Acid–catalyzed intramolecular C–alkylation rearrangements of βγ–unsaturated diazomethyl ketones. A novel synthetic entry to pentaleno–annulated polycyclic systems, 746–7
BENZOXAPHOSPHOLE
A monocyclic phosphorane oxide anion and the extraordinary reactivity of its tautomeric phosphine oxide alkoxide, 981–2
BENZOXATHIAZEPINE
A novel synthesis of 1,2,5–benzoxathiazepines, 971–2
BENZOXATHIOLE
5–Nitro–3H–1,2–benzoxathiole SS–dioxide, a new reagent for coupling in peptide synthesis, 632–4
BENZOXAZOLE
A new reaction of pentacoordinate phosphorus derivatives: the formation of phosphinates from an oxazaphosph(V)ole and carbonyl compounds, 1054–5
BENZOXAZOLONE
Cyclizations of azidoformates. Cyclization of aryl azidoformates, 241–2
BENZOYL
Base–induced benzoyl migrations in Diels–Alder adducts of benzoyl–1,4–benzoquinones, 171–3
Synthesis and chemistry of 2–trimethylsilylbenzocyclobutenones, 179–80
Ipso–substitution reactions of 3–substituted indoles with benzoyl tert–butyl nitroxide, 694–5
BENZOYLATION
Electron–transfer chain (ETC) promotion of aromatic substitution reactions. Entry into the $S_{ON}2$ mechanism via ipso radical attack, 133–4
BENZOYLBENZOATE
Redox enzyme models. Catalysis of the cathodic cleavage of benzyl esters via complexation with a substituted β–cyclodextrin, 792–3
BENZOYLDIMETHOXYCARBONYLMETHYLTHIODIHYDRO
A novel 1,4–cycloaddition reaction of a stable 2–thianaphthalene derivative. Formation and x–ray crystal structure of 3–benzoyl–1a,2–dimethoxycarbonyl–1–methylthio–1a,7b–dihydrocyclopropa[a]naphthalene, 364–5
BENZOYLFORMATE
The chemistry of a 1,3,4–thiadiazin–6–one, 1003–4
BENZOYLHYDROXYNAPHTHALENE
Base–induced benzoyl migrations in Diels–Alder adducts of benzoyl–1,4–benzoquinones, 171–3
BENZOYLMETHYL
A novel 1,4–cycloaddition reaction of a stable 2–thianaphthalene derivative. Formation and x–ray crystal structure of 3–benzoyl–1a,2–dimethoxycarbonyl–1–methylthio–1a,7b–dihydrocyclopropa[a]naphthalene, 364–5
Concise syntheses of 4–(arylcarbonylmethyl)–azetidin–2–ones and related systems, 1076–7
BENZOYLMETHYLAZETIDINONE
Concise syntheses of 4–(arylcarbonylmethyl)–azetidin–2–ones and related systems, 1076–7
BENZOYLMETHYLTHIANAPHTHALENE
A novel 1,4–cycloaddition reaction of a stable 2–thianaphthalene derivative. Formation and x–ray crystal structure of 3–benzoyl–1a,2–dimethoxycarbonyl–1–methylthio–1a,7b–dihydrocyclopropa[a]naphthalene, 364–5
BENZOYLNAPHTHOQUINONE
Base–induced benzoyl migrations in Diels–Alder adducts of benzoyl–1,4–benzoquinones, 171–3
BENZOYLOXY
Oxygenation of 3–hydroxyflavones by superoxide anion, 745
BENZOYLOXYLATION
Electron–transfer chain (ETC) promotion of aromatic substitution reactions. Entry into the $S_{ON}2$ mechanism via ipso radical attack, 133–4
BENZOYLOXYPHENYL
Oxygenation of 3–hydroxyflavones by superoxide anion, 745
BENZOYLOXYPHENYLGLYOXYLATE
Oxygenation of 3–hydroxyflavones by superoxide anion, 745
BENZYL
Desulfonylation of α–nitrosulfones with N–benzyl–1,4–dihydronicotinamide, 71–2
Redox enzyme models. Catalysis of the cathodic cleavage of benzyl esters via complexation with a substituted β–cyclodextrin, 792–3
Surface photochemistry: radical pair combination on a silica gel surface and in micelles, 958–9
Pyrolysis of phenylalklysulfonyl azides and 2–phenethyl azidoformate. Selectivity of sulfonylnitrenes and contrast between sulfonyl– and carbonylnitrenes, 1087–8
Benzyl trichloroacetimidate, a versatile reagent for acid–catalyzed benzylation of hydroxy–groups, 1240–1
BENZYLAMINE
Flavin plus 5–deazaflavin as a turnover oxidation system. Model for the electron bridge from NAD^+ to flavin, 391–2
Cyclization of ortho–halogenated N–acylbenzylamines: a formal synthesis of (±)–cherylline, 1074–5
BENZYLATING
Benzyl trichloroacetimidate, a versatile reagent for acid–catalyzed benzylation of hydroxy–groups, 1240–1
BENZYLATION
Photochemical benzylation of 1,4–dicyanonaphthalene. X–ray crystal structure of 6,11–dicyano–5,11–methano–5,6,11,12–tetrahydrodibenzo[a,e]cyclooctene, 50–1
Benzyl trichloroacetimidate, a versatile reagent for acid–catalyzed benzylation of hydroxy–groups, 1240–1
BENZYLCARBAMOYLMETHYLMETHOXYMETHYLENEOXOPENTANAMIDE
Approaches to the synthesis of bicyclomycin, 1126–8
BENZYLETHYLPYRIDINE
An unequivocal synthesis of 1–benzyl–3–ethyl–1,6–dihydropyridine and its use for a biogenetically modeled synthesis of (±)–catharanthine, 389–91
BENZYLIC
Benzylic functionalization of arene(tricarbonyl)chromium complexes, 1264–5
BENZYLIDENEAMINO
Effective method for the asymmetric synthesis of bis–β–lactams by the cycloaddition of azidoketene to benzylideneamines bearing a chiral β–lactam backbone, 344–6
BENZYLIDENEAMINOPHENYLAZETIDINONE
Effective method for the asymmetric synthesis of bis–β–lactams by the cycloaddition of azidoketene to benzylideneamines bearing a chiral β–lactam backbone, 344–6
BENZYLIDENEHYDROXYANILINE
A novel synthesis of 1,2,5–benzoxathiazepines, 971–2
BENZYLMETHOXYETHYLMETHYLOXADIAZASPIROOCTANEDIONE
Approaches to the synthesis of bicyclomycin, 1126–8
BENZYLNICOTINAMIDE
Desulfonylation of α–nitrosulfones with N–benzyl–1,4–dihydronicotinamide, 71–2
BENZYLOXYCARBONYL
A base–labile amine component in four–component condensation (4CC) synthesis, 491–2
5–Nitro–3H–1,2–benzoxathiole SS–dioxide, a new reagent for coupling in peptide synthesis, 632–4
Novel synthesis of the 7–oxo–1,3–diazabicyclo[3.2.0]heptane and 8–oxo–1,3–diazabicyclo[4.2.0]octane ring systems, 946–7
BENZYLOXYCARBONYLALLYLAZETIDINONE
Novel synthesis of the 7–oxo–1,3–diazabicyclo[3.2.0]heptane and 8–oxo–1,3–diazabicyclo[4.2.0]octane ring systems, 946–7
BENZYLOXYCARBONYLGLYCINE
A base–labile amine component in four–component condensation (4CC) synthesis, 491–2
BENZYLOXYCARBONYLGLYCINYL
5–Nitro–3H–1,2–benzoxathiole SS–dioxide, a new reagent for coupling in peptide synthesis, 632–4
BENZYLOXYCARBONYLOXODIAZABICYCLOALKANE
Novel synthesis of the 7–oxo–1,3–diazabicyclo[3.2.0]heptane and 8–oxo–1,3–diazabicyclo[4.2.0]octane ring systems, 946–7
BENZYLOXYCARBONYLVALINE
Not the alkoxycarbonylamino–acid O–acylisourea, 543–5
BENZYLOXYCARBONYLVINYLAZETIDINONE
Novel synthesis of the 7–oxo–1,3–diazabicyclo[3.2.0]heptane and 8–oxo–1,3–diazabicyclo[4.2.0]octane ring systems, 946–7
BENZYLOXYHYDROXYHEPTENE
Mercuricyclization in carbohydrate chemistry. A highly stereoselective route to α–D–C–glucopyranosyl derivatives, 375–6

BENZYLOXYPHENYL
Regiospecific (biogenetic-type) synthesis of 2-methyl-5H-pyrano[3,2-c][1]benzopyran-4-one, the basic skeleton in citromycetin, 761–2
BENZYLOXYPHENYLPENTANEDIONE
Regiospecific (biogenetic-type) synthesis of 2-methyl-5H-pyrano[3,2-c][1]benzopyran-4-one, the basic skeleton in citromycetin, 761–2
BENZYLOXYPHENYLPYRONE
Regiospecific (biogenetic-type) synthesis of 2-methyl-5H-pyrano[3,2-c][1]benzopyran-4-one, the basic skeleton in citromycetin, 761–2
BENZYLPHOSPHONATE
A novel synthesis of α- and γ-fluoroalkylphosphonates, 511–13
BENZYNE
1,3-Cycloaddition of benzyne to thiophens, 124–5
BETA
New method for preparing βγ-unsaturated ketones: use of phenylselenoacetaldehyde, 434–6
Model studies on the synthesis of milbemycin β_3, 556–7
Photoreactions of dispiro[naphthalene-1,2'-naphtho[2,1-b]pyran-3',1''-naphthalene]-2(1H),2''(1''H)-dione. A novel case of β-carbon–carbon cleavage in an enone, 557–9
Acid catalysis induces a total change from retention to inversion of configuration in carbon dioxide elimination from β-lactones, 891–2
Concise syntheses of 4-(arylcarbonylmethyl)-azetidin-2-ones and related systems, 1076–7
Penicillin biosynthesis: a model for the oxidative cyclization of a peptide to a β-lactam, 1219–21
BIBUTYLMETHYLPIPERIDINE
Barrier to rotation about the nitrogen–nitrogen bond in 1,1'-bipiperidine, 1015–16
BICOPPER
Activation of oxygen by a binuclear copper(I) compound. Hydroxylation of a new xylyl binucleating ligand to produce a phenoxy-bridged binuclear copper(II) complex; x-ray crystal structure of $[Cu_2(OC_6H_3[CH_2N(CH_2CH_2py)_2]_2\text{-}2,6)(OMe)]$ (py = 2-pyridyl), 881–2
BICYCLIC
Formation of bicyclic phosphazenes via the reactions of methyl- and phenylmagnesium chloride with hexachlorocyclotriphosphazene, 852–3
α-Chlorination with carbon tetrachloride and α-hydrogen/deuterium exchange with deuteriochloroform of amidines, 998–9
BICYCLOALKYL
Dehydrogenation of cyclic and bicyclic secondary alkyl peroxides during flash vacuum pyrolysis, 547–9
BICYCLOANNULATION
Bicycloannulation with nitroethene and 1-nitropropene. A one-step synthesis of tricyclenone, 73–4
BICYCLODECENONE
Synthesis of a trans-decalin as a potential insect antifeedant, 1001–3
BICYCLOHEPTENE
Organic photochemistry in the far-ultraviolet: unusual wavelength dependence in solution-phase irradiations, 973–4
BICYCLOMYCIN
Approaches to the synthesis of bicyclomycin, 1126–8
BICYCLONONANYL
S_H2 reactions of diphenyl diselenide; preparation and reactions of bridgehead selenides, 139–40
BICYCLOOCTADIENE
Synthesis of coordinated trans-1,2-di(cycloheptatrienyl)ethylene, a new cyclooctatetraene dimer, and the x-ray crystal structure of an intermediate bisphosphonium salt $[Fe_2(CO)_2(\eta^4,\eta'^4\text{-}C_{16}H_{16}(PPh_3)_2)][PF_6]_2$, 17–18
Intermolecular cobalt-mediated [2+2+2]cycloadditions: regiospecific one-step construction of bicyclic dienes from α,ω-enynes and alkynes, 53–5
BICYCLOOCTADIENECOBALT
Intermolecular cobalt-mediated [2+2+2]cycloadditions: regiospecific one-step construction of bicyclic dienes from α,ω-enynes and alkynes, 53–5
BIDENTATE
New type of σ-organocobalt complexes: salts of alkyl-mer-[N-(2-aminoethyl)-7-methylsalicylideneaminato](ethylenediamine)cobalt(III). Preparation, characterization, and x-ray crystallographic evidence for structure, 441–2
BIFURANYLIDENEDIONE
Charge transfer and noncharge transfer crystal forms of (E)-5,5'-dimesitylbifuranylidenediones: an x-ray structural investigation, 823–5
BIINDENYL
Intramolecular cyclization of 1,1',3,3'-tetramethyl-1,1'-biindenyl, 347–8
BILAYER
Chemiluminescence in oriented systems. Chemiluminescence of lucigenin in model-membrane structures, 1082–3
BILIVERDIN IX
Synthesis of γ-oxyprotoporphyrin IX and pterobiline (biliverdin IXγ), 763–4
BINDING
Activation of oxygen by a binuclear copper(I) compound. Hydroxylation of a new xylyl binucleating ligand to produce a phenoxy-bridged binuclear copper(II) complex; x-ray crystal structure of $[Cu_2(OC_6H_3[CH_2N(CH_2CH_2py)_2]_2\text{-}2,6)(OMe)]$ (py = 2-pyridyl), 881–2
BINUCLEAR
Activation of oxygen by a binuclear copper(I) compound. Hydroxylation of a new xylyl binucleating ligand to produce a phenoxy-bridged binuclear copper(II) complex; x-ray crystal structure of $[Cu_2(OC_6H_3[CH_2N(CH_2CH_2py)_2]_2\text{-}2,6)(OMe)]$ (py = 2-pyridyl), 881–2
A new imidazole-containing octadentate ligand, capable of binding two metal ions; the x-ray structure of the dinuclear zinc chloride adduct of 1,1,4,7,7-penta(benzimidazol-2-ylmethyl)-1,4,7-triazaheptane, 1124–5
BIOL
New organometallic reagents for electron microscopy, 1083–4
BIOSYNTHESIS
Pyrrolizidine alkaloid biosynthesis; incorporation of carbon-13-labeled putrescines into retronecine, 146–7
Detection of one symmetrical precursor during the biosynthesis of the fungal metabolite austdiol using acetate-1,2-$^{13}C_2$ and methionine-Me-^{13}C, 575–6
Biosynthetic incorporation of cyclo-(L-phenylalanyl-L-phenylalanyl) into bisdethiobis(methylthio)acetylaranotin in Aspergillus terreus, 619–21
Stereochemistry of formation of methyl and ethyl groups in bacteriochlorophyll a, 645–7
The biosynthesis of asperlactone: incorporation studies with acetate-2-^{13}C,2-$^2H_3$, 708–10
The use of deuterium NMR spectroscopy and β-isotopic shifts in the carbon-13 NMR spectrum to measure deuterium retention in the biosynthesis of the polyketide 6-methylsalicylic acid, 856–8
Biosynthesis of yamogenin, neotokorogenin, and their (25R)-isomers from [1,2-$^{13}C_2$]acetate in Dioscorea tokoro tissue cultures, 895–7
Biosynthesis of austin, a polyketide-terpenoid metabolite of Aspergillus ustus, 1042–3
Biosynthesis of terretonin, a polyketide-terpenoid metabolite of Aspergillus terreus, 1043–4
On the proposed intermediacy of β-hydroxyvaline- and thiazepinone-containing peptides in penicillin biosynthesis, 1146–7
Stable isotope studies of the biosynthesis of the sesquiterpenoid dihydrobotrydial, 1169–70
5,6-Methanoleukotriene A_4. A stable and biologically active analog of leukotriene A_4, 1195–6
Biosynthesis of the meroterpenoid metabolite, andibenin B: aromatic precursors, 1198–200
Penicillin biosynthesis: a model for the oxidative cyclization of a peptide to a β-lactam, 1219–21
Biosynthesis of a cyclopentyl dienyl isonitrile acid in cultures of the fungus Trichoderma hamatum (Bon.) Bain. aggr, 1227–9
BIPHENYLYL
Cyclizations of azidoformates. Cyclization of aryl azidoformates, 241–2
BIPHENYLYLMETHYLAMMONIUM
Enhanced intramolecular excimer formation of guest molecules included in the cavity of γ-cyclodextrin, 758–9
BIPIPERIDINE
Barrier to rotation about the nitrogen–nitrogen bond in 1,1'-bipiperidine, 1015–16
BIPYRAMID
Circular dichroism spectra of some trigonal-bipyramidal complexes 296–7

BIPYRIDINE
Isolation and x-ray crystal structure of a novel dihydroterpyridine dimer formed via an anionic [6 + 4] cycloaddition, 858–9
BIPYRIDYL
Spectroelectrochemical studies on trisbipyridyl ruthenium complexes. Ultraviolet, visible, and near-infrared spectra of the series $[Ru(bipyridyl)_3]^{2+\cdot1+\cdot0\cdot1-}$, 287–9
BIPYRIDYLIRIDIUM
Nature of the tris(2,2'-bipyridyl)iridium hydrate trication. Monodentate or covalently hydrated bipyridine ligand? X-ray crystal structure of the perchlorate salt, 1284–6
BIPYRIDYLRUTHENIUM
Photosensitized electron transport across a liquid membrane containing photosensitizer, electron mediator, and carrier, 210–11
BIRADICAL
Effect of ring substituents on the lifetime of biradicals photogenerated from 2,4,6-triisopropylbenzophenones, 1187–8
BIRCH
Total synthesis of (±)-solavetivone. X-ray crystal structure of 2-hydroxy-6,10-dimethylspiro[4.5]dec-6-en-8-one, 463–5
BISALKYLAMMONIUM
Symmetry and selectivity in the formation of inclusion complexes by macrotricyclic hosts, 990–2
BISARYL
Novel alumina-catalyzed reactions of arylthioalkyl halides, 87–8
BISDIANHYDROMANNITOLOALKYLAMINE
Complexing properties of a bisdianhydro-D-mannitolo-30-crown-10 derivative in the solution and solid states; x-ray crystal structure, 432–4
BISDIANHYDROMANNITOLOMETHYLBENZYLAMINE
Complexing properties of a bisdianhydro-D-mannitolo-30-crown-10 derivative in the solution and solid states; x-ray crystal structure, 432–4
BISDIOXADIAZACYCLODODECANE
Synthesis of a cation complexing doubly N,N'-bridged bis(1,7-dioxa-4,10-diazacyclododecane), 1084–6
BISFLUOROMETHYL
Novel synthesis of σ-bonded palladium and nickel compounds by cocondensation of metal vapor with alkyl free radicals, 1283–4
BISMUTH
Tetraphenylbismuth monotrifluoroacetate: a new reagent for regioselective aryl ether formation, 503–4
A catalytic method for α-glycol cleavage, 1232–3
BISTETRAPHENYLPHOSPHONIUM
Synthesis and x-ray structure of bistetraphenylphosphonium tris(phenylsulphonylimino)sulfite, 1013–14
BISTRIBUTYLPHENYLPHOSPHINYL
Surprising reactivity of very crowded phosphinic derivatives, 1197–8
BISTRIFLUOROMETHYL
Novel synthesis of σ-bonded palladium and nickel compounds by cocondensation of metal vapor with alkyl free radicals, 1283–4
BISTRIMETHYLSILYLCYCLOPENTADIENYL
Use of the bis(trimethylsilyl)cyclopentadienyl ligand for stabilizing early (f^0–f^3) lanthanocene chlorides. X-ray structure of dichlorodi[η-bis(trimethylsilyl)cyclopentadienyl]dipraesodymium and of isoleptic scandium and ytterbium complexes, 1190–1
BITETRAAZACYCLOTETRADECANE
Characterization of 2,2'-bis(1,4,8,11-tetraazacyclotetradecane): x-ray structure and properties of the dinuclear complex $[Ni_2(C_{20}H_{46}N_8)][ClO_4]_4$, 302–4
BITHIENODITHIOLE
Synthesis of $\Delta^{2,2'}$-bithieno[3,4-d]-1,3-dithiole (DTTTF) and some of its charge-transfer salts, 920–1
BLUE
Comparison of results obtained in kinetic studies of the interaction between cationic dyes and sodium carboxymethylcellulose using the Joule-heating temperature-jump and laser temperature-jump methods, 386–7
BM123
A circular dichroic method for determining the linkage to symmetric hexocyclitols and hexocyclitolamines: structure of two antibiotics from Nocardia sp., 1134–5
BM782
A circular dichroic method for determining the linkage to symmetric hexocyclitols and hexocyclitolamines: structure of two antibiotics from Nocardia sp., 1134–5
BOMBARDMENT
Fast atom bombardment quadrupole mass spectrometry, 324–5
Fast atom bombardment of solids (F.A.B.): a new ion source for mass spectrometry, 325–7
BOND
Direct and indirect tin–hydrogen coupling constants in methyltin trichloride and trimethyltin chloride partially oriented in nematic phases determined by the dilution–spinning method, 35–6
Bis(trimethyltin)bis(η-toluene)hafnium and -zirconium; x-ray crystal structure of the hafnium compound, 117–18
Effect of internal hydrogen bonding on the reactivity of the hydroxy-group in esterification under phase-transfer catalyzed conditions, 215–16
Stable 1H-azepines, 399–400
IR evidence for a strong hydrogen bond in the fluoride-uracil system, 466–8
An unusual bonding mode for a dithiocarboxylate ligand: a tetradentate interaction; x-ray crystal structure of the product of the reaction of nonacarbonyldiiron with 1,2-benzodithiole-3-thione, 513–14
Synthesis of a new heteronuclear gold-cobalt cluster. Preparation and x-ray structure determination of tetrakis(triphenylphosphine)bis(tetracarbonylcobalt)hexagold, 583–4
Synthesis and x-ray crystal and molecular structure of $[(RhFe(\mu\text{-}PPh_2)_2(\mu\text{-}CO)(CO)_3)_2]$, an unusual tetranuclear compound with a straight-chain structure, 587–8
Template effect of intramolecular hydrogen-bonding in the synthesis of [1.1.1]cryptates, 777–8
Regiospecific addition of 1,1-dimethylsilaethene to a silicon–oxygen bond, 806–7
The bond graph, 818–20
The binding of neutral platinum complexes by crown ethers. X-ray crystal structures of [trans-$PtCl_2(PMe_3)NH_3$.dibenzo-18-crown-6] and [(trans-$PtCl_2(PMe_3)NH_3)_2$.18-crown-6], 847–9
Isolation and x-ray crystal structure of $[Cu(NH_3)_4H_2O.18\text{-crown-}6]^{2+}{}_n[PF_6]^-{}_{2n}$, a linear face-to-face hydrogen bonded chain copolymer, 849–50
Facile [1,2]hydrogen-shift reaction promoted by metal-metal bond rupture; x-ray crystal structure of $W_2(CO)_8[C_9H_{14}]$, 1057–9
Oxidative cleavage of peptide and protein disulfide bonds by gold(III): a mechanism for gold toxicity, 1111–14
On anchimerically assisted homolysis via sulfide functions, 1238–9
BONDING
Facile δ-hydrogen abstraction from a ruthenium complex: possible 1–4η-bonding of the o-xylylene ligand, 319–20
BORABICYCLONONANE
New method for the synthesis of organoboranes, 5–6
Unexpected products from the reaction of alkynylstannanes with 9-borabicyclo[3.3.1]nonane, 1093–4
BORABICYCLONONANYL
Unexpected products from the reaction of alkynylstannanes with 9-borabicyclo[3.3.1]nonane, 1093–4
BORANE
Asymmetric reduction of aromatic ketones with chiral alkoxyamine-borane complexes, 315–17
An ESR study of the generation and reactivity of the borane radical anion ($H_3B\cdot^-$) in solution, 360–1
A novel oxidative insertion of a metal center into a degraded closo-borane cluster; crystal and molecular structure of a ten-vertex iso-nido iridacarbadecaborane, 933–4
New uses for old complexes. Hydroborations involving nitrogen and phosphorus complexes of borane, 1014–15
Synthesis of ketones and tertiary alcohols from trialkylboranes. Use of lithium tris(phenylthio)methanide, 1149–50
Synthesis of 6-aza-nido-decaborane(12) and its derivatives, 1162–3
BORATE
Alkylation of lithium trialkylalkynylborates with benzo-1,3-dithiolium fluoroborate, 164–5
BORATO
Remarkably easy one-electron reduction of 16-electron molybdenum nitrosyls: mechanistic implications for the formation of alkoxy, amido, hydrazido, and thiolato complexes containing the tris-3,5-dimethylpyrazolylborato ligand, 960–1
BOROHYDRIDE
Sand-supported organic reactions: sodium borohydride reduction of carbonyl compounds, 1066–7
BOTRYALOATE
Use of deuterium-carbon-13 NMR coupling patterns in terpenoid biosynthesis, 649–50
BOTRYDIAL
Stable isotope studies of the biosynthesis of the sesquiterpenoid

BOTRYDIAL(contd)
dihydrobotrydial, 1169–70
BOTRYTIS
Use of deuterium–carbon–13 NMR coupling patterns in terpenoid biosynthesis, 649–50
Stable isotope studies of the biosynthesis of the sesquiterpenoid dihydrobotrydial, 1169–70
BOVINE
Synthesis of a tetratriacontapeptide corresponding to sequence 112–145 of the β-subunit of human chorionic gonadotropin, 357–8
BRIDGE
Interaction of alkyl halides with the diironoctacarbonylate anion: the crystal structures of the tetraethylammonium salts of the μ-acetylC^1(Fe^1,Fe^2)O(Fe^1,Fe^3)nonacarbonyl–triangulo–triferrate and μ_2–carbonylnonacarbonyl–μ_3–2,4–dioxapentylidyne–triangulo–triferrate anions, 189–91
Synthesis and x–ray characterization of an iodine–bridged tetranuclear gold cluster, di–μ–iodo–tetrakis(triphenylphosphine-)–tetrahedro–tetragold, 222–3
Platinum–manganese and –rhenium complexes with bridging thiocarbonyl ligands; crystal structure of [MnPt(μ–CS)(CO)$_2$(PMePh$_2$)$_2$(η–C$_5$H$_5$)], 243–5
A unique 'side–on' bridging mode for the formyl (CHO) ligand in a binuclear tantalum complex. x–ray structural study of [(η^5–C$_5$Me$_4$Et)TaCl$_2$]$_2$(μ–H)(μ–CHO), 274–5
Flavin plus 5–deazaflavin as a turnover oxidation system. Model for the electron bridge from NAD+ to flavin, 391–2
Proton–induced ligand uptake by [Mn$_2$(CO)$_5$(Ph$_2$PCH$_2$PPh$_2$)$_2$] to give hydrogen–bridged dimanganese complexes, 724
Protonation of tolylidyne ligands bridging tungsten–cobalt and –platinum bonds; reactivity of the cationic dimetal μ–carbene complexes produced, and x–ray crystal structures of [PtW(μ–η^1,η^3–CH(C$_6$H$_4$Me–4))(CO)$_2$(PMe$_3$)$_2$(η–C$_5$H$_5$)][BF$_4$], [PtW(μ–H)(μ–CH(C$_6$H$_4$Me–4))(CO)$_2$(PMe$_3$)$_2$(η–C$_5$H$_5$)], and [CoW(μ–η^1,η^3–C(C$_6$H$_4$Me–4)C(Me)C(Me)H)(μ–CO)(CO)(η–C$_5$H$_5$)(η–C$_5$Me$_5$)][BF$_4$], 1255–8
Synthesis and x–ray structural characterization of [Mo$_2$O(S$_2$CNEt$_2$-)$_6$]BF$_4$, a μ–oxo–bridged mixed oxidation state complex of molybdenum, 1262–3
BRIDGED
Synthesis and cation complexing of N,N'–bridged bis(1,4,7–trioxa–10–azacyclododecanes), 684–6
Activation of oxygen by a binuclear copper(I) compound. Hydroxylation of a new xylyl binucleating ligand to produce a phenoxy–bridged binuclear copper(II) complex; x–ray crystal structure of [Cu$_2$(OC$_6$H$_3$[CH$_2$N(CH$_2$CH$_2$py)$_2$]$_2$–2,6)(OMe)] (py = 2–pyridyl), 881–2
Synthesis of a cation complexing doubly N,N'–bridged bis(1,7–dioxa–4,10–diazacyclododecane), 1084–6
Organometallic complexes of the Group 3A and lanthanoid metals containing M(μ–Cl)$_2$Li bridging units. The x–ray structure of [Nd[η–[C$_5$H$_3$(SiMe$_3$)$_2$]]$_2$(μ–Cl)$_2$Li(THF)$_2$] (THF = tetrahydrofuran), 1191–3
Redox chemistry of niobium chalcogenide halides: a mixed valency niobium III/niobium IV tetramer. Preparation and crystal structure of a (μ–diselenido–μ–selenido)–tetraniobium complex, Nb$_4$Br$_{10}$Se$_3$(NCMe)$_4$, 1241–2
BROADENING
Broadening of NMR signals of nuclei coupled to fast relaxing spin–1/2 nuclei: an example of T_1 spin–decoupling, 911–12
BROMIDE
Preparation of nitroalkenes from the corresponding nitroalkanes, 261–2
Regioselective allylation of a Grignard reagent catalyzed by phosphinenickel and –palladium complexes, 313–14
Use of carbohydrates in the preparation of optically active sulfoxides, 505–6
Asymmetric synthesis in the nickel complex–catalyzed formation of olefins from allyl alcohols and Grignard reagents, 681–2
Solvolysis mechanisms for benzyl substrates, 737–8
Variable temperature Raman spectra of phosphorus(V) chloride and bromide deposited at 15 K, 812–14
BROMINATION
X–ray study of a new heterocycle: the crystal structure of 1,2–dibromo–1,2–diphenyl–1,2–dihydroazeto[1,2–a]pyridinium chlorate, 481–2
X–ray crystal structure of 1,5–dibromotetracyclo[4.2.2.2.^{2,5}0^{2,6}]dodecane, 878–9
Anomalous rate of bromination of a ketone: first–order dependence on bromine concentration, 1016–17
BROMINE
A new method for the chemical modification of polymers, 522–3
BROMO
Determination of conformational volume changes in liquid 1–bromoalkanes at high pressure by Raman spectroscopy, 159–60
Efficient synthesis of estriol 16–glucuronide via 2,4,16α–tribromoestrone, 383–4
X–ray study of a new heterocycle: the crystal structure of 1,2–dibromo–1,2–diphenyl–1,2–dihydroazeto[1,2–a]pyridinium chlorate, 481–2
Flash photolysis of N–bromo–3,3–dimethylglutarimide: detection of the imidyl radical, 955–6
Redox chemistry of niobium chalcogenide halides: a mixed valency niobium III/niobium IV tetramer. Preparation and crystal structure of a (μ–diselenido–μ–selenido)–tetraniobium complex, Nb$_4$Br$_{10}$Se$_3$(NCMe)$_4$, 1241–2
BROMOALKANE
Determination of conformational volume changes in liquid 1–bromoalkanes at high pressure by Raman spectroscopy, 159–60
BROMOALKOXYLATION
Intramolecular bromoalkoxylation: synthesis of 2–bromomethyl–2–methyl crown ethers, 219
BROMOAMIDE
Reactions of amide anions with α–bromo amides, 416–17
BROMOAZETOPYRIDINIUM
X–ray study of a new heterocycle: the crystal structure of 1,2–dibromo–1,2–diphenyl–1,2–dihydroazeto[1,2–a]pyridinium chlorate, 481–2
BROMODIFLUOROMETHYLENEPHOSPHATE
Monofluoro– and difluoromethylenebisphosphonic acids: isopolar analogs of pyrophosphoric acid, 930–2
BROMODIMETHYLGLUTARIMIDE
Flash photolysis of N–bromo–3,3–dimethylglutarimide: detection of the imidyl radical, 955–6
BROMODINITROBENZOATE
Structure of antibiotic M139603; x–ray crystal structure of the 4–bromo–3,5–dinitrobenzoyl derivative, 1073–4
BROMOESTRONE
Efficient synthesis of estriol 16–glucuronide via 2,4,16α–tribromoestrone, 383–4
BROMOETHOXYMETHYLIMIDAZOLYLLITHIUM
Metalation and metal–halogen exchange reactions of imidazoles, 1095–7
BROMOFLUOROMETHANE
Complex containing the bridging formazanido(3–) ligand. Synthesis and x–ray crystal structure of [(WBr(1,2–bis(diphenylphosphino)-ethane)$_2$)$_2$(μ–CH(N$_2$))]$^+$–[Cr(NH$_3$)$_2$(NCS)$_4$]$^-$.1/3CH$_2$Cl$_2$, 85–7
BROMOISOBUTYRATE
Novel route to β–lactam systems, 41
BROMOMETHYLDICYCLOBUTABENZENE
Dicyclobuta[a,c]anthracene, 873–4
BROMOMETHYLMETHYL
Intramolecular bromoalkoxylation: synthesis of 2–bromomethyl–2–methyl crown ethers, 219
BROMOPERFLUOROTETRAMETHYLENESULFILIMINE
Perfluoro(tetramethylene)sulfilimine and its N–chloro– and N–bromo–derivatives. Perfluoro(tetramethylene)sulfoximine and its N–chloro–derivative, 242–3
BROMOPROPENE
Total synthesis of (S)–(+)–solanone, 951–2
BROMOTETRACYCLODODECANE
X–ray crystal structure of 1,5–dibromotetracyclo[4.2.2.2.^{2,5}0^{2,6}]dodecane, 878–9
BUTADIENE
Catalytic activity of fibrous clay mineral sepiolite for butadiene formation from ethanol, 401–2
Selective linear codimerization of acetylenes and buta–1,3–diene catalyzed by dihydridotetrakis(trialkylphosphine)ruthenium complexes, 496–7
Model studies on the synthesis of milbemycin β_3, 556–7
Electrochemical carbon–carbon bond formation: synthesis of new substituted butadienes, 1040–1
Synthesis and photolysis of 1,2,3,8–tetrakis(trifluoromethyl)cyclooctatetraene, 1289–91
BUTADIYNE
Arsenic pentafluoride radical anion intermediate in the charge–transfer interaction with donors, 701–2

BUTADIYNYLVINYL
Simple, novel preparation of unsymmetrical triacetylenes, 459–60
BUTANAL
An efficient synthesis of 3-[1-(3-pyridyl)ethyl]indoles, 630–1
BUTANAMINE
Chemical conversions using sheet silicates: novel intermolecular elimination of ammonia from amines, 9–10
BUTANE
Chemical conversions using sheet silicates: novel intermolecular elimination of ammonia from amines, 9–10
N,N-diacyl arylsulfenamides as an unambiguous and convenient source of arylsulfenium ions, 704–5
BUTANOL
Enhanced catalytic activity of specially prepared ferric oxide for the isomerization of but-1-ene and cyclopropane and the dehydration of butan-2-ol, 602–3
BUTANOLIDE
Facile synthesis of 4-alkylidenebut-2-enolides by double dehydrochlorination of 2,2-dichloro-4-alkylbutanolides, 815–16
BUTENE
Microwave study of the reactions of n-butenes over deuterated zeolites, 249–50
Enhanced catalytic activity of specially prepared ferric oxide for the isomerization of but-1-ene and cyclopropane and the dehydration of butan-2-ol, 602–3
Flash photolysis of N-bromo-3,3-dimethylglutarimide: detection of the imidyl radical, 955–6
Accumulation of potassium oxide on carbon and enhancement of catalytic activity for isomerization by dioxygen, 1061–2
BUTENOATE
Asymmetric carbon dioxide insertion into a π-allyltitanium(III) complex, 180–1
BUTENYLTITANIUM
Threo-selective synthesis of β-methylhomoallyl alcohols via but-2-enyltitanium compounds, 1140–1
BUTOXIDE
Potassium tert-butoxide-catalyzed oxygenation of an α-tocopherol model compound, 2,2,5,7,8-pentamethylchroman-6-ol, 1267–8
BUTOXY
Reaction of N-tert-butoxycarbonylamino acid anhydrides with tertiary amines and carbodiimides. New precursors for 2-tert-butoxyoxazol-5(4H)-one and N-acylureas, 1225–7
BUTOXYALANE
ESR spectra and reactivity of alane radical anions in solution, 1167–8
BUTOXYCARBONYLALANINE
Reaction of N-tert-butoxycarbonylamino acid anhydrides with tertiary amines and carbodiimides. New precursors for 2-tert-butoxyoxazol-5(4H)-one and N-acylureas, 1225–7
BUTOXYCARBONYLAMINO
Reaction of N-tert-butoxycarbonylamino acid anhydrides with tertiary amines and carbodiimides. New precursors for 2-tert-butoxyoxazol-5(4H)-one and N-acylureas, 1225–7
BUTOXYCARBONYLHISTIDINE
Protection of histidine side-chains with π-benzyloxymethyl or π-bromobenzyloxymethyl groups, 648–9
BUTYL
A reappraisal of the heat capacity of activation and enthalpy of activation for tert-butyl chloride in water-ethyl alcohol mixtures 13–14
Tetrakis(tert-butyl)tetraborane(4), $(Me_3C)_4B_4$; synthesis of the first peralkyl derivative of a 2N framework electron count deltahedral borane, 250–1
Heteroleptic tert-butyl lanthanoid complexes. Synthesis and x-ray crystal structure of monomeric bis(cyclopentadienyl)(tert-butyl)lutetium tetrahydrofuranate, 292–3
Conformational analysis of 5-tert-butylcyclohexa-1,3-diene, 372–3
Ipso-substitution reactions of 3-substituted indoles with benzoyl tert-butyl nitroxide, 694–5
Comparison of UV-visible spectra of iron(I)-porphyrin- and iron(II)-porphyrin(thiolato)(thiocarbonyl) and -(carbene) complexes. Relevance to ferrous cytochrome P450 complexes, 888–90
Monofluoro- and difluoromethylenebisphosphonic acids: isopolar analogs of pyrophosphoric acid, 930–2
Conversion of nonterminal alkenes into secondary alkyl tert-butyl peroxides by peroxymercuriation and reduction with tributyltin hydride, 1117–8
Penicillin biosynthesis: a model for the oxidative cyclization of a peptide to a β-lactam, 1219–21
BUTYLAMINE
High-pressure kinetics of the reaction of p-benzoquinone with di-n-butylamine in some aprotic solvents, 725–6
BUTYLAMINOBUTANOL
Transition metal-catalyzed N-alkylation of amines by alcohols, 611–12
BUTYLBORABICYCLONONANE
New method for the synthesis of organoboranes, 5–6
BUTYLCYCLOHEXADIENE
Conformational analysis of 5-tert-butylcyclohexa-1,3-diene, 372–3
BUTYLLUTETIUM
Heteroleptic tert-butyl lanthanoid complexes. Synthesis and x-ray crystal structure of monomeric bis(cyclopentadienyl)(tert-butyl)lutetium tetrahydrofuranate, 292–3
BUTYLPHENYLPHOSPHINYL
Surprising reactivity of very crowded phosphinic derivatives, 1197–8
BUTYLPHENYLTIN
Cleavage of aryl-tin bonds with elemental fluorine: rapid synthesis of fluorobenzene-^{18}F, 733
BUTYLPHOSPHINETETRACARBONYLRHENIUM
Associative substitution reactions of rhenium pentacarbonyl radical 1052–3
BUTYLTETRABORANE
Tetrakis(tert-butyl)tetraborane(4), $(Me_3C)_4B_4$; synthesis of the first peralkyl derivative of a 2N framework electron count deltahedral borane, 250–1
BUTYLTHIOKETENE
Oxidation of thioketens by singlet oxygen and ozone, 638–9
BUTYLTHIOLATE
Comparison of UV-visible spectra of iron(I)-porphyrin- and iron(II)-porphyrin(thiolato)(thiocarbonyl) and -(carbene) complexes. Relevance to ferrous cytochrome P450 complexes, 888–90
BUTYLTIN
A new type of silicon-tin rearrangement involving neighboring group participation of an α-phosphoryl group, 969–70
Conversion of nonterminal alkenes into secondary alkyl tert-butyl peroxides by peroxymercuriation and reduction with tributyltin hydride, 1117–8
BUTYNE
Dinuclear carbene complexes of tungsten as catalysts for metathetical polymerization of alkenes and alkynes; x-ray crystal structure of the insertion product of but-2-yne into a μ-alkylidene carbon-tungsten bond, 152–4
Alkyne polymerizations initiated by μ-alkylidene complexes of tungsten. X-ray crystal structure of a chain-carrier intermediate, 1055–7
CADMIUM
Photochemical hydrogen production using cadmium sulfide suspensions in aerated water, 145–6
Solid-state photopolymerization of unsaturated organic cations in layer perovskite halide salts, 921–2
CAGE
Synthesis, characterization, and x-ray crystal structure of 1,1-$(PPh_3)_2$-1-H-1,2,4-$RhC_2B_{10}H_{12}$, a supra-icosahedral metallacarbaborane catalyst precursor, 206–7
Surface photochemistry: radical pair combination on a silica gel surface and in micelles, 958–9
CALCIUM
Structure and synthesis of 25-hydroxycholecalciferol-26,23-lactone, a metabolite of vitamin D_3, 424–5
CALF
Solid-phase peptide synthesis without acidolysis: the synthesis of thymosin α_1 on a new benzhydrylamine resin, 1012–13
CANDIDA
Asymmetric hydrolysis of 3-acetylthiocycloheptene and 3-acetoxycycloheptene with a microbial lipase, 185
CAPACITY
A reappraisal of the heat capacity of activation and enthalpy of activation for tert-butyl chloride in water-ethyl alcohol mixtures 13–14
CAPILLARISIN
Synthesis of demethoxycapillarisin, a naturally occurring 2-phenoxychromone, and related compounds, 474–5
CARBABORANE
Synthesis, characterization, and x-ray crystal structure of 1,1-$(PPh_3)_2$-1-H-1,2,4-$RhC_2B_{10}H_{12}$, a supra-icosahedral metallacarbaborane catalyst precursor, 206–7

CARBABORANE(contd)
Closo–carbametallaboranes from direct insertion into nido–carbaboranes: the molecular structures of [6,6–$(Et_3P)_2$–1,2,6–$C_2CoB_7H_9$] and [1,1–$(Et_3P)_2$–1,2,4–$CoC_2B_8H_{10}$], 652–3
Closo–carbametallaboranes with metal–hydrogen bonds from direct insertion into arachno–carbaboranes: the molecular structures of [2–H–2,2–$(Et_3P)_2$–1,6,2–$C_2CoB_7H_9$] and [2–H–2,2–$(Et_3P)_2$–1,6,2–$C_2RhB_7H_9$], and a most unusual crystallographic coincidence, 653–5
Formation of η^6–arene–closo–carbaferraboranes by the reaction of a closo–carbaborane with cyclooctadiene(η–cyclopentadienyl)iron in the presence of arenes: molecular structure of [closo–1–(η^6–PhMe)–2,4–Me_2–1,2,4–$FeC_2B_9H_9$], 871–2
CARBACOBALTABORANE
Closo–carbametallaboranes from direct insertion into nido–carbaboranes: the molecular structures of [6,6–$(Et_3P)_2$–1,2,6–$C_2CoB_7H_9$] and [1,1–$(Et_3P)_2$–1,2,4–$CoC_2B_8H_{10}$], 652–3
CARBAMOYL
A novel S,N–double rearrangement; x–ray crystal structure of 5–carbamoyl–4–methylthio–2–phenyl–1,3–thiazin–6–one and its 2,3–dihydro derivative, 560–1
Synthesis of 6–cyano– and 6–carbamoylpurines and 6–carbamoyl–1,2–dihydropurines from N–methylacetonitrilium trifluoromethanesulfonate and diaminomaleonitrile, 788–9
CARBAMOYLMETHYLTHIOPHENYLTHIAZINONE
A novel S,N–double rearrangement; x–ray crystal structure of 5–carbamoyl–4–methylthio–2–phenyl–1,3–thiazin–6–one and its 2,3–dihydro derivative, 560–1
CARBAMOYLPURINE
Synthesis of 6–cyano– and 6–carbamoylpurines and 6–carbamoyl–1,2–dihydropurines from N–methylacetonitrilium trifluoromethanesulfonate and diaminomaleonitrile, 788–9
CARBANION
Substitution of quinizarin and 5–hydroxyquinizarin at C–2, 740–1
The relationship between the energies of carbanions, R^-, and their lithiated counterparts, RLi. An ab initio study, 882–4
Optical stability of carbanions derived from sulfoximides and sulfilimines, 1005–6
Benzylic functionalization of arene(tricarbonyl)chromium complexes, 1264–5
CARBAZOLE
New synthesis of olivacine via a heteroarylation reaction, 44–6
CARBENE
Transition metal–catalyzed reactions of diazoesters. Insertion into carbon–hydrogen bonds of paraffins by carbenoids, 688–9
Synthesis, x–ray crystal structure, and reactivity of the di–μ–carbene complex [$Ru_2(CO)_2(\mu$–CHMe)(μ–CMe_2)(η–$C_5H_5)_2$], 862–4
Comparison of UV–visible spectra of iron(I)–porphyrin– and iron(II)–porphyrin(thiolato)(thiocarbonyl) and –(carbene) complexes. Relevance to ferrous cytochrome P450 complexes, 888–90
Protonation of tolylidyne ligands bridging tungsten–cobalt and –platinum bonds; reactivity of the cationic dimetal μ–carbene complexes produced, and x–ray crystal structures of [PtW(μ–η^1,η^3–CH(C_6H_4Me–4))$(CO)_2(PMe_3)_2(\eta$–$C_5H_5)$][BF_4], [PtW(μ–H)(μ–CH(C_6H_4Me–4))$(CO)_2(PMe_3)_2(\eta$–$C_5H_5)$], and [CoW(μ–η^1,η^3–C(C_6H_4Me–4)C(Me)C(Me)H)(μ–CO)(CO)(η–C_5H_5)(η–C_5Me_5)][BF_4], 1255–8
CARBENECARBONYLCYCLOPENTADIENYLRUTHENIUM
X–ray crystal structure and molecular dynamics of the μ–dimethylcarbene complex [$Ru_2(CO)_2(\mu$–CO)(μ–CMe_2)(η–$C_5H_5)_2$] 861–2
Synthesis, x–ray crystal structure, and reactivity of the di–μ–carbene complex [$Ru_2(CO)_2(\mu$–CHMe)(μ–CMe_2)(η–$C_5H_5)_2$], 862–4
CARBIDE
A high–yield synthesis of pentadecacarbonylpentaruthenium carbide by the carbonylation of heptadecacarbonylhexaruthenium carbide; the x–ray structure analyses of pentadecacarbonylpentaruthenium carbide and triphenylphosphinetetradecacarbonylpentaruthenium carbide, 415–16
Reversible osmium–osmium bond breaking in the high nuclearity carbido–dianion $[Os_{10}C(CO)_{24}]^{2-}$ on reaction with halogens: x–ray structure analysis of $[(Ph_3P)_2N][Os_{10}C(CO)_{24}I]$ and $Os_{10}C(CO)_{24}I_2$, 1009–11
CARBINOL
Optically active trifluoromethylcarbinols as chiral solvating agents for asymmetric transformations at a ring–nitrogen atom, 588–90
CARBODIIMIDE
Novel route to β–lactam systems, 41
CARBOHYDRATE
A new and versatile method for the preparation of unsaturated sugars, 26–8
General synthesis of imidazole C–nucleosides from carbohydrate adducts of diaminomaleonitrile, 110–12
Use of carbohydrates in the preparation of optically active sulfoxides, 505–6
Simple novel synthesis of the anthracyclinone system using a new modification of the Marschalk reaction and a carbohydrate as a chiral center source, 508–10
CARBON
Improved resolution of low field quaternary carbon resonances in carbon–13 NMR spectroscopy, 12–13
Solid–state high–resolution carbon–13 NMR spectra of polypropene, 15–16
Hydrogen–deuterium kinetic isotope effect in carbon monoxide hydrogenation over ruthenium/silicon dioxide, 92–3
Zeolite support effects on carbon monoxide–ruthenium interactions 125–6
Precise carbon–13 NMR multiplicity determination, 150–2
Asymmetric carbon dioxide insertion into a π–allyltitanium(III) complex, 180–1
Hydrosilylation of carbon dioxide catalyzed by ruthenium complexes, 213–14
Combined use of multiple and selective proton–decoupled carbon–13 and proton NMR spectra for complete proton and carbon–13 resonance assignments of polypeptides, 230–2
Gas phase fluorination of carbon dioxide by sulfur hexafluoride, 247–8
Carbon–13 NMR spectra of highly ^{13}CO–enriched metal carbonyls: observation of $^2J_{CC}$ cis coupling constants, 300–2
Carbon–13 NMR study of rhodium carbonyl clusters under high pressures of carbon monoxide/hydrogen, 331–2
Proton–carbon–13 NMR chemical shift correlation, 413–14
The solid state and solution conformational behavior of a chiral 30–crown–10 derivative synthesized from 1,4:3,6–dianhydro–D–mannitol; x–ray crystal structure, 430–2
Formation of (η–cyclopentadienone)tricarbonyliron on the photolysis of (η–cyclobutadiene)tricarbonyliron in a carbon monoxide matrix at 12 K, 489–90
Isotope shifts in carbon–13 NMR spectra of oxygen–18–labeled acetals: multiple labeling effects at β–carbons, 501–2
On the mechanism of base–catalyzed alkane–forming reactions of simple alkylcobaloximes, 598–9
Fixation and deoxygenation of carbon dioxide to form furans using organophosphorus intermediates, 607–8
Use of deuterium–carbon–13 NMR coupling patterns in terpenoid biosynthesis, 649–50
One–step synthesis of methoxycarbonyl–substituted tetraselenafulvalene under high pressure, 669–70
The biosynthesis of asperlactone: incorporation studies with acetate–2–^{13}C,2–$^2H_3$, 708–10
New evidence for the structure of dithizone in solution from proton and carbon–13 NMR spectra and nitrogen–15 labeling, 735–6
Fully reversible carbon protonation in the hydrolysis of ketene selenoacetals, 738–9
Internuclear exchange of carbonyl groups in dodecacarbonyltriosmium: coupling constants J(osmium–187–carbon–13) in trinuclear osmium carbonyls, 853–5
The use of deuterium NMR spectroscopy and β–isotopic shifts in the carbon–13 NMR spectrum to measure deuterium retention in the biosynthesis of the polyketide 6–methylsalicylic acid, 856–8
Formation of η^6–arene–closo–carbaferraboranes by the reaction of a closo–carbaborane with cyclooctadiene(η–cyclopentadienyl)iron in the presence of arenes: molecular structure of [closo–1–(η^6–PhMe)–2,4–Me_2–1,2,4–$FeC_2B_9H_9$], 871–2
Natural abundance carbon–13–carbon–13 coupling constants for carbon connectivity pattern determination and NMR spectral analysis: patchoulol, 999–1001
Geometric and ligand effects in the IR spectra of carbon monoxide adsorbed on a platinum–copper alloy, 1024–5
Accumulation of potassium oxide on carbon and enhancement of catalytic activity for isomerization by dioxygen, 1061–2
Zeolite–catalyzed oxidation of carbon monoxide at unusually low temperatures, 1064–5
Synthesis of a cation complexing doubly N,N'–bridged bis(1,7–dioxa–4,10–diazacyclododecane), 1084–6

CARBON(contd)
A novel carbon dioxide complex: synthesis and crystal structure of $[Nb(\eta\text{–}C_5H_4Me)_2(CH_2SiMe_3)(\eta^2\text{–}CO_2)]$, 1145–6
Annular tautomerism in the solid state: a high resolution NMR study, 1207–8
Matrix isolation studies on the lithium–induced reductive coupling of carbon dioxide, 1258–60
Natural abundance carbon–13–carbon–13 coupling constants in a steroid, 1275–7
CARBONATE
Carbon dioxide activation; formation of trans–$(Ph_3P)_2Rh(CO)(OC\text{-}O_2H)$ in the reaction of carbon dioxide with $HRh(CO)(PPh_3)_3$–CO and the determination of its structure by x–ray crystallography, 268–9
Novel synthesis of 3–alkyl–2–phenoxychromones involving an intramolecular Wittig reaction of carbonates, 282–3
Synthesis of demethoxycapillarisin, a naturally occurring 2–phenoxychromone, and related compounds, 474–5
Palladium–mediated transfer of oxygen from carbonate ion to an organic ligand, 661–2
Accumulation of potassium oxide on carbon and enhancement of catalytic activity for isomerization by dioxygen, 1061–2
CARBONATION
A new regio– and stereoselective functionalization of allylic and homoallylic alcohols, 465–6
CARBOLYL
Synthesis of coordinated trans–1,2–di(cycloheptatrienyl)ethylene, a new cyclooctatetraene dimer, and the x–ray crystal structure of an intermediate bisphosphonium salt $[Fe_2(CO)_2(\eta^4,\eta'^4\text{–}C_{16}H_{16}(PPh_3)_2)][PF_6]_2$, 17–18
Synthesis, reactivity, and x–ray crystal structure of bis[carbonylcyclopentadienyl(triphenylphosphinel)rhodium]silver hexafluorophosphate.toluene: a silver–stabilized radical cation, 43–4
Selective reduction of carbonyl compounds by heterogeneous catalysis on salt surfaces, 121–2
Dinuclear carbene complexes of tungsten as catalysts for metathetical polymerization of alkenes and alkynes; x–ray crystal structure of the insertion product of but–2–yne into a μ–alkylidene carbon–tungsten bond, 152–4
Preparation and crystal and molecular structure of two trialkylamine adducts of tetracarbonylcobalt hydride showing a preferential trialkylammonium–tetracarbonylhydridocobaltate interaction, 181–3
Interaction of alkyl halides with the diironoctacarbonylate anion: the crystal structures of the tetraethylammonium salts of the μ–acetyl$C^1(Fe^1,Fe^2)O(Fe^1,Fe^3)$nonacarbonyl–triangulo–triferrate and μ_2–carbonylnonacarbonyl–μ_3–2,4–dioxapentylidyne–triangulo–triferrate anions, 189–91
Vibrational spectroscopy at very high pressures. Eclipsed decacarbonyldimanganese and decacarbonyldirhenium, 226–7
Synthesis and fluxional character of derivatives of the type $[HFe_3(CO)_{10}(\mu_2\text{–}CNR_2)]$ and $[HFe_3(CO)_9(\mu_3\text{–}CH{=}NR)]$, 263–5
Electron–induced nucleophilic substitution reactions in organometallic systems, 265–6
Carbon dioxide activation; formation of trans–$(Ph_3P)_2Rh(CO)(OC\text{-}O_2H)$ in the reaction of carbon dioxide with $HRh(CO)(PPh_3)_3$–CO and the determination of its structure by x–ray crystallography, 268–9
Products of the reaction of carbon monoxide with octadecacarbonylhexaosmium; x–ray crystal structure of nonadecacarbonylpentaosmium, 273–4
Carbon–13 NMR spectra of highly ^{13}CO–enriched metal carbonyls: observation of $^2J_{CC}$ cis coupling constants, 300–2
A new bridging geometry for sulfur dioxide in $[Mo(CO)_2(PPh_3)(pyridine)(\mu\text{–}SO_2)]_2.2CH_2Cl_2$: x–ray crystal structure, 305–6
Synthesis of η^3–allyl(η^5–cyclopentadienyl)dicarbonylmanganese cations, 311–13
Carbon–13 NMR study of rhodium carbonyl clusters under high pressures of carbon monoxide/hydrogen, 331–2
Simple, stereospecific syntheses of some insect pheromones using the iron tricarbonyl protecting group, 373–4
Bis(η^5–cyclopentadienyldicarbonyliron); a versatile catalyst for ligand–replacement reactions on transition metal complexes, 408–9
$Ru_4(CO)_{10}(C{:}CHCHMe_2)(OH)(PPh_2)$: a tetranuclear ruthenium carbonyl cluster with μ_4–vinylidene and face–bridging hydroxo groups. X–ray crystal structures of $Ru_4(CO)_{10}(C{:}CHCHMe_2)(OR)(PPh_2)$ (R = H or Et), 476–7
Formation of (η–cyclopentadienone)tricarbonyliron on the photolysis of (η–cyclobutadiene)tricarbonyliron in a carbon monoxide matrix at 12 K, 489–90
Synthesis of dirhodium complexes containing s–cis bridging 1,3–diene ligands. X–ray crystal and molecular structure of μ–(η^4–cyclohexa–1,3–diene)–μ–carbonylbis(η^5–indenyl)dirhodium(Rh–Rh), 494–6
An unusual bonding mode for a dithiocarboxylate ligand: a tetradentate interaction; x–ray crystal structure of the product of the reaction of nonacarbonyldiiron with 1,2–benzodithiole–3–thione, 513–14
An octanuclear iridium carbonyl cluster based on two equivalent tetrahedral units. Synthesis and x–ray characterization of bis(tetraphenylphosphonium) hexa–μ–carbonylhexadecacarbonyl–ditetrahedro–octairidate(2–), 528–9
Carbon–carbon bond formation through olefin–methylcarbyne linkage at a diruthenium center: x–ray crystal structure of $[Ru_2(CO)(\mu\text{–}CO)(\mu\text{–}\eta^1,\eta^3\text{–}C(Me)C(Me)CH_2)(\eta\text{–}C_5H_5)_2]$, 537–8
Synthesis and x–ray characterization of the novel $[Rh_{10}S(CO)_{10}(\mu\text{–}CO)_{12}]^{2-}$ anion; a bicapped square–antiprismatic cluster containing an interstitial sulfur atom, 563–5
Synthesis and x–ray crystal and molecular structure of $[(RhFe(\mu\text{–}PPh_2)_2(\mu\text{–}CO)(CO)_3)_2]$, an unusual tetranuclear compound with a straight–chain structure, 587–8
Second–sphere coordination of neutral and cationic transition metal complexes by crown ethers, 612–13
Preparation and characterization of new intercalates formed between graphite and iron carbonyl compounds, 679–80
Proton–induced ligand uptake by $[Mn_2(CO)_5(Ph_2PCH_2PPh_2)_2]$ to give hydrogen–bridged dimanganese complexes, 724
Synthesis of 6–cyano– and 6–carbamoylpurines and 6–carbamoyl–1,2–dihydropurines from N–methylacetonitrilium trifluoromethanesulfonate and diaminomaleonitrile, 788–9
Internuclear exchange of carbonyl groups in dodecacarbonyltriosmium: coupling constants J(osmium–187–carbon–13) in trinuclear osmium carbonyls, 853–5
X–ray crystal structure and molecular dynamics of the μ–dimethylcarbene complex $[Ru_2(CO)_2(\mu\text{–}CO)(\mu\text{–}CMe_2)(\eta\text{–}C_5H_5)_2]$ 861–2
Synthesis, x–ray crystal structure, and reactivity of the di–μ–carbene complex $[Ru_2(CO)_2(\mu\text{–}CHMe)(\mu\text{–}CMe_2)(\eta\text{–}C_5H_5)_2]$, 862–4
Reaction of $[Os_5(CO)_{15}H_2]$ with acetylenes; x–ray crystal structures of $[Os_5(CO)_{15}H_2(CCPh)]$ and $[Os_5(CO)_{13}(PhCCPh)_2]$, 886–8
Formaldehyde as a hydrogen–donor to aldehydes and ketones in metal–catalyzed reactions in water, 924–5
Synthesis and x–ray structural characterization of $Rh_4(\mu\text{–}CO)_4(\mu\text{–}SO_2)_3[P(OPh)_3]_4.{}^1\Psi 2C_6H_6$: a 'butterfly' cluster with an unusual bridging mode for sulfur dioxide, 963–5
Conversion of a bridged vinylalkylidene complex into cluster complexes of cobalt, iron, and manganese: x–ray crystal structures of $[Fe_3(CO)_6(\mu\text{–}CO)_2(\mu_3\text{–}CMe)(\eta\text{–}C_5H_5)]$ and $[FeCo_3(CO)_7(\mu\text{–}CO)_2(\mu_4C{:}CH_2)(\eta\text{–}C_5H_5)]$, 966–8
Preparation and crystal structure of μ–carbonyl–OC–bis(pentamethylcyclopentadienyl)(tetrahydrofuran)ytterbium(III)tricarbonylcobalt(I); a Yb–OC–Co linkage, 985–6
New palladium cluster compounds. X–ray crystal structure of $Pd_{10}(CO)_{12}(PBu_3)_6$, 989–90
Reversible osmium–osmium bond breaking in the high nuclearity carbido–dianion $[Os_{10}C(CO)_{24}]^{2-}$ on reaction with halogens: x–ray structure analysis of $[(Ph_3P)_2N][Os_{10}C(CO)_{24}I]$ and $Os_{10}C(CO)_{24}I_2$, 1009–11
A new reaction of pentacoordinate phosphorus derivatives: the formation of phosphinates from an oxazaphosph(V)ole and carbonyl compounds, 1054–5
Role of dioxygen as an activator in olefin metathesis, 1062–4
Sand–supported organic reactions: sodium borohydride reduction of carbonyl compounds, 1066–7
Cluster chemistry. Synthesis and x–ray structure of $[Ru_5(CO)_{14}(C\text{-}NCMe_3)_2]$, containing an unusual open Ru_5 cluster, 1070–1
New octahedral, asymmetric iron carbonyl complexes, 1071–2
Bridging by carbonyl vs. halide ligands: x–ray crystal structure of bis(tetrabutylammonium) di–μ–carbonyltetrachlorodipalladium, 1077–9
Polynuclear tungsten–iron, –ruthenium, and –osmium carbonyl complexes: crystal structures of $[FeW_2(\mu_3\text{–}C_2R_2)(CO)_6(\eta\text{–}C_5H_5)_2]$, $[OsW_2(\mu_3\text{–}C_2R_2)(CO)_7(\eta\text{–}C_5H_5)_2]$ (two isomers), and $[Os_3W(\mu_3\text{–}CR)(CO)_{11}(\eta\text{–}C_5H_5)]$ (R = C_6H_4Me–4), 1101–3
Synthesis of light olefins from carbon monoxide and hydrogen over highly dispersed ruthenium/potassium–alumina derived from triruthenium dodecacarbonyl, 1114–15

CARBONYL(contd)
Autorecycling system for reduction of carbonyl compounds to alcohols by 1,5-dihydro-5-deazaflavins, 1160–2
Benzylic functionalization of arene(tricarbonyl)chromium complexes, 1264–5
Synthesis and x-ray characterization of the high-nuclearity $[Rh_{17}(\mu_3\text{-}CO)_3(\mu\text{-}CO)_{15}(CO)_{12}]^{3-}$ anion containing a tetracapped twinned cuboctahedral cluster, 1280–2

CARBONYL COMPD
Preparation of conjugated carbonyl compounds by photolysis of η^3-allylpalladium complexes, 668–9
Ruthenium-catalyzed oxidation of allyl alcohols by molecular oxygen, 907–8

CARBONYLATION
Products of the reaction of carbon monoxide with octadecacarbonylhexaosmium; x-ray crystal structure of nonadecacarbonylpentaosmium, 273–4
Carbonylation of organic halides in the presence of terminal acetylenes: novel acetylenic ketone synthesis, 333–4
A high-yield synthesis of pentadecacarbonylpentaruthenium carbide by the carbonylation of heptadecacarbonylhexaruthenium carbide; the x-ray structure analyses of pentadecacarbonylpentaruthenium carbide and triphenylphosphinetetradecacarbonylpentaruthenium carbide, 415–16
Synthesis of acetic acid from methanol and carbon monoxide on nickel-based catalysts supported on active carbon, 906–7
Towards a nitrogen-fixing cycle: electrochemical reduction of a hydrazido complex of molybdenum(IV) under dinitrogen to yield the dialkylhydrazine and a molybdenum(0) dinitrogen complex, 1033–5

CARBONYLCOBALT
Preparation and crystal and molecular structure of two trialkylamine adducts of tetracarbonylcobalt hydride showing a preferential trialkylammonium-tetracarbonylhydridocobaltate interaction, 181–3
Synthesis of a new heteronuclear gold-cobalt cluster. Preparation and x-ray structure determination of tetrakis(triphenylphosphine)bis(tetracarbonylcobalt)hexagold, 583–4

CARBONYLCYCLOBUTADIENEIRON
Formation of (η-cyclopentadienone)tricarbonyliron on the photolysis of (η-cyclobutadiene)tricarbonyliron in a carbon monoxide matrix at 12 K, 489–90

CARBONYLCYCLOHEXADIENEINDENYLRHODIUM
Synthesis of dirhodium complexes containing s-cis bridging 1,3-diene ligands. X-ray crystal and molecular structure of μ-(η^4-cyclohexa-1,3-diene)-μ-carbonylbis(η^5-indenyl)dirhodium(Rh–Rh), 494–6

CARBONYLCYCLOPENTADIENECYCLOPENTADIENYLRHENIUM
Photochemistry of dicyclopentadienylrhenium hydride and dicarbonyl(η^2-cyclopentadiene)(η-cyclopentadienyl)rhenium in low temperature matrixes: hydrogen loss and hydrogen migration 452–4

CARBONYLCYCLOPENTADIENONEIRON
Formation of (η-cyclopentadienone)tricarbonyliron on the photolysis of (η-cyclobutadiene)tricarbonyliron in a carbon monoxide matrix at 12 K, 489–90

CARBONYLCYCLOPENTADIENYL
Nitrosyl-bridged cyclopentadienylcobalt and -rhodium cations, 897–9

CARBONYLCYCLOPENTADIENYLCOBALT
Intermolecular cobalt-mediated [2+2+2]cycloadditions: regiospecific one-step construction of bicyclic dienes from α,ω-enynes and alkynes, 53–5
Nitrosyl-bridged cyclopentadienylcobalt and -rhodium cations, 897–9

CARBONYLDICYCLOPENTADIENYLTITANIUM
Hydrogenation of alkynes with water and a titanium(II) complex, 665–6

CARBONYLDIETHYLDITHIANEBISDITHIOCARBOXYLATOCHROMIUM
2,2-Dithiocarboxylation of a chromium coordinated 1,3-dithiane. X-ray crystal structure of fac-tricarbonyl(diethyl 1,3-dithiane-2,2-bisdithiocarboxylato)chromium, 749–50

CARBONYLDIHYDRIDOHEXAOSMIUMGOLD
Synthesis and x-ray crystal and molecular structure of the mixed metal cluster hexaosmiumeicosacarbonyldihydridoaurate(1-), 753–5

CARBONYLDIOXAPENTYLIDYNETRIFERRATE
Interaction of alkyl halides with the diironoctacarbonylate anion: the crystal structures of the tetraethylammonium salts of the μ-acetylC^1(Fe^1,Fe^2)O(Fe^1,Fe^3)nonacarbonyl-triangulo-triferrate and μ_2-carbonylnonacarbonyl-μ_3-2,4-dioxapentylidyne-triangulo-triferrate anions, 189–91

CARBONYLINDENYLRHODIUM
Synthesis of dirhodium complexes containing s-cis bridging 1,3-diene ligands. X-ray crystal and molecular structure of μ-(η^4-cyclohexa-1,3-diene)-μ-carbonylbis(η^5-indenyl)dirhodium(Rh–Rh), 494–6

CARBONYLMETHYLINDOLECHROMIUM
Regioselective lithiation and substitution of tricarbonyl(η^6-1-methylindole)chromium(0): x-ray crystal structure analysis of tricarbonyl(η^6-1-methyl-2-trimethylsilyl-7-ethoxycarbonylindole)chromium(0), 1260–2

CARBONYLMYOGLOBIN
Histidine H-2 NMR resonances of sperm whale oxy-, carbonyl-, and metmyoglobin, 208–9

CARBONYLPENTAMETHYLCYCLOPENTADIENYLTETRAHYDROFURAN
Preparation and crystal structure of μ-carbonyl-OC-bis(pentamethylcyclopentadienyl)(tetrahydrofuran)ytterbium(III)tricarbonylcobalt(I); a Yb-OC-Co linkage, 985–6

CARBONYLPHENYLPHOSPHINE
A novel oxidative insertion of a metal center into a degraded closo-borane cluster; crystal and molecular structure of a ten-vertex iso-nido iridacarbadecaborane, 933–4

CARBONYLPHENYLPHOSPHINEIRIDIUM
A novel oxidative insertion of a metal center into a degraded closo-borane cluster; crystal and molecular structure of a ten-vertex iso-nido iridacarbadecaborane, 933–4

CARBONYLRHENIUM
Associative substitution reactions of rhenium pentacarbonyl radical 1052–3

CARBONYLTRIETHYLPHOSPHINEPENTAOSMIUM
Two-electron addition reactions and reversible carbonylation of an unsaturated pentanuclear osmium complex; x-ray crystal structure of $[Os_5(CO)_{13}H(PhNC_6H_4N)(PEt_3)]$, 801–3

CARBONYLTRIOSMIUM
Internuclear exchange of carbonyl groups in dodecacarbonyltriosmium: coupling constants J(osmium-187-carbon-13) in trinuclear osmium carbonyls, 853–5

CARBONYLTUNGSTENTIN
Reinvestigation of the claim that bis(η^5-cyclopentadienyl)tin(II) and (η^5-cyclopentadienyl)tricarbonyltungsten hydride form bis[(η^5-cyclopentadienyl)tricarbonyltungsten]tin(II), 521–2

CARBOXALDEHYDE
Detection of a metalo intermediate and geometrical isomerizations in an oxidative cyclization of a heterocyclic hydrazone with mercury(II) acetate, 376–7

CARBOXY
Direct proton NMR observation of the cell-free conversion of δ-(L-α-aminoadipyl)-L-cysteinyl-D-valine and δ-(L-α-aminoadipyl)-L-cysteinyl-D-(-)-isoleucine into penicillins, 917–19
Synthesis of potassium 3-methyl-9-oxo-1,4-diazatricyclo[5.2.0.0^{4,6}]non-2-ene-2-carboxylate, 947–8

CARBOXYLATE
A new spiro-annelation procedure: intramolecular decarboxylative alkylation of β-keto esters, 30–2
Synthesis of ethyl 3-methyl-7-oxo-4-oxa-1-azabicyclo[3.2.0]hept-2-ene-2-carboxylate and the reaction of 4-acetoxyazetidin-2-one with ethyl α-diazoacetoacetate, 642–3
Transition metal-catalyzed reactions of diazoesters. Insertion into carbon-hydrogen bonds of paraffins by carbenoids, 688–9
A total synthesis of (±)-methylenomycin A, 714–15
Synthesis of 6-cyano- and 6-carbamoylpurines and 6-carbamoyl-1,2-dihydropurines from N-methylacetonitrilium trifluoromethanesulfonate and diaminomaleonitrile, 788–9

CARBOXYLIC
Synthesis gas homologation of aliphatic carboxylic acids, 41–3

CARBOXYMETHYL
Comparison of results obtained in kinetic studies of the interaction between cationic dyes and sodium carboxymethylcellulose using the Joule-heating temperature-jump and laser temperature-jump methods, 386–7

CARBOXYMETHYLCELLULOSE
Comparison of results obtained in kinetic studies of the interaction between cationic dyes and sodium carboxymethylcellulose using

CARBOXYMETHYLCELLULOSE(contd)
the Joule–heating temperature–jump and laser temperature–jump methods, 386–7
CARBOXYMETHYLTETRAAZATRICYCLOUNDECADIENONE
Synthesis of potassium 3–methyl–9–oxo–1,4–diazatricyclo[5.2.0.0^{4,6}]non–2–ene–2–carboxylate, 947–8
CARBYNEMETHYLCARBENECYCLOPENTADIENYLRUTHENIUM
Synthesis, x–ray crystal structure, and reactivity of the di–μ–carbene complex $[Ru_2(CO)_2(\mu\text{–}CHMe)(\mu\text{–}CMe_2)(\eta\text{–}C_5H_5)_2]$, 862–4
CARCINOGEN
Optical resolution of mutagenic and carcinogenic derivatives of polyaromatic hydrocarbons by high pressure liquid chromatography on a chiral support, 75–6
CARDENOLIDE
Synthesis of 3β–methoxy–5α,14α–card–20(22)–enolide from 3β–methoxy–5α–androstan–17–one. A method for the construction of the cardenolide side–chain, 25–6
CARMINOMYCINONE
A regioselective synthesis of 8,10–dideoxycarminomycinone, 1075–6
CARPENTER
Facile access to chiral 5–hydroxy–2–methylhexanoic acid lactones (pheromones of the carpenter bee), 1125–6
CARRIER
Photosensitized electron transport across a liquid membrane containing photosensitizer, electron mediator, and carrier, 210–11
CATALYSIS
Novel alumina–catalyzed reactions of arylthioalkyl halides, 87–8
Photocontrol of catalytic activity of capped cyclodextrin, 94–6
Isomerization and hydrogenolysis of 1,3–dioxacycloalkanes on metal catalysts, 106–8
Photoinduced hydrogen–deuterium exchange between aromatic and aliphatic hydrocarbon systems catalyzed by $[Mo(\eta\text{–}C_5H_5)(Me_2P\text{-}CH_2CH_2PMe_2)H_3]$, 186–7
Catalytic activity of fibrous clay mineral sepiolite for butadiene formation from ethanol, 401–2
Mechanism of the Cope rearrangement of acyclic 1,5–dienes and of the Wacker oxidation of alk–1–enes catalyzed by palladium complexes, 456–7
Double silylation of allene and buta–1,2–diene: formation of new organosilicon compounds containing both vinylsilane and allylsilane units, 617–18
CATALYST
Chemical conversions using sheet silicates: facile ester synthesis by direct addition of acids to alkenes, 8–9
Chemical conversions using sheet silicates: novel intermolecular elimination of ammonia from amines, 9–10
New synthesis of indoles from o–acylaminobenzyltriphenylphosphonium salts, 14–15
Synthesis gas homologation of aliphatic carboxylic acids, 41–3
Synthesis of (η^3–allyl)(η^4–cycloocta–1,5–diene)nickel cations: valuable catalysts for the oligomerization of alkenes, 49–50
Comparison of activities for hydrogen evolution from water of hydrogenase and colloidal platinum, 56–7
Photochemical production of hydrogen from water and nucleophilic platinum metal complexes, 58–9
Nucleophilic attack on a ligand as a prerequisite for ligand replacement. Kinetics and mechanism of the replacement of dimethylphenylphosphine by trimethyl phosphite in $[Ru(S_2CH)(\text{-}PMe_2Ph)_3(P(OMe)_3)]^+$, 78–9
Catalytic synthesis of 3–substituted indoles using carbon monoxide as building block and supported rhodium as catalyst, 82–3
Novel alumina–catalyzed reactions of arylthioalkyl halides, 87–8
Hydrogen–deuterium kinetic isotope effect in carbon monoxide hydrogenation over ruthenium/silicon dioxide, 92–3
Photocontrol of catalytic activity of capped cyclodextrin, 94–6
Fluoride activation of nucleophilic displacement at tetrahedral phosphorus, 101–3
Isomerization and hydrogenolysis of 1,3–dioxacycloalkanes on metal catalysts, 106–8
A one–step synthesis of acridines via palladium(II)–catalyzed ring formation of allylated enaminones, 114–15
Selective reduction of carbonyl compounds by heterogeneous catalysis on salt surfaces, 121–2
Cesium fluoride–promoted Michael addition in heterogeneous catalysis, 122–3
Nickel/titanium oxide catalysts. The role of the titania in providing active sites, 123–4
Zeolite support effects on carbon monoxide–ruthenium interactions 125–6
New design of highly active, paired chromium structures on solid surfaces for propene hydrogenation, 140–2
Photoinduced hydrogen–deuterium exchange between aromatic and aliphatic hydrocarbon systems catalyzed by $[Mo(\eta\text{–}C_5H_5)(Me_2P\text{-}CH_2CH_2PMe_2)H_3]$, 186–7
Vicinal glycol esters from synthesis gas, 188–9
Hydrosilylation of carbon dioxide catalyzed by ruthenium complexes, 213–14
Asymmetric cyanohydrin synthesis catalyzed by a synthetic cyclic dipeptide, 229–30
Synthesis, x–ray crystal structure, and reactions of [closo–1,3–μ–2,3–μ–(1,2–μ–(η^2–3,4–$CH_2CH_2C(Me)$:$CHCH_2CH_2CH_2$))–3–H–3–PPh_3–3,1,2–$RhC_2B_9H_9$], a metallacarbaborane catalyst, 235–6
Arylation of N–acylpyrroles and –indoles with arenes and palladium acetate, 254–5
Catalytic activity of supported f–element organometallic complexes 257–8
Interaction of monooxygen donors with porphinatoiron(III) complexes bearing electron–releasing meso–substituents, 293–5
Alkaloid–catalyzed asymmetric addition of thiocarboxylic S–acids to cyclohex–2–en–1–ones. Absolute configuration of the adducts by O,S–dibenzoate Cotton effect, 307–8
Regioselective allylation of a Grignard reagent catalyzed by phosphinenickel and –palladium complexes, 313–14
Carbonylation of organic halides in the presence of terminal acetylenes: novel acetylenic ketone synthesis, 333–4
Intramolecular cyclization of 1,1',3,3'–tetramethyl–1,1'–biindenyl, 347–8
Flavin plus 5–deazaflavin as a turnover oxidation system. Model for the electron bridge from NAD+ to flavin, 391–2
Cooperative effects in the catalytic action of N–decanoyl–L–histidine in micelles, 393–4
Conversion of methanol into hydrocarbons catalyzed by metal salts of heteropolyacids, 400–1
Catalytic activity of fibrous clay mineral sepiolite for butadiene formation from ethanol, 401–2
Bis(η^5–cyclopentadienyldicarbonyliron); a versatile catalyst for ligand–replacement reactions on transition metal complexes, 408–9
Chemical conversions using sheet silicates: novel intermolecular dehydrations of alcohols to ethers and polymers, 427–8
Synthesis and x–ray crystal structure of 1,5–bis(acetoxymethyl)tricyclo[2.1.0.0^{2,5}]pentan–3–one, 455–6
Mechanism of the Cope rearrangement of acyclic 1,5–dienes and of the Wacker oxidation of alk–1–enes catalyzed by palladium complexes, 456–7
Selective linear codimerization of acetylenes and buta–1,3–diene catalyzed by dihydridotetrakis(trialkylphosphine)ruthenium complexes, 496–7
Active metals from potassium–graphite. Palladium–graphite as catalyst in the hydrogenation of nitro compounds, alkenes, and alkynes, 540–1
Active metals from potassium–graphite. Palladium–graphite–catalyzed vinylic substitution reactions, 541–2
Photoassisted isomerization of olefins by platinum complexes, 542–3
Hydrogen uptake and hydrogenation activity of the rare earth intermetallic compound trimagnesiumsamarium treated with anthracene, 567
Evidence for x–ray–amorphous zeolites, 591–3
Platinum hydrosols in the sensitized photoreduction of water, 593–4
Partial oxidation of propene over UV–irradiated vanadium oxide supported on silica, 601–2
Enhanced catalytic activity of specially prepared ferric oxide for the isomerization of but–1–ene and cyclopropane and the dehydration of butan–2–ol, 602–3
Cupric ion–promoted hydrolysis of cyanomethyl–substituted tetraazamacrocycles, 603–4
Transition metal–catalyzed N–alkylation of amines by alcohols, 611–12
Double silylation of allene and buta–1,2–diene: formation of new organosilicon compounds containing both vinylsilane and allylsilane units, 617–18
Chiral crown complexes catalyze Michael addition reactions to give adducts in high optical yields, 625–8
Synthesis of ethyl 3–methyl–7–oxo–4–oxa–1–azabicyclo[3.2.0]hept–2–ene–2–carboxylate and the reaction of 4–acetoxyazetidin–2–

CATALYST(contd)
one with ethyl α–diazoacetoacetate, 642–3
Evidence for a novel mechanism of the 1,2–bond shift rearrangements catalyzed by coenzyme–B_{12}, 686–8
Transition metal–catalyzed reactions of diazoesters. Insertion into carbon–hydrogen bonds of paraffins by carbenoids, 688–9
Chemical conversions using sheet silicates: novel intermolecular eliminations of hydrogen sulfide from thiols, 695–6
Volcano–shaped relation between heats of oxide formation of metals and coal–liquefaction activities of liquid–metal catalysts, 721–2
Oxygenation of 3–hydroxyflavones by superoxide anion, 745
Evidence for the participation of surface carbon in the steam reforming of ethane over nickel catalysts, 751–2
Micellar control of intramolecular eximer formation of bound substrates, 759–60
Catalytic deacylation of sugars with strong base ion–exchange resins; an alternative to the Zemplen procedure, 760–1
NIH shift in hemin–iodosylbenzene mediated hydroxylations, 778–9
Redox enzyme models. Catalysis of the cathodic cleavage of benzyl esters via complexation with a substituted β–cyclodextrin, 792–3
Ruthenium metal–catalyzed deuterium exchange between organosilanes and perdeuteriobenzene, 844–5
Electronic ligand effects in nickel alloy catalysts, 845–7
Arylation of quinones with arenes and palladium acetate, 859–60
Manganese porphyrin–catalyzed oxidation of olefins to ketones by molecular oxygen, 874–5
Synthesis of acetic acid from methanol and carbon monoxide on nickel–based catalysts supported on active carbon, 906–7
Ruthenium–catalyzed oxidation of allyl alcohols by molecular oxygen, 907–8
Formaldehyde as a hydrogen–donor to aldehydes and ketones in metal–catalyzed reactions in water, 924–5
Considerable reduction in crystallization time in the preparation of a new type of zeolite catalyst for olefin synthesis from methanol, 936–7
Ruthenium dioxide hydrate; is it a redox catalyst?, 948–50
Nitrogen chemisorption on reduced titania and titania–supported nickel catalysts, 965–6
Hydroisomerization of 1,3–dioxacycloalkanes to esters on platinum. The role of hydrogen in the isomerization, 978–9
Role of excess of molybdenum trioxide in ferric oxide–molybdenum trioxide methanol oxidation catalysts studied by x–ray photoelectron spectroscopy, 1018–19
Photooxidation of water on the surface of hectorite using trans–diaquabis(2,2'–bipyridine)ruthenium(2+) as catalyst, 1026–7
Solvolysis of syn– and anti–N–chloro–1,4–dihydro–1,4–iminonaphthalenes, 1028–30
Palladium(II)–catalyzed isomerizations of 3–acetoxy–1,4–dienes to 1–acetoxy–2,4–dienes: stereochemical and preparative aspects, 1030–1
Molecular complexes for efficient metathesis of olefins. The oxo–ligand as catalyst–cocatalyst bridge and the nature of the active species, 1039–40
Photochemical synthesis of ammonia over zeolites, 1049–50
Accumulation of potassium oxide on carbon and enhancement of catalytic activity for isomerization by dioxygen, 1061–2
Role of dioxygen as an activator in olefin metathesis, 1062–4
Zeolite–catalyzed oxidation of carbon monoxide at unusually low temperatures, 1064–5
Concise syntheses of 4–(arylcarbonylmethyl)–azetidin–2–ones and related systems, 1076–7
ipso–Attack in the hydroxylation of o– and p–xylene using bis(trimethylsilyl) peroxide and aluminum chloride, 1079–80
Homogeneous metathesis of unsaturated nitriles, 1081–2
Selective formation of alkenes in the conversion of methanol into hydrocarbons on barium ion–exchanged mordenite, 1091–2
Stereochemistry of the nickel–catalyzed hydrocyanation of olefins, 1098–9
Synthesis of light olefins from carbon monoxide and hydrogen over highly dispersed ruthenium/potassium–alumina derived from triruthenium dodecacarbonyl, 1114–15
Selective bond cleavage in the iron(III) chloride–catalyzed photooxidation of olefins, 1116–17
A new synthesis of macrocyclic lactones by rearrangement of 2–hydroxyalkyl–2–phenylsulfonylcycloalkanones, 1123–4
Stereoselective adsorption on a clay surface modified by an optically active nickel(II) tris(1,10–phenanthroline) chelate, 1128–9
Cometathesis of methyl oleate and ethylene; a direct route to methyl dec–9–enoate, 1132–3
Ketone enolates as nucleophiles in palladium–catalyzed allylic alkylation, 1159–60
Unusual stereospecificity in the hydrogenation of an isopropenyl function with Wilkinson's catalyst: a route to chiral methyl valine 1175–6
α–C–Glycopyranosides from Lewis acid–catalyzed condensations of acetylated glycals and enol silanes, 1180–1
Hydroxylation of phenylalanine by aqueous hydrogen peroxide in the presence of an artificial water–soluble iron porphyrin complex 1206–7
Reaction of N–tert–butoxycarbonylamino acid anhydrides with tertiary amines and carbodiimides. New precursors for 2–tert–butoxyoxazol–5(4H)–one and N–acylureas, 1225–7
A catalytic method for α–glycol cleavage, 1232–3
Benzyl trichloroacetimidate, a versatile reagent for acid–catalyzed benzylation of hydroxy–groups, 1240–1
The photochemical decomposition of sulfuric acid catalyzed by tris(triethylphosphine)hydridoplatinum monocation, 1245–6
Conversion of a protopine into an indenobenzazepine. Stereoselective formation of cis– and trans–b/c fused indenobenzazepines, 1246–8
Potassium tert–butoxide–catalyzed oxygenation of an α–tocopherol model compound, 2,2,5,7,8–pentamethylchroman–6–ol, 1267–8
Liquid phase oxidation of cycloolefins by a palladium sulfate–heteropolyacid catalyst system, 1274–5
CATALYTIC
Regioselective allylation of a Grignard reagent catalyzed by phosphinenickel and –palladium complexes, 313–14
Electronic ligand effects in nickel alloy catalysts, 845–7
The origins of the enantioselection in asymmetric catalytic hydrogenation of amino acid precursors, 1278–80
CATECHIN
Polymeric proanthocyanidins: interflavanoid linkage isomerism in (epicatechin–4)–(epicatechin–4)–catechin procyanidins, 320–2
CATHARANTHINE
Cycloaddition reactions of 2–(indol–2–yl)acrylates and N–alkoxycarbonyl–1,2–dihydropyridine: new synthesis of desethylcatharanthine, 37–9
An unequivocal synthesis of 1–benzyl–3–ethyl–1,6–dihydropyridine and its use for a biogenetically modeled synthesis of (±)–catharanthine, 389–91
CATHODE
Use of polymer–iodine adducts as positive electrodes of cells, 187–8
CATHODIC
Redox enzyme models. Catalysis of the cathodic cleavage of benzyl esters via complexation with a substituted β–cyclodextrin, 792–3
CATION
Interconversion of carbocations, free radicals, and carbanions in nitroxide solutions, 70–1
Electrochemical evidence for the generation of new sandwich complexes of iron; cyclopentadienyl(arene)iron anion and cyclopentadienyl(cyclohexadienyl)iron cation, 251–3
Hydride reduction of the cations $((\eta^5\text{–}C_5H_5)Fe[(Ph_2PCH_2)_3CMe])PF_6$, $((\eta^5\text{–}C_5H_5)Ru[(Ph_2PCH_2CH_2)_2PPh])PF_6$, and $([\eta^5\text{–}C_5H_5)Ru[(Ph_2PCH_2)_3CMe])PF_6$: regioselectivity and mechanism 341–2
Reactions of ketones with molybdenum nitrosyl complexes: x–ray crystal structures of $[(Mo(HB(3,5\text{–}Me_2C_3HN_2)_3)(NO)I)_2O]$, a complex having a bent Mo–O–Mo bond, and of a bicyclic salt, $[C_6H_3Me_5N_2(OH)][I_{1.2}(I_3)_{1.2}]$, 348–50
The solid state and solution conformational behavior of a chiral 30–crown–10 derivative synthesized from 1,4:3,6–dianhydro–D–mannitol; x–ray crystal structure, 430–2
Improvement of optical purity of metal tris(1,10–phenanthroline) chelates by use of adsorption on a colloidal clay, 539–40
ESR spectra of the hexamethyldisilane and hexamethyldigermane radical cations, 666–8
Nitrogen–15 nuclear polarization during nitro group exchange reactions on a σ–complex formed by ipso–attack, 825–7
Solid–state photopolymerization of unsaturated organic cations in layer perovskite halide salts, 921–2
Isotope effects in chemical exchange systems. Isotope effects for sodium between a cation exchange resin and a methanolic solution, 968–9
Redox chemistry of ruthenium porphyrins: evidence for internal electron transfer and the characterization of [Ru(III)(OEP$^{+\cdot}$)] species, 982–3

CATION(contd)
Comparison of proton hyperfine coupling constants for the monomer and dimer radical cations of dimethyl sulfide and dimethyl selenide, 1184–5
The cation of hexamethyldistannane generated by radiolysis: an ESR study, 1251–2
CATIONIC
Comparison of results obtained in kinetic studies of the interaction between cationic dyes and sodium carboxymethylcellulose using the Joule–heating temperature–jump and laser temperature–jump methods, 386–7
Cationic cyclization reactions of 6–methylhept–5–en–2–one oxime; x–ray crystal structure of 3–isopropylidene–2–methyl–Δ^1–pyrroline, 568–9
CD
Circular dichroism spectra of some trigonal–bipyramidal complexes 296–7
Conformational analysis of 5–tert–butylcyclohexa–1,3–diene, 372–3
Far–UV circular dichroism spectra of (S)–(+)–1,2,2–trimethylpropyl ethyl ether: solvent effects, 590–1
The absolute configurations of anti–benzene and anti–naphthalene 1,2:3,4–dioxides, 974–6
A circular dichroic method for determining the linkage to symmetric hexocyclitols and hexocyclitolamines: structure of two antibiotics from Nocardia sp., 1134–5
CELL
Use of polymer–iodine adducts as positive electrodes of cells, 187–8
CELLULOSE
Comparison of results obtained in kinetic studies of the interaction between cationic dyes and sodium carboxymethylcellulose using the Joule–heating temperature–jump and laser temperature–jump methods, 386–7
CEPHALOSPORIUM
Penicillin biosynthesis: conversion of deuterated (L–α–amino–δ–adipyl)–L–cysteinyl–D–valine into isopenicillin N by a cell–free extract of Cephalosporium acremonium, 246–7
Direct proton NMR observation of the cell–free conversion of δ–(L–α–aminoadipyl)–L–cysteinyl–D–valine and δ–(L–α–aminoadipyl)–L–cysteinyl–D–(–)–isoleucine into penicillins, 917–19
On the possible role of the 3–methylene isomer of deacetoxycephalosporin C in the biosynthesis of cephalosporins, 934–6
Structure of thiobiscephalosporolide–A, a macrolide from Cephalosporium aphidicola, 1006–7
On the proposed intermediacy of β–hydroxyvaline– and thiazepinone–containing peptides in penicillin biosynthesis, 1146–7
CERIC
Ruthenium dioxide hydrate; is it a redox catalyst?, 948–50
CERIUM
Syntheses of naphtho[2,3–c]pyran–5,10–quinones using ceric ammonium nitrate, 534–5
CESIUM
Selective reduction of carbonyl compounds by heterogeneous catalysis on salt surfaces, 121–2
Cesium fluoride–promoted Michael addition in heterogeneous catalysis, 122–3
Cesium fluoroxysulfate as a mild fluorinating agent for the fluorination of alkoxy–substituted benzene and naphthalene derivatives, 148
Room temperature fluorination of alkenes with cesium fluoroxysulfate, 795–6
X–ray crystal structure of cesium hydrogen bis(monofluorosulfate) with a very short hydrogen bond, 1036–7
CHAIN
Stereoselective introduction of hydroxy–groups into the 24–, 25–, and 26–positions of the cholesterol side chain, 115–17
Electron–transfer chain (ETC) promotion of aromatic substitution reactions. Entry into the $S_{ON}2$ mechanism via ipso radical attack, 133–4
Chain–ring interconversion in metasilicates, 662–3
CHALCONE
Ranks of carbon leaving groups in alkene–forming elimination, 553–4
CHARGE
Use of synthetic surfactant vesicles as electron storage systems, 183–4
Promotion of charge–transfer complex formation by γ–cyclodextrin 340
Fluorescence from the intramolecular charge–transfer state of aromatic silanes, 405–6
Arsenic pentafluoride radical anion intermediate in the charge–transfer interaction with donors, 701–2
Synthesis of $\Delta^{2,2'}$–bithieno[3,4–d]–1,3–dithiole (DTTTF) and some of its charge–transfer salts, 920–1
Trapping of an inner–sphere charge–transfer triplet state in a single crystal of a uranyl complex, 1019–20
The charge distribution in complexes having molybdenum–molybdenum or chromium–chromium quadruple bonds, studied by gas–phase x–ray photoelectron spectroscopy, 1027–8
CHELATE
Improvement of optical purity of metal tris(1,10–phenanthroline) chelates by use of adsorption on a colloidal clay, 539–40
CHELATION
The phosphinoethylsilyl group as a bifunctional chelate. Asymmetric induction at platinum(II), 937–9
CHEMILUMINESCENCE
Chemiluminescence in oriented systems. Chemiluminescence of lucigenin in model–membrane structures, 1082–3
CHEMISORPTION
Hydrogen–deuterium kinetic isotope effect in carbon monoxide hydrogenation over ruthenium/silicon dioxide, 92–3
Nitrogen chemisorption on reduced titania and titania–supported nickel catalysts, 965–6
CHERYLLINE
Cyclization of ortho–halogenated N–acylbenzylamines: a formal synthesis of (±)–cherylline, 1074–5
CHIRAL
Effective method for the asymmetric synthesis of bis–β–lactams by the cycloaddition of azidoketene to benzylideneamines bearing a chiral β–lactam backbone, 344–6
New octahedral, asymmetric iron carbonyl complexes, 1071–2
Preparation of (–)–(7R)–7–acetyl–7–hydroxy–4,4–dimethoxy–5,6,7,8–tetrahydronaphthalen–1(4H)–one, a chiral AB–synthon for anthracycline synthesis, 1100–1
Stereoselective adsorption on a clay surface modified by an optically active nickel(II) tris(1,10–phenanthroline) chelate, 1128–9
CHLORIDE
A reappraisal of the heat capacity of activation and enthalpy of activation for tert–butyl chloride in water–ethyl alcohol mixtures 13–14
Asymmetric synthesis of β–lactams, 57–8
Palladium–promoted 1,4–cycloamination of 1,3–dienes to pyrroles, 59–61
A zirconocene(IV) chloroalkyl and dialkyl containing chiral α–carbon atoms, $[Zr(\eta\text{–}C_5H_5)_2(R^*)(X)]$ [$R^* = CH(SiMe_3)C_6H_4$–Me–o, X = Cl or R^*]: synthesis, stereoisomerism, and d^1 reduction products, 173–5
Synthesis and chemistry of 2–trimethylsilylbenzocyclobutenones, 179–80
Use of synthetic surfactant vesicles as electron storage systems, 183–4
Intramolecular bromoalkoxylation: synthesis of 2–bromomethyl–2–methyl crown ethers, 219
2–Hydroxyethanesulfonyl chloride: a sulfonyl chloride with a primary hydroxy–group, 295–6
A link between photoreduction and photosubstitution of chloroaromatic compounds, 436–7
Visible light–induced oxidation of water and of chloride ions in photoelectrochemical cells, 437–40
A metallotricycle: synthesis, one–electron reduction, and crystal structure of the thermally robust complex tris–o–xylidenetungsten(VI), 485–6
Use of carbohydrates in the preparation of optically active sulfoxides, 505–6
A novel route to 2–substituted 1,2–benzisothiazol–3(2H)–ones, 510–11
Methyl and silyl halide radical anions: an ab initio study, 515–16
Differentiation of spectra as a means of resolving spin–forbidden bands: iron(III) complexes, 518–20
Solid–state silicon–29 NMR and high–resolution electron microscopic studies of a silicate analog of faujasite, 570–1
Synthesis with silicon templates: preparation of macrocyclic amides 634–5
New intercalates of graphite: tin–119 Moessbauer spectroscopy and x–ray diffractometry of lamellar compounds containing trimethyltin chloride and tin tetrachloride, 677
Pyridine N–sulfides. Some simple N–arylthiopyridinium salts and a possible source of arylsulfenium ions, 703–4

CHLORIDE(contd)
N,N–diacyl arylsulfenamides as an unambiguous and convenient source of arylsulfenium ions, 704–5
Micellar control of intramolecular eximer formation of bound substrates, 759–60
Far–infrared spectra of aqueous solutions of thallium(III) chloride complexes, 772–3
'Organic metals.' Reaction of ferric chloride with polyacetylene, $(CH)_x$, and poly(p–phenylene), $(p\text{–}C_6H_4)_x$, 783–4
Variable temperature Raman spectra of phosphorus(V) chloride and bromide deposited at 15 K, 812–14
Solid–state photopolymerization of unsaturated organic cations in layer perovskite halide salts, 921–2
A novel oxidative insertion of a metal center into a degraded closo–borane cluster; crystal and molecular structure of a ten–vertex iso–nido iridacarbadecaborane, 933–4
Chiral diaza–18–crown–6 derivatives, 992–4
Associative substitution reactions of rhenium pentacarbonyl radical 1052–3
ipso–Attack in the hydroxylation of o– and p–xylene using bis(trimethylsilyl) peroxide and aluminum chloride, 1079–80
A simple, new preparation of α,α–dimethylallyltrimethylsilane: a useful prenylation reagent, 1094–5
Role of a copper complex in an oxygen atom transfer reaction from dioxygen to triphenylphosphine, 1109–10
A new class of diosmium(IV) complexes containing both oxide and carboxylate bridges, 1120–1
A novel carbon dioxide complex: synthesis and crystal structure of $[Nb(\eta\text{–}C_5H_4Me)_2(CH_2SiMe_3)(\eta^2\text{–}CO_2)]$, 1145–6
Use of the bis(trimethylsilyl)cyclopentadienyl ligand for stabilizing early (f^0–f^3) lanthanocene chlorides. X–ray structure of dichlorodi[η–bis(trimethylsilyl)cyclopentadienyl]dipraesodymium and of isoleptic scandium and ytterbium complexes, 1190–1
Surprising reactivity of very crowded phosphinic derivatives, 1197–8
CHLORIN
Synthetic routes to C–methylated chlorins, 524–6
CHLORINATION
Optically active trifluoromethylcarbinols as chiral solvating agents for asymmetric transformations at a ring–nitrogen atom, 588–90
α–Chlorination with carbon tetrachloride and α–hydrogen/deuterium exchange with deuteriochloroform of amidines, 998–9
CHLORINE
A new method for the chemical modification of polymers, 522–3
Organometallic complexes of the Group 3A and lanthanoid metals containing $M(\mu\text{–}Cl)_2Li$ bridging units. The x–ray structure of $[Nd[\eta\text{–}[C_5H_3(SiMe_3)_2]]_2(\mu\text{–}Cl)_2Li(THF)_2]$ (THF = tetrahydrofuran), 1191–3
CHLORO
A reappraisal of the heat capacity of activation and enthalpy of activation for tert–butyl chloride in water–ethyl alcohol mixtures 13–14
Unusual structure and novel fluxional rearrangements in the s–trithian complex $[(Me_3PtCl)_2(SCH_2SCH_2SCH_2)]$; x–ray crystal structure determination, 29–30
The detection of unstable monomeric selenidoborons: chloroselenidoboron. ClB=Se, 353–4
Solvolysis of syn– and anti–N–chloro–1,4–dihydro–1,4–iminonaphthalenes, 1028–30
The crystal structures of propane–1,3–diammonium tetrachlorochromate(II), a sheet ferromagnet, and bis(dimethylammonium) tetrachlorochromate(II), an antiferromagnetic compound containing isolated $[Cr_3Cl_{12}]^{6-}$ units, 1046–7
Bridging by carbonyl vs. halide ligands: x–ray crystal structure of bis(tetrabutylammonium) di–μ–carbonyltetrachlorodipalladium, 1077–9
Selective reaction of silyl enol ethers with α–chloro sulfides containing a ketone group, 1106–7
CHLOROACETONITRILE
Synthesis of mercaptoacetonitrile under mild conditions, 569–70
Photochemical aromatic cyanomethylation, 817–18
CHLOROALKANE
MNDO SCF–MO calculations of kinetic isotope effects for dehydrochlorination reactions of chloroalkanes, 939–40
CHLOROALKYL
Novel alumina–catalyzed reactions of arylthioalkyl halides, 87–8
A zirconocene(IV) chloroalkyl and dialkyl containing chiral α–carbon atoms, $[Zr(\eta\text{–}C_5H_5)_2(R^*)(X)]$ [$R^* = CH(SiMe_3)C_6H_4$–Me–o, X = Cl or R^*]: synthesis, stereoisomerism, and d^1 reduction products, 173–5
CHLOROALKYLBUTANOLIDE
Facile synthesis of 4–alkylidenebut–2–enolides by double dehydrochlorination of 2,2–dichloro–4–alkylbutanolides, 815–16
CHLOROAZABICYCLONONENE
α–Chlorination with carbon tetrachloride and α–hydrogen/deuterium exchange with deuteriochloroform of amidines, 998–9
CHLOROAZIRIDINE
Optically active trifluoromethylcarbinols as chiral solvating agents for asymmetric transformations at a ring–nitrogen atom, 588–90
CHLOROBENZOATE
The absolute configurations of anti–benzene and anti–naphthalene 1,2:3,4–dioxides, 974–6
4–Tricyclyliodonium bis(m–chlorobenzoate): a stable aliphatic trivalent iodine diester, 1250–1
CHLOROBENZOQUINONE
Preparation and crystal structure determination of a diphosphorus compound with a direct λ^5phosphorus–λ^4phosphorus bond, 609–10
CHLOROBISTRIMETHYLSILYLCYCLOPENTADIENYLDIPRAESODYMIUM
Use of the bis(trimethylsilyl)cyclopentadienyl ligand for stabilizing early (f^0–f^3) lanthanocene chlorides. X–ray structure of dichlorodi[η–bis(trimethylsilyl)cyclopentadienyl]dipraesodymium and of isoleptic scandium and ytterbium complexes, 1190–1
CHLOROBUTANEDIONE
A new route to 3–alkoxypyridine 1–oxides, 696–8
CHLOROCHROMATE
The crystal structures of propane–1,3–diammonium tetrachlorochromate(II), a sheet ferromagnet, and bis(dimethylammonium) tetrachlorochromate(II), an antiferromagnetic compound containing isolated $[Cr_3Cl_{12}]^{6-}$ units, 1046–7
CHLOROCYCLOTRIPHOSPHAZENE
Formation of bicyclic phosphazenes via the reactions of methyl– and phenylmagnesium chloride with hexachlorocyclotriphosphazene, 852–3
CHLORODIAZABICYCLOUNDECENE
α–Chlorination with carbon tetrachloride and α–hydrogen/deuterium exchange with deuteriochloroform of amidines, 998–9
CHLORODIMETHYLPHENYL
[2+2]–Cycloaddition of a stabilized vinyl cation with cyclopentadiene: x–ray crystal structure of the 2:1 addition product, 683–4
CHLORODIMETHYLPHENYLPENTACYCLOTRIDECENE
[2+2]–Cycloaddition of a stabilized vinyl cation with cyclopentadiene: x–ray crystal structure of the 2:1 addition product, 683–4
CHLORODIPHENYLAZIRIDINE
Optically active trifluoromethylcarbinols as chiral solvating agents for asymmetric transformations at a ring–nitrogen atom, 588–90
CHLOROETHENE
Photoassisted isomerization of olefins by platinum complexes, 542–3
CHLOROETHOXYCARBONYLPHOSPHONATE
Silyl phosphite equivalents: 2,2,2–trichloroethoxycarbonylphosphonates, 970–1
CHLOROFORMATE
Chloroformate ester–induced reductive 1,2–bond cleavage of some 1,2,3,4–tetrahydro–β–carboline derivatives, 1209–10
CHLOROIMINIUM
Asymmetric synthesis of β–lactams, 57–8
CHLOROIMINONAPHTHALENE
Solvolysis of syn– and anti–N–chloro–1,4–dihydro–1,4–iminonaphthalenes, 1028–30
CHLOROKETENE
Reactions of trimethylsilylthiazoles with ketens: a new route to regioselective functionalization of the thiazole ring, 655–6
CHLOROMERCURATION
Regioselective mercuration of an estradiol derivative: a facile entry to 2–substituted estrogens, 217
CHLOROMETHYL
Novel alumina–catalyzed reactions of arylthioalkyl halides, 87–8
[2+2]–Cycloaddition of a stabilized vinyl cation with cyclopentadiene: x–ray crystal structure of the 2:1 addition product, 683–4
CHLOROMETHYLENE
Three new β,γ–methylene analogs of adenosine triphosphate, 1188–90
CHLOROMETHYLETHANE
A reappraisal of the heat capacity of activation and enthalpy of activation for tert–butyl chloride in water–ethyl alcohol mixtures 13–14

CHLOROMETHYLPHENYLBUTYNE
[2+2]–Cycloaddition of a stabilized vinyl cation with cyclopentadiene: x–ray crystal structure of the 2:1 addition product, 683–4
CHLOROMETHYLPLATINUM
Unusual structure and novel fluxional rearrangements in the s–trithian complex $[(Me_3PtCl)_2(SCH_2SCH_2SCH_2)]$; x–ray crystal structure determination, 29–30
CHLOROMETHYLPLATINUMTHIANE
Unusual structure and novel fluxional rearrangements in the s–trithian complex $[(Me_3PtCl)_2(SCH_2SCH_2SCH_2)]$; x–ray crystal structure determination, 29–30
CHLOROMETHYLPYRAZINEDIONE
Photorearrangement of 5,6–dichloro–1,4–dihydro–1,4–dimethylpyrazine–2,3–dione and its further reactions, 743–4
CHLOROMETHYLSULFINYLAZETIDINONE
A stereospecific synthesis of (4R)–alkoxyazetidin–2–ones, 959–60
CHLOROOXOTUNGSTEN
A metallotricycle: synthesis, one–electron reduction, and crystal structure of the thermally robust complex tris–o–xylidenetungsten(VI), 485–6
CHLOROPERBENZOATE
4–Tricyclyliodonium bis(m–chlorobenzoate): a stable aliphatic trivalent iodine diester, 1250–1
CHLOROPERFLUOROTETRAMETHYLENESULFILIMINE
Perfluoro(tetramethylene)sulfilimine and its N–chloro– and N–bromo–derivatives. Perfluoro(tetramethylene)sulfoximine and its N–chloro–derivative, 242–3
CHLOROPERFLUOROTETRAMETHYLENESULFOXIMINE
Perfluoro(tetramethylene)sulfilimine and its N–chloro– and N–bromo–derivatives. Perfluoro(tetramethylene)sulfoximine and its N–chloro–derivative, 242–3
CHLOROPHENYLPHOSPHINETETRACARBONYL
Synthesis and molecular structure of $[Rh_3(\mu\text{–}PPh_2)_3(\mu\text{–}Cl)_2(\mu\text{–}CO)(CO)_3]$, a unique triangular rhodium cluster derivative, 407–8
CHLOROPHENYLPHOSPHINETETRACARBONYLRHODIUM
Synthesis and molecular structure of $[Rh_3(\mu\text{–}PPh_2)_3(\mu\text{–}Cl)_2(\mu\text{–}CO)(CO)_3]$, a unique triangular rhodium cluster derivative, 407–8
CHLOROSELENIDOBORON
The detection of unstable monomeric selenidoborons: chloroselenidoboron. ClB=Se, 353–4
CHLOROSILYL
The reaction of trichlorosilyl radicals with cyclohexyl octyl ether. An S_H2 reaction at an ether oxygen atom, 956–7
CHLOROTETRAPHENYLPORPHYRINATOCHROMIUM
ESR evidence for chromium(V) porphyrinates, 1165–6
CHLOROTHIOPHENYL
Model studies on the synthesis of milbemycin β_3, 556–7
CHLOROTRIMETHYLSILANE
Silyl phosphite equivalents: 2,2,2–trichloroethoxycarbonylphosphonates, 970–1
CHOLANATE
Remote hydroxylation of a steroid D–ring by a free–radical process 1086–7
CHOLECALCIFEROL
Structure and synthesis of 25–hydroxycholecalciferol–26,23–lactone, a metabolite of vitamin D_3, 424–5
CHOLESTENETRIOL
Synthesis and determination of the configuration of 23,25–dihydroxyvitamin D_3, a new metabolite of vitamin D_3. X–ray crystal structure of a 3,23,25–triol precursor, 1157–9
CHOLESTENONE
Stereoselective introduction of hydroxy–groups into the 24–, 25–, and 26–positions of the cholesterol side chain, 115–17
CHOLESTEROL
Stereoselective introduction of hydroxy–groups into the 24–, 25–, and 26–positions of the cholesterol side chain, 115–17
CHORIONIC
Synthesis of a tetratriacontapeptide corresponding to sequence 112–145 of the β–subunit of human chorionic gonadotropin, 357–8
CHROMAN
A hydroperoxychroman with insect antifeedant properties from an African shrub. Characterization of fully–substituted aromatic structures, 1271–2
CHROMATE
Complex containing the bridging formazanido(3–) ligand. Synthesis and x–ray crystal structure of $[(WBr(1,2\text{–bis(diphenylphosphino)ethane})_2)_2(\mu\text{–}CH(N_2)_2)]^+\text{–}[Cr(NH_3)_2(NCS)_4]^-.1/3CH_2Cl_2$, 85–7
The crystal structures of propane–1,3–diammonium tetrachlorochromate(II), a sheet ferromagnet, and bis(dimethylammonium) tetrachlorochromate(II), an antiferromagnetic compound containing isolated $[Cr_3Cl_{12}]^{6-}$ units, 1046–7
CHROMATOG
Optical resolution of mutagenic and carcinogenic derivatives of polyaromatic hydrocarbons by high pressure liquid chromatography on a chiral support, 75–6
Partial resolution of tris(acetylacetonato)ruthenium(III) on a liquid chromatography column of Δ–tris(1,10–phenanthroline)nickel(II) montmorillonite, 1168–9
CHROMIUM
New design of highly active, paired chromium structures on solid surfaces for propene hydrogenation, 140–2
The autoxidation of a chromium(II) porphyrin. Synthesis and structural characterization by x–ray crystallography of $\alpha\beta\gamma\delta$–tetraphenylporphinatooxochromium(IV), 370–1
Electron spin resonance investigation of the thermolysis, photolysis, and oxygenation of bi– and trimetallic organochromium complexes, 531–2
2,2–Dithiocarboxylation of a chromium coordinated 1,3–dithiane. X–ray crystal structure of fac–tricarbonyl(diethyl 1,3–dithiane–2,2–bisdithiocarboxylato)chromium, 749–50
The charge distribution in complexes having molybdenum–molybdenum or chromium–chromium quadruple bonds, studied by gas–phase x–ray photoelectron spectroscopy, 1027–8
ESR evidence for chromium(V) porphyrinates, 1165–6
Electrochemistry of six–coordinate chromium(III) porphyrins, 1212–14
Regioselective lithiation and substitution of tricarbonyl(η^6–1–methylindole)chromium(0): x–ray crystal structure analysis of tricarbonyl(η^6–1–methyl–2–trimethylsilyl–7–ethoxycarbonylindole)chromium(0), 1260–2
Benzylic functionalization of arene(tricarbonyl)chromium complexes, 1264–5
CHROMONE
Novel synthesis of 3–alkyl–2–phenoxychromones involving an intramolecular Wittig reaction of carbonates, 282–3
Synthesis of demethoxycapillarisin, a naturally occurring 2–phenoxychromone, and related compounds, 474–5
CHRYSENE
Thermal racemization of a chiral arene oxide metabolite: chrysene 3,4–oxide, 838–9
CIDNP
CIDNP from a 1,4–biradical in the Norrish type II photoreaction of valerophenone, 499–501
CINNAMATE
Modification of pathways for cathodic reduction via complexation with β–cyclodextrin, 492–4
Active metals from potassium–graphite. Palladium–graphite–catalyzed vinylic substitution reactions, 541–2
Stereoselective synthesis of α,β–unsaturated esters, 877–8
Electrochemical carbon–carbon bond formation: synthesis of new substituted butadienes, 1040–1
CINNAMOLIDE
Synthesis of cinnamolide and polygodial, 507–8
CIS
Acid catalysis induces a total change from retention to inversion of configuration in carbon dioxide elimination from β–lactones, 891–2
CITRACONIC
Photocycloaddition of 2,5–dihydrothiophene SS–dioxides to α,β–unsaturated cyclic anhydrides. Synthesis of 10–hydroxygeraniol, 752–3
CLAISEN
Rearrangement of a 2–aryloxycyclohex–2–enone. A new enolate Claisen rearrangement?, 224–5
CLAVULANATE
Wittig reactions with β–lactam carbonyls: a convenient means of protection. X–ray crystal structure of p–nitrobenzyl–(2R,5R)–Z–7–methoxycarbonylmethylene–Z–3–(β–phthalimidoethylidene)–4–oxa–1–azabicyclo[3.2.0]heptane–2–carboxylate, 929–30
CLAY
Stereoselective adsorption on a clay surface modified by an optically active nickel(II) tris(1,10–phenanthroline) chelate, 1128–9

CLEAVAGE
Synthesis of coordinated trans–1,2–di(cycloheptatrienyl)ethylene, a new cyclooctatetraene dimer, and the x–ray crystal structure of an intermediate bisphosphonium salt $[Fe_2(CO)_2(\eta^4,\eta'^4\text{–}C_{16}H_{16}(PPh_3)_2)][PF_6]_2$, 17–18
Synthesis of the diterpenoid grayanol B from grayanotoxin II, 22
Formation of 3H–1,3–benzodiazepines from quinoline N–acylimides, 211–13
Photocyclization between allyltrimethylsilane and 1,4–naphthoquinone and ring cleavage of the resulting cyclobutane assisted by the trimethylsilyl group, 460–1
Dehydrogenation of cyclic and bicyclic secondary alkyl peroxides during flash vacuum pyrolysis, 547–9
Ring cleavage of 3–azidothiophenes; a novel extrusion of acetylene, 550–1
Photoreactions of dispiro[naphthalene–1,2'–naphtho[2,1–b]pyran–3',1''–naphthalene]–2(1H),2''(1''H)–dione. A novel case of β–carbon–carbon cleavage in an enone, 557–9
On the mechanism of base–catalyzed alkane–forming reactions of simple alkylcobaloximes, 598–9
Oxygenation of 3–hydroxyflavones by superoxide anion, 745
Synthesis of γ–oxyprotoporphyrin IX and pterobiline (biliverdin IXγ), 763–4
Redox enzyme models. Catalysis of the cathodic cleavage of benzyl esters via complexation with a substituted β–cyclodextrin, 792–3
Dye–sensitized photooxygenation of tryptophan to give N'–formylkynurenine, 855–6
Triorganotin hydride reduction of 6β–isothiocyanatopenicillanates: a radical–induced sulfur–C(2) bond cleavage, 901–2
The phosphinoethylsilyl group as a bifunctional chelate. Asymmetric induction at platinum(II), 937–9
Silyl phosphite equivalents: 2,2,2–trichloroethoxycarbonylphosphonates, 970–1
Organic photochemistry in the far–ultraviolet: unusual wavelength dependence in solution–phase irradiations, 973–4
Photooxidation of 1,3–dimethylpyrazolo[1,2–a]benzotriazole, 1089–91
Oxidative cleavage of peptide and protein disulfide bonds by gold(III): a mechanism for gold toxicity, 1111–14
Approaches to the synthesis of bicyclomycin, 1126–8
Surprising reactivity of very crowded phosphinic derivatives, 1197–8
Chloroformate ester–induced reductive 1,2–bond cleavage of some 1,2,3,4–tetrahydro–β–carboline derivatives, 1209–10
A catalytic method for α–glycol cleavage, 1232–3
On anchimerically assisted homolysis via sulfide functions, 1238–9
CLEAVED
Formation of 3H–1,3–benzodiazepines from quinoline N–acylimides, 211–13
CLOSURE
Novel rearrangement of an (η^4–2–pyrone)iron complex, 22–5
Cycloaddition reactions of 2–(indol–2–yl)acrylates and N–alkoxycarbonyl–1,2–dihydropyridine: new synthesis of desethylcatharanthine, 37–9
A novel route to 2–substituted 1,2–benzisothiazol–3(2H)–ones, 510–11
1,2–Oxathiolane, a simple sultene, 741–2
1,2–Oxathiolane, 742–3
A novel photochemical route to functionalized β–lactams, 880
Cyclization of ortho–halogenated N–acylbenzylamines: a formal synthesis of (±)–cherylline, 1074–5
Pyrolysis of phenylalkylsulfonyl azides and 2–phenethyl azidoformate. Selectivity of sulfonylnitrenes and contrast between sulfonyl– and carbonylnitrenes, 1087–8
CLUSTER
Synthesis and structural characterization of a novel paramagnetic trigonal bipyramidal cluster, $(\eta^5\text{–}C_5H_5)_5V_5O_6$, 28–9
An enneanuclear nickel sulfide with a confacial bioctahedral geometry: x–ray crystal structure of $[Ni_9(\mu_4\text{–}S)_3(\mu_3\text{–}S)_6(PEt_3)_6][BPh_4]_2$, 47–8
Interaction of alkyl halides with the diironoctacarbonylate anion: the crystal structures of the tetraethylammonium salts of the μ–acetylC^1(Fe^1,Fe^2)O(Fe^1,Fe^3)nonacarbonyl–triangulo–triferrate and μ_2–carbonylnonacarbonyl–μ_3–2,4–dioxapentylidyne–triangulo–triferrate anions, 189–91
Synthesis and x–ray structural characterization of the centered icosahedral gold cluster compound $[Au_{13}(PMe_2Ph)_{10}Cl_2](PF_6)_3$; the realization of a theoretical prediction, 201–2
Synthesis and x–ray characterization of an iodine–bridged tetranuclear gold cluster, di–μ–iodo–tetrakis(triphenylphosphine)–tetrahedro–tetragold, 222–3
Stable homopolyatomic anions: the tetrastannide(2–) and tetragermanide(2–) anions, Sn_4^{2-} and Ge_4^{2-}. X–ray crystal structure of $[K^+(crypt)]_2Sn_4^{2-}$.ethylenediamine, 236–7
Products of the reaction of carbon monoxide with octadecacarbonylhexaosmium; x–ray crystal structure of nonadecacarbonylpentaosmium, 273–4
Carbon–13 NMR spectra of highly ^{13}CO–enriched metal carbonyls: observation of $^2J_{CC}$ cis coupling constants, 300–2
Synthesis and x–ray crystal structure of a 1,1–dithiolate cluster compound containing a cube of eight Ag(I) atoms, $[Ag(I)_8[S_2C\text{:-}C(CN)_2]_6]^{4-}$, 322–4
Carbon–13 NMR study of rhodium carbonyl clusters under high pressures of carbon monoxide/hydrogen, 331–2
Synthesis and molecular structure of $[Rh_3(\mu\text{–}PPh_2)_3(\mu\text{–}Cl)_2(\mu\text{–}CO)(CO)_3]$, a unique triangular rhodium cluster derivative, 407–8
$Ru_4(CO)_{10}(C{:}CHCHMe_2)(OH)(PPh_2)$: a tetranuclear ruthenium carbonyl cluster with μ_4–vinylidene and face–bridging hydroxo groups. X–ray crystal structures of $Ru_4(CO)_{10}(C{:}CHCHMe_2)(OR)(PPh_2)$ (R = H or Et), 476–7
An octanuclear iridium carbonyl cluster based on two equivalent tetrahedral units. Synthesis and x–ray characterization of bis(tetraphenylphosphonium) hexa–μ–carbonylhexadecacarbonyl–ditetrahedro–octairidate(2–), 528–9
Synthesis and x–ray characterization of the novel $[Rh_{10}S(CO)_{10}(\mu\text{–}CO)_{12}]^{2-}$ anion; a bicapped square–antiprismatic cluster containing an interstitial sulfur atom, 563–5
Synthesis of a new heteronuclear gold–cobalt cluster. Preparation and x–ray structure determination of tetrakis(triphenylphosphine)bis(tetracarbonylcobalt)hexagold, 583–4
A novel paramagnetic octahedral iron cluster: synthesis and x–ray structural characterization of hexakis(triethylphosphine)–μ_3–octasulfurhexairon tetraphenylborate, 640–1
Synthesis, dynamic behavior, and molecular structures of μ–methylene platinumtriosmium complexes: x–ray crystal structures of two isomers of $[Os_3Pt(\mu\text{–}H)_2(\mu\text{–}CH_2)(CO)_{10}(P(C_6H_{11})_3)]$, 689–91
Rhodium–platinum cluster compounds. Relationships with olefin–platinum complexes and x–ray crystal structures of $[PtRh_4(\mu\text{–}CO)_4(\eta\text{–}C_5Me_5)_4]$ and $[PtRh_2(\mu\text{–}H)(\mu\text{–}CO)_2(CO)(PPh_3)(\eta\text{–}C_5Me_5)_2][BF_4]$, 869–71
Reaction of $[Os_5(CO)_{15}H_2]$ with acetylenes; x–ray crystal structures of $[Os_5(CO)_{15}H_2(CCPh)]$ and $[Os_5(CO)_{13}(PhCCPh)_2]$, 886–8
Synthesis and x–ray structural characterization of $Rh_4(\mu\text{–}CO)_4(\mu\text{–}SO_2)_3[P(OPh)_3]_4.{}^1\Psi 2C_6H_6$: a 'butterfly' cluster with an unusual bridging mode for sulfur dioxide, 963–5
Conversion of a bridged vinylalkylidene complex into cluster complexes of cobalt, iron, and manganese: x–ray crystal structures of $[Fe_3(CO)_6(\mu\text{–}CO)_2(\mu_3\text{–}CMe)(\eta\text{–}C_5H_5)]$ and $[FeCo_3(CO)_7(\mu\text{–}CO)_2(\mu_4C{:}CH_2)(\eta\text{–}C_5H_5)]$, 966–8
New palladium cluster compounds. X–ray crystal structure of $Pd_{10}(CO)_{12}(PBu_3)_6$, 989–90
Reversible osmium–osmium bond breaking in the high nuclearity carbido–dianion $[Os_{10}C(CO)_{24}]^{2-}$ on reaction with halogens: x–ray structure analysis of $[(Ph_3P)_2N][Os_{10}C(CO)_{24}I]$ and $Os_{10}C(CO)_{24}I_2$, 1009–11
Cluster chemistry. Synthesis and x–ray structure of $[Ru_5(CO)_{14}(C\text{-}NCMe_3)_2]$, containing an unusual open Ru_5 cluster, 1070–1
Synthesis and reactivity of bimetallic gold–silver complexes. X–ray structure of a chain polymer containing the moiety ...$(F_5C_6)_2Au(\text{-}\mu\text{–}AgSC_4H_8)_2Au(C_6F_5)_2$..., 1097–8
Polyhydridoplatinum clusters: synthesis and x–ray crystal structures of tris(tri–tert–butylphosphine)hexahydridotriplatinum, tetra(tri–tert–butylphosphine)dihydridodiplatinum, and tetra(diisopropylphenylphosphine)octahydridotetraplatinum, 1104–6
Synthesis and x–ray crystal structure determination of the cationic gold cluster compound $[Au_8(PPh_3)_7](NO_3)_2$, 1218–19
Synthesis and x–ray characterization of the high–nuclearity $[Rh_{17}(\mu_3\text{–}CO)_3(\mu\text{–}CO)_{15}(CO)_{12}]^{3-}$ anion containing a tetracapped twinned cuboctahedral cluster, 1280–2
COAL
Volcano–shaped relation between heats of oxide formation of metals and coal–liquefaction activities of liquid–metal catalysts, 721–2
COBALAMIN
Evidence for a novel mechanism of the 1,2–bond shift rearrangements catalyzed by coenzyme–B_{12}, 686–8
COBALOXIME
On the mechanism of base–catalyzed alkane–forming reactions of

COBALOXIME(contd)
simple alkylcobaloximes, 598–9
COBALT
Evidence for heterolytic fission of hydrogen by cobalt cyanide complexes, 33–4
Preparation and crystal and molecular structure of two trialkylamine adducts of tetracarbonylcobalt hydride showing a preferential trialkylammonium–tetracarbonylhydridocobaltate interaction, 181–3
A rapid porphyrin metalation, 192–4
X-ray structure of the reversible dioxygen adduct of [N,N'-(3,3'-dipropylmethylamine)bis(salicylideneaminato)cobalt(II)]: unusual presence of both dioxygenated and nondioxygenated complex molecules in the crystal, 196–8
Regioselective electroreduction of the cationic methoxycarbonylcobalticinium complex $[Co(\eta\text{–}C_5H_4CO_2Me)(\eta\text{–}C_5H_5)]^+$, 219–20
Electron–induced nucleophilic substitution reactions in organometallic systems, 265–6
Circular dichroism spectra of some trigonal–bipyramidal complexes 296–7
Synthesis, characterization, and chemical transformation of diiminosuccinonitrile cobalt complexes: x-ray crystal structure of cyanobis(diiminosuccinonitrile)cobalt, 329–30
Electron exchange rates of cobalt tetraarylporphines, 332–3
New type of σ–organocobalt complexes: salts of alkyl–mer–[N–(2–aminoethyl)–7–methylsalicylideneaminato](ethylenediamine)cobalt(III). Preparation, characterization, and x-ray crystallographic evidence for structure, 441–2
Oxygen–18 exchange of μ–peroxodicobalt(III) complexes, 469–71
Synthesis of a new heteronuclear gold–cobalt cluster. Preparation and x-ray structure determination of tetrakis(triphenylphosphine)bis(tetracarbonylcobalt)hexagold, 583–4
On the mechanism of base–catalyzed alkane–forming reactions of simple alkylcobaloximes, 598–9
Closo–carbametallaboranes from direct insertion into nido–carbaboranes: the molecular structures of $[6,6\text{–}(Et_3P)_2\text{–}1,2,6\text{–}C_2CoB_7H_9]$ and $[1,1\text{–}(Et_3P)_2\text{–}1,2,4\text{–}CoC_2B_8H_{10}]$, 652–3
Closo–carbametallaboranes with metal–hydrogen bonds from direct insertion into arachno–carbaboranes: the molecular structures of $[2\text{–}H\text{–}2,2\text{–}(Et_3P)_2\text{–}1,6,2\text{–}C_2CoB_7H_9]$ and $[2\text{–}H\text{–}2,2\text{–}(Et_3P)_2\text{–}1,6,2\text{–}C_2RhB_7H_9]$, and a most unusual crystallographic coincidence, 653–5
X-ray crystal structure of $[N(CH_2CH_2PPh_2)_3]_2Co_2(\mu\text{–}Hg_2)$: the dimeric Hg_2^{2+} ion forms a linear bridge between the two cobalt atoms, 865–6
Synthesis and structure of a chiral sulfinamidocobalt(III) complex derived from (R)–cysteine, 875–7
Nitrosyl–bridged cyclopentadienylcobalt and –rhodium cations, 897–9
Conversion of a bridged vinylalkylidene complex into cluster complexes of cobalt, iron, and manganese: x-ray crystal structures of $[Fe_3(CO)_6(\mu\text{–}CO)_2(\mu_3\text{–}CMe)(\eta\text{–}C_5H_5)]$ and $[FeCo_3(CO)_7(\mu\text{–}CO)_2(\mu_4C\text{:}CH_2)(\eta\text{–}C_5H_5)]$, 966–8
Preparation and crystal structure of μ–carbonyl–OC–bis(pentamethylcyclopentadienyl)(tetrahydrofuran)ytterbium(III)tricarbonylcobalt(I); a Yb–OC–Co linkage, 985–6
Pressure effect on the rate of outer–sphere electron–transfer within the ion–pair between μ–ethylenediaminetetraacetatodi–μ–oxobis[oxomolybdate(v)] and μ–hyperoxobis[pentaamminecobalt(III)] ions, 1135–6
Protonation of tolylidyne ligands bridging tungsten–cobalt and –platinum bonds; reactivity of the cationic dimetal μ–carbene complexes produced, and x-ray crystal structures of $[PtW(\mu\text{–}\eta^1,\eta^3\text{–}CH(C_6H_4Me\text{–}4))(CO)_2(PMe_3)_2(\eta\text{–}C_5H_5][BF_4]$, $[PtW(\mu\text{–}H)(\mu\text{–}CH(C_6H_4Me\text{–}4))(CO)_2(PMe_3)_2(\eta\text{–}C_5H_5)]$, and $[CoW(\mu\text{–}\eta^1,\eta^3\text{–}C(C_6H_4Me\text{–}4)C(Me)C(Me)H)(\mu\text{–}CO)(CO)(\eta\text{–}C_5H_5)(\eta\text{–}C_5Me_5)][BF_4]$, 1255–8
COBALTICINIUM
Regioselective electroreduction of the cationic methoxycarbonylcobalticinium complex $[Co(\eta\text{–}C_5H_4CO_2Me)(\eta\text{–}C_5H_5)]^+$, 219–20
COCATALYST
Cooperative effects in the catalytic action of N–decanoyl–L–histidine in micelles, 393–4
COCONDENSATION
Synthesis and x-ray crystal structure of the ring–functionalized bis–η–cyclopentadienylmolybdenum compound bis[η–(2–iodoethyl)cyclopentadienyl]molybdenum diiodide and of cyclo–bis(2–η–cyclopentadienylethyl)molybdenum, 156–8
CODIMERIZATION
Selective linear codimerization of acetylenes and buta–1,3–diene catalyzed by dihydridotetrakis(trialkylphosphine)ruthenium complexes, 496–7
COENZYME
Evidence for a novel mechanism of the 1,2–bond shift rearrangements catalyzed by coenzyme–B_{12}, 686–8
A synthetic phosphinate–phosphonate liponucleotide analog, 976–8
COMETATHESIS
Homogeneous metathesis of unsaturated nitriles, 1081–2
Cometathesis of methyl oleate and ethylene; a direct route to methyl dec–9–enoate, 1132–3
COMPD
Titanium–promoted allyl transfer to carbon monoxide and other unsaturated molecules, 342–4
Hydrogen uptake and hydrogenation activity of the rare earth intermetallic compound trimagnesiumsamarium treated with anthracene, 567
Symmetry and selectivity in the formation of inclusion complexes by macrotricyclic hosts, 990–2
A new reaction of pentacoordinate phosphorus derivatives: the formation of phosphinates from an oxazaphosph(V)ole and carbonyl compounds, 1054–5
Autorecycling system for reduction of carbonyl compounds to alcohols by 1,5–dihydro–5–deazaflavins, 1160–2
Surprising reactivity of very crowded phosphinic derivatives, 1197–8
Benzylic functionalization of arene(tricarbonyl)chromium complexes, 1264–5
Trifluoromethyl Group 2B compounds: formation of mono– and bis(trifluoromethyl)platinum, –palladium, and –nickel trialkylphosphine complexes from the reaction of bis(trifluoromethyl)cadmium–glyme 1:1 compound with the diligand metal dihalides, 1282–3
Crystal and molecular structure of a 2,6–tetradeca–O–methyl–β–cyclodextrin–adamantanol 1:1 inclusion complex, 1291–2
COMPLEMENTARITY
Dynamic properties of molecular complexes and receptor–substrate complementarity. Molecular dynamics of macrotricyclic diammonium cryptates, 833–6
COMPLEXATION
Interaction of monooxygen donors with porphinatoiron(III) complexes bearing electron–releasing meso–substituents, 293–5
Promotion of charge–transfer complex formation by γ–cyclodextrin 340
The induced kinetic isotope effect as a tool for mechanistic discrimination, 354–6
Synthesis and x-ray structural characterization of $[Me_4N]_3[[(SCH_2\text{-}CH_2S)MoS_3]_2Fe)$, the first example of a heteronuclear trimer containing molybdenum in a square–pyramidal geometry, 411–12
Facile phosphorus–carbon bond cleavage in the reactions of nitrile oxides with zerovalent triphenylphosphine platinum complexes, 446–8
An unusual bonding mode for a dithiocarboxylate ligand: a tetradentate interaction; x-ray crystal structure of the product of the reaction of nonacarbonyldiiron with 1,2–benzodithiole–3–thione, 513–14
Photo–acoustic spectroscopic evidence for site–site interactions in a bifunctional surface–bonded phase, 517–18
Synthesis and cation complexing of N,N'–bridged bis(1,4,7–trioxa–10–azacyclododecanes), 684–6
Formation of η^6–arene–closo–carbaferraboranes by the reaction of a closo–carbaborane with cyclooctadiene(η–cyclopentadienyl)iron in the presence of arenes: molecular structure of [closo–1–(η^6–PhMe)–2,4–Me_2–1,2,4–$FeC_2B_9H_9$], 871–2
Synthesis of a cation complexing doubly N,N'–bridged bis(1,7–dioxa–4,10–diazacyclododecane), 1084–6
Benzylic functionalization of arene(tricarbonyl)chromium complexes, 1264–5
COMPLEXITY
The bond graph, 818–20
COMPN
The surface composition of dealuminated zeolites, 422–4
Electronic ligand effects in nickel alloy catalysts, 845–7
COND
A new one–dimensional 'metal' with conduction through bis(dicyanoethylenedithiolato)platinum anions, 67–8
Conductive mixed halide adducts of tetrathiafulvalene obtained by electrocrystallization, 378–9
Intercalation of tetrathiafulvalene into iron oxychloride, 382–3

CONDENSATION
New synthesis of 6–alkylpenicillanic acid derivatives, 10–11
New synthesis of indoles from o–acylaminobenzyltriphenylphosphonium salts, 14–15
Synthesis of 3β–methoxy–5α,14α–card–20(22)–enolide from 3β–methoxy–5α–androstan–17–one. A method for the construction of the cardenolide side–chain, 25–6
Intramolecular bromoalkoxylation: synthesis of 2–bromomethyl–2–methyl crown ethers, 219
Rearrangement of a 2–aryloxycyclohex–2–enone. A new enolate Claisen rearrangement?, 224–5
Carbon dioxide activation; formation of trans–$(Ph_3P)_2Rh(CO)(OCO_2H)$ in the reaction of carbon dioxide with $HRh(CO)(PPh_3)_3$–CO and the determination of its structure by x–ray crystallography, 268–9
Carbonylation of organic halides in the presence of terminal acetylenes: novel acetylenic ketone synthesis, 333–4
Synthesis of some branched trisaccharides using photolabile o–nitrobenzylidene acetals as temporary protecting groups, 362–3
An unequivocal synthesis of 1–benzyl–3–ethyl–1,6–dihydropyridine and its use for a biogenetically modeled synthesis of (±)–catharanthine, 389–91
New method for preparing βγ–unsaturated ketones: use of phenylselenoacetaldehyde, 434–6
A base–labile amine component in four–component condensation (4CC) synthesis, 491–2
Simple novel synthesis of the anthracyclinone system using a new modification of the Marschalk reaction and a carbohydrate as a chiral center source, 508–10
Model studies on the synthesis of milbemycin β_3, 556–7
Synthesis of ethyl 3–methyl–7–oxo–4–oxa–1–azabicyclo[3.2.0]hept–2–ene–2–carboxylate and the reaction of 4–acetoxyazetidin–2–one with ethyl α–diazoacetoacetate, 642–3
The direct conversion of α–olefins into vinyl– and allylsilanes catalyzed by rhodium complexes, 673–4
Chemical conversions using sheet silicates: novel intermolecular eliminations of hydrogen sulfide from thiols, 695–6
Efficient synthesis of the corticosteroid side chain from 17–ketones, 774–5
Simple route for elaboration of the hydroxy ketone and dihydroxyacetone side chains of corticosteroids from 17–oxo steroids, 775–7
Template effect of intramolecular hydrogen–bonding in the synthesis of [1.1.1]cryptates, 777–8
Synthesis of 6–cyano– and 6–carbamoylpurines and 6–carbamoyl–1,2–dihydropurines from N–methylacetonitrilium trifluoromethanesulfonate and diaminomaleonitrile, 788–9
Photochemical aromatic cyanomethylation, 817–18
Formation of bicyclic phosphazenes via the reactions of methyl– and phenylmagnesium chloride with hexachlorocyclotriphosphazene, 852–3
Synthesis and x–ray structure of an azathiabenzene derivative, a cyclic sulfimide, 927–8
Monofluoro– and difluoromethylenebisphosphonic acids: isopolar analogs of pyrophosphoric acid, 930–2
Chiral diaza–18–crown–6 derivatives, 992–4
A regioselective synthesis of 8,10–dideoxycarminomycinone, 1075–6
Concise syntheses of 4–(arylcarbonylmethyl)–azetidin–2–ones and related systems, 1076–7
Chemical conversion of thymidine into 5–methyl–2'–deoxycytidine, 1089
Synthesis of a Weitz–type organosulfur π–donor with a cumulenic bond: 1,2–bis(2,6–diphenyl–4H–thiopyran–4–ylidene)ethene, 1143–5
α–C–Glycopyranosides from Lewis acid–catalyzed condensations of acetylated glycals and enol silanes, 1180–1
Preparation and rearrangement of some conjugated phenylsulfinylacetate derivatives, 1248–50
CONDUCTIVITY
'Organic metals.' Reaction of ferric chloride with polyacetylene, $(CH)_x$, and poly(p–phenylene), $(p\text{–}C_6H_4)_x$, 783–4
Doping of polyacetylene films to the metallic state with xenon fluorides and iodine pentafluoride, 1288–9
CONDUCTOR
X–ray crystal structure of a conducting polymer precursor: bridge–stacked phthalocyanine gallium fluoride, 1210–11
CONFIGURATION
Single crystal ESR study of the 1,6–dioxa–4,9–diaza–5–phospha(V)–spiro[4.4]nonan–5–yl and the 1,6–dioxa–4,9–diaza–2,3,7,8–dibenzo–5–phospha(V)spiro[4.4]nona–2,7–dien–5–yl radicals, 104–6
Asymmetric hydrolysis of 3–acetylthiocycloheptene and 3–acetoxycycloheptene with a microbial lipase, 185
The stereochemistry of 2–substituted–2–oxo–4,5–diphenyl–1,3,2–dioxaphospholanes and the related chiral [^{16}O,^{17}O,^{18}O]phosphate monoesters, 245–6
Alkaloid–catalyzed asymmetric addition of thiocarboxylic S–acids to cyclohex–2–en–1–ones. Absolute configuration of the adducts by O,S–dibenzoate Cotton effect, 307–8
Polymeric proanthocyanidins: interflavanoid linkage isomerism in (epicatechin–4)–(epicatechin–4)–catechin procyanidins, 320–2
The configuration at C–20 of a natural Δ^5–C_{26}–sterol, 367–8
Structure and synthesis of 25–hydroxycholecalciferol–26,23–lactone, a metabolite of vitamin D_3, 424–5
Stereochemistry of formation of methyl and ethyl groups in bacteriochlorophyll a, 645–7
ESR spectra of the hexamethyldisilane and hexamethyldigermane radical cations, 666–8
The electronic configuration of 1,3–dialkyltriazenyl radicals, 748–9
Synthesis of a saturated lipid hydroperoxy cyclic peroxide, 766–7
(–)–Herbertene, an aromatic sesquiterpene with a novel carbon skeleton from the liverwort Herberta adunca, 864–5
The relationship between the energies of carbanions, R^-, and their lithiated counterparts, RLi. An ab initio study, 882–4
Comparison of UV–visible spectra of iron(I)–porphyrin– and iron(II)–porphyrin(thiolato)(thiocarbonyl) and –(carbene) complexes. Relevance to ferrous cytochrome P450 complexes, 888–90
Novel synthesis of the 7–oxo–1,3–diazabicyclo[3.2.0]heptane and 8–oxo–1,3–diazabicyclo[4.2.0]octane ring systems, 946–7
Total synthesis of (S)–(+)–solanone, 951–2
The absolute configurations of anti–benzene and anti–naphthalene 1,2:3,4–dioxides, 974–6
Optical stability of carbanions derived from sulfoximides and sulfilimines, 1005–6
Solvolysis of syn– and anti–N–chloro–1,4–dihydro–1,4–iminonaphthalenes, 1028–30
Synthesis of (D_3)–bis(cyclotriveratrylenyl) macrocage by stereospecific replication of a (C_3)–subunit, 1137–9
Synthesis and determination of the configuration of 23,25–dihydroxyvitamin D_3, a new metabolite of vitamin D_3. X–ray crystal structure of a 3,23,25–triol precursor, 1157–9
CONFORMATION
Solid–state high–resolution carbon–13 NMR spectra of polypropene, 15–16
Unusual structure and novel fluxional rearrangements in the s–trithian complex $[(Me_3PtCl)_2(SCH_2SCH_2SCH_2)]$; x–ray crystal structure determination, 29–30
Determination of conformational volume changes in liquid 1–bromoalkanes at high pressure by Raman spectroscopy, 159–60
Manipulation of the nuclear Overhauser effect by the use of a viscous solvent: the solution conformation of the antibiotic echinomycin, 165–6
Planar tetracoordinate carbon candidates. MNDO calculations on substituted phenyllithium dimers, 260–1
Conformational analysis of 5–tert–butylcyclohexa–1,3–diene, 372–3
The solid state and solution conformational behavior of a chiral 30–crown–10 derivative synthesized from 1,4:3,6–dianhydro–D–mannitol; x–ray crystal structure, 430–2
Complexing properties of a bisdianhydro–D–mannitolo–30–crown–10 derivative in the solution and solid states; x–ray crystal structure, 432–4
Structure and photochemistry of matrix–isolated monothioacetylacetone, 486–8
The nonplanarity of the ring atoms in 2–oxotetrahydrothiophene, 577–8
Micellar control of intramolecular eximer formation of bound substrates, 759–60
Temperature dependence of the low–frequency vibrational optical activity of α–phellandrene, 771–2
Synthesis, solution, and solid–state structure (x–ray analysis), and some reactions of the dimer bis[dimethyl[μ–bis(diphenylphosphino)methane]platinum], 805–6
A rigid double spirocyclic λ^5P–O–λ^5P oxydiphosphorane with a boat–shaped six–membered ring; x–ray crystal structure, 810–12
Conformation of 5–phenyl–1–azabicyclo[3.3.1]nonan–2–one, a bridgehead amide, 814–15
Symmetry and selectivity in the formation of inclusion complexes

CONFORMATION(contd)
by macrotricyclic hosts, 990–2
Synthesis of a cation complexing doubly N,N'–bridged bis(1,7–dioxa–4,10–diazacyclododecane), 1084–6
CONFORMER
Structure and photochemistry of matrix–isolated monothioacetylacetone, 486–8
CONJUGATE
Conjugate addition of methyl groups to αβ–unsaturated aldehydes: use of $Me_5Cu_3Li_2$, 643–4
CONJUGATED
Synthesis of a tetratriacontapeptide corresponding to sequence 112–145 of the β–subunit of human chorionic gonadotropin, 357–8
Preparation and rearrangement of some conjugated phenylsulfinylacetate derivatives, 1248–50
CONJUGATION
Synthesis of a tetratriacontapeptide corresponding to sequence 112–145 of the β–subunit of human chorionic gonadotropin, 357–8
CONNECTIVITY
Natural abundance carbon–13–carbon–13 coupling constants for carbon connectivity pattern determination and NMR spectral analysis: patchoulol, 999–1001
CONST
Accelerative effect of N^6–acyl groups on the C(8)–hydrogen exchange of 9–substituted adenines, 658–9
Synthesis and x–ray crystal structures of three isomeric macrobicyclic polyethers having similar melting points and different complexing power for alkali metal cations, 729–31
CONTRACTION
Photolysis of 2–azidopyridine 1–oxides. A convenient synthesis of 1,2–oxazines, 36–7
X–ray study of a new heterocycle: the crystal structure of 1,2–dibromo–1,2–diphenyl–1,2–dihydroazeto[1,2–a]pyridinium chlorate, 481–2
Fixation and deoxygenation of carbon dioxide to form furans using organophosphorus intermediates, 607–8
Photorearrangement of 5,6–dichloro–1,4–dihydro–1,4–dimethylpyrazine–2,3–dione and its further reactions, 743–4
Acid–catalyzed intramolecular C–alkylation rearrangements of βγ–unsaturated diazomethyl ketones. A novel synthetic entry to pentaleno–annulated polycyclic systems, 746–7
Synthesis of potassium 3–methyl–9–oxo–1,4–diazatricyclo[5.2.0.$0^{4,6}$]non–2–ene–2–carboxylate, 947–8
Efficient syntheses of 'ellipticine quinone' and the other three isomeric 5H–pyrido[x,y–b]carbazole–5,11(6H)–diones, 994–5
CONTROL
Photocontrol of catalytic activity of capped cyclodextrin, 94–6
Micellar control of intramolecular eximer formation of bound substrates, 759–60
CONVERSION
Conversion of methanol into hydrocarbons catalyzed by metal salts of heteropolyacids, 400–1
Mechanism of the Cope rearrangement of acyclic 1,5–dienes and of the Wacker oxidation of alk–1–enes catalyzed by palladium complexes, 456–7
Chain–ring interconversion in metasilicates, 662–3
Stereoselective synthesis of α,β–unsaturated esters, 877–8
A general route to optically pure prostaglandins from a D–glucose derivative, 983–5
Selective formation of alkenes in the conversion of methanol into hydrocarbons on barium ion–exchanged mordenite, 1091–2
COORDINATION
Coordination of amides to cis–diammineaquaplatinum dication, 61–2
Synthesis of dirhodium complexes containing s–cis bridging 1,3–diene ligands. X–ray crystal and molecular structure of μ–(η^4–cyclohexa–1,3–diene)–μ–carbonylbis(η^5–indenyl)dirhodium(Rh–Rh), 494–6
COPE
Mechanism of the Cope rearrangement of acyclic 1,5–dienes and of the Wacker oxidation of alk–1–enes catalyzed by palladium complexes, 456–7
Synthesis and reactions of 5,6,11,12–tetrahydro–5,12;6,11–diethenodibenzo[a,e]cyclooctene (pp'–dinaphthalene), 786–7
COPOLYMER
Formation and x–ray crystal structure of $[Pt(H_2NCH_2CH_2NH_2)_2.1\text{-}8\text{-crown-}6]^{2+}{}_n[PF_6^-]_{2n}$. A hydrogen bonded stepped–chain copolymer, 851–2
COPOLYMN
A physically supported gel polymer for low pressure, continuous flow solid phase reactions. Application to solid phase peptide synthesis, 1151–2
COPPER
A rapid porphyrin metalation, 192–4
Protiodeacetylation of porphyrins and pyrroles: a new partial synthesis of dehydrocoproporphyrin (S411–porphyrin), 283–4
Circular dichroism spectra of some trigonal–bipyramidal complexes 296–7
X–ray crystal structure of the copper(II) complex of mugineic acid, a naturally occurring metal chelator of graminaceous plants, 338–9
Sulfur–bonded–only thiocyanate bridges. The synthesis and x–ray crystal structure of a di–μ–thiocyanato–(S)–dicopper(I) complex of a 20–membered macrocycle, 388–9
Oxygenation of 3–hydroxyflavones by superoxide anion, 745
Oxygenation reactions of cytochrome oxidase models. Evidence for hematin formation in mononuclear and heterobinuclear complexes, 799–80
Electronic ligand effects in nickel alloy catalysts, 845–7
Isolation and x–ray crystal structure of $[Cu(NH_3)_4H_2O.18\text{-crown-}6]^{2+}{}_n[PF_6^-]_{2n}$, a linear face–to–face hydrogen bonded chain copolymer, 849–50
Activation of oxygen by a binuclear copper(I) compound. Hydroxylation of a new xylyl binucleating ligand to produce a phenoxy–bridged binuclear copper(II) complex; x–ray crystal structure of $[Cu_2(OC_6H_3[CH_2N(CH_2CH_2py)_2]_2\text{–}2,6)(OMe)]$ (py = 2–pyridyl), 881–2
Geometric and ligand effects in the IR spectra of carbon monoxide adsorbed on a platinum–copper alloy, 1024–5
Role of a copper complex in an oxygen atom transfer reaction from dioxygen to triphenylphosphine, 1109–10
A new imidazole–containing octadentate ligand, capable of binding two metal ions; the x–ray structure of the dinuclear zinc chloride adduct of 1,1,4,7,7–penta(benzimidazol–2–ylmethyl)–1,4,7–triazaheptane, 1124–5
Preparation and x–ray crystal structures of copper(I) complexes of the trithioazide ion (S_3N^-), 1171–3
CORRELATION
Proton–carbon–13 NMR chemical shift correlation, 413–14
A convenient means of predicting the position of the arsenic–75 quadrupole resonance in coordination compounds, 903–4
CORTICOSTEROID
Efficient synthesis of the corticosteroid side chain from 17–ketones, 774–5
Simple route for elaboration of the hydroxy ketone and dihydroxyacetone side chains of corticosteroids from 17–oxo steroids, 775–7
COUPLING
Direct and indirect tin–hydrogen coupling constants in methyltin trichloride and trimethyltin chloride partially oriented in nematic phases determined by the dilution–spinning method, 35–6
Carbon–13 NMR spectra of highly ^{13}CO–enriched metal carbonyls: observation of $^2J_{CC}$ cis coupling constants, 300–2
Racemization of activated, urethane–protected amino–acids by p–dimethylaminopyridine. Significance in solid–phase peptide synthesis, 336–7
Simple and effective synthesis of pyrido[2,1–b]thiazines, 395–6
Modification of pathways for cathodic reduction via complexation with β–cyclodextrin, 492–4
Oxidation of 1,1–disubstituted hydrazines to tetrazenes with benzeneseleninic acid, 530–1
The role of cyclohexadienones in the thermal sigmatropic rearrangements of 2–oxidoanilinium ylides, 573–5
5–Nitro–3H–1,2–benzoxathiole SS–dioxide, a new reagent for coupling in peptide synthesis, 632–4
Use of deuterium–carbon–13 NMR coupling patterns in terpenoid biosynthesis, 649–50
Internuclear exchange of carbonyl groups in dodecacarbonyltriosmium: coupling constants J(osmium–187–carbon–13) in trinuclear osmium carbonyls, 853–5
Geometric and ligand effects in the IR spectra of carbon monoxide adsorbed on a platinum–copper alloy, 1024–5
Electrochemical carbon–carbon bond formation: synthesis of new substituted butadienes, 1040–1
Comparison of proton hyperfine coupling constants for the monomer and dimer radical cations of dimethyl sulfide and dimethyl selenide, 1184–5

COUPLING(contd)
Matrix isolation studies on the lithium–induced reductive coupling of carbon dioxide, 1258–60
Natural abundance carbon–13–carbon–13 coupling constants in a steroid, 1275–7
CRANDALLITE
Solid state phosphorus NMR spectroscopy of minerals and soils, 1051–2
CROWN
Intramolecular bromoalkoxylation: synthesis of 2–bromomethyl–2–methyl crown ethers, 219
Complexes of crown ethers and neutral molecules. Synthesis and crystal structure of a urea 18–crown–6 (5:1) complex, 368–9
The solid state and solution conformational behavior of a chiral 30–crown–10 derivative synthesized from 1,4:3,6–dianhydro–D–mannitol; x–ray crystal structure, 430–2
Complexing properties of a bisdianhydro–D–mannitolo–30–crown–10 derivative in the solution and solid states; x–ray crystal structure, 432–4
Facile synthesis of monoaza crown ethers, 471–2
Unusual coordination in the crystal structure of the 1:2 complex of 18,18'–spirobi(19–crown–6) with lithium iodide dihydrate, 472–3
Second–sphere coordination of neutral and cationic transition metal complexes by crown ethers, 612–13
Synthesis of macrocyclic oxo–crown ethers from $\alpha\omega$–bis diazoketones and polyethylene glycols, 616–17
Chiral crown complexes catalyze Michael addition reactions to give adducts in high optical yields, 625–8
Synthesis and cation complexing of N,N'–bridged bis(1,4,7–trioxa–10–azacyclododecanes), 684–6
The binding of neutral platinum complexes by crown ethers. X–ray crystal structures of [trans–$PtCl_2(PMe_3)NH_3$.dibenzo–18–crown–6] and [(trans–$PtCl_2(PMe_3)NH_3)_2$.18–crown–6], 847–9
Isolation and x–ray crystal structure of $[Cu(NH_3)_4H_2O.18\text{–crown–}6]^{2+}{}_n[PF_6]^-{}_{2n}$, a linear face–to–face hydrogen bonded chain copolymer, 849–50
Formation and x–ray crystal structure of $[Pt(H_2NCH_2CH_2NH_2)_2.18\text{–crown–}6]^{2+}{}_n[PF_6]^-{}_{2n}$. A hydrogen bonded stepped–chain copolymer, 851–2
Chiral diaza–18–crown–6 derivatives, 992–4
Redox properties and stability constants of anion complexes. An electrochemical study of the complexation of metal hexacyanide anions by polyammonium macrocyclic receptor molecules, 1067–9
Synthesis of a cation complexing doubly N,N'–bridged bis(1,7–dioxa–4,10–diazacyclododecane), 1084–6
CRYPTAND
Stable homopolyatomic anions: the tetrastannide(2–) and tetragermanide(2–) anions, Sn_4^{2-} and Ge_4^{2-}. X–ray crystal structure of $[K^+(crypt)]_2Sn_4^{2-}$.ethylenediamine, 236–7
Dynamic properties of molecular complexes and receptor–substrate complementarity. Molecular dynamics of macrotricyclic diammonium cryptates, 833–6
Synthesis of a cation complexing doubly N,N'–bridged bis(1,7–dioxa–4,10–diazacyclododecane), 1084–6
CRYPTATE
Template effect of intramolecular hydrogen–bonding in the synthesis of [1.1.1]cryptates, 777–8
Dynamic properties of molecular complexes and receptor–substrate complementarity. Molecular dynamics of macrotricyclic diammonium cryptates, 833–6
Lithium–7 cation NMR studies of a lithium cation–ethyl acetoacetate enolate triple ion–lithium cation cryptate complex, 996–7
CRYSTAL
Synthesis and x–ray crystal structure of a tungsten(V) metallocycle $[(W(CH_2C_6H_4CH_2\text{–}o)_2O)_2Mg(tetrahydrofuran)_4]$, 6–8
Synthesis of coordinated trans–1,2–di(cycloheptatrienyl)ethylene, a new cyclooctatetraene dimer, and the x–ray crystal structure of an intermediate bisphosphonium salt $[Fe_2(CO)_2(\eta^4,\eta'^4\text{–}C_{16}H_{16}(PPh_3)_2)][PF_6]_2$, 17–18
Reaction of η^4–cyclooctatetraenyliron tricarbonyl with the tropylium ion: unusual rearrangement of cyclooctatetraene and cycloheptatriene rings and the x–ray crystal structure of η^4–styrylcycloheptatrienyliron tricarbonyl, 19–20
Novel rearrangement of an (η^4–2–pyrone)iron complex, 22–5
Synthesis and structural characterization of a novel paramagnetic trigonal bipyramidal cluster, $(\eta^5\text{–}C_5H_5)_5V_5O_6$, 28–9
Unusual structure and novel fluxional rearrangements in the s–trithian complex $[(Me_3PtCl)_2(SCH_2SCH_2SCH_2)]$; x–ray crystal structure determination, 29–30
Synthesis, reactivity, and x–ray crystal structure of bis[carbonylcyclopentadienyl(triphenylphosphinel)rhodium]silver hexafluorophosphate.toluene: a silver–stabilized radical cation, 43–4
An enneanuclear nickel sulfide with a confacial bioctahedral geometry: x–ray crystal structure of $[Ni_9(\mu_4\text{–}S)_3(\mu_3\text{–}S)_6(PEt_3)_6][BPh_4]_2$, 47–8
Photochemical benzylation of 1,4–dicyanonaphthalene. X–ray crystal structure of 6,11–dicyano–5,11–methano–5,6,11,12–tetrahydrodibenzo[a,e]cyclooctene, 50–1
Complex containing the bridging formazanido(3–) ligand. Synthesis and x–ray crystal structure of $[(WBr(1,2\text{–bis(diphenylphosphino)ethane})_2)_2(\mu\text{–}CH(N_2)_2)]^+\text{–}[Cr(NH_3)_2(NCS)_4]^-.1/3CH_2Cl_2$, 85–7
A novel type of heteropolynuclear complex anion: x–ray crystal structure of the polymeric complex anion $[Th(H_2O)_3UMo_{12}O_{42}]^{4-}{}_n$, 93–4
Crystal and molecular structure of $[W(NPh)(\mu\text{–}O)Me_2(PMe_3)]_3$; a trimeric oxo–bridged imido complex of tungsten(VI), 103–4
Bis(trimethyltin)bis(η–toluene)hafnium and –zirconium; x–ray crystal structure of the hafnium compound, 117–18
Preparation and x–ray crystal structure of $[S_2MoS_2Mo(NNMe_2)_2(PPh_3)]$, a binuclear molybdenum hydrazido(2–)–complex containing coordinated tetrathiomolybdate, 132–3
Dinuclear carbene complexes of tungsten as catalysts for metathetical polymerization of alkenes and alkynes; x–ray crystal structure of the insertion product of but–2–yne into a μ–alkylidene carbon–tungsten bond, 152–4
X–ray crystal structure of P–1894 B, a collagen proline hydroxylase inhibitor produced by Streptomyces albogriseolus subsp. No. 1894, 154–5
Synthesis and x–ray crystal structure of the ring–functionalized bis–η–cyclopentadienylmolybdenum compound bis[η–(2–iodoethyl)cyclopentadienyl]molybdenum diiodide and of cyclo–bis(2–η–cyclopentadienylethyl)molybdenum, 156–8
Novel occurrence of 14β–hydroxy group on a withanolide skeleton; x–ray crystal and molecular structure of 14β–hydroxywithanone, 178–9
Preparation and crystal and molecular structure of two trialkylamine adducts of tetracarbonylcobalt hydride showing a preferential trialkylammonium–tetracarbonylhydridocobaltate interaction, 181–3
Interaction of alkyl halides with the diironoctacarbonylate anion: the crystal structures of the tetraethylammonium salts of the μ–acetyl$C^1(Fe^1,Fe^2)O(Fe^1,Fe^3)$nonacarbonyl–triangulo–triferrate and μ_2–carbonylnonacarbonyl–μ_3–2,4–dioxapentylidyne–triangulo–triferrate anions, 189–91
X–ray structure of the reversible dioxygen adduct of [N,N'–(3,3'–dipropylmethylamine)bis(salicylideneaminato)cobalt(II)]: unusual presence of both dioxygenated and nondioxygenated complex molecules in the crystal, 196–8
Synthesis and x–ray structural characterization of the centered icosahedral gold cluster compound $[Au_{13}(PMe_2Ph)_{10}Cl_2](PF_6)_3$; the realization of a theoretical prediction, 201–2
Synthesis, characterization, and x–ray crystal structure of 1,1–$(PPh_3)_2$–1–H–1,2,4–$RhC_2B_{10}H_{12}$, a supra–icosahedral metallacarbaborane catalyst precursor, 206–7
Synthesis and x–ray characterization of an iodine–bridged tetranuclear gold cluster, di–μ–iodo–tetrakis(triphenylphosphine–)–tetrahedro–tetragold, 222–3
An abnormal dinitration product from 4,6–dibromo–2,5–dimethylphenol; x–ray crystal structure of 2,4–dibromo–6–hydroxy–3,6–dimethylcyclohex–3–enone, 225–6
Synthesis, x–ray crystal structure, and reactions of [closo–1,3–μ–2,3–μ–(1,2–μ–(η^2–3,4–$CH_2CH_2C(Me)$:$CHCH_2CH_2CH_2$))–3–H–3–PPh_3–3,1,2–$RhC_2B_9H_9$], a metallacarbaborane catalyst, 235–6
Preparation and characterization of novel tris–α–diimino complexes of ruthenium(0) and ruthenium(II). X–ray crystal and molecular structure of the electron–rich complex tris–[1,2–bis–(p–methoxyphenyliminoethane)]ruthenium(0)–toluene, 266–8
Carbon dioxide activation; formation of trans–$(Ph_3P)_2Rh(CO)(OCO_2H)$ in the reaction of carbon dioxide with $HRh(CO)(PPh_3)_3$–CO and the determination of its structure by x–ray crystallography, 268–9
Hexadecamethoxy– and hexadecaethoxytetratungsten: preparation and x–ray crystal and molecular structure of hexadecaethoxytetratungsten, 270
Cyclopentadienylruthenium and –osmium chemistry. Cleavage of tetracyanoethylene under mild conditions. X–ray crystal

CRYSTAL(contd)
structures of $[Ru(\eta^3\text{–}C(CN)_2CPhC{=}C(CN)_2)(PPh_3)(\eta\text{–}C_5H_5)]$ and $[Ru(C[{=}C(CN)_2]CPh{=}C(CN)_2)(CNCMe_3)(PPh_3)(\eta\text{–}C_5H_5)]$ 271–2
Products of the reaction of carbon monoxide with octadecacarbonylhexaosmium; x–ray crystal structure of nonadecacarbonylpentaosmium, 273–4
A unique 'side–on' bridging mode for the formyl (CHO) ligand in a binuclear tantalum complex. x–ray structural study of $[(\eta^5\text{–}C_5Me_4Et)TaCl_2]_2(\mu\text{–}H)(\mu\text{–}CHO)$, 274–5
A reassessment of zeolite A. Evidence that the structure is rhombohedral with unexpected ordering in the aluminosilicate framework, 276–7
Heteroleptic tert–butyl lanthanoid complexes. Synthesis and x–ray crystal structure of monomeric bis(cyclopentadienyl)(tert–butyl)lutetium tetrahydrofuranate, 292–3
Characterization of 2,2'–bis(1,4,8,11–tetraazacyclotetradecane): x–ray structure and properties of the dinuclear complex $[Ni_2(C_{20}H_{46}N_8)][ClO_4]_4$, 302–4
A new bridging geometry for sulfur dioxide in $[Mo(CO)_2(PPh_3)(pyridine)(\mu\text{–}SO_2)]_2.2CH_2Cl_2$: x–ray crystal structure, 305–6
Synthesis and x–ray crystal structure of a 1,1–dithiolate cluster compound containing a cube of eight Ag(I) atoms, $[Ag(I)_8[S_2C{:}\text{-}C(CN)_2]_6]^{4-}$, 322–4
A novel rearrangement of hetisine, and x–ray crystal structure of the major product: transformation of a dihydroxybicyclo[2.2.2]octane system to an adamantane–type skeleton, 327–9
Synthesis, characterization, and chemical transformation of diiminosuccinonitrile cobalt complexes: x–ray crystal structure of cyanobis(diiminosuccinonitrile)cobalt, 329–30
X–ray crystal structure of the copper(II) complex of mugineic acid, a naturally occurring metal chelator of graminaceous plants, 338–9
Reactions of ketones with molybdenum nitrosyl complexes: x–ray crystal structures of $[(Mo(HB(3,5\text{–}Me_2C_3HN_2)_3)(NO)I)_2O]$, a complex having a bent Mo–O–Mo bond, and of a bicyclic salt, $[C_6H_3Me_5N_2(OH)][I_{1\cdot2}(I_3)_{1\cdot2}]$, 348–50
Four–membered ring adducts from $2\pi + 2\pi$ cycloaddition of ketenimines to sulfur dioxide. Isolation of 1,2–thiazetidin–3–one 1–oxides, 350–2
Stereospecific introduction of a C–17 side chain in a 14β–hydroxy steroid. X–ray crystal structures of two epimeric 17–ethynyl–17–hydroxy–14β–hydroxy steroids, 363–4
A novel 1,4–cycloaddition reaction of a stable 2–thianaphthalene derivative. Formation and x–ray crystal structure of 3–benzoyl–1a,2–dimethoxycarbonyl–1–methylthio–1a,7b–dihydrocyclopropa[a]naphthalene, 364–5
Complexes of crown ethers and neutral molecules. Synthesis and crystal structure of a urea 18–crown–6 (5:1) complex, 368–9
The autoxidation of a chromium(II) porphyrin. Synthesis and structural characterization by x–ray crystallography of $\alpha\beta\gamma\delta$–tetraphenylporphinatooxochromium(IV), 370–1
Conductive mixed halide adducts of tetrathiafulvalene obtained by electrocrystallization, 378–9
Preparation and crystal structures of the first alkali rich sodium aluminates $Na_7Al_3O_8$ and Na_5AlO_4, 379–81
Intercalation of tetrathiafulvalene into iron oxychloride, 382–3
Sulfur–bonded–only thiocyanate bridges. The synthesis and x–ray crystal structure of a di–μ–thiocyanato–(S)–dicopper(I) complex of a 20–membered macrocycle, 388–9
Synthesis and molecular structure of $[Rh_3(\mu\text{–}PPh_2)_3(\mu\text{–}Cl)_2(\mu\text{–}CO)(CO)_3]$, a unique triangular rhodium cluster derivative, 407–8
Two polymorphic forms of the tetrakis(dithioisobutanoato)diplatinum(II) complex: x–ray crystal structure and spectroscopic evidence of intermolecular interactions in the solid state, 409–11
Synthesis and x–ray structural characterization of $[Me_4N]_3[(SCH_2\text{-}CH_2S)MoS_3]_2Fe$), the first example of a heteronuclear trimer containing molybdenum in a square–pyramidal geometry, 411–12
A high–yield synthesis of pentadecacarbonylpentaruthenium carbide by the carbonylation of heptadecacarbonylhexaruthenium carbide; the x–ray structure analyses of pentadecacarbonylpentaruthenium carbide and triphenylphosphinetetradecacarbonylpentaruthenium carbide, 415–16
Some transition metal complexes of pentakis(methoxycarbonyl)cyclopentadiene: water–soluble metallocenes, and the x–ray crystal structure of η–cyclopentadienyl[η–pentakis(methoxycarbonyl)cyclopentadienyl]ruthenium, 428–30
The solid state and solution conformational behavior of a chiral 30–crown–10 derivative synthesized from 1,4:3,6–dianhydro–D–mannitol; x–ray crystal structure, 430–2
Complexing properties of a bisdianhydro–D–mannitolo–30–crown–10 derivative in the solution and solid states; x–ray crystal structure, 432–4
New type of σ–organocobalt complexes: salts of alkyl–mer–[N–(2–aminoethyl)–7–methylsalicylideneaminato](ethylenediamine)cobalt(III). Preparation, characterization, and x–ray crystallographic evidence for structure, 441–2
Facile phosphorus–carbon bond cleavage in the reactions of nitrile oxides with zerovalent triphenylphosphine platinum complexes, 446–8
Synthesis and x–ray crystal structure of 1,5–bis(acetoxymethyl)tricyclo[2.1.0.$0^{2,5}$]pentan–3–one, 455–6
X–ray crystal structure of bis[1,2–bis(dimethylphosphino)ethane]dicarbonyltrifluorophosphinetitanium, a phosphine–substituted derivative of titanium heptacarbonyl, 458–9
Total synthesis of (±)–solavetivone. X–ray crystal structure of 2–hydroxy–6,10–dimethylspiro[4.5]dec–6–en–8–one, 463–5
Unusual coordination in the crystal structure of the 1:2 complex of 18,18'–spirobi(19–crown–6) with lithium iodide dihydrate, 472–3
$Ru_4(CO)_{10}(C{:}CHCHMe_2)(OH)(PPh_2)$: a tetranuclear ruthenium carbonyl cluster with μ_4–vinylidene and face–bridging hydroxo groups. X–ray crystal structures of $Ru_4(CO)_{10}(C{:}CHCHMe_2)(OR)(PPh_2)$ (R = H or Et), 476–7
X–ray study of a new heterocycle: the crystal structure of 1,2–dibromo–1,2–diphenyl–1,2–dihydroazeto[1,2–a]pyridinium chlorate, 481–2
A metallotricycle: synthesis, one–electron reduction, and crystal structure of the thermally robust complex tris–o–xylidenetungsten(VI), 485–6
Synthesis of dirhodium complexes containing s–cis bridging 1,3–diene ligands. X–ray crystal and molecular structure of μ–(η^4–cyclohexa–1,3–diene)–μ–carbonylbis(η^5–indenyl)dirhodium(Rh–Rh), 494–6
An unusual bonding mode for a dithiocarboxylate ligand: a tetradentate interaction; x–ray crystal structure of the product of the reaction of nonacarbonyldiiron with 1,2–benzodithiole–3–thione, 513–14
Perfluorotetracyclobutacyclooctatetraene; a planar eight–membered ring system; x–ray crystal structure, 526–8
An octanuclear iridium carbonyl cluster based on two equivalent tetrahedral units. Synthesis and x–ray characterization of bis(tetraphenylphosphonium) hexa–μ–carbonylhexadecacarbonyl–ditetrahedro–octairidate(2–), 528–9
X–ray crystal and molecular structure of the p–tert–butylphenol–formaldehyde cyclic octamer cyclo[octa[(5–tert–butyl–2–acetoxy–1,3–phenylene)methylene]], 533–4
Carbon–carbon bond formation through olefin–methylcarbyne linkage at a diruthenium center: x–ray crystal structure of $[Ru_2(CO)(\mu\text{–}CO)(\mu\text{–}\eta^1,\eta^3\text{–}C(Me)C(Me)CH_2)(\eta\text{–}C_5H_5)_2]$, 537–8
A novel S,N–double rearrangement; x–ray crystal structure of 5–carbamoyl–4–methylthio–2–phenyl–1,3–thiazin–6–one and its 2,3–dihydro derivative, 560–1
Synthesis and x–ray characterization of the novel $[Rh_{10}S(CO)_{10}(\mu\text{–}CO)_{12}]^{2-}$ anion; a bicapped square–antiprismatic cluster containing an interstitial sulfur atom, 563–5
Cationic cyclization reactions of 6–methylhept–5–en–2–one oxime; x–ray crystal structure of 3–isopropylidene–2–methyl–Δ^1–pyrroline, 568–9
Synthesis of a new heteronuclear gold–cobalt cluster. Preparation and x–ray structure determination of tetrakis(triphenylphosphine)bis(tetracarbonylcobalt)hexagold, 583–4
The x–ray crystal and molecular structure of tetrasulfur dinitride, 584–5
Synthesis and x–ray crystal and molecular structure of $[(RhFe(\mu\text{–}PPh_2)_2(\mu\text{–}CO)(CO)_3)_2]$, an unusual tetranuclear compound with a straight–chain structure, 587–8
Novel and efficient photochemical rearrangement of 1,3–thiazine derivatives, 608–9
Preparation and crystal structure determination of a diphosphorus compound with a direct λ^5phosphorus–λ^4phosphorus bond, 609–10
The nontemplate synthesis of dinucleating macrocyclic Schiff bases derived from thiophene, and their disilver complexes; x–ray crystal structures of two of the products, 628–30
A novel paramagnetic octahedral iron cluster: synthesis and x–ray structural characterization of hexakis(triethylphosphine)–μ_3–octasulfurhexairon tetraphenylborate, 640–1
Closo–carbametallaboranes from direct insertion into nido–

CRYSTAL(contd)
carbaboranes: the molecular structures of [6,6-$(Et_3P)_2$-1,2,6-$C_2CoB_7H_9$] and [1,1-$(Et_3P)_2$-1,2,4-$CoC_2B_8H_{10}$], 652–3
Closo-carbametallaboranes with metal–hydrogen bonds from direct insertion into arachno-carbaboranes: the molecular structures of [2-H-2,2-$(Et_3P)_2$-1,6,2-$C_2CoB_7H_9$] and [2-H-2,2-$(Et_3P)_2$-1,6,2-$C_2RhB_7H_9$], and a most unusual crystallographic coincidence, 653–5
X-ray crystal structure of silver oxide Ag_6O_2, 664–5
Three-dimensional x-ray crystal structure of S-adenosyl-L-homocysteine, a potent inhibitor of S-adenosylmethionine-dependent methyltransferases, 671–3
New intercalates of graphite: tin–119 Moessbauer spectroscopy and x-ray diffractometry of lamellar compounds containing trimethyltin chloride and tin tetrachloride, 677
[2+2]-Cycloaddition of a stabilized vinyl cation with cyclopentadiene: x-ray crystal structure of the 2:1 addition product, 683–4
Synthesis, dynamic behavior, and molecular structures of μ-methylene platinumtriosmium complexes: x-ray crystal structures of two isomers of [$Os_3Pt(\mu\text{-}H)_2(\mu\text{-}CH_2)(CO)_{10}(P(C_6H_{11})_3)$], 689–91
Unusual photocyclization of 1-(N-methyl-1-naphthoylamino)tetramethylcyclohexene: x-ray crystal structure of 4b,8,9,10,10a,10b,-11,12-octahydro-6,8,8,10-tetramethyl-10,12-methanobenzo[i]phenanthridin-5(6H)-one, 692–4
Synthesis of α-functionalized-alkylplatinum(II) complexes by oxidative addition of geminal dihalides to platinum(0) substrates: x-ray structure of cis-[iodo(iodomethyl)bis(triphenylphosphine)-platinum], 698–9
Organolanthanoid activation of carbon monoxide: single and multiple insertion of carbon monoxide into tert-butyl lanthanoid bonds: x-ray crystallographic identification of a new bonding mode for a bridging enedione diolate ligand formed by formal coupling of four carbon monoxide molecules, 706–8
A high ratio hydrido-metal cluster: synthesis and x-ray crystal structure of [$Pt_5H_8[P(CMe_3)_2Ph]_5$], 716–17
Synthesis and x-ray crystal structures of three isomeric macrobicyclic polyethers having similar melting points and different complexing power for alkali metal cations, 729–31
Isolation and structure (x-ray analysis) of manicoline A, a new α-aminotropone from Dulacia guianensis (Olacaceae), 731–2
2,2-Dithiocarboxylation of a chromium coordinated 1,3-dithiane. X-ray crystal structure of fac-tricarbonyl(diethyl 1,3-dithiane-2,2-bisdithiocarboxylato)chromium, 749–50
Synthesis and x-ray crystal and molecular structure of the mixed metal cluster hexaosmiumeicosacarbonyldihydridoaurate(1-), 753–5
Novel rearrangement to a pentacyclopentanoid (polyquinane) system, 755–6
Preparation, purification, and x-ray crystal structure of a dimeric manganese(IV) porphyrin complex, 765–6
Anomalous excimer fluorescence from anthracene derivatives crystallizing in chiral crystal structures, 768–9
Synthesis and x-ray crystal structure of the first example of an anhydronucleoside with two oxygen bridges between the base and the sugar, 780–1
The triphenylphosphine-sulfur trioxide complex: confirmation of structure, 789–90
Exchange interactions in a series of novel heteronuclear basic carboxylate complexes containing two iron(III) ions and a divalent metal ion, 796–7
Two-electron addition reactions and reversible carbonylation of an unsaturated pentanuclear osmium complex; x-ray crystal structure of [$Os_5(CO)_{13}H(PhNC_6H_4N)(PEt_3)$], 801–3
Synthesis, solution, and solid-state structure (x-ray analysis), and some reactions of the dimer bis[dimethyl[μ-bis(diphenylphosphino)methane]platinum], 805–6
An iridium(V) organometallic compound; synthesis and x-ray crystal structure of tetramethyl(η^5-pentamethylcyclopentadienyl)-iridium, 808–9
A rigid double spirocyclic λ^5P-O-λ^5P oxydiphosphorane with a boat-shaped six-membered ring; x-ray crystal structure, 810–12
Charge transfer and noncharge transfer crystal forms of (E)-5,5'-dimesitylbifuranylidenediones: an x-ray structural investigation, 823–5
Synthesis, electronic structure, and complex formation of simple 1,1,4,4-tetrathiabutadienes, 829–31
The binding of neutral platinum complexes by crown ethers. X-ray crystal structures of [trans-$PtCl_2(PMe_3)NH_3$.dibenzo-18-crown-6] and [(trans-$PtCl_2(PMe_3)NH_3)_2$.18-crown-6], 847–9
Isolation and x-ray crystal structure of [$Cu(NH_3)_4H_2O$.18-crown-6]$^{2+}{}_n[PF_6^-]_{2n}$, a linear face-to-face hydrogen bonded chain copolymer, 849–50
Formation and x-ray crystal structure of [$Pt(H_2NCH_2CH_2NH_2)_2$.1-8-crown-6]$^{2+}{}_n[PF_6^-]_{2n}$. A hydrogen bonded stepped-chain copolymer, 851–2
Isolation and x-ray crystal structure of a novel dihydroterpyridine dimer formed via an anionic [6 + 4] cycloaddition, 858–9
X-ray crystal structure and molecular dynamics of the μ-dimethylcarbene complex [$Ru_2(CO)_2(\mu\text{-}CO)(\mu\text{-}CMe_2)(\eta\text{-}C_5H_5)_2$] 861–2
Synthesis, x-ray crystal structure, and reactivity of the di-μ-carbene complex [$Ru_2(CO)_2(\mu\text{-}CHMe)(\mu\text{-}CMe_2)(\eta\text{-}C_5H_5)_2$], 862–4
X-ray crystal structure of [$N(CH_2CH_2PPh_2)_3]_2Co_2(\mu\text{-}Hg_2)$: the dimeric Hg_2^{2+} ion forms a linear bridge between the two cobalt atoms, 865–6
Reactions of alkynes with bridging alkylidyne ligands in metal complexes: x-ray crystal structures of [$FeW[\mu_2\text{-}C(C_6H_4Me\text{-}4)C(Me)C(Me)](CO)_5(\eta\text{-}C_5H_5)$] and [$Fe_2W(\mu_3\text{-}CC_6H_4Me\text{-}4)(\mu_2\text{-}Me_3SiC_2SiMe_3)(\mu\text{-}CO)(CO)_6(\eta\text{-}C_5H_5)$], 867–8
Rhodium-platinum cluster compounds. Relationships with olefin-platinum complexes and x-ray crystal structures of [$PtRh_4(\mu\text{-}CO)_4(\eta\text{-}C_5Me_5)_4$] and [$PtRh_2(\mu\text{-}H)(\mu\text{-}CO)_2(CO)(PPh_3)(\eta\text{-}C_5Me_5)_2][BF_4$], 869–71
Formation of η^6-arene-closo-carbaferraboranes by the reaction of a closo-carbaborane with cyclooctadiene(η-cyclopentadienyl)iron in the presence of arenes: molecular structure of [closo-1-(η^6-PhMe)-2,4-Me_2-1,2,4-$FeC_2B_9H_9$], 871–2
Synthesis and structure of a chiral sulfinamidocobalt(III) complex derived from (R)-cysteine, 875–7
X-ray crystal structure of 1,5-dibromotetracyclo[4.2.2.2.^{2,5}0^{2,6}]dodecane, 878–9
Activation of oxygen by a binuclear copper(I) compound. Hydroxylation of a new xylyl binucleating ligand to produce a phenoxy-bridged binuclear copper(II) complex; x-ray crystal structure of [$Cu_2(OC_6H_3[CH_2N(CH_2CH_2py)_2]_2\text{-}2,6)(OMe)$] (py = 2-pyridyl), 881–2
Reaction of [$Os_5(CO)_{15}H_2$] with acetylenes; x-ray crystal structures of [$Os_5(CO)_{15}H_2(CCPh)$] and [$Os_5(CO)_{13}(PhCCPh)_2$], 886–8
Synthesis and molecular structure of mixed-valence compounds of rhenium obtained by diiodine oxidation of rhenium(I) carbonyl complexes; x-ray crystal structure of $Re_3I_6(CO)_6$, 893–4
The structure of trichlorabdal B and its transformation into a novel skeleton; x-ray crystal structures, 899–900
Nearly regular tetrahedral geometry in a gold(I)-phosphine complex. X-ray crystal structure of tetrakis(methyldiphenylphosphine)gold(I) hexafluorophosphate, 900–1
Synthesis and x-ray crystal structure of a (C_2)-C_{20}-hexaquinane derivative, a potential dodecahedrane precursor, 912–14
Anditomin, a new C_{25} metabolite from Aspergillus variecolor, 914–15
Synthesis of $\Delta^{2,2'}$-bithieno[3,4-d]-1,3-dithiole (DTTTF) and some of its charge-transfer salts, 920–1
X-ray crystal structures of bis(cyclopentadienyl)tin and bis(pentamethylcyclopentadienyl)lead, 925–7
Synthesis and x-ray structure of an azathiabenzene derivative, a cyclic sulfimide, 927–8
Wittig reactions with β-lactam carbonyls: a convenient means of protection. X-ray crystal structure of p-nitrobenzyl-(2R,5R)-Z-7-methoxycarbonylmethylene-Z-3-(β-phthalimidoethylidene)-4-oxa-1-azabicyclo[3.2.0]heptane-2-carboxylate, 929–30
A novel oxidative insertion of a metal center into a degraded closo-borane cluster; crystal and molecular structure of a ten-vertex iso-nido iridacarbadecaborane, 933–4
The phosphinoethylsilyl group as a bifunctional chelate. Asymmetric induction at platinum(II), 937–9
Novel synthesis of the 7-oxo-1,3-diazabicyclo[3.2.0]heptane and 8-oxo-1,3-diazabicyclo[4.2.0]octane ring systems, 946–7
Synthesis and x-ray structural characterization of $Rh_4(\mu\text{-}CO)_4(\mu\text{-}SO_2)_3[P(OPh)_3]_4$. $^1\Psi2C_6H_6$: a 'butterfly' cluster with an unusual bridging mode for sulfur dioxide, 963–5
Conversion of a bridged vinylalkylidene complex into cluster complexes of cobalt, iron, and manganese: x-ray crystal structures of [$Fe_3(CO)_6(\mu\text{-}CO)_2(\mu_3\text{-}CMe)(\eta\text{-}C_5H_5)$] and [$FeCo_3(CO)_7(\mu\text{-}CO)_2(\mu_4C\text{:}CH_2)(\eta\text{-}C_5H_5)$], 966–8
Preparation and crystal structure of μ-carbonyl-OC-bis(pentamethylcyclopentadienyl)(tetrahydrofuran)ytterbium(III)tricarbonylcobalt(I); a Yb-OC-Co linkage, 985–6

CRYSTAL(contd)
Reaction of molybdenum and tungsten alkylidyne complexes with 2,6–xylyl isocyanide and carbon monoxide; structural and mechanistic evidence for novel insertion reactions, 986–8
New palladium cluster compounds. X-ray crystal structure of $Pd_{10}(CO)_{12}(PBu_3)_6$, 989–90
Synthesis and crystal structure of a new mixed–metal cluster, $(\eta$–$C_5H_5)_3Ni_3Os_3(CO)_9$. An example of a high yield pyrolytic synthesis, 995–6
Structure of thiobiscephalosporolide A, a macrolide from Cephalosporium aphidicola, 1006–7
Daphnine, a unique bisbenzylisoquinoline alkaloid: x–ray crystal structure of its dihydroiodide, 1007–9
Reversible osmium–osmium bond breaking in the high nuclearity carbido–dianion $[Os_{10}C(CO)_{24}]^{2-}$ on reaction with halogens: x–ray structure analysis of $[(Ph_3P)_2N]_2[Os_{10}C(CO)_{24}I]$ and $Os_{10}C(CO)_{24}I_2$, 1009–11
Synthesis and x–ray structure of bistetraphenylphosphonium tris(phenylsulphonylimino)sulfite, 1013–14
X–ray crystal structure of cesium hydrogen bis(monofluorosulfate) with a very short hydrogen bond, 1036–7
The crystal structures of propane–1,3–diammonium tetrachlorochromate(II), a sheet ferromagnet, and bis(dimethylammonium) tetrachlorochromate(II), an antiferromagnetic compound containing isolated $[Cr_3Cl_{12}]^{6-}$ units, 1046–7
Alkyne polymerizations initiated by μ–alkylidene complexes of tungsten. X–ray crystal structure of a chain–carrier intermediate, 1055–7
Facile [1,2]hydrogen–shift reaction promoted by metal–metal bond rupture; x–ray crystal structure of $W_2(CO)_8[C_9H_{14}]$, 1057–9
Salt of a hydroxy derivative of a ring system containing the phosphazene unit; x–ray structure of $[(NSOCl)_2NPClO]^-[Me_4N]^+$, 1065–6
Cluster chemistry. Synthesis and x–ray structure of $[Ru_5(CO)_{14}(C$-$NCMe_3)_2]$, containing an unusual open Ru_5 cluster, 1070–1
Structure of antibiotic M139603; x–ray crystal structure of the 4–bromo–3,5–dinitrobenzoyl derivative, 1073–4
Bridging by carbonyl vs. halide ligands: x–ray crystal structure of bis(tetrabutylammonium) di–μ–carbonyltetrachlorodipalladium, 1077–9
Synthesis and reactivity of bimetallic gold–silver complexes. X–ray structure of a chain polymer containing the moiety $...(F_5C_6)_2Au(-\mu$–$AgSC_4H_8)_2Au(C_6F_5)_2...$, 1097–8
Polynuclear tungsten–iron, –ruthenium, and –osmium carbonyl complexes: crystal structures of $[FeW_2(\mu_3$–$C_2R_2)(CO)_6(\eta$–$C_5H_5)_2]$, $[OsW_2(\mu_3$–$C_2R_2)(CO)_7(\eta$–$C_5H_5)_2]$ (two isomers), and $[Os_3W(\mu_3$–$CR)(CO)_{11}(\eta$–$C_5H_5)]$ (R = C_6H_4Me–4), 1101–3
Polyhydridoplatinum clusters: synthesis and x–ray crystal structures of tris(tri–tert–butylphosphine)hexahydridotriplatinum, tetra(tri–tert–butylphosphine)dihydridodiplatinum, and tetra(diisopropylphenylphosphine)octahydridotetraplatinum, 1104–6
A new class of diosmium(IV) complexes containing both oxide and carboxylate bridges, 1120–1
A new imidazole–containing octadentate ligand, capable of binding two metal ions; the x–ray structure of the dinuclear zinc chloride adduct of 1,1,4,7,7–penta(benzimidazol–2–ylmethyl)–1,4,7–triazaheptane, 1124–5
Novel transition metal phosphaalkyne complexes. X–ray crystal and molecular structure of a side–bonded $Me_3CC{\equiv}P$ complex of zerovalent platinum, $Pt(PPh_3)_2(Me_3CCP)$, 1141–3
A novel carbon dioxide complex: synthesis and crystal structure of $[Nb(\eta$–$C_5H_4Me)_2(CH_2SiMe_3)(\eta^2$–$CO_2)]$, 1145–6
Synthesis and determination of the configuration of 23,25–dihydroxyvitamin D_3, a new metabolite of vitamin D_3. X–ray crystal structure of a 3,23,25–triol precursor, 1157–9
Preparation and x–ray crystal structures of copper(I) complexes of the trithioazide ion (S_3N^-), 1171–3
Use of the bis(trimethylsilyl)cyclopentadienyl ligand for stabilizing early (f^0–f^3) lanthanocene chlorides. X–ray structure of dichlorodi[η–bis(trimethylsilyl)cyclopentadienyl]dipraesodymium and of isoleptic scandium and ytterbium complexes, 1190–1
Organometallic complexes of the Group 3A and lanthanoid metals containing $M(\mu$–$Cl)_2Li$ bridging units. The x–ray structure of $[Nd[\eta$–$[C_5H_3(SiMe_3)_2]]_2(\mu$–$Cl)_2Li(THF)_2]$ (THF = tetrahydrofuran), 1191–3
X–ray crystal structure of a conducting polymer precursor: bridge–stacked phthalocyanine gallium fluoride, 1210–11
The oxidation of the trisulfur trinitride anion $S_3N_3^-$ by molecular oxygen: preparation and the crystal and molecular structure of $[(Ph_3P)_2N]^+[S_2N_3O]^-$, 1214–15
Synthesis and x–ray crystal structure determination of the cationic gold cluster compound $[Au_8(PPh_3)_7](NO_3)_2$, 1218–19
Addition of diphenyldiazomethane to hexaalkoxydimolybdenum (M≡M) compounds: characterization of $Mo_2(OCHMe_2)_6(N_2CPh$-$_2)_2$(pyridine) by x–ray crystallography, 1229–31
Redox chemistry of niobium chalcogenide halides: a mixed valency niobium III/niobium IV tetramer. Preparation and crystal structure of a (μ–diselenido–μ–selenido)–tetraniobium complex, $Nb_4Br_{10}Se_3(NCMe)_4$, 1241–2
Pentakis(methoxycarbonyl)cyclopentadiene chemistry: unexpected replacement of methoxycarbonyl groups by hydrogen: formation and the x–ray crystal structure of a novel rhodicinium salt $[Rh(\eta^5$–$C_5H_2(CO_2Me)_3)_2][C_5(CO_2Me)_5]$, 1253–4
Protonation of tolylidyne ligands bridging tungsten–cobalt and –platinum bonds; reactivity of the cationic dimetal μ–carbene complexes produced, and x–ray crystal structures of $[PtW(\mu$–η^1,η^3–$CH(C_6H_4Me$–$4))(CO)_2(PMe_3)_2(\eta$–$C_5H_5)][BF_4]$, $[PtW(\mu$–$H)(\mu$–$CH(C_6H_4Me$–$4))(CO)_2(PMe_3)_2(\eta$–$C_5H_5)]$, and $[CoW(\mu$–η^1,η^3–$C(C_6H_4Me$–$4)C(Me)C(Me)H)(\mu$–$CO)(CO)(\eta$–$C_5H_5)(\eta$–$C_5Me_5)][BF_4]$, 1255–8
Regioselective lithiation and substitution of tricarbonyl(η^6–1–methylindole)chromium(0): x–ray crystal structure analysis of tricarbonyl(η^6–1–methyl–2–trimethylsilyl–7–ethoxycarbonylindole)chromium(0), 1260–2
Synthesis and x–ray structural characterization of $[Mo_2O(S_2CNEt_2$-$)_6]BF_4$, a μ–oxo–bridged mixed oxidation state complex of molybdenum, 1262–3
Structures of the austalides A–E, five novel toxic metabolites from Aspergillus ustus, 1265–7
Synthesis and x–ray characterization of the high–nuclearity $[Rh_{17}(\mu_3$–$CO)_3(\mu$–$CO)_{15}(CO)_{12}]^{3-}$ anion containing a tetracapped twinned cuboctahedral cluster, 1280–2
Nature of the tris(2,2'–bipyridyl)iridium hydrate trication. Monodentate or covalently hydrated bipyridine ligand? X–ray crystal structure of the perchlorate salt, 1284–6
The synthesis and characterization of μ–hydridobis(μ–sulfide)ditungsten(III) complexes: the x–ray crystal structure of $[HPPh_3][Cl_3W(\mu$–$H)(\mu$–$Me_2S)_2WCl_3]$, 1286–8
Crystal and molecular structure of a 2,6–tetradeca–O–methyl–β–cyclodextrin–adamantanol 1:1 inclusion complex, 1291–2
CRYSTN
Considerable reduction in crystallization time in the preparation of a new type of zeolite catalyst for olefin synthesis from methanol, 936–7
CTAB
Cooperative effects in the catalytic action of N–decanoyl–L–histidine in micelles, 393–4
CUPRATE
A novel stereoselective route to cis olefins via addition of vinyl cuprates to α,β–unsaturated sulfones and subsequent desulfonylation, 523–4
Conjugate addition of methyl groups to $\alpha\beta$–unsaturated aldehydes: use of $Me_5Cu_3Li_2$, 643–4
Change of reducibility of cupric ions in Y zeolites with reduction–reoxidation cycles, 842–4
Synthesis of a trans–decalin as a potential insect antifeedant, 1001–3
Reaction of lithium dialkylcuprates with S–2–pyridyl thioates in the presence of oxygen. A carboxylic ester synthesis, 1231–2
CUPRIC
Cupric ion–promoted hydrolysis of cyanomethyl–substituted tetraazamacrocycles, 603–4
CURRENT
Visible light–induced oxidation of water and of chloride ions in photoelectrochemical cells, 437–40
CYANIDE
Evidence for heterolytic fission of hydrogen by cobalt cyanide complexes, 33–4
Asymmetric cyanohydrin synthesis catalyzed by a synthetic cyclic dipeptide, 229–30
Redox properties and stability constants of anion complexes. An electrochemical study of the complexation of metal hexacyanide anions by polyammonium macrocyclic receptor molecules, 1067–9
CYANO
Photolysis of 2–azidopyridine 1–oxides. A convenient synthesis of 1,2–oxazines, 36–7
The first eight–coordinate cyanide hydride, $K_4[W(CN)_7H].2H_2O$ and a new heptacyano–complex, $K_5[W(CN)_7].H_2O$, 84–5

CYANO(contd)
Electron and hydrogen atom addition to the tetracyanoplatinate(II) ion: an ESR study, 176–8
Synthesis of 6–cyano– and 6–carbamoylpurines and 6–carbamoyl–1,2–dihydropurines from N–methylacetonitrilium trifluoromethanesulfonate and diaminomaleonitrile, 788–9
Electrochemical carbon–carbon bond formation: synthesis of new substituted butadienes, 1040–1
The preparation and characterization of some organocyanophosphide(I) salts, 1170–1
CYANOACETATE
Synthesis of 3β–methoxy–5α,14α–card–20(22)–enolide from 3β–methoxy–5α–androstan–17–one. A method for the construction of the cardenolide side–chain, 25–6
The influence of electron delocalization on the rate constants for competing $B_{Ac}2$ and E1cb ester hydrolyses, 884–6
CYANOALKENYL
Cyclopentadienylruthenium and –osmium chemistry. Cleavage of tetracyanoethylene under mild conditions. X–ray crystal structures of $[Ru(\eta^3\text{–}C(CN)_2CPhC{=}C(CN)_2)(PPh_3)(\eta\text{–}C_5H_5)]$ and $[Ru(C[{=}C(CN)_2]CPh{=}C(CN)_2)(CNCMe_3)(PPh_3)(\eta\text{–}C_5H_5)]$ 271–2
CYANOALKENYLCYCLOPENTADIENYLRUTHENIUM
Cyclopentadienylruthenium and –osmium chemistry. Cleavage of tetracyanoethylene under mild conditions. X–ray crystal structures of $[Ru(\eta^3\text{–}C(CN)_2CPhC{=}C(CN)_2)(PPh_3)(\eta\text{–}C_5H_5)]$ and $[Ru(C[{=}C(CN)_2]CPh{=}C(CN)_2)(CNCMe_3)(PPh_3)(\eta\text{–}C_5H_5)]$ 271–2
CYANOBISDIIMINOSUCCINONITRILECOBALT
Synthesis, characterization, and chemical transformation of diiminosuccinonitrile cobalt complexes: x–ray crystal structure of cyanobis(diiminosuccinonitrile)cobalt, 329–30
CYANOFORMIMIDOYL
Synthesis of 6–cyano– and 6–carbamoylpurines and 6–carbamoyl–1,2–dihydropurines from N–methylacetonitrilium trifluoromethanesulfonate and diaminomaleonitrile, 788–9
CYANOFORMIMIDOYLIMIDAZOLE
Synthesis of 6–cyano– and 6–carbamoylpurines and 6–carbamoyl–1,2–dihydropurines from N–methylacetonitrilium trifluoromethanesulfonate and diaminomaleonitrile, 788–9
CYANOHYDRIN
Synthesis of 3β–methoxy–5α,14α–card–20(22)–enolide from 3β–methoxy–5α–androstan–17–one. A method for the construction of the cardenolide side–chain, 25–6
Asymmetric cyanohydrin synthesis catalyzed by a synthetic cyclic dipeptide, 229–30
CYANOISOTHIAZOLECARBOXYLATE
Ring cleavage of 3–azidothiophenes; a novel extrusion of acetylene, 550–1
CYANOMERCAPTOMETHYLTHIOACRYLAMIDE
A novel S,N–double rearrangement; x–ray crystal structure of 5–carbamoyl–4–methylthio–2–phenyl–1,3–thiazin–6–one and its 2,3–dihydro derivative, 560–1
CYANOMETHOXYPHENOL
Rearrangement of a 2–aryloxycyclohex–2–enone. A new enolate Claisen rearrangement?, 224–5
CYANOMETHYL
Cupric ion–promoted hydrolysis of cyanomethyl–substituted tetraazamacrocycles, 603–4
CYANOMETHYLATION
Photochemical aromatic cyanomethylation, 817–18
CYANOMETHYLBENZENE
Photochemical aromatic cyanomethylation, 817–18
CYANOMETHYLTETRAAZAMACROCYCLE
Cupric ion–promoted hydrolysis of cyanomethyl–substituted tetraazamacrocycles, 603–4
CYANONAPHTHALENE
Photochemical benzylation of 1,4–dicyanonaphthalene. X–ray crystal structure of 6,11–dicyano–5,11–methano–5,6,11,12–tetrahydrodibenzo[a,e]cyclooctene, 50–1
CYANOOXAZINE
Photolysis of 2–azidopyridine 1–oxides. A convenient synthesis of 1,2–oxazines, 36–7
CYANOPHOSPHIDE
The preparation and characterization of some organocyanophosphide(I) salts, 1170–1
CYANOPURINE
Synthesis of 6–cyano– and 6–carbamoylpurines and 6–carbamoyl–1,2–dihydropurines from N–methylacetonitrilium trifluoromethanesulfonate and diaminomaleonitrile, 788–9
CYANOPYRAZOLE
Competing paths in the phototransposition of pyrazoles, 604–6
CYANOTETRAFLUOROQUINODIMETHANE
Synthesis, electronic structure, and complex formation of simple 1,1,4,4–tetrathiabutadienes, 829–31
CYCLE
Towards a nitrogen–fixing cycle: electrochemical reduction of a hydrazido complex of molybdenum(IV) under dinitrogen to yield the dialkylhydrazine and a molybdenum(0) dinitrogen complex, 1033–5
CYCLIC
Fluoride activation of nucleophilic displacement at tetrahedral phosphorus, 101–3
Electrochemical reduction of 1,2–diphenylthiiren dioxide and monoxide, 120–1
Perfluoro(tetramethylene)sulfilimine and its N–chloro– and N–bromo–derivatives. Perfluoro(tetramethylene)sulfoximine and its N–chloro–derivative, 242–3
ESR spectra of cyclic oxyamidyls, 253–4
Nitrogen tracer evidence for a cyclic azide species, 299–300
A new regio– and stereoselective functionalization of allylic and homoallylic alcohols, 465–6
Tetraphenylbismuth monotrifluoroacetate: a new reagent for regioselective aryl ether formation, 503–4
A monocyclic phosphorane oxide anion and the extraordinary reactivity of its tautomeric phosphine oxide alkoxide, 981–2
CYCLIZATION
New synthesis of indoles from o–acylaminobenzyltriphenylphosphonium salts, 14–15
Synthesis of 3β–methoxy–5α,14α–card–20(22)–enolide from 3β–methoxy–5α–androstan–17–one. A method for the construction of the cardenolide side–chain, 25–6
New synthesis of olivacine via a heteroarylation reaction, 44–6
Catalytic synthesis of 3–substituted indoles using carbon monoxide as building block and supported rhodium as catalyst, 82–3
Novel alumina–catalyzed reactions of arylthioalkyl halides, 87–8
General synthesis of imidazole C–nucleosides from carbohydrate adducts of diaminomaleonitrile, 110–12
A one–step synthesis of acridines via palladium(II)–catalyzed ring formation of allylated enaminones, 114–15
Preparation of derivatives of tricyclo[4.2.0.$0^{1,4}$]octane, broken window compounds, 118–20
Formation of dihydrobenzofurans by radical cyclization, 136–7
Intramolecular reactions of N–nitrenes: oxidation of 3–amino–2–(arylalkyl)quinazolones, 160–2
Formation of 3H–1,3–benzodiazepines from quinoline N–acylimides, 211–13
Cyclizations of azidoformates. Cyclization of aryl azidoformates, 241–2
The stereochemistry of 2–substituted–2–oxo–4,5–diphenyl–1,3,2–dioxaphospholanes and the related chiral [^{16}O,^{17}O,^{18}O]phosphate monoesters, 245–6
Carbocyclizations employing 2–silyl–1,3–dithianes, 306–7
Intramolecular cyclization of 1,1',3,3'–tetramethyl–1,1'–biindenyl, 347–8
Mercuricyclization in carbohydrate chemistry. A highly stereoselective route to α–D–C–glucopyranosyl derivatives, 375–6
Detection of a metalo intermediate and geometrical isomerizations in an oxidative cyclization of a heterocyclic hydrazone with mercury(II) acetate, 376–7
Substitution of a platinum(II) complex without retention of stereochemistry. Direct evidence for pseudorotation of a five coordinate platinum(II) cationic complex containing chelating phosphine ligands, 381–2
Photocyclization of 2–(pyridylvinyl)chromen–4–ones, 442–3
Regio– and stereospecific allylic oxidation of germacrane–type sesquiterpene lactones with selenium dioxide and tert–butyl hydroperoxide, 483–5
Syntheses of naphtho[2,3–c]pyran–5,10–quinones using ceric ammonium nitrate, 534–5
Cationic cyclization reactions of 6–methylhept–5–en–2–one oxime; x–ray crystal structure of 3–isopropylidene–2–methyl–Δ^1–pyrroline, 568–9
Reactions of o–alkenyloxyarenediazonium fluoroborates and related species with nitroxides, 595–7
Stable acyloxychlorophosphorane obtained from 2–(diphenylphosphinyl)benzoic acid and thionyl chloride, 622–3

CYCLIZATION(contd)
Enantioselective synthesis of the gibbane framework, 635–7
Unusual photocyclization of 1-(N-methyl-1-naphthoylamino)tetramethylcyclohexene: x-ray crystal structure of 4b,8,9,10,10a,10b,-11,12-octahydro-6,8,8,10-tetramethyl-10,12-methanobenzo[i]phenanthridin-5(6H)-one, 692–4
1,2-Oxathiolane, a simple sultene, 741–2
Regiospecific (biogenetic-type) synthesis of 2-methyl-5H-pyrano[3,2-c][1]benzopyran-4-one, the basic skeleton in citromycetin, 761–2
Stereospecific intramolecular addition of α-lithio sulfoxides or sulfones to inactivated double bonds, 764–5
Synthesis of the isobacteriochlorin macrocycle: a photochemical approach, 797–9
A new photochemical spiroannelation method. Access to substituted spirocyclohexanepiperidines, 832–3
A novel photochemical route to functionalized β-lactams, 880
ortho-Formyl substituted arylazomethylenetriphenylphosphoranes: a novel facile intramolecular thermal rearrangement with nitrogen–nitrogen double bond fission, 894–5
Direct proton NMR observation of the cell-free conversion of δ-(L-α-aminoadipyl)-L-cysteinyl-D-valine and δ-(L-α-aminoadipyl)-L-cysteinyl-D-(-)-isoleucine into penicillins, 917–19
Synthesis and x-ray structure of an azathiabenzene derivative, a cyclic sulfimide, 927–8
Novel synthesis of the 7-oxo-1,3-diazabicyclo[3.2.0]heptane and 8-oxo-1,3-diazabicyclo[4.2.0]octane ring systems, 946–7
Cyclization of ortho-halogenated N-acylbenzylamines: a formal synthesis of (±)-cherylline, 1074–5
Pseudorotation of spin-labeled phosphoranes formed by cyclization of triazenylphosphoranyl radicals, 1107–8
Approaches to the synthesis of bicyclomycin, 1126–8
Photoinduced 1,5-acyl shift of 3-acylated 3-methyloxepin-2(3H)-ones, 1163–4
Sulfonamidomercuration: a new method for amination of olefins, 1178–9
Penicillin biosynthesis: a model for the oxidative cyclization of a peptide to a β-lactam, 1219–21
Reaction of N-tert-butoxycarbonylamino acid anhydrides with tertiary amines and carbodiimides. New precursors for 2-tert-butoxyoxazol-5(4H)-one and N-acylureas, 1225–7
Synthesis of phytuberin from elemol, 1236–7
Synthesis of (±)-eleutherin, (±)-isoeleutherin, and their demethoxy analogs. A novel synthetic approach, 1277–8
CYCLOADDN
Cycloaddition reactions of 2-(indol-2-yl)acrylates and N-alkoxycarbonyl-1,2-dihydropyridine: new synthesis of desethylcatharanthine, 37–9
Intermolecular cobalt-mediated [2+2+2]cycloadditions: regiospecific one-step construction of bicyclic dienes from α,ω-enynes and alkynes, 53–5
Methylenethioxophosphoranes and 1,2-λ⁵-thiaphosphiranes, 72–3
The regiospecific preparation of 1,4-dioxygenated anthraquinones: a new route to islandicin, digitopurpone, and madeirin, 108–10
1,3-Cycloaddition of benzyne to thiophens, 124–5
Photosensitized (electron transfer) [2e+4e] dimerization and cross-cycloaddition of phenylated olefins: trapping the intermediate, 138–9
Reactions of monomeric difluorosilylene with ethylene, 217–18
Cycloadditions of 3-methoxyfuran with mono-activated dienophiles; application to the synthesis of (±)-avenaciolides, 221–2
1,3-Dipolar cycloaddition of a thiazolo[5,4-d]pyrimidine 1-oxide to dimethyl acetylenedicarboxylate. New ring transformation to a pyrrolo[3,2-d]pyrimidine via a pyrimido[4,5-b][1,4]thiazine, 278–80
Effective method for the asymmetric synthesis of bis-β-lactams by the cycloaddition of azidoketene to benzylideneamines bearing a chiral β-lactam backbone, 344–6
Four-membered ring adducts from 2π + 2π cycloaddition of ketenimines to sulfur dioxide. Isolation of 1,2-thiazetidin-3-one 1-oxides, 350–2
A novel 1,4-cycloaddition reaction of a stable 2-thianaphthalene derivative. Formation and x-ray crystal structure of 3-benzoyl-1a,2-dimethoxycarbonyl-1-methylthio-1a,7b-dihydrocyclopropa[a]naphthalene, 364–5
Dimetalation of phenylacetylene. Selective ortho substitution, 366–7
Novel syntheses of 3-methyleneazetidin-2-one derivatives and related systems, 404–5
Diels–Alder reactions of (trimethoxymethyl)cyclopentadienes. Formation of adducts derived from the 2-substituted tautomer, 449–51
Synthesis and x-ray crystal structure of 1,5-bis(acetoxymethyl)tricyclo[2.1.0.0²,⁵]pentan-3-one, 455–6
Photocyclization between allyltrimethylsilane and 1,4-naphthoquinone and ring cleavage of the resulting cyclobutane assisted by the trimethylsilyl group, 460–1
Intramolecular reactions of N-nitrenes: evidence for nonconcerted addition to alkenes, 549–50
Ring cleavage of 3-azidothiophenes; a novel extrusion of acetylene, 550–1
Photoreactions of dispiro[naphthalene-1,2'-naphtho[2,1-b]pyran-3',1''-naphthalene]-2(1H),2''(1''H)-dione. A novel case of β-carbon–carbon cleavage in an enone, 557–9
Fixation and deoxygenation of carbon dioxide to form furans using organophosphorus intermediates, 607–8
Preparation and crystal structure determination of a diphosphorus compound with a direct λ⁵phosphorus–λ⁴phosphorus bond, 609–10
Reaction of dimesitylsilylene with epoxides. Silanone–epoxide adducts, 621–2
7b-Methyl-7bH-cyclopent[cd]indene, an unsubstituted tricyclic aromatic [10]annulene, 657–8
One-step synthesis of methoxycarbonyl-substituted tetraselenafulvalene under high pressure, 669–70
[2+2]-Cycloaddition of a stabilized vinyl cation with cyclopentadiene: x-ray crystal structure of the 2:1 addition product, 683–4
A new route to 3-alkoxypyridine 1-oxides, 696–8
Photocycloaddition of 2,5-dihydrothiophene SS-dioxides to α,β-unsaturated cyclic anhydrides. Synthesis of 10-hydroxygeraniol, 752–3
Synthesis of 6-cyano- and 6-carbamoylpurines and 6-carbamoyl-1,2-dihydropurines from N-methylacetonitrilium trifluoromethanesulfonate and diaminomaleonitrile, 788–9
Silyl thioketones and silylated thiiranes, 822–3
Isolation and x-ray crystal structure of a novel dihydroterpyridine dimer formed via an anionic [6 + 4] cycloaddition, 858–9
Dicyclobuta[a,c]anthracene, 873–4
Efficient synthesis of (±)-solavetivone, 904–5
General synthetic approach to the quinolizidine alkaloids via a [2+3]-cycloaddition, 940–2
Regiospecific cycloaddition of 1-substituted isobenzofurans to quinone acetals, 942–3
Synthesis of potassium 3-methyl-9-oxo-1,4-diazatricyclo[5.2.0.0⁴,⁶]non-2-ene-2-carboxylate, 947–8
Synthesis of oxetanes by photocycloaddition of aromatic aldehydes to hexamethyl(Dewar benzene), 950–1
Photochemical transformations of methoxyphthalaldehydic esters: synthesis of methyl 6-methoxyphthalaldehydate from the 3-methoxy isomer, 962–3
A novel synthesis of 1,2,5-benzoxathiazepines, 971–2
The chemistry of a 1,3,4-thiadiazin-6-one, 1003–4
Cycloadditions of nitrile oxides to compounds containing two-coordinate phosphorus or arsenic. Kinetic and thermodynamic regioselectivity, 1131–2
CYCLOALKADIENE
Synthesis of dirhodium complexes containing s-cis bridging 1,3-diene ligands. X-ray crystal and molecular structure of μ-(η⁴-cyclohexa-1,3-diene)-μ-carbonylbis(η⁵-indenyl)dirhodium(Rh–Rh), 494–6
CYCLOALKANE
Transition metal-catalyzed reactions of diazoesters. Insertion into carbon–hydrogen bonds of paraffins by carbenoids, 688–9
The bond graph, 818–20
CYCLOALKANOL
Manganese porphyrin-catalyzed oxidation of olefins to ketones by molecular oxygen, 874–5
CYCLOALKANONE
A new spiro-annelation procedure: intramolecular decarboxylative alkylation of β-keto esters, 30–2
New method for preparing βγ-unsaturated ketones: use of phenylselenoacetaldehyde, 434–6
Manganese porphyrin-catalyzed oxidation of olefins to ketones by molecular oxygen, 874–5
CYCLOALKENE
Preparation of nitroalkenes from the corresponding nitroalkanes, 261–2
Amidomercuration: a new and regiospecific addition of amides to

CYCLOALKENE(contd)
olefins, 670–1
N,N–diacyl arylsulfenamides as an unambiguous and convenient source of arylsulfenium ions, 704–5
Room temperature fluorination of alkenes with cesium fluoroxysulfate, 795–6
Manganese porphyrin–catalyzed oxidation of olefins to ketones by molecular oxygen, 874–5
Selective bond cleavage in the iron(III) chloride–catalyzed photooxidation of olefins, 1116–17
Liquid phase oxidation of cycloolefins by a palladium sulfate–heteropolyacid catalyst system, 1274–5
CYCLOALKENONE
Bicycloannulation with nitroethene and 1–nitropropene. A one–step synthesis of tricyclenone, 73–4
CYCLOALKYL
Dehydrogenation of cyclic and bicyclic secondary alkyl peroxides during flash vacuum pyrolysis, 547–9
CYCLOALKYLDITHIANYL
Carbocyclizations employing 2–silyl–1,3–dithianes, 306–7
CYCLOBUTANAPHTHOQUINONE
Photocyclization between allyltrimethylsilane and 1,4–naphthoquinone and ring cleavage of the resulting cyclobutane assisted by the trimethylsilyl group, 460–1
CYCLOCONDENSATION
Biomimetic synthesis of sclerin, 20–1
Novel route to β–lactam systems, 41
Asymmetric synthesis of β–lactams, 57–8
Palladium–promoted 1,4–cycloamination of 1,3–dienes to pyrroles, 59–61
Asymmetric synthesis of a new proline analog, 97–8
Role of metal salts in the synthesis of 1,1,7,7,13,13,19,19–octamethyl[1.1.1.1](2,5)furanophan, 149–50
Synthesis and chemistry of 2–trimethylsilylbenzocyclobutenones, 179–80
Total synthesis of the macrocyclic spermidine alkaloids (±)–lunarine and (±)–lunaridine, 286–7
A new route to 1H–1,5–benzodiazepinones, 339–40
Simple and effective synthesis of pyrido[2,1–b]thiazines, 395–6
Novel syntheses of 3–methyleneazetidin–2–one derivatives and related systems, 404–5
Reactions of amide anions with α–bromo amides, 416–17
The solid state and solution conformational behavior of a chiral 30–crown–10 derivative synthesized from 1,4:3,6–dianhydro–D–mannitol; x–ray crystal structure, 430–2
Facile synthesis of monoaza crown ethers, 471–2
A novel route to 2–substituted 1,2–benzisothiazol–3(2H)–ones, 510–11
A novel S,N–double rearrangement; x–ray crystal structure of 5–carbamoyl–4–methylthio–2–phenyl–1,3–thiazin–6–one and its 2,3–dihydro derivative, 560–1
Synthesis of 2,3–disubstituted indoles under mild conditions, 563
Synthesis of 1,2,4–trioxanes, 581–2
Fixation and deoxygenation of carbon dioxide to form furans using organophosphorus intermediates, 607–8
Transition metal–catalyzed N–alkylation of amines by alcohols, 611–12
Synthesis of macrocyclic oxo–crown ethers from αω–bis diazoketones and polyethylene glycols, 616–17
The nontemplate synthesis of dinucleating macrocyclic Schiff bases derived from thiophene, and their disilver complexes; x–ray crystal structures of two of the products, 628–30
Synthesis with silicon templates: preparation of macrocyclic amides 634–5
A total synthesis of (±)–methylenomycin A, 714–15
Synthesis of γ–oxyprotoporphyrin IX and pterobiline (biliverdin IXγ), 763–4
Synthesis of a saturated lipid hydroperoxy cyclic peroxide, 766–7
Chiral diaza–18–crown–6 derivatives, 992–4
The chemistry of a 1,3,4–thiadiazin–6–one, 1003–4
Selective reaction of silyl enol ethers with α–chloro sulfides containing a ketone group, 1106–7
Surprising reactivity of very crowded phosphinic derivatives, 1197–8
CYCLODEHYDRATION
Conversion of linoleic and latex furanoid acid to fish C_{18} dimethyl furanoid isomers, 1110–11
CYCLODEXTRIN
Photocontrol of catalytic activity of capped cyclodextrin, 94–6
Fluorescence enhancement of α–naphthyloxyacetic acid in the cavity of γ–cyclodextrin, assisted by a space–regulating molecule, 194–5
Promotion of charge–transfer complex formation by γ–cyclodextrin 340
Modification of pathways for cathodic reduction via complexation with β–cyclodextrin, 492–4
Enhanced intramolecular excimer formation of guest molecules included in the cavity of γ–cyclodextrin, 758–9
Redox enzyme models. Catalysis of the cathodic cleavage of benzyl esters via complexation with a substituted β–cyclodextrin, 792–3
Crystal and molecular structure of a 2,6–tetradeca–O–methyl–β–cyclodextrin–adamantanol 1:1 inclusion complex, 1291–2
CYCLODIMERIZATION
Charge transfer and noncharge transfer crystal forms of (E)–5,5'–dimesitylbifuranylidenediones: an x–ray structural investigation, 823–5
CYCLOHEPTATRIENYL
Synthesis of coordinated trans–1,2–di(cycloheptatrienyl)ethylene, a new cyclooctatetraene dimer, and the x–ray crystal structure of an intermediate bisphosphonium salt $[Fe_2(CO)_2(\eta^4,\eta'^4\text{–}C_{16}H_{16}(PPh_3)_2)][PF_6]_2$, 17–18
CYCLOHEPTATRIENYLETHYLENE
Synthesis of coordinated trans–1,2–di(cycloheptatrienyl)ethylene, a new cyclooctatetraene dimer, and the x–ray crystal structure of an intermediate bisphosphonium salt $[Fe_2(CO)_2(\eta^4,\eta'^4\text{–}C_{16}H_{16}(PPh_3)_2)][PF_6]_2$, 17–18
CYCLOHEPTENE
Asymmetric hydrolysis of 3–acetylthiocycloheptene and 3–acetoxycycloheptene with a microbial lipase, 185
trans–Cycloheptene. Photochemical generation and thermal trans–cis isomerization, 1031–3
CYCLOHEXADIENE
Conformational analysis of 5–tert–butylcyclohexa–1,3–diene, 372–3
Synthesis of dirhodium complexes containing s–cis bridging 1,3–diene ligands. X–ray crystal and molecular structure of μ–(η^4–cyclohexa–1,3–diene)–μ–carbonylbis(η^5–indenyl)dirhodium(Rh–Rh), 494–6
Organic photochemistry in the far–ultraviolet: unusual wavelength dependence in solution–phase irradiations, 973–4
CYCLOHEXADIENEINDENYLRHODIUM
Synthesis of dirhodium complexes containing s–cis bridging 1,3–diene ligands. X–ray crystal and molecular structure of μ–(η^4–cyclohexa–1,3–diene)–μ–carbonylbis(η^5–indenyl)dirhodium(Rh–Rh), 494–6
CYCLOHEXADIENONE
Cyclizations of azidoformates. Cyclization of aryl azidoformates, 241–2
The role of cyclohexadienones in the thermal sigmatropic rearrangements of 2–oxidoanilinium ylides, 573–5
CYCLOHEXADIENYLIRON
Electrochemical evidence for the generation of new sandwich complexes of iron; cyclopentadienyl(arene)iron anion and cyclopentadienyl(cyclohexadienyl)iron cation, 251–3
CYCLOHEXANE
An example of substitution proceeding with retention in the $S_{RN}1$ reaction. Trapping of a pyramidal benzylic radical by benzenethiolate ion, 79–80
NIH shift in hemin–iodosylbenzene mediated hydroxylations, 778–9
Flash photolysis of N–bromo–3,3–dimethylglutarimide: detection of the imidyl radical, 955–6
The reaction of trichlorosilyl radicals with cyclohexyl octyl ether. An S_H2 reaction at an ether oxygen atom, 956–7
CYCLOHEXANOL
Fluorescence enhancement of α–naphthyloxyacetic acid in the cavity of γ–cyclodextrin, assisted by a space–regulating molecule, 194–5
CYCLOHEXANONE
Rearrangement of a 2–aryloxycyclohex–2–enone. A new enolate Claisen rearrangement?, 224–5
CYCLOHEXENE
Interaction of monooxygen donors with porphinatoiron(III) complexes bearing electron–releasing meso–substituents, 293–5
Evidence for a novel mechanism of the 1,2–bond shift rearrangements catalyzed by coenzyme–B_{12}, 686–8
Unusual photocyclization of 1–(N–methyl–1–naphthoylamino)tetramethylcyclohexene: x–ray crystal structure of 4b,8,8,9,10,10a,10b,-11,12–octahydro–6,8,8,10–tetramethyl–10,12–methanobenzo[i]phenanthridin–5(6H)–one, 692–4

CYCLOHEXENEDICARBOXYLATE
Dicyclobuta[a,c]anthracene, 8/3–4
CYCLOHEXENONE
Bicycloannulation with nitroethene and 1–nitropropene. A one–step synthesis of tricyclenone, 73–4
A one–step synthesis of acridines via palladium(II)–catalyzed ring formation of allylated enaminones, 114–15
An abnormal dinitration product from 4,6–dibromo–2,5–dimethylphenol; x–ray crystal structure of 2,4–dibromo–6–hydroxy–3,6–dimethylcyclohex–3–enone, 225–6
Alkaloid–catalyzed asymmetric addition of thiocarboxylic S–acids to cyclohex–2–en–1–ones. Absolute configuration of the adducts by O,S–dibenzoate Cotton effect, 307–8
CYCLOHEXENYLPHENYLETHANOL
Modification of pathways for cathodic reduction via complexation with β–cyclodextrin, 492–4
CYCLOHEXYL
Novel route to β–lactam systems, 41
A base–labile amine component in four–component condensation (4CC) synthesis, 491–2
The reaction of trichlorosilyl radicals with cyclohexyl octyl ether. An S_H2 reaction at an ether oxygen atom, 956–7
CYCLOHEXYLIDENE
Use of carbohydrates in the preparation of optically active sulfoxides, 505–6
CYCLOHEXYLIDENEGLUCOSE
Use of carbohydrates in the preparation of optically active sulfoxides, 505–6
CYCLOHEXYLIDENEGLUCOSYL
Use of carbohydrates in the preparation of optically active sulfoxides, 505–6
CYCLOHEXYLMETHYLACETALDEHYDE
Conjugate addition of methyl groups to αβ–unsaturated aldehydes: use of $Me_5Cu_3Li_2$, 643–4
CYCLOHEXYLTHIAZETIDONONE
Four–membered ring adducts from $2\pi + 2\pi$ cycloaddition of ketenimines to sulfur dioxide. Isolation of 1,2–thiazetidin–3–one 1–oxides, 350–2
CYCLOOCTABUTYLACETOXYPHENYLENEMETHYLENE
X–ray crystal and molecular structure of the p–tert–butylphenol–formaldehyde cyclic octamer cyclo[octa[(5–tert–butyl–2–acetoxy–1,3–phenylene)methylene]], 533–4
CYCLOOCTADIENE
Synthesis of coordinated trans–1,2–di(cycloheptatrienyl)ethylene, a new cyclooctatetraene dimer, and the x–ray crystal structure of an intermediate bisphosphonium salt $[Fe_2(CO)_2(\eta^4,\eta'^4\text{–}C_{16}H_{16}(PPh_3)_2)][PF_6]_2$, 17–18
CYCLOOCTADIENECYCLOPENTADIENYLIRON
Formation of η^6–arene–closo–carbaferraboranes by the reaction of a closo–carbaborane with cyclooctadiene(η–cyclopentadienyl)iron in the presence of arenes: molecular structure of [closo–1–(η^6–PhMe)–2,4–Me_2–1,2,4–$FeC_2B_9H_9$], 871–2
CYCLOOCTATETRAENE
Synthesis of coordinated trans–1,2–di(cycloheptatrienyl)ethylene, a new cyclooctatetraene dimer, and the x–ray crystal structure of an intermediate bisphosphonium salt $[Fe_2(CO)_2(\eta^4,\eta'^4\text{–}C_{16}H_{16}(PPh_3)_2)][PF_6]_2$, 17–18
Reaction of η^4–cyclooctatetraenyliron tricarbonyl with the tropylium ion: unusual rearrangement of cyclooctatetraene and cycloheptatriene rings and the x–ray crystal structure of η^4–styrylcycloheptatrienyliron tricarbonyl, 19–20
Synthesis and photolysis of 1,2,3,8–tetrakis(trifluoromethyl)cyclooctatetraene, 1289–91
CYCLOPENTADIENE
Synthesis of asymmetrically–substituted cyclopentane derivatives from acyclic sugars, 88–90
Synthesis of η^3–allyl(η^5–cyclopentadienyl)dicarbonylmanganese cations, 311–13
Diels–Alder reactions of (trimethoxymethyl)cyclopentadienes. Formation of adducts derived from the 2–substituted tautomer, 449–51
[2+2]–Cycloaddition of a stabilized vinyl cation with cyclopentadiene: x–ray crystal structure of the 2:1 addition product, 683–4
CYCLOPENTADIENONE
Formation of (η–cyclopentadienone)tricarbonyliron on the photolysis of (η–cyclobutadiene)tricarbonyliron in a carbon monoxide matrix at 12 K, 489–90
CYCLOPENTADIENONEIRON
Formation of (η–cyclopentadienone)tricarbonyliron on the photolysis of (η–cyclobutadiene)tricarbonyliron in a carbon monoxide matrix at 12 K, 489–90
CYCLOPENTADIENYL
Synthesis and structural characterization of a novel paramagnetic trigonal bipyramidal cluster, $(\eta^5\text{–}C_5H_5)_5V_5O_6$, 28–9
Synthesis, reactivity, and x–ray crystal structure of bis[carbonylcyclopentadienyl(triphenylphosphinel)rhodium]silver hexafluorophosphate.toluene: a silver–stabilized radical cation, 43–4
Electrochemical evidence for the generation of new sandwich complexes of iron; cyclopentadienyl(arene)iron anion and cyclopentadienyl(cyclohexadienyl)iron cation, 251–3
Cyclopentadienylruthenium and –osmium chemistry. Cleavage of tetracyanoethylene under mild conditions. X–ray crystal structures of $[Ru(\eta^3\text{–}C(CN)_2CPhC{=}C(CN)_2)(PPh_3)(\eta\text{–}C_5H_5)]$ and $[Ru(C[{=}C(CN)_2]CPh{=}C(CN)_2)(CNCMe_3)(PPh_3)(\eta\text{–}C_5H_5)]$ 271–2
Heteroleptic tert–butyl lanthanoid complexes. Synthesis and x–ray crystal structure of monomeric bis(cyclopentadienyl)(tert–butyl)lutetium tetrahydrofuranate, 292–3
Hydride reduction of the cations $((\eta^5\text{–}C_5H_5)Fe[(Ph_2PCH_2)_3CMe])PF_6$, $((\eta^5\text{–}C_5H_5)Ru[(Ph_2PCH_2CH_2)_2PPh])PF_6$, and $([\eta^5\text{–}C_5H_5)Ru[(Ph_2PCH_2)_3CMe])PF_6$: regioselectivity and mechanism 341–2
Titanium–promoted allyl transfer to carbon monoxide and other unsaturated molecules, 342–4
Some transition metal complexes of pentakis(methoxycarbonyl)cyclopentadiene: water–soluble metallocenes, and the x–ray crystal structure of η–cyclopentadienyl[η–pentakis(methoxycarbonyl)cyclopentadienyl]ruthenium, 428–30
Reinvestigation of the claim that bis(η^5–cyclopentadienyl)tin(II) and (η^5–cyclopentadienyl)tricarbonyltungsten hydride form bis[(η^5–cyclopentadienyl)tricarbonyltungsten]tin(II), 521–2
Electron spin resonance investigation of the thermolysis, photolysis, and oxygenation of bi– and trimetallic organochromium complexes, 531–2
Carbon–carbon bond formation through olefin–methylcarbyne linkage at a diruthenium center: x–ray crystal structure of $[Ru_2(CO)(\mu\text{–}CO)(\mu\text{–}\eta^1,\eta^3\text{–}C(Me)C(Me)CH_2)(\eta\text{–}C_5H_5)_2]$, 537–8
Organolanthanoid activation of carbon monoxide: single and multiple insertion of carbon monoxide into tert–butyl lanthanoid bonds: x–ray crystallographic identification of a new bonding mode for a bridging enedione diolate ligand formed by formal coupling of four carbon monoxide molecules, 706–8
X–ray crystal structures of bis(cyclopentadienyl)tin and bis(pentamethylcyclopentadienyl)lead, 925–7
Reaction of molybdenum and tungsten alkylidyne complexes with 2,6–xylyl isocyanide and carbon monoxide; structural and mechanistic evidence for novel insertion reactions, 986–8
CYCLOPENTADIENYLALKENYLRUTHENIUM
Carbon–carbon bond formation through olefin–methylcarbyne linkage at a diruthenium center: x–ray crystal structure of $[Ru_2(CO)(\mu\text{–}CO)(\mu\text{–}\eta^1,\eta^3\text{–}C(Me)C(Me)CH_2)(\eta\text{–}C_5H_5)_2]$, 537–8
CYCLOPENTADIENYLARENEIRON
Electrochemical evidence for the generation of new sandwich complexes of iron; cyclopentadienyl(arene)iron anion and cyclopentadienyl(cyclohexadienyl)iron cation, 251–3
CYCLOPENTADIENYLBUTYLLUTETIUM
Heteroleptic tert–butyl lanthanoid complexes. Synthesis and x–ray crystal structure of monomeric bis(cyclopentadienyl)(tert–butyl)lutetium tetrahydrofuranate, 292–3
CYCLOPENTADIENYLBUTYLTETRAHYDROFURYLLUTETIUM
Organolanthanoid activation of carbon monoxide: single and multiple insertion of carbon monoxide into tert–butyl lanthanoid bonds: x–ray crystallographic identification of a new bonding mode for a bridging enedione diolate ligand formed by formal coupling of four carbon monoxide molecules, 706–8
CYCLOPENTADIENYLCARBONYL
Bis(η^5–cyclopentadienyldicarbonyliron); a versatile catalyst for ligand–replacement reactions on transition metal complexes, 408–9
CYCLOPENTADIENYLCARBONYLIRON
Bis(η^5–cyclopentadienyldicarbonyliron); a versatile catalyst for ligand–replacement reactions on transition metal complexes, 408–9
CYCLOPENTADIENYLCARBONYLNICKEL
Synthesis and crystal structure of a new mixed–metal cluster, (η–

CYCLOPENTADIENYLCARBONYLNICKEL(contd)
$C_5H_5)_3Ni_3Os_3(CO)_9$. An example of a high yield pyrolytic synthesis, 995–6
CYCLOPENTADIENYLCARBONYLNITROXYLCOBALT
Nitrosyl–bridged cyclopentadienylcobalt and –rhodium cations, 897–9
CYCLOPENTADIENYLCARBONYLOSMIUM
Synthesis and crystal structure of a new mixed–metal cluster, (η–$C_5H_5)_3Ni_3Os_3(CO)_9$. An example of a high yield pyrolytic synthesis, 995–6
CYCLOPENTADIENYLCHROMIUM
Electron spin resonance investigation of the thermolysis, photolysis, and oxygenation of bi– and trimetallic organochromium complexes, 531–2
CYCLOPENTADIENYLCYCLOHEXADIENYLIRON
Electrochemical evidence for the generation of new sandwich complexes of iron; cyclopentadienyl(arene)iron anion and cyclopentadienyl(cyclohexadienyl)iron cation, 251–3
CYCLOPENTADIENYLDICARBONYLMANGANESE
Synthesis of η^3–allyl(η^5–cyclopentadienyl)dicarbonylmanganese cations, 311–13
CYCLOPENTADIENYLETHYLMOLYBDENUM
Synthesis and x–ray crystal structure of the ring–functionalized bis–η–cyclopentadienylmolybdenum compound bis[η–(2–iodoethyl)cyclopentadienyl]molybdenum diiodide and of cyclo–bis(2–η–cyclopentadienylethyl)molybdenum, 156–8
CYCLOPENTADIENYLFORMYL
A unique 'side–on' bridging mode for the formyl (CHO) ligand in a binuclear tantalum complex. x–ray structural study of [(η^5–$C_5Me_4Et)TaCl_2]_2(\mu$–H)(μ–CHO), 274–5
CYCLOPENTADIENYLISOCYANOCARBOXYLATE
Biosynthesis of a cyclopentyl dienyl isonitrile acid in cultures of the fungus Trichoderma hamatum (Bon.) Bain. aggr, 1227–9
CYCLOPENTADIENYLLUTETIUM
Organolanthanoid activation of carbon monoxide: single and multiple insertion of carbon monoxide into tert–butyl lanthanoid bonds: x–ray crystallographic identification of a new bonding mode for a bridging enedione diolate ligand formed by formal coupling of four carbon monoxide molecules, 706–8
CYCLOPENTADIENYLMETHYLBENZYLIDYNYLTUNGSTAIRON
Polynuclear tungsten–iron, –ruthenium, and –osmium carbonyl complexes: crystal structures of [$FeW_2(\mu_3$–$C_2R_2)(CO)_6(\eta$–$C_5H_5)_2$], [$OsW_2(\mu_3$–$C_2R_2)(CO)_7(\eta$–$C_5H_5)_2$] (two isomers), and [$Os_3W(\mu_3$–$CR)(CO)_{11}(\eta$–$C_5H_5)$] (R = C_6H_4Me–4), 1101–3
CYCLOPENTADIENYLMETHYLBENZYLIDYNYLTUNGSTAOSMIUM
Polynuclear tungsten–iron, –ruthenium, and –osmium carbonyl complexes: crystal structures of [$FeW_2(\mu_3$–$C_2R_2)(CO)_6(\eta$–$C_5H_5)_2$], [$OsW_2(\mu_3$–$C_2R_2)(CO)_7(\eta$–$C_5H_5)_2$] (two isomers), and [$Os_3W(\mu_3$–$CR)(CO)_{11}(\eta$–$C_5H_5)$] (R = C_6H_4Me–4), 1101–3
CYCLOPENTADIENYLMETHYLBENZYLIDYNYLTUNGSTEN
Polynuclear tungsten–iron, –ruthenium, and –osmium carbonyl complexes: crystal structures of [$FeW_2(\mu_3$–$C_2R_2)(CO)_6(\eta$–$C_5H_5)_2$], [$OsW_2(\mu_3$–$C_2R_2)(CO)_7(\eta$–$C_5H_5)_2$] (two isomers), and [$Os_3W(\mu_3$–$CR)(CO)_{11}(\eta$–$C_5H_5)$] (R = C_6H_4Me–4), 1101–3
CYCLOPENTADIENYLNONACARBONYLTRINICKELTRIOSMIUM
Synthesis and crystal structure of a new mixed–metal cluster, (η–$C_5H_5)_3Ni_3Os_3(CO)_9$. An example of a high yield pyrolytic synthesis, 995–6
CYCLOPENTADIENYLRHENIUM
Photochemistry of dicyclopentadienylrhenium hydride and dicarbonyl(η^2–cyclopentadiene)(η–cyclopentadienyl)rhenium in low temperature matrixes: hydrogen loss and hydrogen migration 452–4
CYCLOPENTADIENYLRUTHENIUM
Carbon–carbon bond formation through olefin–methylcarbyne linkage at a diruthenium center: x–ray crystal structure of [$Ru_2(CO)(\mu$–$CO)(\mu$–η^1,η^3–C(Me)C(Me)$CH_2)(\eta$–$C_5H_5)_2$], 537–8
CYCLOPENTADIENYLTETRACARBONYLRHODIOPLATINUM
Rhodium–platinum cluster compounds. Relationships with olefin–platinum complexes and x–ray crystal structures of [$PtRh_4(\mu$–$CO)_4(\eta$–$C_5Me_5)_4$] and [$PtRh_2(\mu$–H)(μ–$CO)_2(CO)(PPh_3)(\eta$–$C_5Me_5)_2][$BF_4$], 869–71
CYCLOPENTADIENYLTIN
Reinvestigation of the claim that bis(η^5–cyclopentadienyl)tin(II) and (η^5–cyclopentadienyl)tricarbonyltungsten hydride form bis[(η^5–cyclopentadienyl)tricarbonyltungsten]tin(II), 521–2
X–ray crystal structures of bis(cyclopentadienyl)tin and bis(pentamethylcyclopentadienyl)lead, 925–7
CYCLOPENTADIENYLTITANIUM
Hydrogenation of alkynes with water and a titanium(II) complex, 665–6
CYCLOPENTADIENYLTOLYLIDYNYLCARBONYLTUNGSTACYCLOBUTADIENE
Reactions of alkynes with bridging alkylidyne ligands in metal complexes: x–ray crystal structures of [$FeW[\mu_2$–$C(C_6H_4$Me–4)C(Me)C(Me)$](CO)_5(\eta$–$C_5H_5)$] and [$Fe_2W(\mu_3$–CC_6H_4Me–4)(μ_2–$Me_3SiC_2SiMe_3)(\mu$–$CO)(CO)_6(\eta$–$C_5H_5)$], 867–8
CYCLOPENTADIENYLTOLYLIDYNYLCARBONYLTUNGSTACYCLOBUTADIENEIRON
Reactions of alkynes with bridging alkylidyne ligands in metal complexes: x–ray crystal structures of [$FeW[\mu_2$–$C(C_6H_4$Me–4)C(Me)C(Me)$](CO)_5(\eta$–$C_5H_5)$] and [$Fe_2W(\mu_3$–CC_6H_4Me–4)(μ_2–$Me_3SiC_2SiMe_3)(\mu$–$CO)(CO)_6(\eta$–$C_5H_5)$], 867–8
CYCLOPENTADIENYLTOLYLIDYNYLCARBONYLTUNGSTENATOIRON
Reactions of alkynes with bridging alkylidyne ligands in metal complexes: x–ray crystal structures of [$FeW[\mu_2$–$C(C_6H_4$Me–4)C(Me)C(Me)$](CO)_5(\eta$–$C_5H_5)$] and [$Fe_2W(\mu_3$–CC_6H_4Me–4)(μ_2–$Me_3SiC_2SiMe_3)(\mu$–$CO)(CO)_6(\eta$–$C_5H_5)$], 867–8
CYCLOPENTADIENYLTRICARBONYLTUNGSTEN
Reinvestigation of the claim that bis(η^5–cyclopentadienyl)tin(II) and (η^5–cyclopentadienyl)tricarbonyltungsten hydride form bis[(η^5–cyclopentadienyl)tricarbonyltungsten]tin(II), 521–2
CYCLOPENTADIENYLTRICARBONYLTUNGSTENTIN
Reinvestigation of the claim that bis(η^5–cyclopentadienyl)tin(II) and (η^5–cyclopentadienyl)tricarbonyltungsten hydride form bis[(η^5–cyclopentadienyl)tricarbonyltungsten]tin(II), 521–2
CYCLOPENTADIENYLTRIPODIRON
Hydride reduction of the cations ((η^5–$C_5H_5)Fe[(Ph_2PCH_2)_3$CMe])PF_6, ((η^5–$C_5H_5)Ru[(Ph_2PCH_2CH_2)_2$PPh])$PF_6$, and ([$\eta^5$–$C_5H_5)Ru[(Ph_2PCH_2)_3$CMe])$PF_6$: regioselectivity and mechanism 341–2
CYCLOPENTANE
Synthesis of asymmetrically–substituted cyclopentane derivatives from acyclic sugars, 88–90
Evidence for a novel mechanism of the 1,2–bond shift rearrangements catalyzed by coenzyme–B_{12}, 686–8
CYCLOPENTANONE
Total synthesis of (±)–prostaglandin I_2 methyl ester and (±)–15–epi–prostaglandin I_2 methyl ester, 922–4
CYCLOPENTENONE
Bicycloannulation with nitroethene and 1–nitropropene. A one–step synthesis of tricyclenone, 73–4
Preparation of derivatives of tricyclo[4.2.0.$0^{1,4}$]octane, broken window compounds, 118–20
A total synthesis of (±)–methylenomycin A, 714–15
CYCLOPENTENYLACETALDEHYDE
Total synthesis of (±)–prostaglandin I_2 methyl ester and (±)–15–epi–prostaglandin I_2 methyl ester, 922–4
CYCLOPENTINDENE
7b–Methyl–7bH–cyclopent[cd]indene, an unsubstituted tricyclic aromatic [10]annulene, 657–8
CYCLOPHENYLALANYLHISTIDINE
Asymmetric cyanohydrin synthesis catalyzed by a synthetic cyclic dipeptide, 229–30
CYCLOPHENYLALANYLPHENYLALANYL
Biosynthetic incorporation of cyclo–(L–phenylalanyl–L–phenylalanyl) into bisdethiobis(methylthio)acetylaranotin in Aspergillus terreus, 619–21
CYCLOPHOSPHAZENE
Salt of a hydroxy derivative of a ring system containing the phosphazene unit; x–ray structure of [$(NSOCl)_2NPClO]^-[Me_4N]^+$, 1065–6
CYCLOPROPANAPHTHALENE
A novel 1,4–cycloaddition reaction of a stable 2–thianaphthalene derivative. Formation and x–ray crystal structure of 3–benzoyl–1a,2–dimethoxycarbonyl–1–methylthio–1a,7b–dihydrocyclopropa[a]naphthalene, 364–5
CYCLOPROPANE
Oxidations of cyclopropane, methylcyclopropane, and arenes with the monooxygenase system from Methylococcus capsulatus,

CYCLOPROPANE(contd)
482–3
Enhanced catalytic activity of specially prepared ferric oxide for the isomerization of but–1–ene and cyclopropane and the dehydration of butan–2–ol, 602–3
The thermal cis–trans–isomerization of some substituted tetraphenylcyclopropanes. An assessment of the importance of mero–stabilization of a 1,3–biradical, 1203–4
CYCLOPROPATHIAZOLIDINE
Novel and efficient photochemical rearrangement of 1,3–thiazine derivatives, 608–9
CYCLOPROPATHIAZOLINE
Novel and efficient photochemical rearrangement of 1,3–thiazine derivatives, 608–9
CYCLOPROPENYLMETHYLENE
Trapping of reactive intermediates from phosphites and dimethyl acetylenedicarboxylate. Diversion of reaction pathway towards stable phosphole derivatives, 420–1
CYCLOPROPYLCARBINOL
Experimental evidence for a phenyl cation intermediate in the solvolysis reactions of dienynyl trifluoromethanesulfonates, 713–14
CYCLOPROPYLMETHYLBROMONIUM
Evidence for retention of the cyclic C_3H_5 structure during positive–ion processes in the gas phase, 659–61
CYCLOPROPYLOCTANOATE
Synthesis of a saturated lipid hydroperoxy cyclic peroxide, 766–7
CYCLOTRIGUAIACYCLENE
Synthesis of (D_3)–bis(cyclotriveratrylenyl) macrocage by stereospecific replication of a (C_3)–subunit, 1137–9
CYCLOTRIVERATRYLENYL
Synthesis of (D_3)–bis(cyclotriveratrylenyl) macrocage by stereospecific replication of a (C_3)–subunit, 1137–9
CYSTEINE
Photochemical hydrogen production using cadmium sulfide suspensions in aerated water, 145–6
Synthesis and structure of a chiral sulfinamidocobalt(III) complex derived from (R)–cysteine, 875–7
CYSTEINYL
Direct proton NMR observation of the cell–free conversion of δ–(L–α–aminoadipyl)–L–cysteinyl–D–valine and δ–(L–α–aminoadipyl)–L–cysteinyl–D–(–)–isoleucine into penicillins, 917–19
CYSTEINYLISOLEUCINE
Direct proton NMR observation of the cell–free conversion of δ–(L–α–aminoadipyl)–L–cysteinyl–D–valine and δ–(L–α–aminoadipyl)–L–cysteinyl–D–(–)–isoleucine into penicillins, 917–19
CYTIDINE
A synthetic phosphinate–phosphonate liponucleotide analog, 976–8
Chemical conversion of thymidine into 5–methyl–2'–deoxycytidine, 1089
CYTOCHROME
Oxygenation reactions of cytochrome oxidase models. Evidence for hematin formation in mononuclear and heterobinuclear complexes, 799–80
Comparison of UV–visible spectra of iron(I)–porphyrin– and iron(II)–porphyrin(thiolato)(thiocarbonyl) and –(carbene) complexes. Relevance to ferrous cytochrome P450 complexes, 888–90
Mode of mammalian oxygenation at primary carbon atoms: steric course of hydroxylation of C–1 chiral octanes by rat liver microsomes, 1196–7
Degradation of horse heart cytochrome c to a single diastereoisomeric porphyrin c, 1223–4
D2
On the symmetry of (–)–1,3,5,7–tetrakis[2–(1S,3S,5R,6S,8R,10R)–D_3–trishomocubanylacetoxymethyl]adamantane, 234
D3
Structure and synthesis of 25–hydroxycholecalciferol–26,23–lactone, a metabolite of vitamin D_3, 424–5
Synthesis and determination of the configuration of 23,25–dihydroxyvitamin D_3, a new metabolite of vitamin D_3. X–ray crystal structure of a 3,23,25–triol precursor, 1157–9
DALBERGIA
New neoflavanoid structural–types from Dalbergia, 1254–5
DAPHNANDRA
Daphnine, a unique bisbenzylisoquinoline alkaloid: x–ray crystal structure of its dihydroiodide, 1007–9
DAPHNINE
Daphnine, a unique bisbenzylisoquinoline alkaloid: x–ray crystal structure of its dihydroiodide, 1007–9
DAUNOMYCINONE
Stereocontrolled synthesis of 4–demethoxy–7–O–methyldaunomycinone, 478–9
DEACETOXYCEPHALOSPORIN
On the possible role of the 3–methylene isomer of deacetoxycephalosporin C in the biosynthesis of cephalosporins, 934–6
DEACETYLATION
Protiodeacetylation of porphyrins and pyrroles: a new partial synthesis of dehydrocoproporphyrin (S411–porphyrin), 283–4
DEACYLATION
Catalytic deacylation of sugars with strong base ion–exchange resins; an alternative to the Zemplen procedure, 760–1
DEALLYLATION
Titanium–promoted allyl transfer to carbon monoxide and other unsaturated molecules, 342–4
DEALUMINATION
The surface composition of dealuminated zeolites, 422–4
Solid–state silicon–29 NMR and high–resolution electron microscopic studies of a silicate analog of faujasite, 570–1
DEAMINATION
The conversion of primary amines into olefins: a mild alternative to the Hofmann elimination, 96
DEAZAFLAVIN
Autorecycling system for reduction of carbonyl compounds to alcohols by 1,5–dihydro–5–deazaflavins, 1160–2
DEAZAISOALLOXAZINE
Flavin plus 5–deazaflavin as a turnover oxidation system. Model for the electron bridge from NAD+ to flavin, 391–2
DEBROMINATION
Towards a nitrogen–fixing cycle: electrochemical reduction of a hydrazido complex of molybdenum(IV) under dinitrogen to yield the dialkylhydrazine and a molybdenum(0) dinitrogen complex, 1033–5
DECACARBONYL
Synthesis, dynamic behavior, and molecular structures of μ–methylene platinumtriosmium complexes: x–ray crystal structures of two isomers of $[Os_3Pt(\mu\text{–}H)_2(\mu\text{–}CH_2)(CO)_{10}(P(C_6H_{11})_3)]$, 689–91
DECALONE
Synthesis of a trans–decalin as a potential insect antifeedant, 1001–3
DECANE
Evidence for x–ray–amorphous zeolites, 591–3
DECANOYL
Cooperative effects in the catalytic action of N–decanoyl–L–histidine in micelles, 393–4
DECAPALLADIUMDODECACARBONYLHEXAKISTRIBUTYLPHOSPHINE
New palladium cluster compounds. X–ray crystal structure of $Pd_{10}(CO)_{12}(PBu_3)_6$, 989–90
DECARBONYLATION
The chemistry of a 1,3,4–thiadiazin–6–one, 1003–4
DECARBOXYLATION
Alkene formation in the cathodic reduction of oxalates, 134–6
Acid catalysis induces a total change from retention to inversion of configuration in carbon dioxide elimination from β–lactones, 891–2
Remote hydroxylation of a steroid D–ring by a free–radical process 1086–7
DECENOATE
Cometathesis of methyl oleate and ethylene; a direct route to methyl dec–9–enoate, 1132–3
DECOMPN
Carbon–13 NMR study of rhodium carbonyl clusters under high pressures of carbon monoxide/hydrogen, 331–2
Ring cleavage of 3–azidothiophenes; a novel extrusion of acetylene, 550–1
Evidence for retention of the cyclic C_3H_5 structure during positive–ion processes in the gas phase, 659–61
1,2–Oxathiolane, 742–3
The infrared multiphoton–induced decomposition of silicon–containing four–membered rings. A new source of silaolefins, 915–17
Synthesis and x–ray structure of an azathiabenzene derivative, a cyclic sulfimide, 927–8
The photochemical decomposition of sulfuric acid catalyzed by tris(triethylphosphine)hydridoplatinum monocation, 1245–6
DEGRDN
Degradation of horse heart cytochrome c to a single diastereoisome-

DEGRDN(contd)
ric porphyrin c, 1223–4
DEHYDRATION
Conversion of methanol into hydrocarbons catalyzed by metal salts of heteropolyacids, 400–1
Chemical conversions using sheet silicates: novel intermolecular dehydrations of alcohols to ethers and polymers, 427–8
Not the alkoxycarbonylamino–acid O–acylisourea, 543–5
Enhanced catalytic activity of specially prepared ferric oxide for the isomerization of but–1–ene and cyclopropane and the dehydratio-
n of butan–2–ol, 602–3
Considerable reduction in crystallization time in the preparation of a new type of zeolite catalyst for olefin synthesis from methanol, 936–7
DEHYDROCHLORINATION
Facile synthesis of 4–alkylidenebut–2–enolides by double dehydrochlorination of 2,2–dichloro–4–alkylbutanolides, 815–16
MNDO SCF–MO calculations of kinetic isotope effects for dehydrochlorination reactions of chloroalkanes, 939–40
DEHYDRODIMERIZATION
Catalytic activity of fibrous clay mineral sepiolite for butadiene formation from ethanol, 401–2
DEHYDROGENATION
New synthesis of olivacine via a heteroarylation reaction, 44–6
Dehydrogenation of cyclic and bicyclic secondary alkyl peroxides during flash vacuum pyrolysis, 547–9
Oxygen atom transfer from iodylbenzene to diphenyl diselenide: a convenient method for dehydrogenation of steroidal 3–ketones, 1044–5
DEHYDROTESTOSTERONE
Natural abundance carbon–13–carbon–13 coupling constants in a steroid, 1275–7
DEHYDROVINCAMINE
Ozonation in alkaloid chemistry: a mild and selective conversion of vincadifformine into vincamine, 908–9
DEHYDROXYLATION
Alkene formation in the cathodic reduction of oxalates, 134–6
DELOCALIZATION
Perfluorotetracyclobutacyclooctatetraene; a planar eight–membered ring system; x–ray crystal structure, 526–8
The influence of electron delocalization on the rate constants for competing $B_{Ac}2$ and E1cb ester hydrolyses, 884–6
DEMERCURATION
Amidomercuration: a new and regiospecific addition of amides to olefins, 670–1
Sulfonamidomercuration: a new method for amination of olefins, 1178–9
DEMETALATION
Intermolecular cobalt–mediated [2+2+2]cycloadditions: regiospecific one–step construction of bicyclic dienes from α,ω–enynes and alkynes, 53–5
Reactions of ketones with molybdenum nitrosyl complexes: x–ray crystal structures of $[(Mo(HB(3,5\text{–}Me_2C_3HN_2)_3)(NO)I_2O]$, a complex having a bent Mo–O–Mo bond, and of a bicyclic salt, $[C_6H_3Me_5N_2(OH)][I_{1\cdot2}(I_3)_{1\cdot2}]$, 348–50
DEMETHOXY
Synthesis of demethoxycapillarisin, a naturally occurring 2–phenoxychromone, and related compounds, 474–5
Stereocontrolled synthesis of 4–demethoxy–7–O–methyldaunomycinone, 478–9
DEMETHOXYCAPILLARISIN
Synthesis of demethoxycapillarisin, a naturally occurring 2–phenoxychromone, and related compounds, 474–5
DEMETHOXYCARBONYLATION
Pentakis(methoxycarbonyl)cyclopentadiene chemistry: unexpected replacement of methoxycarbonyl groups by hydrogen: formation and the x–ray crystal structure of a novel rhodicinium salt $[Rh(\eta^5\text{–}C_5H_2(CO_2Me)_3)_2][C_5(CO_2Me)_5]$, 1253–4
DEMETHOXYELEUTHERIN
Synthesis of (±)–eleutherin, (±)–isoeleutherin, and their demethoxy analogs. A novel synthetic approach, 1277–8
DEMETHOXYISOELEUTHERIN
Synthesis of (±)–eleutherin, (±)–isoeleutherin, and their demethoxy analogs. A novel synthetic approach, 1277–8
DEMETHOXYMETHYLDAUNOMYCINONE
Stereocontrolled synthesis of 4–demethoxy–7–O–methyldaunomycinone, 478–9
DENATURATION
Structuring of denatured ribonuclease–A, 258–9
DEOXO
Deoxovanadium(IV) complexes of the dibenzotetramethyltetraaza-[14]annulene ligand: formation of products containing thioxo–, μ–nitrido–, and oxidatively coupled ligands, 910–11
DEOXOVANADIUM
Deoxovanadium(IV) complexes of the dibenzotetramethyltetraaza-[14]annulene ligand: formation of products containing thioxo–, μ–nitrido–, and oxidatively coupled ligands, 910–11
DEOXY
Glycosyloxyselenation–deselenation of glycals: a new approach to 2'–deoxy–disaccharides, 572–3
Chemical conversion of thymidine into 5–methyl–2'–deoxycytidine, 1089
DEOXYCARMINOMYCINONE
A regioselective synthesis of 8,10–dideoxycarminomycinone, 1075–6
DEOXYCYTIDINE
Chemical conversion of thymidine into 5–methyl–2'–deoxycytidine, 1089
DEOXYDISACCHARIDE
Glycosyloxyselenation–deselenation of glycals: a new approach to 2'–deoxy–disaccharides, 572–3
DEOXYGENATION
Deoxovanadium(IV) complexes of the dibenzotetramethyltetraaza-[14]annulene ligand: formation of products containing thioxo–, μ–nitrido–, and oxidatively coupled ligands, 910–11
DEOXYHYDROXY
Isolation of 2–deoxy–20–hydroxyecdysone and 3–epi–2–deoxyecdysone from eggs of the desert locust, Schistocerca gregaria, during embryogenesis, 418–20
DEOXYHYDROXYECDYSONE
Isolation of 2–deoxy–20–hydroxyecdysone and 3–epi–2–deoxyecdysone from eggs of the desert locust, Schistocerca gregaria, during embryogenesis, 418–20
DEOXYMANNOOCTULOSONATE
Synthesis of 3–deoxy–D–manno–octulosonic acid (KDO), 1139–40
DEOXYPROSTAGLANDIN
Syntheses of 9α,11α–diacylamino–9,11–dideoxyprostaglandin $F_{2\alpha}$ analogs, 840–1
DEPROTECTION
Wittig reactions with β–lactam carbonyls: a convenient means of protection. X–ray crystal structure of p–nitrobenzyl–(2R,5R)–Z–7–methoxycarbonylmethylene–Z–3–(β–phthalimidoethylidene)–4–oxa–1–azabicyclo[3.2.0]heptane–2–carboxylate, 929–30
DEPROTONATION
Preparation of stable quinone methide imines, 565–6
A monocyclic phosphorane oxide anion and the extraordinary reactivity of its tautomeric phosphine oxide alkoxide, 981–2
DERIVED
The solid state and solution conformational behavior of a chiral 30–crown–10 derivative synthesized from 1,4:3,6–dianhydro–D–mannitol; x–ray crystal structure, 430–2
Complexing properties of a bisdianhydro–D–mannitolo–30–crown–10 derivative in the solution and solid states; x–ray crystal structure, 432–4
DESELENATION
Glycosyloxyselenation–deselenation of glycals: a new approach to 2'–deoxy–disaccharides, 572–3
DESETHYLCATHARANTHINE
Cycloaddition reactions of 2–(indol–2–yl)acrylates and N–alkoxycarbonyl–1,2–dihydropyridine: new synthesis of desethylcatharanthine, 37–9
DESORPTION
Superac'd sites in zeolites, 39–40
Characterization of eight antibiotics of the quinomycin group by field desorption mass spectrometry, 46–7
Change of thermal desorption behavior of adsorbed oxygen with water coadsorption on silver(1+)–doped tin(IV) oxide, 1047–9
DESULFONYLATION
Desulfonylation of α–nitrosulfones with N–benzyl–1,4–dihydronicotinamide, 71–2
A novel stereoselective route to cis olefins via addition of vinyl cuprates to α,β–unsaturated sulfones and subsequent desulfonylation, 523–4
DESULFURIZATION
Sulfide extrusion from methyl sulfonium salts of the sulfur–bridged sesquiterpenes, mintsulfide and isomintsulfide by alkyllithium, 127–8
Reactions of a triarylsulfonium salt with alkoxide nucleophiles: involvement of radical intermediates, 346–7

DESULFURIZATION(contd)
Azepenems: synthesis of 4-substituted 7-oxo-1,4-diazabicyclo[3.2.-0]hept-2-ene carboxylates, 1269–71
DEUTERATION
Microwave study of the reactions of n-butenes over deuterated zeolites, 249–50
Ruthenium metal-catalyzed deuterium exchange between organosilanes and perdeuteriobenzene, 844–5
Optical stability of carbanions derived from sulfoximides and sulfilimines, 1005–6
DEUTERIO
Hydrogen ordering effects in $DUO_2AsO_4.4D_2O$, 784–6
DEUTERIOBENZENE
Deuterium isotope effect on proton chemical shift in pentadeuteriobenzene, 309
DEUTERIOCYCLOPROPANE
The induced kinetic isotope effect as a tool for mechanistic discrimination, 354–6
DEUTERIOMETHYLBUTENE
Stereochemistry of the nickel-catalyzed hydrocyanation of olefins, 1098–9
DEUTERIOURANIUMDIOXIDE
Hydrogen ordering effects in $DUO_2AsO_4.4D_2O$, 784–6
DEUTERIUM
Hydrogen–deuterium kinetic isotope effect in carbon monoxide hydrogenation over ruthenium/silicon dioxide, 92–3
Deuterium isotope effect on proton chemical shift in pentadeuteriobenzene, 309
NMR evidence for a fluxional allyl–hydride species featuring an aliphatic hydrocarbon–iridium(III) interaction, 506–7
Use of deuterium–carbon-13 NMR coupling patterns in terpenoid biosynthesis, 649–50
The biosynthesis of asperlactone: incorporation studies with acetate-2-^{13}C,2-$^{2}H_3$, 708–10
Fully reversible carbon protonation in the hydrolysis of ketene selenoacetals, 738–9
Ruthenium metal-catalyzed deuterium exchange between organosilanes and perdeuteriobenzene, 844–5
The use of deuterium NMR spectroscopy and β-isotopic shifts in the carbon-13 NMR spectrum to measure deuterium retention in the biosynthesis of the polyketide 6-methylsalicylic acid, 856–8
α-Chlorination with carbon tetrachloride and α-hydrogen/deuterium exchange with deuteriochloroform of amidines, 998–9
Utilization of the deuterium isotope effect to suppress enolization during alkylation of ketones, 1215–16
DEWAR
Synthesis of oxetanes by photocycloaddition of aromatic aldehydes to hexamethyl(Dewar benzene), 950–1
DIACYLAMINO
Syntheses of 9α,11α-diacylamino-9,11-dideoxyprostaglandin $F_{2\alpha}$ analogs, 840–1
DIACYLGLYCEROL
A synthetic phosphinate–phosphonate liponucleotide analog, 976–8
DIALKYL
Chemical conversions using sheet silicates: novel intermolecular eliminations of hydrogen sulfide from thiols, 695–6
The electronic configuration of 1,3-dialkyltriazenyl radicals, 748–9
DIALKYLTRIAZENYL
The electronic configuration of 1,3-dialkyltriazenyl radicals, 748–9
DIAMAGNETISM
Perfluorotetracyclobutacyclooctatetraene; a planar eight-membered ring system; x-ray crystal structure, 526–8
DIAMIDE
Total synthesis of the macrocyclic spermidine alkaloids (±)-lunarine and (±)-lunaridine, 286–7
DIAMINOETHER
The nontemplate synthesis of dinucleating macrocyclic Schiff bases derived from thiophene, and their disilver complexes; x-ray crystal structures of two of the products, 628–30
DIAMMINEDICHLOROPLATINUM
The binding of neutral platinum complexes by crown ethers. X-ray crystal structures of [trans-$PtCl_2(PMe_3)NH_3$.dibenzo-18-crown-6] and [(trans-$PtCl_2(PMe_3)NH_3)_2$.18-crown-6], 847–9
DIAMMONIUM
Dynamic properties of molecular complexes and receptor–substrate complementarity. Molecular dynamics of macrotricyclic diammonium cryptates, 833–6
DIANHYDROISOPROPYLIDENE
Synthesis and x-ray crystal structure of the first example of an anhydronucleoside with two oxygen bridges between the base and the sugar, 780–1
DIANHYDROISOPROPYLIDENETALOFURANOSYL
Synthesis and x-ray crystal structure of the first example of an anhydronucleoside with two oxygen bridges between the base and the sugar, 780–1
DIANION
Far-infrared spectra of aqueous solutions of thallium(III) chloride complexes, 772–3
DIARYL
Photoinitiated doping of polyacetylene, 384–5
Use of carbohydrates in the preparation of optically active sulfoxides, 505–6
Regiospecific cycloaddition of 1-substituted isobenzofurans to quinone acetals, 942–3
DIARYLOXABICYCLOHEPTANE
Regiospecific cycloaddition of 1-substituted isobenzofurans to quinone acetals, 942–3
DIASTEREOISOMER
Use of carbohydrates in the preparation of optically active sulfoxides, 505–6
Reaction of olivanic acids with hypobromous acid: the preparation and use of a versatile intermediate, the C-3 thiol, 803–5
DIASTEROISOMER
Diastereomeric differentiation of sulfone oxygens by oxygen-17 NMR spectroscopy, 479–80
DIAZA
Chiral diaza-18-crown-6 derivatives, 992–4
DIAZAARSOLE
Cycloadditions of nitrile oxides to compounds containing two-coordinate phosphorus or arsenic. Kinetic and thermodynamic regioselectivity, 1131–2
DIAZABICYCLOHEPTENECARBOXYLATE
Azepenems: synthesis of 4-substituted 7-oxo-1,4-diazabicyclo[3.2.-0]hept-2-ene carboxylates, 1269–71
DIAZABICYCLOOCTADIENE
Reactions of ketones with molybdenum nitrosyl complexes: x-ray crystal structures of $[(Mo(HB(3,5\text{-}Me_2C_3HN_2)_3)(NO)I)_2O]$, a complex having a bent Mo–O–Mo bond, and of a bicyclic salt, $[C_6H_3Me_5N_2(OH)][I_{1.2}(I_3)_{1.2}]$, 348–50
DIAZABICYCLOUNDECENE
α-Chlorination with carbon tetrachloride and α-hydrogen/deuterium exchange with deuteriochloroform of amidines, 998–9
DIAZACORONAND
Template effect of intramolecular hydrogen-bonding in the synthesis of [1.1.1]cryptates, 777–8
DIAZAPHOSPHOLE
Cycloadditions of nitrile oxides to compounds containing two-coordinate phosphorus or arsenic. Kinetic and thermodynamic regioselectivity, 1131–2
DIAZASILOLIDINE
Synthesis with silicon templates: preparation of macrocyclic amides 634–5
DIAZATRICYCLONONENECARBOXYLATE
Synthesis of potassium 3-methyl-9-oxo-1,4-diazatricyclo[5.2.0.$0^{4,6}$]non-2-ene-2-carboxylate, 947–8
DIAZENIDO
Complex containing the bridging formazanido(3-) ligand. Synthesis and x-ray crystal structure of $[(WBr(1,2\text{-bis(diphenylphosphino)ethane})_2)_2(\mu\text{-}CH(N_2)_2)]^+[Cr(NH_3)_2(NCS)_4]^-.1/3CH_2Cl_2$, 85–7
DIAZIDOSILANE
Photolysis of diazidosilanes. Generation and reactions of digonal silicon intermediates such as silacarbodiimides, 597–8
DIAZOESTER
Transition metal-catalyzed reactions of diazoesters. Insertion into carbon–hydrogen bonds of paraffins by carbenoids, 688–9
DIAZOKETONE
Synthesis of macrocyclic oxo-crown ethers from $\alpha\omega$-bis diazoketones and polyethylene glycols, 616–17
DIAZOMETHANE
Silyl thioketones and silylated thiiranes, 822–3
DIAZOMETHYL
Acid-catalyzed intramolecular C-alkylation rearrangements of $\beta\gamma$-unsaturated diazomethyl ketones. A novel synthetic entry to pentaleno-annulated polycyclic systems, 746–7
DIAZOPENICILLANATE
New synthesis of 6-alkylpenicillanic acid derivatives, 10–11
DIAZOTIZATION
Organotellurium chemistry. Cis- and trans-2,6-diphenyl-1,4-

DIAZOTIZATION(contd)
ditellurafulvenes, 828–9
DIAZOTRICYCLONONANONE
Preparation of derivatives of tricyclo[4.2.2.0.0^{1,4}]octane, broken window compounds, 118–20
DIBENZOAZABICYCLOOCTANE
Generation and thermal reorganization of a linearly–fused N–methyldibenzoazocinyl anion, 647–8
DIBENZOFURAN
Rearrangement of a 2–aryloxycyclohex–2–enone. A new enolate Claisen rearrangement?, 224–5
DIBENZOPYRIMIDINODIAZEPINE
Intramolecular reactions of N–nitrenes: oxidation of 3–amino–2–(arylalkyl)quinazolones, 160–2
DIBENZOTETRAMETHYLTETRAAZAANNULENE
Deoxovanadium(IV) complexes of the dibenzotetramethyltetraaza-[14]annulene ligand: formation of products containing thioxo–, μ–nitrido–, and oxidatively coupled ligands, 910–11
DIBENZOTETRAMETHYLTETRAAZAANNULENEOXOVANADIUM
Deoxovanadium(IV) complexes of the dibenzotetramethyltetraaza-[14]annulene ligand: formation of products containing thioxo–, μ–nitrido–, and oxidatively coupled ligands, 910–11
DIBROMO
An abnormal dinitration product from 4,6–dibromo–2,5–dimethylphenol; x–ray crystal structure of 2,4–dibromo–6–hydroxy–3,6–dimethylcyclohex–3–enone, 225–6
X–ray crystal structure of 1,5–dibromotetracyclo[4.2.2.2.^{2,5}0^{2,6}]dodecane, 878–9
DIBROMODIMETHYL
An abnormal dinitration product from 4,6–dibromo–2,5–dimethylphenol; x–ray crystal structure of 2,4–dibromo–6–hydroxy–3,6–dimethylcyclohex–3–enone, 225–6
DIBROMODIMETHYLPHENOL
An abnormal dinitration product from 4,6–dibromo–2,5–dimethylphenol; x–ray crystal structure of 2,4–dibromo–6–hydroxy–3,6–dimethylcyclohex–3–enone, 225–6
DIBROMOHYDROXYDIMETHYLDINITROCYCLOHEXENONE
An abnormal dinitration product from 4,6–dibromo–2,5–dimethylphenol; x–ray crystal structure of 2,4–dibromo–6–hydroxy–3,6–dimethylcyclohex–3–enone, 225–6
DIBROMOMETHYL
Dicyclobuta[a,c]anthracene, 873–4
DIBUTYL
Interconversion of carbocations, free radicals, and carbanions in nitroxide solutions, 70–1
Oxidation of thioketens by singlet oxygen and ozone, 638–9
DIBUTYLTHIOKETENE
Oxidation of thioketens by singlet oxygen and ozone, 638–9
DICARBAFERRABORANE
Formation of η^6–arene–closo–carbaferraboranes by the reaction of a closo–carbaborane with cyclooctadiene(η–cyclopentadienyl)iron in the presence of arenes: molecular structure of [closo–1–(η^6–PhMe)–2,4–Me_2–1,2,4–$FeC_2B_9H_9$], 871–2
DICARBONYL
Hydrogenation of alkynes with water and a titanium(II) complex, 665–6
DICARBONYLDICYCLOPENTADIENYLTITANIUM
Hydrogenation of alkynes with water and a titanium(II) complex, 665–6
DICARBOXYLATE
New synthesis of 6–alkylpenicillanic acid derivatives, 10–11
DICATION
Synthesis of a new Weitz–type organosulfur π–donor: 1,2–bis(thioxanthen–9–ylidene)ethene, 717–18
DICHLORIDE
Direct geminal dimethylation of ketones using dimethyltitanium dichloride, 237–9
DICHLORO
Photorearrangement of 5,6–dichloro–1,4–dihydro–1,4–dimethylpyrazine–2,3–dione and its further reactions, 743–4
Facile synthesis of 4–alkylidenebut–2–enolides by double dehydrochlorination of 2,2–dichloro–4–alkylbutanolides, 815–16
Selective bond cleavage in the iron(III) chloride–catalyzed photooxidation of olefins, 1116–17
Use of the bis(trimethylsilyl)cyclopentadienyl ligand for stabilizing early (f^0–f^3) lanthanocene chlorides. X–ray structure of dichlorodi[η–bis(trimethylsilyl)cyclopentadienyl]dipraesodymium and of isoleptic scandium and ytterbium complexes, 1190–1
Organometallic complexes of the Group 3A and lanthanoid metals containing M(μ–Cl)$_2$Li bridging units. The x–ray structure of [Nd[η–[$C_5H_3(SiMe_3)_2$]]$_2$(μ–Cl)$_2$Li(THF)$_2$] (THF = tetrahydrofuran), 1191–3
DICHLORODICYCLOPENTADIENYLLITHIUMNEODYMIUM
Organometallic complexes of the Group 3A and lanthanoid metals containing M(μ–Cl)$_2$Li bridging units. The x–ray structure of [Nd[η–[$C_5H_3(SiMe_3)_2$]]$_2$(μ–Cl)$_2$Li(THF)$_2$] (THF = tetrahydrofuran), 1191–3
DICROTALINE
Synthesis and stereochemistry of dicrotaline, a macrocyclic pyrrolizidine alkaloid, 1272–4
DICTYOTA
Structure of linearol, a novel diterpenoid from the brown seaweed Dictyota linearis, 100
DICYANOETHYLENEDITHIOLATO
A new one–dimensional 'metal' with conduction through bis(dicyanoethylenedithiolato)platinum anions, 67–8
DICYCLOBUTAANTHRACENE
Dicyclobuta[a,c]anthracene, 873–4
DICYCLOBUTABENZENE
Dicyclobuta[a,c]anthracene, 873–4
DICYCLOPENTADIENYL
Hydrogenation of alkynes with water and a titanium(II) complex, 665–6
Organometallic complexes of the Group 3A and lanthanoid metals containing M(μ–Cl)$_2$Li bridging units. The x–ray structure of [Nd[η–[$C_5H_3(SiMe_3)_2$]]$_2$(μ–Cl)$_2$Li(THF)$_2$] (THF = tetrahydrofuran), 1191–3
DIDEOXY
Syntheses of 9α,11α–diacylamino–9,11–dideoxyprostaglandin $F_{2\alpha}$ analogs, 840–1
A regioselective synthesis of 8,10–dideoxycarminomycinone, 1075–6
DIDEOXYISOPROPYLIDENEOCTONOLACTONE
Synthesis of 3–deoxy–D–manno–octulosonic acid (KDO), 1139–40
DIELS
Synthesis of asymmetrically–substituted cyclopentane derivatives from acyclic sugars, 88–90
Cyclizations of azidoformates. Cyclization of aryl azidoformates, 241–2
Diels–Alder reactions of (trimethoxymethyl)cyclopentadienes. Formation of adducts derived from the 2–substituted tautomer, 449–51
Model studies on the synthesis of milbemycin β_3, 556–7
Synthesis and photolysis of 1,2,3,8–tetrakis(trifluoromethyl)cyclooctatetraene, 1289–91
DIENE
Simple, stereospecific syntheses of some insect pheromones using the iron tricarbonyl protecting group, 373–4
Palladium(II)–catalyzed isomerizations of 3–acetoxy–1,4–dienes to 1–acetoxy–2,4–dienes: stereochemical and preparative aspects, 1030–1
DIENONE
Oxygen atom transfer from iodylbenzene to diphenyl diselenide: a convenient method for dehydrogenation of steroidal 3–ketones, 1044–5
DIENOPHILE
Cycloadditions of 3–methoxyfuran with mono–activated dienophiles; application to the synthesis of (±)–avenaciolides, 221–2
Diels–Alder reactions of (trimethoxymethyl)cyclopentadienes. Formation of adducts derived from the 2–substituted tautomer, 449–51
DIEPOXIDE
The absolute configurations of anti–benzene and anti–naphthalene 1,2:3,4–dioxides, 974–6
DIEPOXY
Unusual thermal rearrangement of the endo–peroxides of 2,5–dimethylfurans, 720–1
DIETHENODIBENZOCYCLOOCTENE
Synthesis and reactions of 5,6,11,12–tetrahydro–5,12;6,11–diethenodibenzo[a,e]cyclooctene (pp'–dinaphthalene), 786–7
DIETHYL
2,2–Dithiocarboxylation of a chromium coordinated 1,3–dithiane. X–ray crystal structure of fac–tricarbonyl(diethyl 1,3–dithiane–2,2–bisdithiocarboxylato)chromium, 749–50

DIFFERENTIATION
Diastereomeric differentiation of sulfone oxygens by oxygen–17 NMR spectroscopy, 479–80
Differentiation of spectra as a means of resolving spin–forbidden bands: iron(III) complexes, 518–20
DIFFRACTION
A gas–phase electron diffraction study of tris(trimethylsilyl)methane. A carbon–hydrogen bond of high p–character, 710–11
Hydrogen ordering effects in $DUO_2AsO_4.4D_2O$, 784–6
DIFFUSION
Regiospecific attack of methoxide ion on 4–alkoxy–o–quinone imines. A novel route to p–quinone monoacetals, 425–6
DIFLUORIDE
Synthesis of xenon difluoride–^{18}F, a novel agent for the preparation of fluorine–18 radiopharmaceuticals, 198–9
DIGERMANE
ESR spectra of the hexamethyldisilane and hexamethyldigermane radical cations, 666–8
DIGONAL
Photolysis of diazidosilanes. Generation and reactions of digonal silicon intermediates such as silacarbodiimides, 597–8
DIHYDRIDE
Synthesis and x–ray crystal and molecular structure of the mixed metal cluster hexaosmiumeicosacarbonyldihydridoaurate(1–), 753–5
DIHYDRIDO
Synthesis and x–ray crystal and molecular structure of the mixed metal cluster hexaosmiumeicosacarbonyldihydridoaurate(1–), 753–5
DIHYDROGEN
Ab initio study of the insertions of CH_2 and SiH_2 into hydrogen, 890–1
DIHYDROIODIDE
Daphnine, a unique bisbenzylisoquinoline alkaloid: x–ray crystal structure of its dihydroiodide, 1007–9
DIHYDRONICOTINAMIDE
Bis–1,4–dihydronicotinamides. Intramolecular electronic interaction and its consequence in the reduction of a carbonyl substrate in aprotic solvents, 444–6
DIHYDROXY
Stereospecific introduction of a C–17 side chain in a 14β–hydroxy steroid. X–ray crystal structures of two epimeric 17–ethynyl–17–hydroxy–14β–hydroxy steroids, 363–4
Synthesis and determination of the configuration of 23,25–dihydroxyvitamin D_3, a new metabolite of vitamin D_3. X–ray crystal structure of a 3,23,25–triol precursor, 1157–9
DIHYDROXYACETONE
Simple route for elaboration of the hydroxy ketone and dihydroxyacetone side chains of corticosteroids from 17–oxo steroids, 775–7
DIHYDROXYBENZOPYRENE
Optical resolution of mutagenic and carcinogenic derivatives of polyaromatic hydrocarbons by high pressure liquid chromatography on a chiral support, 75–6
DIHYDROXYPREGNYNE
Stereospecific introduction of a C–17 side chain in a 14β–hydroxy steroid. X–ray crystal structures of two epimeric 17–ethynyl–17–hydroxy–14β–hydroxy steroids, 363–4
DIHYDROXYVITAMIN
Synthesis and determination of the configuration of 23,25–dihydroxyvitamin D_3, a new metabolite of vitamin D_3. X–ray crystal structure of a 3,23,25–triol precursor, 1157–9
DIIMIDE
Novel route to β–lactam systems, 41
DIIMINOSUCCINONITRILE
Synthesis, characterization, and chemical transformation of diiminosuccinonitrile cobalt complexes: x–ray crystal structure of cyanobis(diiminosuccinonitrile)cobalt, 329–30
DIIODINE
Synthesis and molecular structure of mixed–valence compounds of rhenium obtained by diiodine oxidation of rhenium(I) carbonyl complexes; x–ray crystal structure of $Re_3I_6(CO)_6$, 893–4
DIIRON
An unusual bonding mode for a dithiocarboxylate ligand: a tetradentate interaction; x–ray crystal structure of the product of the reaction of nonacarbonyldiiron with 1,2–benzodithiole–3–thione, 513–14
Synthesis and x–ray crystal and molecular structure of $[(RhFe(\mu\text{–}PPh_2)_2(\mu\text{–}CO)(CO)_3)_2]$, an unusual tetranuclear compound with a straight–chain structure, 587–8
DIISOPROPYLIDENE
Simple novel synthesis of the anthracyclinone system using a new modification of the Marschalk reaction and a carbohydrate as a chiral center source, 508–10
DIISOPROPYLIDENEARABINOSE
Simple novel synthesis of the anthracyclinone system using a new modification of the Marschalk reaction and a carbohydrate as a chiral center source, 508–10
DIKETONE
Selective reaction of silyl enol ethers with α–chloro sulfides containing a ketone group, 1106–7
DIMER
Synthesis of coordinated trans–1,2–di(cycloheptatrienyl)ethylene, a new cyclooctatetraene dimer, and the x–ray crystal structure of an intermediate bisphosphonium salt $[Fe_2(CO)_2(\eta^4,\eta'^4\text{–}C_{16}H_{16}(PPh_3)_2)][PF_6]_2$, 17–18
Cyclizations of azidoformates. Cyclization of aryl azidoformates, 241–2
Planar tetracoordinate carbon candidates. MNDO calculations on substituted phenyllithium dimers, 260–1
Two polymorphic forms of the tetrakis(dithioisobutanoato)diplatinum(II) complex: x–ray crystal structure and spectroscopic evidence of intermolecular interactions in the solid state, 409–11
Synthesis, solution, and solid–state structure (x–ray analysis), and some reactions of the dimer bis[dimethyl[μ–bis(diphenylphosphino)methane]platinum], 805–6
Isolation and x–ray crystal structure of a novel dihydroterpyridine dimer formed via an anionic [6 + 4] cycloaddition, 858–9
Comparison of proton hyperfine coupling constants for the monomer and dimer radical cations of dimethyl sulfide and dimethyl selenide, 1184–5
Novel resveratrol tetramer, vaticaffinol, from Vatica affinis Thw. (Dipterocarpaceae), 1204–6
DIMERIZATION
Photosensitized (electron transfer) [2e + 4e] dimerization and cross–cycloaddition of phenylated olefins: trapping the intermediate, 138–9
One–step synthesis of methoxycarbonyl–substituted tetraselenafulvalene under high pressure, 669–70
Ipso–substitution reactions of 3–substituted indoles with benzoyl tert–butyl nitroxide, 694–5
Preparation, purification, and x–ray crystal structure of a dimeric manganese(IV) porphyrin complex, 765–6
Surface photochemistry: the photodimerization of acenaphthylene on dry silica gel, 820–1
Isolation and x–ray crystal structure of a novel dihydroterpyridine dimer formed via an anionic [6 + 4] cycloaddition, 858–9
DIMESITYL
Charge transfer and noncharge transfer crystal forms of (E)–5,5'–dimesitylbifuranylidenediones: an x–ray structural investigation, 823–5
DIMESITYLBIFURANYLIDENEDIONE
Charge transfer and noncharge transfer crystal forms of (E)–5,5'–dimesitylbifuranylidenediones: an x–ray structural investigation, 823–5
DIMESITYLHEXAMETHYLTRISILANE
Reaction of dimesitylsilylene with epoxides. Silanone–epoxide adducts, 621–2
DIMETHYL
An abnormal dinitration product from 4,6–dibromo–2,5–dimethylphenol; x–ray crystal structure of 2,4–dibromo–6–hydroxy–3,6–dimethylcyclohex–3–enone, 225–6
Direct geminal dimethylation of ketones using dimethyltitanium dichloride, 237–9
Cyclizations of azidoformates. Cyclization of aryl azidoformates, 241–2
A novel rearrangement of hetisine, and x–ray crystal structure of the major product: transformation of a dihydroxybicyclo[2.2.2]octane system to an adamantane–type skeleton, 327–9
Trapping of reactive intermediates from phosphites and dimethyl acetylenedicarboxylate. Diversion of reaction pathway towards stable phosphole derivatives, 420–1
Evidence for a novel mechanism of the 1,2–bond shift rearrangements catalyzed by coenzyme–B_{12}, 686–8
Photorearrangement of 5,6–dichloro–1,4–dihydro–1,4–dimethylpyrazine–2,3–dione and its further reactions, 743–4
The infrared multiphoton–induced decomposition of silicon–containing four–membered rings. A new source of silaolefins,

DIMETHYL(contd)
915–17
Direct proton NMR observation of the cell-free conversion of δ-(L-α-aminoadipyl)-L-cysteinyl-D-valine and δ-(L-α-aminoadipyl)-L-cysteinyl-D-(–)-isoleucine into penicillins, 917–19
Flash photolysis of N-bromo-3,3-dimethylglutarimide: detection of the imidyl radical, 955–6
Photooxidation of 1,3-dimethylpyrazolo[1,2-a]benzotriazole, 1089–91
Comparison of proton hyperfine coupling constants for the monomer and dimer radical cations of dimethyl sulfide and dimethyl selenide, 1184–5
DIMETHYLAMMONIUM
The crystal structures of propane-1,3-diammonium tetrachlorochromate(II), a sheet ferromagnet, and bis(dimethylammonium) tetrachlorochromate(II), an antiferromagnetic compound containing isolated $[Cr_3Cl_{12}]^{6-}$ units, 1046–7
DIMETHYLANILINE
Chemical polarization of nitrogen-15 nuclei as a mechanistic criterion for nitration reactions, 402–3
DIMETHYLATION
Direct geminal dimethylation of ketones using dimethyltitanium dichloride, 237–9
DIMETHYLHYDRAZIDO
Preparation and x-ray crystal structure of $[S_2MoS_2Mo(NNMe_2)_2(PPh_3)]$, a binuclear molybdenum hydrazido(2–)-complex containing coordinated tetrathiomolybdate, 132–3
DIMETHYLHYDRAZIDOTRIPHENYLPHOSPHINOMOLYBDENUM
Preparation and x-ray crystal structure of $[S_2MoS_2Mo(NNMe_2)_2(PPh_3)]$, a binuclear molybdenum hydrazido(2–)-complex containing coordinated tetrathiomolybdate, 132–3
DIMETHYLPENTACYCLOUNDECANEDIONE
Olefin metathesis in polycyclic frames. A total synthesis of hirsutene 756–7
DIMETHYLPHENYLPHOSPHINE
Facile δ-hydrogen abstraction from a ruthenium complex: possible 1–4η-bonding of the o-xylylene ligand, 319–20
DIMETHYLPYRAZOLOBENZOTRIAZOLE
Photooxidation of 1,3-dimethylpyrazolo[1,2-a]benzotriazole, 1089–91
DIMETHYLPYRAZOLYL
Remarkably easy one-electron reduction of 16-electron molybdenum nitrosyls: mechanistic implications for the formation of alkoxy, amido, hydrazido, and thiolato complexes containing the tris-3,5-dimethylpyrazolylborato ligand, 960–1
DIMETHYLSILACYCLOBUTANE
The infrared multiphoton-induced decomposition of silicon-containing four-membered rings. A new source of silaolefins, 915–17
DIMETHYLTITANIUM
Direct geminal dimethylation of ketones using dimethyltitanium dichloride, 237–9
DINAPHTHALENE
Synthesis and reactions of 5,6,11,12-tetrahydro-5,12;6,11-diethenodibenzo[a,e]cyclooctene (pp'-dinaphthalene), 786–7
DINAPHTHODIOXANE
Photoreactions of dispiro[naphthalene-1,2'-naphtho[2,1-b]pyran-3',1''-naphthalene]-2(1H),2''(1''H)-dione. A novel case of β-carbon–carbon cleavage in an enone, 557–9
DINITRATE
Synthesis and x-ray crystal structure determination of the cationic gold cluster compound $[Au_8(PPh_3)_7](NO_3)_2$, 1218–19
DINITRO
An abnormal dinitration product from 4,6-dibromo-2,5-dimethylphenol; x-ray crystal structure of 2,4-dibromo-6-hydroxy-3,6-dimethylcyclohex-3-enone, 225–6
DINUCLEAR
A new bridging geometry for sulfur dioxide in $[Mo(CO)_2(PPh_3)(pyridine)(\mu\text{-}SO_2)]_2.2CH_2Cl_2$: x-ray crystal structure, 305–6
DIOCTADECYLDIMETHYLAMMONIUM
Use of synthetic surfactant vesicles as electron storage systems, 183–4
DIOL
Optical resolution of mutagenic and carcinogenic derivatives of polyaromatic hydrocarbons by high pressure liquid chromatography on a chiral support, 75–6
DIOLATE
Organolanthanoid activation of carbon monoxide: single and multiple insertion of carbon monoxide into tert-butyl lanthanoid bonds: x-ray crystallographic identification of a new bonding mode for a bridging enediolate ligand formed by formal coupling of four carbon monoxide molecules, 706–8
DIOSCOREA
Biosynthesis of yamogenin, neotokorogenin, and their (25R)-isomers from [1,2-$^{13}C_2$]acetate in Dioscorea tokoro tissue cultures, 895–7
DIOSGENIN
Biosynthesis of yamogenin, neotokorogenin, and their (25R)-isomers from [1,2-$^{13}C_2$]acetate in Dioscorea tokoro tissue cultures, 895–7
DIOSMIUM
A new class of diosmium(IV) complexes containing both oxide and carboxylate bridges, 1120–1
DIOXACYCLOALKANE
Isomerization and hydrogenolysis of 1,3-dioxacycloalkanes on metal catalysts, 106–8
Hydroisomerization of 1,3-dioxacycloalkanes to esters on platinum. The role of hydrogen in the isomerization, 978–9
DIOXADIAZACYCLODODECANE
Synthesis of a cation complexing doubly N,N'-bridged bis(1,7-dioxa-4,10-diazacyclododecane), 1084–6
DIOXANE
Grunwald–Winstein plots exhibiting a maximum. Solvolysis of methyl perchlorate, 83–4
DIOXAPENTYLIDYNETRIFERRATE
Interaction of alkyl halides with the diironoctacarbonylate anion: the crystal structures of the tetraethylammonium salts of the μ-acetyl$C^1(Fe^1,Fe^2)O(Fe^1,Fe^3)$nonacarbonyl-triangulo-triferrate and μ_2-carbonylnonacarbonyl-μ_3-2,4-dioxapentylidyne-triangulo-triferrate anions, 189–91
DIOXAPHOSPHOLANE
The stereochemistry of 2-substituted-2-oxo-4,5-diphenyl-1,3,2-dioxaphospholanes and the related chiral [$^{16}O,^{17}O,^{18}O$]phosphate monoesters, 245–6
DIOXASILACYCLOPENTANE
Reaction of dimesitylsilylene with epoxides. Silanone-epoxide adducts, 621–2
DIOXASPIROUNDECENONE
Model studies on the synthesis of milbemycin β_3, 556–7
DIOXATRICYCLONONANONE
A general route to optically pure prostaglandins from a D-glucose derivative, 983–5
DIOXATRICYCLONONENONE
Photoinduced 1,5-acyl shift of 3-acylated 3-methyloxepin-2(3H)-ones, 1163–4
DIOXATRICYCLOPENTADECADIENONE
Regio- and stereospecific allylic oxidation of germacrane-type sesquiterpene lactones with selenium dioxide and tert-butyl hydroperoxide, 483–5
DIOXIDE
Asymmetric carbon dioxide insertion into a π-allyltitanium(III) complex, 180–1
Hydrosilylation of carbon dioxide catalyzed by ruthenium complexes, 213–14
Gas phase fluorination of carbon dioxide by sulfur hexafluoride, 247–8
A new bridging geometry for sulfur dioxide in $[Mo(CO)_2(PPh_3)(pyridine)(\mu\text{-}SO_2)]_2.2CH_2Cl_2$: x-ray crystal structure, 305–6
Four-membered ring adducts from $2\pi + 2\pi$ cycloaddition of ketenimines to sulfur dioxide. Isolation of 1,2-thiazetidin-3-one 1-oxides, 350–2
Fixation and deoxygenation of carbon dioxide to form furans using organophosphorus intermediates, 607–8
5-Nitro-3H-1,2-benzoxathiole SS-dioxide, a new reagent for coupling in peptide synthesis, 632–4
Satellite structure in the uranium 4f x-ray photoelectron spectrum of uranium dioxide, 691–2
Photocycloaddition of 2,5-dihydrothiophene SS-dioxides to α,β-unsaturated cyclic anhydrides. Synthesis of 10-hydroxygeraniol, 752–3
Stereospecific intramolecular addition of α-lithio sulfoxides or sulfones to inactivated double bonds, 764–5
Synthesis and x-ray structural characterization of $Rh_4(\mu\text{-}CO)_4(\mu\text{-}SO_2)_3[P(OPh)_3]_4.{}^1\Psi 2C_6H_6$: a 'butterfly' cluster with an unusual bridging mode for sulfur dioxide, 963–5
The absolute configurations of anti-benzene and anti-naphthalene 1,2:3,4-dioxides, 974–6

DIOXIDE(contd)
Pyrolysis of phenylalklysulfonyl azides and 2–phenethyl azidoformate. Selectivity of sulfonylnitrenes and contrast between sulfonyl– and carbonylnitrenes, 1087–8
A novel carbon dioxide complex: synthesis and crystal structure of [Nb(η–$C_5H_4Me)_2$(CH_2SiMe_3)(η^2–CO_2)], 1145–6
DIOXYGEN
X–ray structure of the reversible dioxygen adduct of [N,N'–(3,3'–dipropylmethylamine)bis(salicylideneaminato)cobalt(II)]: unusual presence of both dioxygenated and nondioxygenated complex molecules in the crystal, 196–8
Electron spin resonance investigation of the thermolysis, photolysis, and oxygenation of bi– and trimetallic organochromium complexes, 531–2
DIPEPTIDE
A base–labile amine component in four–component condensation (4CC) synthesis, 491–2
DIPHENYL
Electrochemical reduction of 1,2–diphenylthiiren dioxide and monoxide, 120–1
The stereochemistry of 2–substituted–2–oxo–4,5–diphenyl–1,3,2–dioxaphospholanes and the related chiral [^{16}O,^{17}O,^{18}O]phosphate monoesters, 245–6
DIPHENYLTHIIRENE
Electrochemical reduction of 1,2–diphenylthiiren dioxide and monoxide, 120–1
DIPHOSPHATE
A synthetic phosphinate–phosphonate liponucleotide analog, 976–8
DIPOLE
Products of low potential energy in mass spectra as a consequence of ion–dipole attractions. The case of isobutyl alcohol, 836–8
Geometric and ligand effects in the IR spectra of carbon monoxide adsorbed on a platinum–copper alloy, 1024–5
DIPYRROLIDYL
Chemical conversions using sheet silicates: novel intermolecular elimination of ammonia from amines, 9–10
DIRECT
Synthesis gas homologation of aliphatic carboxylic acids, 41–3
DIRHODIUM
Synthesis and x–ray crystal and molecular structure of [(RhFe(μ–$PPh_2)_2$(μ–CO)$(CO)_3)_2$], an unusual tetranuclear compound with a straight–chain structure, 587–8
DIRUTHENIUM
Synthesis and molecular structure of mixed–valence compounds of rhenium obtained by diiodine oxidation of rhenium(I) carbonyl complexes; x–ray crystal structure of $Re_3I_6(CO)_6$, 893–4
DISACCHARIDE
Glycosyloxyselenation–deselenation of glycals: a new approach to 2'–deoxy–disaccharides, 572–3
Catalytic deacylation of sugars with strong base ion–exchange resins; an alternative to the Zemplen procedure, 760–1
DISELENIDE
One–step synthesis of methoxycarbonyl–substituted tetraselenafulvalene under high pressure, 669–70
DISILACYCLOBUTANE
The infrared multiphoton–induced decomposition of silicon–containing four–membered rings. A new source of silaolefins, 915–17
DISILANE
Double silylation of allene and buta–1,2–diene: formation of new organosilicon compounds containing both vinylsilane and allylsilane units, 617–18
ESR spectra of the hexamethyldisilane and hexamethyldigermane radical cations, 666–8
DISILANYL
Fluorescence from the intramolecular charge–transfer state of aromatic silanes, 405–6
DISILANYLNAPHTHALENE
Fluorescence from the intramolecular charge–transfer state of aromatic silanes, 405–6
DISTRIBUTION
The charge distribution in complexes having molybdenum–molybdenum or chromium–chromium quadruple bonds, studied by gas–phase x–ray photoelectron spectroscopy, 1027–8
DISULFIDE
Chemical conversions using sheet silicates: novel intermolecular eliminations of hydrogen sulfide from thiols, 695–6
Oxidative cleavage of peptide and protein disulfide bonds by gold(III): a mechanism for gold toxicity, 1111–14
DITELLURAFULVENE
Organotellurium chemistry. Cis– and trans–2,6–diphenyl–1,4–ditellurafulvenes, 828–9
DITELLURETAN
Organotellurium chemistry. Cis– and trans–2,6–diphenyl–1,4–ditellurafulvenes, 828–9
DITERPENE
Synthesis of the diterpenoid grayanol B from grayanotoxin II, 22
Structure of linearol, a novel diterpenoid from the brown seaweed Dictyota linearis, 100
Stereoselective synthesis of the novel marine diterpene (+)–isoagatholactone, 734–5
The structure of trichlorabdal B and its transformation into a novel skeleton; x–ray crystal structures, 899–900
Biosynthesis of terretonin, a polyketide–terpenoid metabolite of Aspergillus terreus, 1043–4
DITHIANE
Carbocyclizations employing 2–silyl–1,3–dithianes, 306–7
DITHIANEBISDITHIOCARBOXYLATO
2,2–Dithiocarboxylation of a chromium coordinated 1,3–dithiane. X–ray crystal structure of fac–tricarbonyl(diethyl 1,3–dithiane–2,2–bisdithiocarboxylato)chromium, 749–50
DITHIANEBISDITHIOCARBOXYLATOCHROMIUM
2,2–Dithiocarboxylation of a chromium coordinated 1,3–dithiane. X–ray crystal structure of fac–tricarbonyl(diethyl 1,3–dithiane–2,2–bisdithiocarboxylato)chromium, 749–50
DITHIOCARBOXYLATE
An unusual bonding mode for a dithiocarboxylate ligand: a tetradentate interaction; x–ray crystal structure of the product of the reaction of nonacarbonyldiiron with 1,2–benzodithiole–3–thione, 513–14
DITHIOCYANATO
Sulfur–bonded–only thiocyanate bridges. The synthesis and x–ray crystal structure of a di–μ–thiocyanato–(S)–dicopper(I) complex of a 20–membered macrocycle, 388–9
DITHIOCYANATODICOPPER
Sulfur–bonded–only thiocyanate bridges. The synthesis and x–ray crystal structure of a di–μ–thiocyanato–(S)–dicopper(I) complex of a 20–membered macrocycle, 388–9
DITHIOISOBUTANATOPLATINUM
Two polymorphic forms of the tetrakis(dithioisobutanoato)diplatinum(II) complex: x–ray crystal structure and spectroscopic evidence of intermolecular interactions in the solid state, 409–11
DITHIOISOBUTANOATO
Two polymorphic forms of the tetrakis(dithioisobutanoato)diplatinum(II) complex: x–ray crystal structure and spectroscopic evidence of intermolecular interactions in the solid state, 409–11
DITHIOISOBUTANOATOPLATINUM
Two polymorphic forms of the tetrakis(dithioisobutanoato)diplatinum(II) complex: x–ray crystal structure and spectroscopic evidence of intermolecular interactions in the solid state, 409–11
DITHIOLATE
Synthesis and x–ray crystal structure of a 1,1–dithiolate cluster compound containing a cube of eight Ag(I) atoms, $[Ag(I)_8[S_2C$:–$C(CN)_2]_6]^{4-}$, 322–4
Synthesis and x–ray structural characterization of $[Me_4N]_3$[(SCH_2–$CH_2S)MoS_3]_2Fe$), the first example of a heteronuclear trimer containing molybdenum in a square–pyramidal geometry, 411–12
DITHIOLYLIUM
Preparation of stable quinone methide imines, 565–6
DITHIZONE
New evidence for the structure of dithizone in solution from proton and carbon–13 NMR spectra and nitrogen–15 labeling, 735–6
DODECACARBONYL
New palladium cluster compounds. X–ray crystal structure of $Pd_{10}(CO)_{12}(PBu_3)_6$, 989–90
DODECACARBONYLTRIOSMIUM
Internuclear exchange of carbonyl groups in dodecacarbonyltriosmium: coupling constants J(osmium–187–carbon–13) in trinuclear osmium carbonyls, 853–5
DODECAHEDRANE
Synthesis and x–ray crystal structure of a (C_2)–C_{20}–hexaquinane derivative, a potential dodecahedrane precursor, 912–14
DODECATUNGSTOSILICATE
Conversion of methanol into hydrocarbons catalyzed by metal salts of heteropolyacids, 400–1
DODECATUNSTOPHOSPHORATE
Conversion of methanol into hydrocarbons catalyzed by metal salts of heteropolyacids, 400–1

DODECYLDIMETHYLAMMONIUM
Chemiluminescence in oriented systems. Chemiluminescence of lucigenin in model–membrane structures, 1082–3
DODECYLMETHOXYPHENYLTELLURIUM
Organotellurium chemistry. The telluroxide elimination reaction, 277–8
DONOR
Radical–like reactivity of rhodium(II) octaethylporphyrin dimer with trimethyl phosphite, 475–6
Formaldehyde as a hydrogen–donor to aldehydes and ketones in metal–catalyzed reactions in water, 924–5
DOPANT
Change of thermal desorption behavior of adsorbed oxygen with water coadsorption on silver(1+)–doped tin(IV) oxide, 1047–9
DOPING
Organic batteries: reversible n– and p–type electrochemical doping of polyacetylene, $(CH)_x$, 317–19
Photoinitiated doping of polyacetylene, 384–5
Doping of polyacetylene films to the metallic state with xenon fluorides and iodine pentafluoride, 1288–9
DULACIA
Isolation and structure (x–ray analysis) of manicoline A, a new α–aminotropone from Dulacia guianensis (Olacaceae), 731–2
DYE
Comparison of results obtained in kinetic studies of the interaction between cationic dyes and sodium carboxymethylcellulose using the Joule–heating temperature–jump and laser temperature–jump methods, 386–7
Regiospecific attack of methoxide ion on 4–alkoxy–o–quinone imines. A novel route to p–quinone monoacetals, 425–6
Photoreduction of 3,7–diaminophenoxazinylium chloride ('oxonine') by iron(II). A model system for singlet–state driven photogalvanic cells, 497–9
Dye–sensitized photooxygenation of tryptophan to give N'–formylkynurenine, 855–6
DYNAMICS
Dynamic properties of molecular complexes and receptor–substrate complementarity. Molecular dynamics of macrotricyclic diammonium cryptates, 833–6
X–ray crystal structure and molecular dynamics of the μ–dimethylcarbene complex $[Ru_2(CO)_2(\mu\text{–}CO)(\mu\text{–}CMe_2)(\eta\text{–}C_5H_5)_2]$ 861–2
Rhodium–platinum cluster compounds. Relationships with olefin–platinum complexes and x–ray crystal structures of $[PtRh_4(\mu\text{–}CO)_4(\eta\text{–}C_5Me_5)_4]$ and $[PtRh_2(\mu\text{–}H)(\mu\text{–}CO)_2(CO)(PPh_3)(\eta\text{–}C_5Me_5)_2][BF_4]$, 869–71
ECDYSONE
Isolation of 2–deoxy–20–hydroxyecdysone and 3–epi–2–deoxyecdysone from eggs of the desert locust, Schistocerca gregaria, during embryogenesis, 418–20
Isolation of ecdysone–3–acetate as a major ecdysteroid from the developing eggs of the desert locust, Schistocerca gregaria, 594–5
ECHINOMYCIN
Manipulation of the nuclear Overhauser effect by the use of a viscous solvent: the solution conformation of the antibiotic echinomycin, 165–6
ECHO
Improved resolution of low field quaternary carbon resonances in carbon–13 NMR spectroscopy, 12–13
EDTA
Photochemical hydrogen production using cadmium sulfide suspensions in aerated water, 145–6
EGG
Isolation of 2–deoxy–20–hydroxyecdysone and 3–epi–2–deoxyecdysone from eggs of the desert locust, Schistocerca gregaria, during embryogenesis, 418–20
EICOSACARBONYL
Synthesis and x–ray crystal and molecular structure of the mixed metal cluster hexaosmiumeicosacarbonyldihydridoaurate(1–), 753–5
ELEC
A new one–dimensional 'metal' with conduction through bis(dicyanoethylenedithiolato)platinum anions, 67–8
Conductive mixed halide adducts of tetrathiafulvalene obtained by electrocrystallization, 378–9
Intercalation of tetrathiafulvalene into iron oxychloride, 382–3
ELECTRIC
Visible light–induced oxidation of water and of chloride ions in photoelectrochemical cells, 437–40
ELECTROCHEM
Electrochemical reduction of 1,2–diphenylthiiren dioxide and monoxide, 120–1
Alkene formation in the cathodic reduction of oxalates, 134–6
Regioselective electroreduction of the cationic methoxycarbonylcobalticinium complex $[Co(\eta\text{–}C_5H_4CO_2Me)(\eta\text{–}C_5H_5)]^+$, 219–20
Electrochemical evidence for the generation of new sandwich complexes of iron; cyclopentadienyl(arene)iron anion and cyclopentadienyl(cyclohexadienyl)iron cation, 251–3
Anodic oxidation of vinyl sulfides. A convenient synthesis of α–thiolated aldehydes, 263
Spectroelectrochemical studies on trisbipyridyl ruthenium complexes. Ultraviolet, visible, and near–infrared spectra of the series $[Ru(bipyridyl)_3]^{2+\cdot1+\cdot0\cdot1-}$, 287–9
Modification of pathways for cathodic reduction via complexation with β–cyclodextrin, 492–4
Redox chemistry of ruthenium porphyrins: evidence for internal electron transfer and the characterization of [Ru(III)(OEP+·)] species, 982–3
Towards a nitrogen–fixing cycle: electrochemical reduction of a hydrazido complex of molybdenum(IV) under dinitrogen to yield the dialkylhydrazine and a molybdenum(0) dinitrogen complex, 1033–5
Electrochemical carbon–carbon bond formation: synthesis of new substituted butadienes, 1040–1
Redox properties and stability constants of anion complexes. An electrochemical study of the complexation of metal hexacyanide anions by polyammonium macrocyclic receptor molecules, 1067–9
Electrochemistry of six–coordinate chromium(III) porphyrins, 1212–14
Synthesis and properties of substituted ruthenium aqua complexes, 1216–17
ELECTROCRYSTN
Conductive mixed halide adducts of tetrathiafulvalene obtained by electrocrystallization, 378–9
ELECTRODE
Photoinduced electrochemical reduction of water to hydrogen at ruthenium–modified polysulfur nitride electrodes, 1021–3
ELECTROLYTE
Use of polymer–iodine adducts as positive electrodes of cells, 187–8
ELECTROLYTIC
Electron–induced nucleophilic substitution reactions in organometallic systems, 265–6
ELECTRON
Interconversion of carbocations, free radicals, and carbanions in nitroxide solutions, 70–1
Manganese 4,4',4'',4'''–tetrasulfonated phthalocyanine, its dioxygen adduct, and ESR evidence for intramolecular electron transfer in solution, 98–9
Use of synthetic surfactant vesicles as electron storage systems, 183–4
Photosensitized electron transport across a liquid membrane containing photosensitizer, electron mediator, and carrier, 210–11
Electron exchange rates of cobalt tetraarylporphines, 332–3
Flavin plus 5–deazaflavin as a turnover oxidation system. Model for the electron bridge from NAD+ to flavin, 391–2
Chain–ring interconversion in metasilicates, 662–3
ESR spectra of the hexamethyldisilane and hexamethyldigermane radical cations, 666–8
A gas–phase electron diffraction study of tris(trimethylsilyl)methane. A carbon–hydrogen bond of high p–character, 710–11
The electronic configuration of 1,3–dialkyltriazenyl radicals, 748–9
Synthesis, electronic structure, and complex formation of simple 1,1,4,4–tetrathiabutadienes, 829–31
Electronic ligand effects in nickel alloy catalysts, 845–7
The relationship between the energies of carbanions, R^-, and their lithiated counterparts, RLi. An ab initio study, 882–4
The influence of electron delocalization on the rate constants for competing $B_{Ac}2$ and E1cb ester hydrolyses, 884–6
Comparison of UV–visible spectra of iron(I)–porphyrin– and iron(II)–porphyrin(thiolato)(thiocarbonyl) and –(carbene) complexes. Relevance to ferrous cytochrome P450 complexes, 888–90
The charge distribution in complexes having molybdenum–molybdenum or chromium–chromium quadruple bonds, studied by gas–phase x–ray photoelectron spectroscopy, 1027–8
New organometallic reagents for electron microscopy, 1083–4
Pressure effect on the rate of outer–sphere electron–transfer within

ELECTRON(contd)
the ion-pair between μ-ethylenediaminetetraacetatodi-μ-oxobis[oxomolybdate(v)] and μ-hyperoxobis[pentaamminecobalt(III)] ions, 1135–6
ELECTRON MICROSCOPY
Solid-state silicon-29 NMR and high-resolution electron microscopic studies of a silicate analog of faujasite, 570–1
ELECTROOXIDN
Anodic oxidation of vinyl sulfides. A convenient synthesis of α-thiolated aldehydes, 263
ELECTROPHILE
First example of predominant β-orientation in electrophilic substitution of pyrrole, 1177–8
ELECTROPHILIC
Preparation of stable quinone methide imines, 565–6
ELECTROREDN
Remarkably easy one-electron reduction of 16-electron molybdenum nitrosyls: mechanistic implications for the formation of alkoxy, amido, hydrazido, and thiolato complexes containing the tris-3,5-dimethylpyrazolylborato ligand, 960–1
ELEMOL
Synthesis of phytuberin from elemol, 1236–7
ELEUTHERIN
Synthesis of (±)-eleutherin, (±)-isoeleutherin, and their demethoxy analogs. A novel synthetic approach, 1277–8
ELIMINATION
Chemical conversions using sheet silicates: novel intermolecular elimination of ammonia from amines, 9–10
A new and versatile method for the preparation of unsaturated sugars, 26–8
Photolysis of 2-azidopyridine 1-oxides. A convenient synthesis of 1,2-oxazines, 36–7
Stereochemically pure E- and Z-alkenes by the Wittig-Horner reaction, 100–1
Preparation of nitroalkenes from the corresponding nitroalkanes, 261–2
Chemical conversions using sheet silicates: novel intermolecular dehydrations of alcohols to ethers and polymers, 427–8
New method for preparing βγ-unsaturated ketones: use of phenylselenoacetaldehyde, 434–6
Simple, novel preparation of unsymmetrical triacetylenes, 459–60
Selenoxide fragmentation leading to allylic amides, 546–7
On relative leaving abilities: use of isobasic plots to determine the relative nucleofugalities of thiolates and their oxy-analogs, 551–3
Ranks of carbon leaving groups in alkene-forming elimination, 553–4
Hypervalent iodine in organic synthesis. A novel route to the dihydroxyacetone side-chain in the pregnene series, 641–2
Evidence for a novel mechanism of the 1,2-bond shift rearrangements catalyzed by coenzyme-B_{12}, 686–8
Stereoselective synthesis of α,β-unsaturated esters, 877–8
ortho-Formyl substituted arylazomethylenetriphenylphosphoranes: a novel facile intramolecular thermal rearrangement with nitrogen-nitrogen double bond fission, 894–5
A new reaction of pentacoordinate phosphorus derivatives: the formation of phosphinates from an oxazaphosph(V)ole and carbo1.yl compounds, 1054–5
Novel syntheses of 1,6-methano[10]annulene and 4-methylazulene, 1182–3
EMBRYOGENESIS
Isolation of 2-deoxy-20-hydroxyecdysone and 3-epi-2-deoxyecdysone from eggs of the desert locust, Schistocerca gregaria, during embryogenesis, 418–20
EMERICID
Precise carbon-13 NMR multiplicity determination, 150–2
EMMONS
An efficient synthesis of 3-[1-(3-pyridyl)ethyl]indoles, 630–1
ENAL
The photoisomerizations of protonated Schiff base derivatives of some enals, 1268–9
ENAMIDE
A new photochemical spiroannelation method. Access to substituted spirocyclohexanepiperidines, 832–3
ENANTIOSELECTION
The origins of the enantioselection in asymmetric catalytic hydrogenation of amino acid precursors, 1278–80
ENANTIOSELECTIVE
Enantioselective route to both (+)- and (-)-enantiomers of quebrachamine using a single chiral synthon, 1153–5
Synthesis of a potential synthon for the chiral synthesis of the Corynanthe-type indole alkaloids: enantioselective total synthesis of (-)-antirhine, 1155–6
ENANTIOSELECTIVITY
Enantioselective synthesis of the gibbane framework using L-glutamic acid as chiral template, 637–8
ENEDIONE
Organolanthanoid activation of carbon monoxide: single and multiple insertion of carbon monoxide into tert-butyl lanthanoid bonds: x-ray crystallographic identification of a new bonding mode for a bridging enedione diolate ligand formed by formal coupling of four carbon monoxide molecules, 706–8
ENERGY
Conformational analysis of 5-tert-butylcyclohexa-1,3-diene, 372–3
Methyl and silyl halide radical anions: an ab initio study, 515–16
The relationship between the energies of carbanions, R^-, and their lithiated counterparts, RLi. An ab initio study, 882–4
ENHANCEMENT
Accumulation of potassium oxide on carbon and enhancement of catalytic activity for isomerization by dioxygen, 1061–2
Spin-echo methods for resolution control of lanthanide-shifted NMR spectra, 1201–3
ENOL
Hypervalent iodine in organic synthesis. A novel route to the dihydroxyacetone side-chain in the pregnene series, 641–2
A new route to 3-alkoxypyridine 1-oxides, 696–8
Room temperature fluorination of alkenes with cesium fluoroxysulfate, 795–6
Concise syntheses of 4-(arylcarbonylmethyl)-azetidin-2-ones and related systems, 1076–7
α-C-Glycopyranosides from Lewis acid-catalyzed condensations of acetylated glycals and enol silanes, 1180–1
ENOLATE
Erythro-selective ..ldol condensation via triphenyltin enolates. Stereoselection independent of the stereochemistry of the enolates 162–3
New method for preparing βγ-unsaturated ketones: use of phenylselenoacetaldehyde, 434–6
Stereoselective synthesis of α,β-unsaturated esters, 877–8
Total synthesis of (±)-prostaglandin I_2 methyl ester and (±)-15-epi-prostaglandin I_2 methyl ester, 922–4
Ketone enolates as nucleophiles in palladium-catalyzed allylic alkylation, 1159–60
ENOLIZATION
Utilization of the deuterium isotope effect to suppress enolization during alkylation of ketones, 1215–16
The photochemical enolization of an aliphatic α,β-unsaturated ketone, 1235–6
ENONE
Model studies on the synthesis of milbemycin β_3, 556–7
ENTHALPY
A reappraisal of the heat capacity of activation and enthalpy of activation for tert-butyl chloride in water-ethyl alcohol mixtures 13–14
The association of proteins with polyphenols, 309–11
ENTROPY
Early or late transition states in the Menschutkin reaction. A resolution of the entropy problem, 905–6
ENYNE
Intermolecular cobalt-mediated [2+2+2]cycloadditions: regiospecific one-step construction of bicyclic dienes from α,ω-enynes and alkynes, 53–5
ENZYME
Mode of enzymic oxygenation at primary carbon atoms: stereochemistry of hydroxylation of C-1 chiral octanes by Pseudomonas oleovorans, 76–8
The stereochemistry of 2-substituted-2-oxo-4,5-diphenyl-1,3,2-dioxaphospholanes and the related chiral [^{16}O,^{17}O,^{18}O]phosphate monoesters, 245–6
Flavin plus 5-deazaflavin as a turnover oxidation system. Model for the electron bridge from NAD+ to flavin, 391–2
Direct proton NMR observation of the cell-free conversion of δ-(L-α-aminoadipyl)-L-cysteinyl-D-valine and δ-(L-α-aminoadipyl)-L-cysteinyl-D-(-)-isoleucine into penicillins, 917–19
EPICATECHINEPICATECHIN
Polymeric proanthocyanidins: interflavanoid linkage isomerism in (epicatechin-4)-(epicatechin-4)-catechin procyanidins, 320–2
EPICATECHINEPICATECHINCATECHIN
Polymeric proanthocyanidins: interflavanoid linkage isomerism in

EPICATECHINEPICATECHINCATECHIN(contd)
(epicatechin–4)–(epicatechin–4)–catechin procyanidins, 320–2
EPIDEOXY
Isolation of 2–deoxy–20–hydroxyecdysone and 3–epi–2–deoxyecdysone from eggs of the desert locust, Schistocerca gregaria, during embryogenesis, 418–20
EPIDEOXYECDYSONE
Isolation of 2–deoxy–20–hydroxyecdysone and 3–epi–2–deoxyecdysone from eggs of the desert locust, Schistocerca gregaria, during embryogenesis, 418–20
EPIDEOXYLOGANIN
Biosynthesis of lamiide and ipolamiide from 8–epi–deoxyloganin studied by deuterium NMR spectroscopy, 228–9
EPITULIPINOLIDE
Regio– and stereospecific allylic oxidation of germacrane–type sesquiterpene lactones with selenium dioxide and tert–butyl hydroperoxide, 483–5
EPOXIDE
Rearrangement of a 2–aryloxycyclohex–2–enone. A new enolate Claisen rearrangement?, 224–5
Synthesis of 1,2,4–trioxanes, 581–2
Reaction of dimesitylsilylene with epoxides. Silanone–epoxide adducts, 621–2
The absolute configurations of anti–benzene and anti–naphthalene 1,2:3,4–dioxides, 974–6
EPOXIDN
Hypervalent iodine in organic synthesis. A novel route to the dihydroxyacetone side–chain in the pregnene series, 641–2
EPOXY
Synthesis of 1,2,4–trioxanes, 581–2
Synthesis of a trans–decalin as a potential insect antifeedant, 1001–3
EPOXYDECALONE
Synthesis of a trans–decalin as a potential insect antifeedant, 1001–3
EPOXYFURAN
Unusual thermal rearrangement of the endo–peroxides of 2,5–dimethylfurans, 720–1
EPOXYMETHYLOCTADECADIENOATE
Conversion of linoleic and latex furanoid acid to fish C_{18} dimethyl furanoid isomers, 1110–11
EQUIL
A cis–trans equilibrium isotope effect in arylcyanomethylenepyrrolidinones, 205–6
$(C_5Me_5)_2UCl$.tetrahydrofuran. Oxidative–addition and related reactions, 232–4
ERBIUM
Heteroleptic tert–butyl lanthanoid complexes. Synthesis and x–ray crystal structure of monomeric bis(cyclopentadienyl)(tert–butyl)lutetium tetrahydrofuranate, 292–3
ESR
Synthesis and x–ray crystal structure of a tungsten(V) metallocycle $[(W(CH_2C_6H_4CH_2\text{–}o)_2O)_2Mg(tetrahydrofuran)_4]$, 6–8
Synthesis and structural characterization of a novel paramagnetic trigonal bipyramidal cluster, $(\eta^5\text{–}C_5H_5)_5V_5O_6$, 28–9
Manganese 4,4',4'',4'''–tetrasulfonated phthalocyanine, its dioxygen adduct, and ESR evidence for intramolecular electron transfer in solution, 98–9
Single crystal ESR study of the 1,6–dioxa–4,9–diaza–5–phospha(V–)spiro[4.4]nonan–5–yl and the 1,6–dioxa–4,9–diaza–2,3,7,8–dibenzo–5–phospha(V)spiro[4.4]nona–2,7–dien–5–yl radicals, 104–6
A water–soluble, nitroso–aromatic spin–trap, 142–3
Electron and hydrogen atom addition to the tetracyanoplatinate(II) ion: an ESR study, 176–8
ESR spectra of cyclic oxyamidyls, 253–4
Single crystal ESR study of the octahydro–2a,4a,6a,8a–tetraaza–8b–phospha(V)pentaleno[1,6–cd]pentalen–8b–yl radical. Evidence of ligand exchange via a Berry pseudorotation mechanism, 358–60
An ESR study of the generation and reactivity of the borane radical anion ($H_3B\cdot^-$) in solution, 360–1
Electron spin resonance investigation of the thermolysis, photolysis, and oxygenation of bi– and trimetallic organochromium complexes, 531–2
ESR spectra of the hexamethyldisilane and hexamethyldigermane radical cations, 666–8
Arsenic pentafluoride radical anion intermediate in the charge–transfer interaction with donors, 701–2
The electronic configuration of 1,3–dialkyltriazenyl radicals, 748–9
Trapping of an inner–sphere charge–transfer triplet state in a single crystal of a uranyl complex, 1019–20
Pseudorotation of spin–labeled phosphoranes formed by cyclization of triazenylphosphoranyl radicals, 1107–8
Role of a copper complex in an oxygen atom transfer reaction from dioxygen to triphenylphosphine, 1109–10
Stereoisomerization of the tricyclotrioxaazoniaphosphaundecane tetrafluoroborate phosphoranyl radical: a single crystal ESR study, 1148–9
ESR evidence for chromium(V) porphyrinates, 1165–6
ESR spectra and reactivity of alane radical anions in solution, 1167–8
Comparison of proton hyperfine coupling constants for the monomer and dimer radical cations of dimethyl sulfide and dimethyl selenide, 1184–5
The cation of hexamethyldistannane generated by radiolysis: an ESR study, 1251–2
ESTER
Chemical conversions using sheet silicates: facile ester synthesis by direct addition of acids to alkenes, 8–9
Biomimetic synthesis of sclerin, 20–1
Cycloaddition reactions of 2–(indol–2–yl)acrylates and N–alkoxycarbonyl–1,2–dihydropyridine: new synthesis of desethylcatharanthine, 37–9
Asymmetric synthesis of a new proline analog, 97–8
Asymmetric hydrolysis of 3–acetylthiocycloheptene and 3–acetoxycycloheptene with a microbial lipase, 185
Vicinal glycol esters from synthesis gas, 188–9
The stereochemistry of 2–substituted–2–oxo–4,5–diphenyl–1,3,2–dioxaphospholanes and the related chiral [^{16}O,^{17}O,^{18}O]phosphate monoesters, 245–6
Alkaloid–catalyzed asymmetric addition of thiocarboxylic S–acids to cyclohex–2–en–1–ones. Absolute configuration of the adducts by O,S–dibenzoate Cotton effect, 307–8
Cooperative effects in the catalytic action of N–decanoyl–L–histidine in micelles, 393–4
Protection of histidine side–chains with π–benzyloxymethyl or π–bromobenzyloxymethyl groups, 648–9
Synthesis of γ–oxyprotoporphyrin IX and pterobiline (biliverdin IXγ), 763–4
Synthesis of 6–cyano– and 6–carbamoylpurines and 6–carbamoyl–1,2–dihydropurines from N–methylacetonitrilium trifluoromethanesulfonate and diaminomaleonitrile, 788–9
Redox enzyme models. Catalysis of the cathodic cleavage of benzyl esters via complexation with a substituted β–cyclodextrin, 792–3
Stereoselective synthesis of α,β–unsaturated esters, 877–8
Total synthesis of (±)–prostaglandin I_2 methyl ester and (±)–15–epi–prostaglandin I_2 methyl ester, 922–4
Facile access to chiral 5–hydroxy–2–methylhexanoic acid lactones (pheromones of the carpenter bee), 1125–6
Chloroformate ester–induced reductive 1,2–bond cleavage of some 1,2,3,4–tetrahydro–β–carboline derivatives, 1209–10
Reaction of lithium dialkylcuprates with S–2–pyridyl thioates in the presence of oxygen. A carboxylic ester synthesis, 1231–2
Preparation and rearrangement of some conjugated phenylsulfinylacetate derivatives, 1248–50
ESTERIFICATION
Vicinal glycol esters from synthesis gas, 188–9
Effect of internal hydrogen bonding on the reactivity of the hydroxy–group in esterification under phase–transfer catalyzed conditions, 215–16
2–Hydroxyethanesulfonyl chloride: a sulfonyl chloride with a primary hydroxy–group, 295–6
Use of carbohydrates in the preparation of optically active sulfoxides, 505–6
ESTRATRIENE
Regioselective mercuration of an estradiol derivative: a facile entry to 2–substituted estrogens, 217
ESTRIOL
Efficient synthesis of estriol 16–glucuronide via 2,4,16α–tribromoestrone, 383–4
ESTROGEN
Efficient synthesis of estriol 16–glucuronide via 2,4,16α–tribromoestrone, 383–4
ESTRONE
The status of oxygen atoms in the removal of C–19 in estrogen biosynthesis, 129–30
Efficient synthesis of estriol 16–glucuronide via 2,4,16α–tribromoestrone, 383–4

ETHANE
A reappraisal of the heat capacity of activation and enthalpy of activation for tert–butyl chloride in water–ethyl alcohol mixtures 13–14
Synthesis and x–ray structural characterization of $[Me_4N]_3[(SCH_2CH_2S)MoS_3]_2Fe$), the first example of a heteronuclear trimer containing molybdenum in a square–pyramidal geometry, 411–12
Evidence for the participation of surface carbon in the steam reforming of ethane over nickel catalysts, 751–2
ETHANEDITHIOLATE
Synthesis and x–ray structural characterization of $[Me_4N]_3[(SCH_2CH_2S)MoS_3]_2Fe$), the first example of a heteronuclear trimer containing molybdenum in a square–pyramidal geometry, 411–12
ETHANEDITHIOLATOMOLYBDENUMSULFIDO
Synthesis and x–ray structural characterization of $[Me_4N]_3[(SCH_2CH_2S)MoS_3]_2Fe$), the first example of a heteronuclear trimer containing molybdenum in a square–pyramidal geometry, 411–12
ETHANEDITHIOLATOMOLYBDENUMSULFIDOIRON
Synthesis and x–ray structural characterization of $[Me_4N]_3[(SCH_2CH_2S)MoS_3]_2Fe$), the first example of a heteronuclear trimer containing molybdenum in a square–pyramidal geometry, 411–12
ETHANESULFONYL
2–Hydroxyethanesulfonyl chloride: a sulfonyl chloride with a primary hydroxy–group, 295–6
ETHANOL
Catalytic activity of fibrous clay mineral sepiolite for butadiene formation from ethanol, 401–2
ETHENE
Hydrogen uptake and hydrogenation activity of the rare earth intermetallic compound trimagnesiumsamarium treated with anthracene, 567
ETHENYL
Synthesis of potassium 3–methyl–9–oxo–1,4–diazatricyclo[5.2.0.0^{4,6}]non–2–ene–2–carboxylate, 947–8
ETHER
Cycloaddition reactions of 2–(indol–2–yl)acrylates and N–alkoxycarbonyl–1,2–dihydropyridine: new synthesis of desethylcatharanthine, 37–9
Cesium fluoroxysulfate as a mild fluorinating agent for the fluorination of alkoxy–substituted benzene and naphthalene derivatives, 148
Photoinduced hydrogen–deuterium exchange between aromatic and aliphatic hydrocarbon systems catalyzed by $[Mo(\eta\text{–}C_5H_5)(Me_2PCH_2CH_2PMe_2)H_3]$, 186–7
Intramolecular bromoalkoxylation: synthesis of 2–bromomethyl–2–methyl crown ethers, 219
Regioselective allylation of a Grignard reagent catalyzed by phosphinenickel and –palladium complexes, 313–14
Complexes of crown ethers and neutral molecules. Synthesis and crystal structure of a urea 18–crown–6 (5:1) complex, 368–9
Chemical conversions using sheet silicates: novel intermolecular dehydrations of alcohols to ethers and polymers, 427–8
The solid state and solution conformational behavior of a chiral 30–crown–10 derivative synthesized from 1,4:3,6–dianhydro–D–mannitol; x–ray crystal structure, 430–2
Complexing properties of a bisdianhydro–D–mannitolo–30–crown–10 derivative in the solution and solid states; x–ray crystal structure, 432–4
Facile synthesis of monoaza crown ethers, 471–2
Unusual coordination in the crystal structure of the 1:2 complex of 18,18'–spirobi(19–crown–6) with lithium iodide dihydrate, 472–3
Tetraphenylbismuth monotrifluoroacetate: a new reagent for regioselective aryl ether formation, 503–4
Far–UV circular dichroism spectra of (S)–(+)–1,2,2–trimethylpropyl ethyl ether: solvent effects, 590–1
Second–sphere coordination of neutral and cationic transition metal complexes by crown ethers, 612–13
Proton NMR studies of the orientation of some aromatic compounds by amphiphilic molecules and its relationship to regioselectivity in substitution, 613–15
Synthesis of macrocyclic oxo–crown ethers from $\alpha\omega$–bis diazoketones and polyethylene glycols, 616–17
Chiral crown complexes catalyze Michael addition reactions to give adducts in high optical yields, 625–8
Hypervalent iodine in organic synthesis. A novel route to the dihydroxyacetone side–chain in the pregnene series, 641–2
A new route to 3–alkoxypyridine 1–oxides, 696–8
Experimental evidence for a phenyl cation intermediate in the solvolysis reactions of dienynyl trifluoromethanesulfonates, 713–14
Regiospecific addition of 1,1–dimethylsilaethene to a silicon–oxygen bond, 806–7
The binding of neutral platinum complexes by crown ethers. X–ray crystal structures of $[trans\text{–}PtCl_2(PMe_3)NH_3$.dibenzo–18–crown–6] and $[(trans\text{–}PtCl_2(PMe_3)NH_3)_2$.18–crown–6], 847–9
Isolation and x–ray crystal structure of $[Cu(NH_3)_4H_2O$.18–crown–$6]^{2+}{}_n[PF_6]^{-}{}_{2n}$, a linear face–to–face hydrogen bonded chain copolymer, 849–50
The reaction of trichlorosilyl radicals with cyclohexyl octyl ether. An S_H2 reaction at an ether oxygen atom, 956–7
Chiral diaza–18–crown–6 derivatives, 992–4
ETHOXIDE
Hexadecamethoxy– and hexadecaethoxytetratungsten: preparation and x–ray crystal and molecular structure of hexadecaethoxytetratungsten, 270
ETHOXY
Selective reduction of carbonyl compounds by heterogeneous catalysis on salt surfaces, 121–2
Far–UV circular dichroism spectra of (S)–(+)–1,2,2–trimethylpropyl ethyl ether: solvent effects, 590–1
Hydroisomerization of 1,3–dioxacycloalkanes to esters on platinum. The role of hydrogen in the isomerization, 978–9
ETHOXYALKANOL
Hydroisomerization of 1,3–dioxacycloalkanes to esters on platinum. The role of hydrogen in the isomerization, 978–9
ETHOXYCARBONYL
Synthesis and x–ray structure of an azathiabenzene derivative, a cyclic sulfimide, 927–8
ETHOXYCARBONYLMETHYLDIMETHYLURACIL
Novel carbon–carbon bond formation at the 5–position of uracils. Facile synthesis of 5–methoxycarbonylmethyluridine and 5–carbamoylmethyluridine, minor component nucleosides derived from transfer ribonuclease, 623–4
ETHOXYCARBONYLMETHYLENEPHENYLPHOSPHORANE
Synthesis of 3–deoxy–D–manno–octulosonic acid (KDO), 1139–40
ETHOXYCARBONYLMETHYLTHIENOTHIAZINE
Synthesis and x–ray structure of an azathiabenzene derivative, a cyclic sulfimide, 927–8
ETHOXYCARBONYLPHENYLTHIENOTHIAZINE
Synthesis and x–ray structure of an azathiabenzene derivative, a cyclic sulfimide, 927–8
ETHOXYMETHYLPHENYLTHIOIMIDAZOLYLLITHIUM
Metalation and metal–halogen exchange reactions of imidazoles, 1095–7
ETHOXYSILANE
Selective reduction of carbonyl compounds by heterogeneous catalysis on salt surfaces, 121–2
ETHOXYTRIMETHYLPROPANE
Far–UV circular dichroism spectra of (S)–(+)–1,2,2–trimethylpropyl ethyl ether: solvent effects, 590–1
ETHYL
Tetrakis(tert–butyl)tetraborane(4), $(Me_3C)_4B_4$; synthesis of the first peralkyl derivative of a 2N framework electron count deltahedral borane, 250–1
Active metals from potassium–graphite. Palladium–graphite–catalyzed vinylic substitution reactions, 541–2
Far–UV circular dichroism spectra of (S)–(+)–1,2,2–trimethylpropyl ethyl ether: solvent effects, 590–1
Synthesis of ethyl 3–methyl–7–oxo–4–oxa–1–azabicyclo[3.2.0]hept–2–ene–2–carboxylate and the reaction of 4–acetoxyazetidin–2–one with ethyl α–diazoacetoacetate, 642–3
Observation of a neutral metalloformyl complex formed by the reaction of rhodium octaethylporphyrin hydride with carbon monoxide, 700–1
Chiral diaza–18–crown–6 derivatives, 992–4
A new synthetic route to perfluoroalkylphosphonates involving facile formation of the CF–P linkage, 1173–4
The origins of the enantioselection in asymmetric catalytic hydrogenation of amino acid precursors, 1278–80
ETHYLAMINODITHIOATE
Synthesis and x–ray structural characterization of $[Mo_2O(S_2CNEt_2)_6]BF_4$, a μ–oxo–bridged mixed oxidation state complex of molybdenum, 1262–3
ETHYLAMINOETHYLMETHYLSALICYLIDENEAMINATOCOBALT
New type of σ–organocobalt complexes: salts of alkyl–mer–[N–(2–

ATOCOBALT(contd)
aminoethyl)–7–methylsalicylideneaminato](ethylenediamine)cobalt(III). Preparation, characterization, and x–ray crystallographic evidence for structure, 441–2
ETHYLAMINOPROPYNE
The chemistry of a 1,3,4–thiadiazin–6–one, 1003–4
ETHYLAMINOSULFUR
A novel synthesis of α– and γ–fluoroalkylphosphonates, 511–13
ETHYLENE
Synthesis of coordinated trans–1,2–di(cycloheptatrienyl)ethylene, a new cyclooctatetraene dimer, and the x–ray crystal structure of an intermediate bisphosphonium salt $[Fe_2(CO)_2(\eta^4,\eta'^4\text{–}C_{16}H_{16}(PPh_3)_2)][PF_6]_2$, 17–18
Asymmetric synthesis of a new proline analog, 97–8
Photosensitized (electron transfer) [2e + 4e] dimerization and cross–cycloaddition of phenylated olefins: trapping the intermediate, 138–9
Vicinal glycol esters from synthesis gas, 188–9
Reactions of monomeric difluorosilylene with ethylene, 217–18
Template effect of intramolecular hydrogen–bonding in the synthesis of [1.1.1]cryptates, 777–8
Cometathesis of methyl oleate and ethylene; a direct route to methyl dec–9–enoate, 1132–3
The thermal cis–trans–isomerization of some substituted tetraphenylcyclopropanes. An assessment of the importance of mero–stabilization of a 1,3–biradical, 1203–4
ETHYLENEBISTHIOSALICYLIDENEIMINATOIRON
Reaction of N,N'–ethylenebis(thiosalicylideneiminato)iron(II) with dioxygen. Formation of a μ–peroxo–intermediate and isolation of a μ–oxo complex with the unusual S = 1/2 spin state, 726–8
ETHYLENEBISTRIPHENYLPHOSPHINEPLATINUM
Synthesis of α–functionalized–alkylplatinum(II) complexes by oxidative addition of geminal dihalides to platinum(0) substrates: x–ray structure of cis–[iodo(iodomethyl)bis(triphenylphosphine)-platinum], 698–9
ETHYLENEDIAMINE
Coordination of amides to cis–diammineaquaplatinum dication, 61–2
Formation and x–ray crystal structure of $[Pt(H_2NCH_2CH_2NH_2)_2.18\text{–crown–}6]^{2+}{}_n[PF_6^-]_{2n}$. A hydrogen bonded stepped–chain copolymer, 851–2
ETHYLENEDIAMINEACETATOOXOBISOXOMOLYBDATE
Pressure effect on the rate of outer–sphere electron–transfer within the ion–pair between μ–ethylenediaminetetraacetatodi–μ–oxobis[oxomolybdate(v)] and μ–hyperoxobis[pentaamminecobalt(III)] ions, 1135–6
ETHYLENEDIAMINECOBALT
New type of σ–organocobalt complexes: salts of alkyl–mer–[N–(2–aminoethyl)–7–methylsalicylideneaminato](ethylenediamine)cobalt(III). Preparation, characterization, and x–ray crystallographic evidence for structure, 441–2
ETHYLENEDIAMINEPLATINUM
Formation and x–ray crystal structure of $[Pt(H_2NCH_2CH_2NH_2)_2.18\text{–crown–}6]^{2+}{}_n[PF_6^-]_{2n}$. A hydrogen bonded stepped–chain copolymer, 851–2
ETHYLMETHYLSILYL
Hydrosilylation of carbon dioxide catalyzed by ruthenium complexes, 213–14
ETHYLPORPHYRINRHODIUM
Observation of a neutral metalloformyl complex formed by the reaction of rhodium octaethylporphyrin hydride with carbon monoxide, 700–1
ETHYLSILANE
The direct conversion of α–olefins into vinyl– and allylsilanes catalyzed by rhodium complexes, 673–4
ETHYLTETRABORANE
Tetrakis(tert–butyl)tetraborane(4), $(Me_3C)_4B_4$; synthesis of the first peralkyl derivative of a 2N framework electron count deltahedral borane, 250–1
ETHYNYLATION
Synthesis of a Weitz–type organosulfur π–donor with a cumulenic bond: 1,2–bis(2,6–diphenyl–4H–thiopyran–4–ylidene)ethene, 1143–5
ETHYNYLHYDROXYTHIOXANTHENE
Synthesis of a new Weitz–type organosulfur π–donor: 1,2–bis(thioxanthen–9–ylidene)ethene, 717–18
EUPATORIOPICRIN
Regio– and stereospecific allylic oxidation of germacrane–type sesquiterpene lactones with selenium dioxide and tert–butyl hydroperoxide, 483–5
EVIDENCE
Nitrogen tracer evidence for a cyclic azide species, 299–300
EVOLUTION
Comparison of activities for hydrogen evolution from water of hydrogenase and colloidal platinum, 56–7
Photochemical production of hydrogen from water and nucleophilic platinum metal complexes, 58–9
EXCHANGE
Mechanisms of reactions between organotin compounds and platinum complexes, 55–6
Photoinduced hydrogen–deuterium exchange between aromatic and aliphatic hydrocarbon systems catalyzed by $[Mo(\eta\text{–}C_5H_5)(Me_2PCH_2CH_2PMe_2)H_3]$, 186–7
Synthesis of xenon difluoride–^{18}F, a novel agent for the preparation of fluorine–18 radiopharmaceuticals, 198–9
$(C_5Me_5)_2UCl$.tetrahydrofuran. Oxidative–addition and related reactions, 232–4
Carbon–13 NMR study of rhodium carbonyl clusters under high pressures of carbon monoxide/hydrogen, 331–2
Electron exchange rates of cobalt tetraarylporphines, 332–3
Oxygen–18 exchange of μ–peroxodicobalt(III) complexes, 469–71
Improvement of optical purity of metal tris(1,10–phenanthroline) chelates by use of adsorption on a colloidal clay, 539–40
Accelerative effect of N^6–acyl groups on the C(8)–hydrogen exchange of 9–substituted adenines, 658–9
Nitrogen–15 nuclear polarization during nitro group exchange reactions on a σ–complex formed by ipso–attack, 825–7
Ruthenium metal–catalyzed deuterium exchange between organosilanes and perdeuteriobenzene, 844–5
Internuclear exchange of carbonyl groups in dodecacarbonyltriosmium: coupling constants J(osmium–187–carbon–13) in trinuclear osmium carbonyls, 853–5
Formation of η^6–arene–closo–carbaferraboranes by the reaction of a closo–carbaborane with cyclooctadiene(η–cyclopentadienyl)iron in the presence of arenes: molecular structure of [closo–1–(η^6–PhMe)–2,4–Me_2–1,2,4–$FeC_2B_9H_9$], 871–2
Isotope effects in chemical exchange systems. Isotope effects for sodium between a cation exchange resin and a methanolic solution, 968–9
α–Chlorination with carbon tetrachloride and α–hydrogen/deuterium exchange with deuteriochloroform of amidines, 998–9
Evidence for the base–promoted conversion of alkyl–substituted molybdenum and tungsten alkylidyne complexes into anionic vinylalkylidene species, 1037–8
Metalation and metal–halogen exchange reactions of imidazoles, 1095–7
EXCIMER
Enhanced intramolecular excimer formation of guest molecules included in the cavity of γ–cyclodextrin, 758–9
Micellar control of intramolecular eximer formation of bound substrates, 759–60
Anomalous excimer fluorescence from anthracene derivatives crystallizing in chiral crystal structures, 768–9
EXCITED
Tautomerism of 1–hydroxy–2–pyridone in the excited triplet state, 1004–5
EXCITON
Two polymorphic forms of the tetrakis(dithioisobutanoato)diplatinum(II) complex: x–ray crystal structure and spectroscopic evidence of intermolecular interactions in the solid state, 409–11
EXPANSION
Photolysis and thermolysis of phenyl azide in acetic acid, 202–4
Formation of 3H–1,3–benzodiazepines from quinoline N–acylimides, 211–13
Formation of (η–cyclopentadienone)tricarbonyliron on the photolysis of (η–cyclobutadiene)tricarbonyliron in a carbon monoxide matrix at 12 K, 489–90
EXTRUSION
Ring cleavage of 3–azidothiophenes; a novel extrusion of acetylene, 550–1
Synthesis, x–ray crystal structure, and reactivity of the di–μ–carbene complex $[Ru_2(CO)_2(\mu\text{–}CHMe)(\mu\text{–}CMe_2)(\eta\text{–}C_5H_5)_2]$, 862–4
F2
Syntheses of 9α,11α–diacylamino–9,11–dideoxyprostaglandin $F_{2\alpha}$ analogs, 840–1
FAR
Far–infrared spectra of aqueous solutions of thallium(III) chloride

FAR(contd)
complexes, 772–3
FAR UV
Organic photochemistry in the far–ultraviolet: unusual wavelength dependence in solution–phase irradiations, 973–4
FARANAL
Stereoselective synthesis of (3R,4S/3S,4R)–(6E,10Z)–3,4,7,11–tetramethyltrideca–6,10–dienal (faranal); the trail pheromone of the Pharaoh's ant, 1234–5
FAST
Fast atom bombardment quadrupole mass spectrometry, 324–5
Fast atom bombardment of solids (F.A.B.): a new ion source for mass spectrometry, 325–7
FATTY
Conversion of linoleic and latex furanoid acid to fish C_{18} dimethyl furanoid isomers, 1110–11
FAUJASITE
The surface composition of dealuminated zeolites, 422–4
Solid–state silicon–29 NMR and high–resolution electron microscopic studies of a silicate analog of faujasite, 570–1
A new family of crystalline, three dimensionally ordered, microporous structures, 1221–2
FENESTRANE
Preparation of derivatives of tricyclo[4.2.0.0^{1,4}]octane, broken window compounds, 118–20
FERRIC
Enhanced catalytic activity of specially prepared ferric oxide for the isomerization of but–1–ene and cyclopropane and the dehydration of butan–2–ol, 602–3
'Organic metals.' Reaction of ferric chloride with polyacetylene, $(CH)_x$, and poly(p–phenylene), $(p\text{–}C_6H_4)_x$, 783–4
FERROMAGNET
The crystal structures of propane–1,3–diammonium tetrachlorochromate(II), a sheet ferromagnet, and bis(dimethylammonium) tetrachlorochromate(II), an antiferromagnetic compound containing isolated $[Cr_3Cl_{12}]^{6-}$ units, 1046–7
FERROMAGNETISM
Reaction of N,N'–ethylenebis(thiosalicylideneiminato)iron(II) with dioxygen. Formation of a μ–peroxo–intermediate and isolation of a μ–oxo complex with the unusual S = 1/2 spin state, 726–8
FISCHER
Cobalt–catalyzed reaction of carbon monoxide–hydrogen mixtures in alkoxy–terminated polyglycol solvents, 618–19
cis– and trans–Dimethyl–di–μ–methylenebis(pentamethylcyclopentadienyl)dirhodium as models for Fischer–Tropsch reactions on metal surfaces, 809–10
Synthesis of light olefins from carbon monoxide and hydrogen over highly dispersed ruthenium/potassium–alumina derived from triruthenium dodecacarbonyl, 1114–15
FISSION
Evidence for heterolytic fission of hydrogen by cobalt cyanide complexes, 33–4
FIXATION
Towards a nitrogen–fixing cycle: electrochemical reduction of a hydrazido complex of molybdenum(IV) under dinitrogen to yield the dialkylhydrazine and a molybdenum(0) dinitrogen complex, 1033–5
FLASH
Dehydrogenation of cyclic and bicyclic secondary alkyl peroxides during flash vacuum pyrolysis, 547–9
Flash photolysis of N–bromo–3,3–dimethylglutarimide: detection of the imidyl radical, 955–6
FLAVIN
Flavin plus 5–deazaflavin as a turnover oxidation system. Model for the electron bridge from NAD+ to flavin, 391–2
FLAVONOL
Oxygenation of 3–hydroxyflavones by superoxide anion, 745
FLUORENE
A base–labile amine component in four–component condensation (4CC) synthesis, 491–2
FLUORENECARBOXYLATE
On relative leaving abilities: use of isobasic plots to determine the relative nucleofugalities of thiolates and their oxy–analogs, 551–3
FLUORENYL
Acid–catalyzed intramolecular C–alkylation rearrangements of $\beta\gamma$–unsaturated diazomethyl ketones. A novel synthetic entry to pentaleno–annulated polycyclic systems, 746–7
FLUORESCENCE
Fluorescence enhancement of α–naphthyloxyacetic acid in the cavity of γ–cyclodextrin, assisted by a space–regulating molecule, 194–5
Fluorescence from the intramolecular charge–transfer state of aromatic silanes, 405–6
Photoreduction of 3,7–diaminophenoxazinylium chloride ('oxonine') by iron(II). A model system for singlet–state driven photogalvanic cells, 497–9
Enhanced intramolecular excimer formation of guest molecules included in the cavity of γ–cyclodextrin, 758–9
Anomalous excimer fluorescence from anthracene derivatives crystallizing in chiral crystal structures, 768–9
FLUORIDE
Fluoride activation of nucleophilic displacement at tetrahedral phosphorus, 101–3
Selective reduction of carbonyl compounds by heterogeneous catalysis on salt surfaces, 121–2
Cesium fluoride–promoted Michael addition in heterogeneous catalysis, 122–3
Synthesis of xenon difluoride–^{18}F, a novel agent for the preparation of fluorine–18 radiopharmaceuticals, 198–9
Reactions of monomeric difluorosilylene with ethylene, 217–18
IR evidence for a strong hydrogen bond in the fluoride–uracil system, 466–8
Methyl and silyl halide radical anions: an ab initio study, 515–16
Arsenic pentafluoride radical anion intermediate in the charge–transfer interaction with donors, 701–2
The solvolysis of orthotelluric acid in hydrogen fluoride, 841–2
Monofluoro– and difluoromethylenebisphosphonic acids: isopolar analogs of pyrophosphoric acid, 930–2
X–ray crystal structure of a conducting polymer precursor: bridge–stacked phthalocyanine gallium fluoride, 1210–11
Doping of polyacetylene films to the metallic state with xenon fluorides and iodine pentafluoride, 1288–9
FLUORINATING
Acetyl hypofluorite, the first member of a new family of organic compounds, 443–4
FLUORINATION
Cesium fluoroxysulfate as a mild fluorinating agent for the fluorination of alkoxy–substituted benzene and naphthalene derivatives, 148
Gas phase fluorination of carbon dioxide by sulfur hexafluoride, 247–8
Acetyl hypofluorite, the first member of a new family of organic compounds, 443–4
A novel synthesis of α– and γ–fluoroalkylphosphonates, 511–13
Cleavage of aryl–tin bonds with elemental fluorine: rapid synthesis of fluorobenzene–^{18}F, 733
Room temperature fluorination of alkenes with cesium fluoroxysulfate, 795–6
Monofluoro– and difluoromethylenebisphosphonic acids: isopolar analogs of pyrophosphoric acid, 930–2
FLUORINE
Synthesis of xenon difluoride–^{18}F, a novel agent for the preparation of fluorine–18 radiopharmaceuticals, 198–9
Negative fluorine hyperconjugation. A theoretical reexamination, 396–8
A new method for the chemical modification of polymers, 522–3
Cleavage of aryl–tin bonds with elemental fluorine: rapid synthesis of fluorobenzene–^{18}F, 733
FLUORO
Electron–transfer chain (ETC) promotion of aromatic substitution reactions. Entry into the $S_{ON}2$ mechanism via ipso radical attack, 133–4
Cesium fluoroxysulfate as a mild fluorinating agent for the fluorination of alkoxy–substituted benzene and naphthalene derivatives, 148
Reactions of monomeric difluorosilylene with ethylene, 217–18
Tetraphenylbismuth monotrifluoroacetate: a new reagent for regioselective aryl ether formation, 503–4
A novel synthesis of α– and γ–fluoroalkylphosphonates, 511–13
FLUOROACETATE
S_H2 reactions of diphenyl diselenide; preparation and reactions of bridgehead selenides, 139–40
Tetraphenylbismuth monotrifluoroacetate: a new reagent for regioselective aryl ether formation, 503–4
FLUOROACETOXY
N,N–diacyl arylsulfenamides as an unambiguous and convenient source of arylsulfenium ions, 704–5

FLUOROACETOXYLATION
Tetraphenylbismuth monotrifluoroacetate: a new reagent for regioselective aryl ether formation, 503–4
FLUOROACETOXYNITROPHENYLTHIO
N,N–diacyl arylsulfenamides as an unambiguous and convenient source of arylsulfenium ions, 704–5
FLUOROACETOXYNITROPHENYLTHIOBUTANE
N,N–diacyl arylsulfenamides as an unambiguous and convenient source of arylsulfenium ions, 704–5
FLUOROALKANE
Negative fluorine hyperconjugation. A theoretical reexamination, 396–8
FLUOROALKENYL
A novel synthesis of α– and γ–fluoroalkylphosphonates, 511–13
FLUOROALKENYLPHOSPHONATE
A novel synthesis of α– and γ–fluoroalkylphosphonates, 511–13
FLUOROALKOXYBENZENE
Cesium fluoroxysulfate as a mild fluorinating agent for the fluorination of alkoxy–substituted benzene and naphthalene derivatives, 148
FLUOROALKOXYNAPHTHALENE
Cesium fluoroxysulfate as a mild fluorinating agent for the fluorination of alkoxy–substituted benzene and naphthalene derivatives, 148
FLUOROALKYL
A new synthetic route to perfluoroalkylphosphonates involving facile formation of the CF–P linkage, 1173–4
FLUOROALKYLPHOSPHONATE
A new synthetic route to perfluoroalkylphosphonates involving facile formation of the CF–P linkage, 1173–4
FLUOROANISOLE
Electron–transfer chain (ETC) promotion of aromatic substitution reactions. Entry into the $S_{ON}2$ mechanism via ipso radical attack, 133–4
FLUOROARSENIC
Arsenic pentafluoride radical anion intermediate in the charge–transfer interaction with donors, 701–2
FLUOROBENZENE
Cleavage of aryl–tin bonds with elemental fluorine: rapid synthesis of fluorobenzene–^{18}F, 733
FLUOROBENZYL
A novel synthesis of α– and γ–fluoroalkylphosphonates, 511–13
FLUOROBENZYLPHOSPHONATE
A novel synthesis of α– and γ–fluoroalkylphosphonates, 511–13
FLUOROBUTYNE
Formation of novel η^2–vinyl complexes by nucleophilic attack at coordinated hexafluorobut–2–yne: implications for the stereochemistry of addition and insertion reactions of coordinated acetylenes. Crystal and molecular structure of [Mo($SC_5H_4NC(CF_3)$:$C(CF_3)$)(CF_3C:CCF_3)(η–C_5H_5)], 1059–61
FLUOROCARBOXYLATORHODIUM
Transition metal–catalyzed reactions of diazoesters. Insertion into carbon–hydrogen bonds of paraffins by carbenoids, 688–9
FLUOROMETHANESULFONATE
Simple, novel preparation of unsymmetrical triacetylenes, 459–60
Synthesis of 6–cyano– and 6–carbamoylpurines and 6–carbamoyl–1,2–dihydropurines from N–methylacetonitrilium trifluoromethanesulfonate and diaminomaleonitrile, 788–9
FLUOROMETHANESULFONYLATION
Experimental evidence for a phenyl cation intermediate in the solvolysis reactions of dienynyl trifluoromethanesulfonates, 713–14
FLUOROMETHYL
Experimental evidence for a phenyl cation intermediate in the solvolysis reactions of dienynyl trifluoromethanesulfonates, 713–14
Trifluoromethyl Group 2B compounds: formation of mono– and bis(trifluoromethyl)platinum, –palladium, and –nickel trialkylphosphine complexes from the reaction of bis(trifluoromethyl)cadmium–glyme 1:1 compound with the diligand metal dihalides, 1282–3
FLUOROMETHYLCARBINOL
Optically active trifluoromethylcarbinols as chiral solvating agents for asymmetric transformations at a ring–nitrogen atom, 588–90
FLUOROMETHYLCYCLOOCTATETRAENE
Synthesis and photolysis of 1,2,3,8–tetrakis(trifluoromethyl)cyclooctatetraene, 1289–91
FLUOROMETHYLENE
Three new β,γ–methylene analogs of adenosine triphosphate, 1188–90
FLUOROMETHYLENEBISPHOSPHONATE
Monofluoro– and difluoromethylenebisphosphonic acids: isopolar analogs of pyrophosphoric acid, 930–2
FLUOROMETHYLNICKEL
Novel synthesis of σ–bonded palladium and nickel compounds by cocondensation of metal vapor with alkyl free radicals, 1283–4
FLUOROMETHYLPALLADIUM
Novel synthesis of σ–bonded palladium and nickel compounds by cocondensation of metal vapor with alkyl free radicals, 1283–4
FLUOROMETHYLSPIROOXOACENAPHTHENENORCARADIENE
Direct observation of a thermal ring–walk rearrangement in a spironorcaradiene system, 1035–6
FLUOROOXONAPHTHALENE
Cesium fluoroxysulfate as a mild fluorinating agent for the fluorination of alkoxy–substituted benzene and naphthalene derivatives, 148
FLUOROPHENYL
Synthesis and reactivity of bimetallic gold–silver complexes. X–ray structure of a chain polymer containing the moiety ...$(F_5C_6)_2Au(-\mu-AgSC_4H_8)_2Au(C_6F_5)_2$..., 1097–8
FLUOROPHENYLTHIENYLARGENTAGOLD
Synthesis and reactivity of bimetallic gold–silver complexes. X–ray structure of a chain polymer containing the moiety ...$(F_5C_6)_2Au(-\mu-AgSC_4H_8)_2Au(C_6F_5)_2$..., 1097–8
FLUOROSILACYCLOPENTANE
Reactions of monomeric difluorosilylene with ethylene, 217–18
FLUOROSULFATE
A dynamic NMR study of the acidity of superacid media (mixtures of fluorosulfuric acid and antimony pentafluoride from 0 to 90 mol % of antimony pentafluoride, 769–71
X–ray crystal structure of cesium hydrogen bis(monofluorosulfate) with a very short hydrogen bond, 1036–7
FLUOROTETRACYCLOBUTACYCLOOCTATETRAENE
Perfluorotetracyclobutacyclooctatetraene; a planar eight–membered ring system; x–ray crystal structure, 526–8
FLUOROTETRAMETHYLENESULFILIMINE
Perfluoro(tetramethylene)sulfilimine and its N–chloro– and N–bromo–derivatives. Perfluoro(tetramethylene)sulfoximine and its N–chloro–derivative, 242–3
FLUOROTETRAMETHYLENESULFOXIMINE
Perfluoro(tetramethylene)sulfilimine and its N–chloro– and N–bromo–derivatives. Perfluoro(tetramethylene)sulfoximine and its N–chloro–derivative, 242–3
FLUOROXYSULFATE
Cesium fluoroxysulfate as a mild fluorinating agent for the fluorination of alkoxy–substituted benzene and naphthalene derivatives, 148
Room temperature fluorination of alkenes with cesium fluoroxysulfate, 795–6
FLUORYLIDENEAMINOOXYPROPIONATE
Optical resolution of mutagenic and carcinogenic derivatives of polyaromatic hydrocarbons by high pressure liquid chromatography on a chiral support, 75–6
FLUXIONALITY
Synthesis, characterization, and x–ray crystal structure of 1,1–$(PPh_3)_2$–1–H–1,2,4–$RhC_2B_{10}H_{12}$, a supra–icosahedral metallacarbaborane catalyst precursor, 206–7
Synthesis and fluxional character of derivatives of the type [$HFe_3(CO)_{10}(\mu_2$–$CNR_2)$] and [$HFe_3(CO)_9(\mu_3$–$CH{=}NR)$], 263–5
NMR evidence for a fluxional allyl–hydride species featuring an aliphatic hydrocarbon–iridium(III) interaction, 506–7
FORMALDEHYDE
Formaldehyde as a hydrogen–donor to aldehydes and ketones in metal–catalyzed reactions in water, 924–5
FORMAMIDINE
Anomalous products from 1,2,5–triaza– and 1,5–diazapentadiene thermolyses: formation of amidines and pyrroles, respectively, 722–3
FORMATE
Hydrosilylation of carbon dioxide catalyzed by ruthenium complexes, 213–14
The charge distribution in complexes having molybdenum–molybdenum or chromium–chromium quadruple bonds, studied by gas–phase x–ray photoelectron spectroscopy, 1027–8
FORMATION
The status of oxygen atoms in the removal of C–19 in estrogen biosynthesis, 129–30

FORMATION(contd)
Biosynthesis of tajixanthone in Aspergillus variecolor; incorporation of $[^2H]_3$acetate and $[1,2\text{-}^{13}C_2]$acetate, 195–6
Biosynthesis of lamiide and ipolamiide from 8-epi-deoxyloganin studied by deuterium NMR spectroscopy, 228–9
Carbon-13 and deuterium NMR studies on the biosynthesis of O-methylasparvenone, a hexaketide metabolite of Aspergillus parvulus, 239–40
Penicillin biosynthesis: conversion of deuterated (L-α-amino-δ-adipyl)-L-cysteinyl-D-valine into isopenicillin N by a cell-free extract of Cephalosporium acremonium, 246–7
Deuterium NMR determination of the stereochemistry of an allylic displacement in the biosynthesis of virescenol B, 280–2
Mimics of intermediates in gibberellin biosynthesis as plant growth regulators, 285–6
Reactions of a triarylsulfonium salt with alkoxide nucleophiles: involvement of radical intermediates, 346–7
The induced kinetic isotope effect as a tool for mechanistic discrimination, 354–6
Pyrrolizidine alkaloids: evidence for N-(4-aminobutyl)-1,4-diaminobutane (homospermidine) as an intermediate in retronecine biosynthesis, 554–6
The isoprene units of the sesquiterpenoid, alliacolide, 631–2
Generation and thermal reorganization of a linearly-fused N-methyldibenzoazocinyl anion, 647–8
Use of deuterium–carbon-13 NMR coupling patterns in terpenoid biosynthesis, 649–50
Partial elimination of valine-oxygen during penicillin biosynthesis, 650–2
Volcano-shaped relation between heats of oxide formation of metals and coal-liquefaction activities of liquid-metal catalysts, 721–2
Synthesis and x-ray crystal structures of three isomeric macrobicyclic polyethers having similar melting points and different complexing power for alkali metal cations, 729–31
Enhanced intramolecular excimer formation of guest molecules included in the cavity of γ-cyclodextrin, 758–9
Far-infrared spectra of aqueous solutions of thallium(III) chloride complexes, 772–3
Stereochemistry of the introduction of the hydrogen atom at C-2 of cis-aconitic acid during its transformation into itaconic acid in Aspergillus terreus: a deuterium NMR approach, 1050–1
Stereoisomerization of the tricyclotrioxaazoniaphosphaundecane tetrafluoroborate phosphoranyl radical: a single crystal ESR study, 1148–9
FORMAZANIDO
Complex containing the bridging formazanido(3–) ligand. Synthesis and x-ray crystal structure of $[(WBr(1,2\text{-bis(diphenylphosphino)ethane})_2)_2(\mu\text{-}CH(N_2)_2)]^+\text{-}[Cr(NH_3)_2(NCS)_4]^-.1/3CH_2Cl_2$, 85–7
FORMYL
Complex containing the bridging formazanido(3–) ligand. Synthesis and x-ray crystal structure of $[(WBr(1,2\text{-bis(diphenylphosphino)ethane})_2)_2(\mu\text{-}CH(N_2)_2)]^+\text{-}[Cr(NH_3)_2(NCS)_4]^-.1/3CH_2Cl_2$, 85–7
A unique 'side-on' bridging mode for the formyl (CHO) ligand in a binuclear tantalum complex. x-ray structural study of $[(\eta^5\text{-}C_5Me_4Et)TaCl_2]_2(\mu\text{-}H)(\mu\text{-}CHO)$, 274–5
Observation of a neutral metalloformyl complex formed by the reaction of rhodium octaethylporphyrin hydride with carbon monoxide, 700–1
Dye-sensitized photooxygenation of tryptophan to give N'-formylkynurenine, 855–6
FORMYLATION
Observation of a neutral metalloformyl complex formed by the reaction of rhodium octaethylporphyrin hydride with carbon monoxide, 700–1
Organolanthanoid activation of carbon monoxide: single and multiple insertion of carbon monoxide into tert-butyl lanthanoid bonds: x-ray crystallographic identification of a new bonding mode for a bridging enedione diolate ligand formed by formal coupling of four carbon monoxide molecules, 706–8
FORMYLDIAZENIDO
Complex containing the bridging formazanido(3–) ligand. Synthesis and x-ray crystal structure of $[(WBr(1,2\text{-bis(diphenylphosphino)ethane})_2)_2(\mu\text{-}CH(N_2)_2)]^+\text{-}[Cr(NH_3)_2(NCS)_4]^-.1/3CH_2Cl_2$, 85–7
FORMYLETHYLPORPHYRIN
Observation of a neutral metalloformyl complex formed by the reaction of rhodium octaethylporphyrin hydride with carbon monoxide, 700–1
FORMYLETHYLPORPHYRINRHODIUM
Observation of a neutral metalloformyl complex formed by the reaction of rhodium octaethylporphyrin hydride with carbon monoxide, 700–1
FORMYLKYNURENINE
Dye-sensitized photooxygenation of tryptophan to give N'-formylkynurenine, 855–6
FORMYLPYRROLYL
Synthesis of γ-oxyprotoporphyrin IX and pterobiline (biliverdin IXγ), 763–4
FRAMEWORK
Tetrakis(tert-butyl)tetraborane(4), $(Me_3C)_4B_4$; synthesis of the first peralkyl derivative of a 2N framework electron count deltahedral borane, 250–1
FREE
Conformational analysis of 5-tert-butylcyclohexa-1,3-diene, 372–3
FRENKEL
Two polymorphic forms of the tetrakis(dithioisobutanoato)diplatinum(II) complex: x-ray crystal structure and spectroscopic evidence of intermolecular interactions in the solid state, 409–11
FUCOPYRANOSIDE
Synthesis of some branched trisaccharides using photolabile o-nitrobenzylidene acetals as temporary protecting groups, 362–3
FULVENE
Comments on a reported synthesis of 5,6-diazaazulenes, 736–7
FUNCTIONALIZATION
Benzylic functionalization of arene(tricarbonyl)chromium complexes, 1264–5
FURAN
New synthesis of 6-alkylpenicillanic acid derivatives, 10–11
Role of metal salts in the synthesis of 1,1,7,7,13,13,19,19-octamethyl[1.1.1.1](2,5)furanophan, 149–50
Fixation and deoxygenation of carbon dioxide to form furans using organophosphorus intermediates, 607–8
Unusual thermal rearrangement of the endo-peroxides of 2,5-dimethylfurans, 720–1
A regioselective synthesis of 8,10-dideoxycarminomycinone, 1075–6
Selective reaction of silyl enol ethers with α-chloro sulfides containing a ketone group, 1106–7
FURANOID
Conversion of linoleic and late ‹ furanoid acid to fish C_{18} dimethyl furanoid isomers, 1110–11
FURANONE
Facile synthesis of 4-alkylidenebut-2-enolides by double dehydrochlorination of 2,2-dichloro-4-alkylbutanolides, 815–16
FUROANTHRAQUINONE
Substitution of quinizarin and 5-hydroxyquinizarin at C-2, 740–1
FUROXAN
Oxidation of nitrobenzofuroxans, 365–6
FUSED
Novel and efficient photochemical rearrangement of 1,3-thiazine derivatives, 608–9
GADOLINIUM
New organometallic reagents for electron microscopy, 1083–4
GALIUM
2-Methoxycarbonyl-3-prenyl-1,4-naphthoquinone, a metabolite related to the biosynthesis of mollugin and anthraquinones in Galium mollugo L, 334–6
GALLIUM
X-ray crystal structure of a conducting polymer precursor: bridge-stacked phthalocyanine gallium fluoride, 1210–11
GAMMA
New method for preparing βγ-unsaturated ketones: use of phenylselenoacetaldehyde, 434–6
GEL
Surface photochemistry: radical pair combination on a silica gel surface and in micelles, 958–9
A physically supported gel polymer for low pressure, continuous flow solid phase reactions. Application to solid phase peptide synthesis, 1151–2
GEMINAL
Direct geminal dimethylation of ketones using dimethyltitanium dichloride, 237–9
GERANIAL
Ruthenium-catalyzed oxidation of allyl alcohols by molecular oxygen, 907–8
GERANIOL
Photocycloaddition of 2,5-dihydrothiophene SS-dioxides to α,β-unsaturated cyclic anhydrides. Synthesis of 10-hydroxygeraniol,

GERANIOL(contd)
752–3
Ruthenium–catalyzed oxidation of allyl alcohols by molecular oxygen, 907–8
GERMANIUM
Stable homopolyatomic anions: the tetrastannide(2–) and tetragermanide(2–) anions, Sn_4^{2-} and Ge_4^{2-}. X–ray crystal structure of $[K^+(crypt)]_2Sn_4^{2-}$.ethylenediamine, 236–7
GIBBANE
Enantioselective synthesis of the gibbane framework, 635–7
Enantioselective synthesis of the gibbane framework using L–glutamic acid as chiral template, 637–8
GIBBERELLA
Mimics of intermediates in gibberellin biosynthesis as plant growth regulators, 285–6
GIBBERELLIN
Mimics of intermediates in gibberellin biosynthesis as plant growth regulators, 285–6
GINGEROL
3,5–Disubstituted isoxazoles as a latent aldol moiety: application to the synthesis of (±)-[6]–gingerol, 599–600
GLUCAL
Glycosyloxyselenation–deselenation of glycals: a new approach to 2'–deoxy–disaccharides, 572–3
GLUCOPYRANOSYL
Preparation of nitroalkenes from the corresponding nitroalkanes, 261–2
GLUCOPYRANOSYLMETHANE
Mercuricyclization in carbohydrate chemistry. A highly stereoselective route to α–D–C–glucopyranosyl derivatives, 375–6
GLUCOSE
The stereochemistry of 2–substituted–2–oxo–4,5–diphenyl–1,3,2–dioxaphospholanes and the related chiral [^{16}O,^{17}O,^{18}O]phosphate monoesters, 245–6
GLUCOSIDE
A general route to optically pure prostaglandins from a D–glucose derivative, 983–5
GLUCOSYL
Use of carbohydrates in the preparation of optically active sulfoxides, 505–6
GLUCURONIDE
Efficient synthesis of estriol 16–glucuronide via 2,4,16α–tribromoestrone, 383–4
GLUTAMATE
Enantioselective synthesis of the gibbane framework using L–glutamic acid as chiral template, 637–8
GLUTARIMIDE
Flash photolysis of N–bromo–3,3–dimethylglutarimide: detection of the imidyl radical, 955–6
GLYCAL
α–C–Glycopyranosides from Lewis acid–catalyzed condensations of acetylated glycals and enol silanes, 1180–1
GLYCINE
A base–labile amine component in four–component condensation (4CC) synthesis, 491–2
GLYCINYLMETHYLSERINE
5–Nitro–3H–1,2–benzoxathiole SS–dioxide, a new reagent for coupling in peptide synthesis, 632–4
GLYCOL
Alkene formation in the cathodic reduction of oxalates, 134–6
Vicinal glycol esters from synthesis gas, 188–9
Intramolecular bromoalkoxylation: synthesis of 2–bromomethyl–2–methyl crown ethers, 219
Facile synthesis of monoaza crown ethers, 471–2
Synthesis of macrocyclic oxo–crown ethers from αω–bis diazoketones and polyethylene glycols, 616–17
Template effect of intramolecular hydrogen–bonding in the synthesis of [1.1.1]cryptates, 777–8
A catalytic method for α–glycol cleavage, 1232–3
GLYCOPYRANOSIDE
α–C–Glycopyranosides from Lewis acid–catalyzed condensations of acetylated glycals and enol silanes, 1180–1
GLYCOSIDATION
Efficient synthesis of estriol 16–glucuronide via 2,4,16α–tribromoestrone, 383–4
GLYCOSIDE
Catalytic deacylation of sugars with strong base ion–exchange resins; an alternative to the Zemplen procedure, 760–1
GLYCOSYLISOXAZOLIDINE
Asymmetric synthesis of a new proline analog, 97–8
GLYCOSYLOXIME
Asymmetric synthesis of a new proline analog, 97–8
GLYCOSYLOXYSELENATION
Glycosyloxyselenation–deselenation of glycals: a new approach to 2'–deoxy–disaccharides, 572–3
GLYME
Cobalt–catalyzed reaction of carbon monoxide–hydrogen mixtures in alkoxy–terminated polyglycol solvents, 618–19
GLYOXALASE
Direct demonstration by proton NMR spectrometry of the stereoselectivity of yeast glyoxalase I towards the diasteromeric forms of the α–ketoaldehyde–glutathione hemithioacetal, 944–6
GLYOXYLATE
Oxygenation of 3–hydroxyflavones by superoxide anion, 745
GLYOXYLIC
Asymmetric synthesis of a new proline analog, 97–8
GOLD
Synthesis and x–ray structural characterization of the centered icosahedral gold cluster compound $[Au_{13}(PMe_2Ph)_{10}Cl_2](PF_6)_3$; the realization of a theoretical prediction, 201–2
Synthesis and x–ray characterization of an iodine–bridged tetranuclear gold cluster, di–μ–iodo–tetrakis(triphenylphosphine–)–tetrahedro–tetragold, 222–3
Synthesis of a new heteronuclear gold–cobalt cluster. Preparation and x–ray structure determination of tetrakis(triphenylphosphine)bis(tetracarbonylcobalt)hexagold, 583–4
Synthesis and x–ray crystal and molecular structure of the mixed metal cluster hexaosmiumeicosacarbonyldihydridoaurate(1–), 753–5
Nearly regular tetrahedral geometry in a gold(I)–phosphine complex. X–ray crystal structure of tetrakis(methyldiphenylphosphine)gold(I) hexafluorophosphate, 900–1
Synthesis and reactivity of bimetallic gold–silver complexes. X–ray structure of a chain polymer containing the moiety ...$(F_5C_6)_2Au(-\mu-AgSC_4H_8)_2Au(C_6F_5)_2$..., 1097–8
Oxidative cleavage of peptide and protein disulfide bonds by gold(III): a mechanism for gold toxicity, 1111–14
Synthesis and x–ray crystal structure determination of the cationic gold cluster compound $[Au_8(PPh_3)_7](NO_3)_2$, 1218–19
GONADOTROPIN
Synthesis of a tetratriacontapeptide corresponding to sequence 112–145 of the β–subunit of human chorionic gonadotropin, 357–8
GONYAULAX
Confirmation of the structures of gonyautoxins I–IV by correlation with saxitoxin, 314–15
Gonyautoxin VIII, a cryptic precursor of paralytic shellfish poisons 827–8
GONYAUTOXIN
Confirmation of the structures of gonyautoxins I–IV by correlation with saxitoxin, 314–15
Gonyautoxin VIII, a cryptic precursor of paralytic shellfish poisons 827–8
GRAPH
The bond graph, 818–20
GRAPHITE
Active metals from potassium–graphite. Palladium–graphite as catalyst in the hydrogenation of nitro compounds, alkenes, and alkynes, 540–1
Active metals from potassium–graphite. Palladium–graphite–catalyzed vinylic substitution reactions, 541–2
New intercalates of graphite: tin–119 Moessbauer spectroscopy and x–ray diffractometry of lamellar compounds containing trimethyltin chloride and tin tetrachloride, 677
Preparation and characterization of new intercalates formed between graphite and iron carbonyl compounds, 679–80
GRAYANOL
Synthesis of the diterpenoid grayanol B from grayanotoxin II, 22
GRAYANOTOXIN
Synthesis of the diterpenoid grayanol B from grayanotoxin II, 22
GRIGNARD
Regioselective allylation of a Grignard reagent catalyzed by phosphinenickel and –palladium complexes, 313–14
Stereospecific introduction of a C–17 side chain in a 14β–hydroxy steroid. X–ray crystal structures of two epimeric 17–ethynyl–17–hydroxy–14β–hydroxy steroids, 363–4
Use of carbohydrates in the preparation of optically active sulfoxides, 505–6

GRIGNARD(contd)
Asymmetric synthesis in the nickel complex–catalyzed formation of olefins from allyl alcohols and Grignard reagents, 681–2
Formation of bicyclic phosphazenes via the reactions of methyl– and phenylmagnesium chloride with hexachlorocyclotriphosphazene, 852–3
A simple, new preparation of α,α–dimethylallyltrimethylsilane: a useful prenylation reagent, 1094–5
GROUP
Synthesis of some branched trisaccharides using photolabile o–nitrobenzylidene acetals as temporary protecting groups, 362–3
Oxidation of nitrobenzofuroxans, 365–6
Simple, stereospecific syntheses of some insect pheromones using the iron tricarbonyl protecting group, 373–4
Photocyclization between allyltrimethylsilane and 1,4–naphthoquinone and ring cleavage of the resulting cyclobutane assisted by the trimethylsilyl group, 460–1
Effects of neighboring hydroxy groups in metal–ammonia reductions of α,β–unsaturated carbonyl compounds, 461–3
Transition metal–catalyzed N–alkylation of amines by alcohols, 611–12
The influence of electron delocalization on the rate constants for competing $B_{Ac}2$ and E1cb ester hydrolyses, 884–6
On anchimerically assisted homolysis via sulfide functions, 1238–9
Reinvestigation of the 4–methoxy–2,6–dimethylbenzenesulfonyl (Mds) protecting group for the guanidino–function during peptide synthesis, 1243–4
Trifluoromethyl Group 2B compounds: formation of mono– and bis(trifluoromethyl)platinum, –palladium, and –nickel trialkylphosphine complexes from the reaction of bis(trifluoromethyl)cadmium–glyme 1:1 compound with the diligand metal dihalides, 1282–3
GROUP VIB
The charge distribution in complexes having molybdenum–molybdenum or chromium–chromium quadruple bonds, studied by gas–phase x–ray photoelectron spectroscopy, 1027–8
Evidence for the base–promoted conversion of alkyl–substituted molybdenum and tungsten alkylidyne complexes into anionic vinylalkylidene species, 1037–8
GROUP VIII
Photochemical production of hydrogen from water and nucleophilic platinum metal complexes, 58–9
GSH
Direct demonstration by proton NMR spectrometry of the stereoselectivity of yeast glyoxalase I towards the diasteromeric forms of the α–ketoaldehyde–glutathione hemithioacetal, 944–6
GUANIDO
Reinvestigation of the 4–methoxy–2,6–dimethylbenzenesulfonyl (Mds) protecting group for the guanidino–function during peptide synthesis, 1243–4
HAFNIUM
Bis(trimethyltin)bis(η–toluene)hafnium and –zirconium; x–ray crystal structure of the hafnium compound, 117–18
HALIDE
Kinetics of addition of 2–methyl–2–silapropene to hydrogen chloride, hydrogen bromide, and oxygen, 52–3
Rate–determining ionization in methanolysis of an organosilicon halide, 63–4
$(C_5Me_5)_2UCl$.tetrahydrofuran. Oxidative–addition and related reactions, 232–4
Carbonylation of organic halides in the presence of terminal acetylenes: novel acetylenic ketone synthesis, 333–4
Conductive mixed halide adducts of tetrathiafulvalene obtained by electrocrystallization, 378–9
Methyl and silyl halide radical anions: an ab initio study, 515–16
Synthesis of α–functionalized–alkylplatinum(II) complexes by oxidative addition of geminal dihalides to platinum(0) substrates: x–ray structure of cis–[iodo(iodomethyl)bis(triphenylphosphine)-platinum], 698–9
Formation of bicyclic phosphazenes via the reactions of methyl– and phenylmagnesium chloride with hexachlorocyclotriphosphazene, 852–3
Reversible osmium–osmium bond breaking in the high nuclearity carbido–dianion $[Os_{10}C(CO)_{24}]^{2-}$ on reaction with halogens: x–ray structure analysis of $[(Ph_3P)_2N][Os_{10}C(CO)_{24}I]$ and $Os_{10}C(CO)_{24}I_2$, 1009–11
Threo–selective synthesis of β–methylhomoallyl alcohols via but–2–enyltitanium compounds, 1140–1
HALO
Cyclization of ortho–halogenated N–acylbenzylamines: a formal synthesis of (±)–cherylline, 1074–5
Three new β,γ–methylene analogs of adenosine triphosphate, 1188–90
HALOALKYLACYLBENZYLAMINE
Cyclization of ortho–halogenated N–acylbenzylamines: a formal synthesis of (±)–cherylline, 1074–5
HALOARENE
Carbonylation of organic halides in the presence of terminal acetylenes: novel acetylenic ketone synthesis, 333–4
HALOGEN
An ESR study of the generation and reactivity of the borane radical anion ($H_3B^{\cdot-}$) in solution, 360–1
A new method for the chemical modification of polymers, 522–3
Metalation and metal–halogen exchange reactions of imidazoles, 1095–7
HALOGENATION
Regioselective mercuration of an estradiol derivative: a facile entry to 2–substituted estrogens, 217
Perfluoro(tetramethylene)sulfilimine and its N–chloro– and N–bromo–derivatives. Perfluoro(tetramethylene)sulfoximine and its N–chloro–derivative, 242–3
Reinvestigation of the claim that bis(η^5–cyclopentadienyl)tin(II) and (η^5–cyclopentadienyl)tricarbonyltungsten hydride form bis[(η^5–cyclopentadienyl)tricarbonyltungsten]tin(II), 521–2
Stable acyloxychlorophosphorane obtained from 2–(diphenylphosphinyl)benzoic acid and thionyl chloride, 622–3
HALOMETHANE
Synthesis of α–functionalized–alkylplatinum(II) complexes by oxidative addition of geminal dihalides to platinum(0) substrates: x–ray structure of cis–[iodo(iodomethyl)bis(triphenylphosphine)-platinum], 698–9
HALOMETHYL
Synthesis of α–functionalized–alkylplatinum(II) complexes by oxidative addition of geminal dihalides to platinum(0) substrates: x–ray structure of cis–[iodo(iodomethyl)bis(triphenylphosphine)-platinum], 698–9
HALOMETHYLBISTRIPHENYLPHOSPHINEPLATINUM
Synthesis of α–functionalized–alkylplatinum(II) complexes by oxidative addition of geminal dihalides to platinum(0) substrates: x–ray structure of cis–[iodo(iodomethyl)bis(triphenylphosphine)-platinum], 698–9
HALOMETHYLENE
Three new β,γ–methylene analogs of adenosine triphosphate, 1188–90
HALOPHOSPHATE
Fluoride activation of nucleophilic displacement at tetrahedral phosphorus, 101–3
HALOSTEROL
The configuration at C–20 of a natural Δ^5–C_{26}–sterol, 367–8
HALOTRICYCLOUNDECADIENE
Novel syntheses of 1,6–methano[10]annulene and 4–methylazulene, 1182–3
HARRISONIA
A hydroperoxychroman with insect antifeedant properties from an African shrub. Characterization of fully–substituted aromatic structures, 1271–2
HEAT
A reappraisal of the heat capacity of activation and enthalpy of activation for tert–butyl chloride in water–ethyl alcohol mixtures 13–14
Volcano–shaped relation between heats of oxide formation of metals and coal–liquefaction activities of liquid–metal catalysts, 721–2
HEATING
Comparison of results obtained in kinetic studies of the interaction between cationic dyes and sodium carboxymethylcellulose using the Joule–heating temperature–jump and laser temperature–jump methods, 386–7
HEBENSTREITIA
Biosynthesis of lamiide and ipolamiide from 8–epi–deoxyloganin studied by deuterium NMR spectroscopy, 228–9
HECTORITE
Photooxidation of water on the surface of hectorite using trans–diaquabis(2,2'–bipyridine)ruthenium(2+) as catalyst, 1026–7
HEDERAGENIN
The synthesis and properties of a series of strong but hindered

HEDERAGENIN(contd)
organic bases, 1136–7
HELIUM
New helium–moderator anomaly in recoil tritium chemistry, 545–6
HEMITHIOACETAL
Direct demonstration by proton NMR spectrometry of the stereoselectivity of yeast glyoxalase I towards the diastereomeric forms of the α-ketoaldehyde–glutathione hemithioacetal, 944–6
HEPATDECACARBONYLHEXARUTHENIUM
A high-yield synthesis of pentadecacarbonylpentaruthenium carbide by the carbonylation of heptadecacarbonylhexaruthenium carbide; the x-ray structure analyses of pentadecacarbonylpentaruthenium carbide and triphenylphosphinetetradecacarbonylpentaruthenium carbide, 415–16
HEPTADIENYL
Intramolecular reactions of N-nitrenes: evidence for nonconcerted addition to alkenes, 549–50
HEPTADIENYLAMINOQUINAZOLONE
Intramolecular reactions of N-nitrenes: evidence for nonconcerted addition to alkenes, 549–50
HEPTENE
Mercuricyclization in carbohydrate chemistry. A highly stereoselective route to α-D-C-glucopyranosyl derivatives, 375–6
Homogeneous metathesis of unsaturated nitriles, 1081–2
HEPTENONE
Cationic cyclization reactions of 6-methylhept-5-en-2-one oxime; x-ray crystal structure of 3-isopropylidene-2-methyl-Δ^1-pyrroline, 568–9
HERBERTA
(–)-Herbertene, an aromatic sesquiterpene with a novel carbon skeleton from the liverwort Herberta adunca, 864–5
HERBERTENE
(–)-Herbertene, an aromatic sesquiterpene with a novel carbon skeleton from the liverwort Herberta adunca, 864–5
HETEROARYLATION
New synthesis of olivacine via a heteroarylation reaction, 44–6
HETEROCYCLIC
Carbonylation of organic halides in the presence of terminal acetylenes: novel acetylenic ketone synthesis, 333–4
Sulfonamidomercuration: a new method for amination of olefins, 1178–9
HETEROCYCLYL
A new photochemical spiroannelation method. Access to substituted spirocyclohexanepiperidines, 832–3
HETEROGENEOUS
Selective reduction of carbonyl compounds by heterogeneous catalysis on salt surfaces, 121–2
HETEROLYSIS
Evidence for heterolytic fission of hydrogen by cobalt cyanide complexes, 33–4
On anchimerically assisted homolysis via sulfide functions, 1238–9
HETEROPOLYACID
Liquid phase oxidation of cycloolefins by a palladium sulfate–heteropolyacid catalyst system, 1274–5
HETISINE
A novel rearrangement of hetisine, and x-ray crystal structure of the major product: transformation of a dihydroxybicyclo[2.2.2]octane system to an adamantane-type skeleton, 327–9
HEXAACETATOTETRAPYRIDINOOXONICKEL
Exchange interactions in a series of novel heteronuclear basic carboxylate complexes containing two iron(III) ions and a divalent metal ion, 796–7
HEXACARBONYL
Synthesis and molecular structure of mixed-valence compounds of rhenium obtained by diiodine oxidation of rhenium(I) carbonyl complexes; x-ray crystal structure of $Re_3I_6(CO)_6$, 893–4
HEXACHLOROACETONE
Bis-1,4-dihydronicotinamides. Intramolecular electronic interaction and its consequence in the reduction of a carbonyl substrate in aprotic solvents, 444–6
HEXACYANIDE
Redox properties and stability constants of anion complexes. An electrochemical study of the complexation of metal hexacyanide anions by polyammonium macrocyclic receptor molecules, 1067–9
HEXACYCLOEICOSAHEDIONE
Synthesis and x-ray crystal structure of a (C_2)-C_{20}-hexaquinane derivative, a potential dodecahedrane precursor, 912–14
HEXADIENE
Mechanism of the Cope rearrangement of acyclic 1,5-dienes and of the Wacker oxidation of alk-1-enes catalyzed by palladium complexes, 456–7
HEXADIENOATE
Preparation and rearrangement of some conjugated phenylsulfinylacetate derivatives, 1248–50
HEXAFLUORIDE
Gas phase fluorination of carbon dioxide by sulfur hexafluoride, 247–8
HEXAFLUOROPROPANOL
Internal return in the solvolysis of secondary alkyl arenesulfonates, 1239–40
HEXAFLUOROSULFUR
Gas phase fluorination of carbon dioxide by sulfur hexafluoride, 247–8
HEXAIODINE
Synthesis and molecular structure of mixed-valence compounds of rhenium obtained by diiodine oxidation of rhenium(I) carbonyl complexes; x-ray crystal structure of $Re_3I_6(CO)_6$, 893–4
HEXAKISTRIBUTYLPHOSPHINE
New palladium cluster compounds. X-ray crystal structure of $Pd_{10}(CO)_{12}(PBu_3)_6$, 989–90
HEXAKISTRIETHYLPHOSPHINOOCTASULFURHEXAIRON
A novel paramagnetic octahedral iron cluster: synthesis and x-ray structural characterization of hexakis(triethylphosphine)-μ_3-octasulfurhexairon tetraphenylborate, 640–1
HEXAMETHYL
ESR spectra of the hexamethyldisilane and hexamethyldigermane radical cations, 666–8
Synthesis of oxetanes by photocycloaddition of aromatic aldehydes to hexamethyl(Dewar benzene), 950–1
HEXAMETHYLDIGERMANE
ESR spectra of the hexamethyldisilane and hexamethyldigermane radical cations, 666–8
HEXAMETHYLDISILANE
ESR spectra of the hexamethyldisilane and hexamethyldigermane radical cations, 666–8
HEXAOSMIUMEICOSACARBONYLDIHYDRIDE
Synthesis and x-ray crystal and molecular structure of the mixed metal cluster hexaosmiumeicosacarbonyldihydridoaurate(1–), 753–5
HEXAOSMIUMEICOSACARBONYLGOLD
Synthesis and x-ray crystal and molecular structure of the mixed metal cluster hexaosmiumeicosacarbonyldihydridoaurate(1–), 753–5
HEXAQUINANE
Synthesis and x-ray crystal structure of a (C_2)-C_{20}-hexaquinane derivative, a potential dodecahedrane precursor, 912–14
HEXENO
A new and versatile method for the preparation of unsaturated sugars, 26–8
HEXENOPYRANOSIDE
A new and versatile method for the preparation of unsaturated sugars, 26–8
HEXOCYCLITOL
A circular dichroic method for determining the linkage to symmetric hexocyclitols and hexocyclitolamines: structure of two antibiotics from Nocardia sp., 1134–5
HEXOCYCLITOLAMINE
A circular dichroic method for determining the linkage to symmetric hexocyclitols and hexocyclitolamines: structure of two antibiotics from Nocardia sp., 1134–5
HEXOPYRANOSIDE
A new and versatile method for the preparation of unsaturated sugars, 26–8
HEXYL
Synthesis of a saturated lipid hydroperoxy cyclic peroxide, 766–7
HEXYLCYCLOPROPYLOCTANOATE
Synthesis of a saturated lipid hydroperoxy cyclic peroxide, 766–7
HINDERED
The synthesis and properties of a series of strong but hindered organic bases, 1136–7
HIRSUTANE
Olefin metathesis in polycyclic frames. A total synthesis of hirsutene 756–7
HIRSUTENE
Olefin metathesis in polycyclic frames. A total synthesis of hirsutene

HIRSUTENE(contd)
756–7
HISTIDINE
Histidine H–2 NMR resonances of sperm whale oxy–, carbonyl–, and metmyoglobin, 208–9
Fast atom bombardment quadrupole mass spectrometry, 324–5
Cooperative effects in the catalytic action of N–decanoyl–L–histidine in micelles, 393–4
Protection of histidine side–chains with π–benzyloxymethyl or π–bromobenzyloxymethyl groups, 648–9
HOMOALLYL
A new regio– and stereoselective functionalization of allylic and homoallylic alcohols, 465–6
General synthetic approach to the quinolizidine alkaloids via a [2+3]–cycloaddition, 940–2
HOMOCUBANYLACETOXYMETHYL
On the symmetry of (–)–1,3,5,7–tetrakis[2–(1S,3S,5R,6S,8R,10R)–D_3–trishomocubanylacetoxymethyl]adamantane, 234
HOMOCUBANYLACETOXYMETHYLADAMANTANE
On the symmetry of (–)–1,3,5,7–tetrakis[2–(1S,3S,5R,6S,8R,10R)–D_3–trishomocubanylacetoxymethyl]adamantane, 234
HOMOCYSTEINE
Three–dimensional x–ray crystal structure of S–adenosyl–L–homocysteine, a potent inhibitor of S–adenosylmethionine–dependent methyltransferases, 671–3
HOMOGENEOUS
Homogeneous metathesis of unsaturated nitriles, 1081–2
HOMOLOGATION
Synthesis gas homologation of aliphatic carboxylic acids, 41–3
HOMOLYSIS
Remote hydroxylation of a steroid D–ring by a free–radical process 1086–7
HOMOPHTHALATE
Biomimetic synthesis of sclerin, 20–1
HOMOSOLVOLYSIS
Interconversion of carbocations, free radicals, and carbanions in nitroxide solutions, 70–1
HOMOSPERMIDINE
Pyrrolizidine alkaloids: evidence for N–(4–aminobutyl)–1,4–diaminobutane (homospermidine) as an intermediate in retronecine biosynthesis, 554–6
HOPANOID
Structural elucidation of two hopanoids from the photosynthetic bacterium Rhodomicrobium vannielii, 468–9
HORNER
Stereochemically pure E– and Z–alkenes by the Wittig–Horner reaction, 100–1
HOT
New helium–moderator anomaly in recoil tritium chemistry, 545–6
HUMAN
Synthesis of a tetratriacontapeptide corresponding to sequence 112–145 of the β–subunit of human chorionic gonadotropin, 357–8
HYDRATE
Ruthenium dioxide hydrate; is it a redox catalyst?, 948–50
Nature of the tris(2,2'–bipyridyl)iridium hydrate trication. Monodentate or covalently hydrated bipyridine ligand? X–ray crystal structure of the perchlorate salt, 1284–6
HYDRATION
Not the alkoxycarbonylamino–acid O–acylisourea, 543–5
HYDRAZIDOTUNGSTEN
Complex containing the bridging formazanido(3–) ligand. Synthesis and x–ray crystal structure of $[(WBr(1,2\text{–bis(diphenylphosphino)ethane})_2(\mu\text{–}CH(N_2)_2)]^+\text{–}[Cr(NH_3)_2(NCS)_4]^-.1/3CH_2Cl_2$, 85–7
HYDRAZINE
Nitrogen tracer evidence for a cyclic azide species, 299–300
Oxidation of 1,1–disubstituted hydrazines to tetrazenes with benzeneseleninic acid, 530–1
Towards a nitrogen–fixing cycle: electrochemical reduction of a hydrazido complex of molybdenum(IV) under dinitrogen to yield the dialkylhydrazine and a molybdenum(0) dinitrogen complex, 1033–5
HYDRAZONE
Detection of a metalo intermediate and geometrical isomerizations in an oxidative cyclization of a heterocyclic hydrazone with mercury(II) acetate, 376–7
HYDRIDE
Preparation and crystal and molecular structure of two trialkylamine adducts of tetracarbonylcobalt hydride showing a preferential trialkylammonium–tetracarbonylhydridocobaltate interaction, 181–3
Photochemistry of dicyclopentadienylrhenium hydride and dicarbonyl(η^2–cyclopentadiene)(η–cyclopentadienyl)rhenium in low temperature matrixes: hydrogen loss and hydrogen migration 452–4
NMR evidence for a fluxional allyl–hydride species featuring an aliphatic hydrocarbon–iridium(III) interaction, 506–7
Reinvestigation of the claim that bis(η^5–cyclopentadienyl)tin(II) and (η^5–cyclopentadienyl)tricarbonyltungsten hydride form bis[(η^5–cyclopentadienyl)tricarbonyltungsten]tin(II), 521–2
Observation of a neutral metalloformyl complex formed by the reaction of rhodium octaethylporphyrin hydride with carbon monoxide, 700–1
Synthesis, x–ray crystal structure, and reactivity of the di–μ–carbene complex $[Ru_2(CO)_2(\mu\text{–}CHMe)(\mu\text{–}CMe_2)(\eta\text{–}C_5H_5)_2]$, 862–4
Polyhydridoplatinum clusters: synthesis and x–ray crystal structures of tris(tri–tert–butylphosphine)hexahydridotriplatinum, tetra(tri–tert–butylphosphine)dihydridodiplatinum, and tetra(diisopropylphenylphosphine)octahydridotetraplatinum, 1104–6
Conversion of nonterminal alkenes into secondary alkyl tert–butyl peroxides by peroxymercuriation and reduction with tributyltin hydride, 1117–8
HYDRIDO
The first eight–coordinate cyanide hydride, $K_4[W(CN)_7H].2H_2O$ and a new heptacyano–complex, $K_5[W(CN)_7].H_2O$, 84–5
Synthesis, x–ray crystal structure, and reactions of [closo–1,3–μ–2,3–μ–(1,2–μ–(η^2–3,4–$CH_2CH_2C(Me)$:$CHCH_2CH_2CH_2$))–3–H–3–PPh_3–3,1,2–$RhC_2B_9H_9$], a metallacarbaborane catalyst, 235–6
The synthesis and characterization of μ–hydridobis(μ–sulfide)ditungsten(III) complexes: the x–ray crystal structure of $[HPPh_3][Cl_3W(\mu\text{–}H)(\mu\text{–}Me_2S)_2WCl_3]$, 1286–8
HYDRIDORHODIOPLATINUM
Rhodium–platinum cluster compounds. Relationships with olefin–platinum complexes and x–ray crystal structures of $[PtRh_4(\mu\text{–}CO)_4(\eta\text{–}C_5Me_5)_4]$ and $[PtRh_2(\mu\text{–}H)(\mu\text{–}CO)_2(CO)(PPh_3)(\eta\text{–}C_5Me_5)_2][BF_4]$, 869–71
HYDROBISSULFIDEDITUNGSTEN
The synthesis and characterization of μ–hydridobis(μ–sulfide)ditungsten(III) complexes: the x–ray crystal structure of $[HPPh_3][Cl_3W(\mu\text{–}H)(\mu\text{–}Me_2S)_2WCl_3]$, 1286–8
HYDROBORATION
New uses for old complexes. Hydroborations involving nitrogen and phosphorus complexes of borane, 1014–15
HYDROCARBON
Photoinduced hydrogen–deuterium exchange between aromatic and aliphatic hydrocarbon systems catalyzed by $[Mo(\eta\text{–}C_5H_5)(Me_2PCH_2CH_2PMe_2)H_3]$, 186–7
Conversion of methanol into hydrocarbons catalyzed by metal salts of heteropolyacids, 400–1
Benzylic functionalization of arene(tricarbonyl)chromium complexes, 1264–5
HYDROCONVERSION
Evidence for x–ray–amorphous zeolites, 591–3
HYDROCYANATION
Stereochemistry of the nickel–catalyzed hydrocyanation of olefins, 1098–9
HYDROFLUORIC
Synthesis of xenon difluoride–^{18}F, a novel agent for the preparation of fluorine–18 radiopharmaceuticals, 198–9
HYDROFORMYLATION
Catalytic synthesis of 3–substituted indoles using carbon monoxide as building block and supported rhodium as catalyst, 82–3
HYDROGEN
Evidence for heterolytic fission of hydrogen by cobalt cyanide complexes, 33–4
Kinetics of addition of 2–methyl–2–silapropene to hydrogen chloride, hydrogen bromide, and oxygen, 52–3
Comparison of activities for hydrogen evolution from water of hydrogenase and colloidal platinum, 56–7
Photochemical production of hydrogen from water and nucleophilic platinum metal complexes, 58–9
Photochemical hydrogen production using cadmium sulfide suspensions in aerated water, 145–6
Electron and hydrogen atom addition to the tetracyanoplatinate(II) ion: an ESR study, 176–8
Photoinduced hydrogen–deuterium exchange between aromatic and aliphatic hydrocarbon systems catalyzed by $[Mo(\eta\text{–}C_5H_5)(Me_2PCH_2CH_2PMe_2)H_3]$, 186–7
Effect of internal hydrogen bonding on the reactivity of the

HYDROGEN(contd)
hydroxy-group in esterification under phase-transfer catalyzed conditions, 215–16
Asymmetric cyanohydrin synthesis catalyzed by a synthetic cyclic dipeptide, 229–30
Stable 1H-azepines, 399–400
IR evidence for a strong hydrogen bond in the fluoride–uracil system, 466–8
New helium-moderator anomaly in recoil tritium chemistry, 545–6
Hydrogen uptake and hydrogenation activity of the rare earth intermetallic compound trimagnesiumsamarium treated with anthracene, 567
Accelerative effect of N^6-acyl groups on the C(8)–hydrogen exchange of 9-substituted adenines, 658–9
Proton-induced ligand uptake by $[Mn_2(CO)_5(Ph_2PCH_2PPh_2)_2]$ to give hydrogen-bridged dimanganese complexes, 724
Synthesis of a saturated lipid hydroperoxy cyclic peroxide, 766–7
Template effect of intramolecular hydrogen-bonding in the synthesis of [1.1.1]cryptates, 777–8
Hydrogen ordering effects in $DUO_2AsO_4.4D_2O$, 784–6
The solvolysis of orthotelluric acid in hydrogen fluoride, 841–2
The binding of neutral platinum complexes by crown ethers. X-ray crystal structures of [trans-$PtCl_2(PMe_3)NH_3$.dibenzo-18-crown-6] and [(trans-$PtCl_2(PMe_3)NH_3)_2$.18-crown-6], 847–9
Isolation and x-ray crystal structure of $[Cu(NH_3)_4H_2O.18\text{-crown-}6]^{2+}{}_n[PF_6]^-{}_{2n}$, a linear face-to-face hydrogen bonded chain copolymer, 849–50
Ab initio study of the insertions of CH_2 and SiH_2 into hydrogen, 890–1
Formaldehyde as a hydrogen-donor to aldehydes and ketones in metal-catalyzed reactions in water, 924–5
Hydroisomerization of 1,3-dioxacycloalkanes to esters on platinum. The role of hydrogen in the isomerization, 978–9
X-ray crystal structure of cesium hydrogen bis(monofluorosulfate) with a very short hydrogen bond, 1036–7
Facile [1,2]hydrogen-shift reaction promoted by metal–metal bond rupture; x-ray crystal structure of $W_2(CO)_8[C_9H_{14}]$, 1057–9
Remote hydroxylation of a steroid D-ring by a free-radical process 1086–7
Hydroxylation of phenylalanine by aqueous hydrogen peroxide in the presence of an artificial water-soluble iron porphyrin complex 1206–7
HYDROGEN EVOLUTION
Photoinduced electrochemical reduction of water to hydrogen at ruthenium-modified polysulfur nitride electrodes, 1021–3
HYDROGENASE
Comparison of activities for hydrogen evolution from water of hydrogenase and colloidal platinum, 56–7
HYDROGENATION
New synthesis of 6-alkylpenicillanic acid derivatives, 10–11
Hydrogen–deuterium kinetic isotope effect in carbon monoxide hydrogenation over ruthenium/silicon dioxide, 92–3
Zeolite support effects on carbon monoxide–ruthenium interactions 125–6
New design of highly active, paired chromium structures on solid surfaces for propene hydrogenation, 140–2
Electron and hydrogen atom addition to the tetracyanoplatinate(II) ion: an ESR study, 176–8
Synthesis, x-ray crystal structure, and reactions of [closo-1,3-μ-2,3-μ-(1,2-μ-(η^2-3,4-$CH_2CH_2C(Me)$:$CHCH_2CH_2CH_2$))-3-H-3-PPh_3-3,1,2-$RhC_2B_9H_9$], a metallacarbaborane catalyst, 235–6
Catalytic activity of supported f-element organometallic complexes 257–8
Active metals from potassium–graphite. Palladium–graphite as catalyst in the hydrogenation of nitro compounds, alkenes, and alkynes, 540–1
Hydrogen uptake and hydrogenation activity of the rare earth intermetallic compound trimagnesiumsamarium treated with anthracene, 567
7b-Methyl-7bH-cyclopent[cd]indene, an unsubstituted tricyclic aromatic [10]annulene, 657–8
Hydrogenation of alkynes with water and a titanium(II) complex, 665–6
Synthesis and x-ray crystal structures of three isomeric macrobicyclic polyethers having similar melting points and different complexing power for alkali metal cations, 729–31
Formaldehyde as a hydrogen-donor to aldehydes and ketones in metal-catalyzed reactions in water, 924–5
Facile access to chiral 5-hydroxy-2-methylhexanoic acid lactones (pheromones of the carpenter bee), 1125–6
Unusual stereospecificity in the hydrogenation of an isopropenyl function with Wilkinson's catalyst: a route to chiral methyl valine 1175–6
The origins of the enantioselection in asymmetric catalytic hydrogenation of amino acid precursors, 1278–80
HYDROGENOLYSIS
Isomerization and hydrogenolysis of 1,3-dioxacycloalkanes on metal catalysts, 106–8
Nickel/titanium oxide catalysts. The role of the titania in providing active sites, 123–4
Electronic ligand effects in nickel alloy catalysts, 845–7
HYDROISOMERIZATION
Hydroisomerization of 1,3-dioxacycloalkanes to esters on platinum. The role of hydrogen in the isomerization, 978–9
HYDROLYSIS
Photocontrol of catalytic activity of capped cyclodextrin, 94–6
Alkylation of lithium trialkylalkynylborates with benzo-1,3-dithiolium fluoroborate, 164–5
Asymmetric hydrolysis of 3-acetylthiocycloheptene and 3-acetoxycycloheptene with a microbial lipase, 185
The stereochemistry of 2-substituted-2-oxo-4,5-diphenyl-1,3,2-dioxaphospholanes and the related chiral [$^{16}O,^{17}O,^{18}O$]phosphate monoesters, 245–6
Efficient synthesis of estriol 16-glucuronide via 2,4,16α-tribromoestrone, 383–4
Cooperative effects in the catalytic action of N-decanoyl-L-histidine in micelles, 393–4
Elimination–addition mechanisms of sulfonyl group transfer: evidence for a dicarbanionic intermediate in the alkaline hydrolysis of aryl methylsulfonylmethanesulfonate esters, 535–6
On relative leaving abilities: use of isobasic plots to determine the relative nucleofugalities of thiolates and their oxy-analogs, 551–3
Enhanced catalytic activity of specially prepared ferric oxide for the isomerization of but-1-ene and cyclopropane and the dehydration of butan-2-ol, 602–3
Cupric ion-promoted hydrolysis of cyanomethyl-substituted tetraazamacrocycles, 603–4
Hypervalent iodine in organic synthesis. A novel route to the dihydroxyacetone side-chain in the pregnene series, 641–2
Reactions of trimethylsilylthiazoles with ketens: a new route to regioselective functionalization of the thiazole ring, 655–6
Hydrogenation of alkynes with water and a titanium(II) complex, 665–6
Fully reversible carbon protonation in the hydrolysis of ketene selenoacetals, 738–9
The influence of electron delocalization on the rate constants for competing $B_{Ac}2$ and E1cb ester hydrolyses, 884–6
HYDROMAGNESIATION
Specific hydromagnesiation of prop-2-ynylic alcohols. A simple and specific route to terpenoids, 718–20
HYDROPEROXIDE
Synthesis of 1,2,4-trioxanes, 581–2
ipso-Attack in the hydroxylation of o- and p-xylene using bis(trimethylsilyl) peroxide and aluminum chloride, 1079–80
HYDROPEROXY
A hydroperoxychroman with insect antifeedant properties from an African shrub. Characterization of fully-substituted aromatic structures, 1271–2
HYDROPEROXYCHROMAN
A hydroperoxychroman with insect antifeedant properties from an African shrub. Characterization of fully-substituted aromatic structures, 1271–2
HYDROPEROXYEPIDIOXIDE
Synthesis of a saturated lipid hydroperoxy cyclic peroxide, 766–7
HYDROSILYLATION
Hydrosilylation of carbon dioxide catalyzed by ruthenium complexes, 213–14
HYDROSOL
Platinum hydrosols in the sensitized photoreduction of water, 593–4
HYDROSULFIDE
Synthesis of mercaptoacetonitrile under mild conditions, 569–70
HYDROXAMIC
Ipso-substitution reactions of 3-substituted indoles with benzoyl tert-butyl nitroxide, 694–5
HYDROXIDE
A pseudobase of pyridine, 448–9
Considerable reduction in crystallization time in the preparation of a new type of zeolite catalyst for olefin synthesis from methanol,

HYDROXIDE(contd)
936–7
HYDROXO
Evidence for a novel mechanism of the 1,2–bond shift rearrangements catalyzed by coenzyme–B_{12}, 686–8
HYDROXY
Photolysis of 2–azidopyridine 1–oxides. A convenient synthesis of 1,2–oxazines, 36–7
Stereoselective introduction of hydroxy–groups into the 24–, 25–, and 26–positions of the cholesterol side chain, 115–17
Acyl migrations in Diels–Alder adducts of acyl–1,4–benzoquinones 166–9
[1,5] and [1,2] Acetyl shifts in Diels–Alder adducts of 2–acetyl–6–methyl–1,4–benzoquinone, 169–71
Base–induced benzoyl migrations in Diels–Alder adducts of benzoyl–1,4–benzoquinones, 171–3
Novel occurrence of 14β–hydroxy group on a withanolide skeleton; x–ray crystal and molecular structure of 14β–hydroxywithanone, 178–9
Effect of internal hydrogen bonding on the reactivity of the hydroxy–group in esterification under phase–transfer catalyzed conditions, 215–16
An abnormal dinitration product from 4,6–dibromo–2,5–dimethylphenol; x–ray crystal structure of 2,4–dibromo–6–hydroxy–3,6–dimethylcyclohex–3–enone, 225–6
2–Hydroxyethanesulfonyl chloride: a sulfonyl chloride with a primary hydroxy–group, 295–6
A novel rearrangement of hetisine, and x–ray crystal structure of the major product: transformation of a dihydroxybicyclo[2.2.2]octane system to an adamantane–type skeleton, 327–9
Reactions of ketones with molybdenum nitrosyl complexes: x–ray crystal structures of $[(Mo(HB(3,5\text{–}Me_2C_3HN_2)_3)(NO)I)_2O]$, a complex having a bent Mo–O–Mo bond, and of a bicyclic salt, $[C_6H_3Me_5N_2(OH)][I_{1\cdot2}(I_3)_{1\cdot2}]$, 348–50
Mercuricyclization in carbohydrate chemistry. A highly stereoselective route to α–D–C–glucopyranosyl derivatives, 375–6
Structure and synthesis of 25–hydroxycholecalciferol–26,23–lactone, a metabolite of vitamin D_3, 424–5
New method for preparing $\beta\gamma$–unsaturated ketones: use of phenylselenoacetaldehyde, 434–6
Effects of neighboring hydroxy groups in metal–ammonia reductions of α,β–unsaturated carbonyl compounds, 461–3
A novel synthesis of α– and γ–fluoroalkylphosphonates, 511–13
Synthesis of 1,2,4–trioxanes, 581–2
Specific hydromagnesiation of prop–2–ynylic alcohols. A simple and specific route to terpenoids, 718–20
Photocycloaddition of 2,5–dihydrothiophene SS–dioxides to α,β–unsaturated cyclic anhydrides. Synthesis of 10–hydroxygeraniol, 752–3
Stereoselective synthesis of α,β–unsaturated esters, 877–8
A new type of silicon–tin rearrangement involving neighboring group participation of an α–phosphoryl group, 969–70
Silyl phosphite equivalents: 2,2,2–trichloroethoxycarbonylphosphonates, 970–1
Tautomerism of 1–hydroxy–2–pyridone in the excited triplet state, 1004–5
Salt of a hydroxy derivative of a ring system containing the phosphazene unit; x–ray structure of $[(NSOCl)_2NPClO]^-[Me_4N]^+$, 1065–6
Preparation of (–)–(7R)–7–acetyl–7–hydroxy–4,4–dimethoxy–5,6,7,8–tetrahydronaphthalen–1(4H)–one, a chiral AB–synthon for anthracycline synthesis, 1100–1
Preparation and rearrangement of some conjugated phenylsulfinylacetate derivatives, 1248–50
HYDROXYACETONE
Simple route for elaboration of the hydroxy ketone and dihydroxyacetone side chains of corticosteroids from 17–oxo steroids, 775–7
HYDROXYACETYL
Simple route for elaboration of the hydroxy ketone and dihydroxyacetone side chains of corticosteroids from 17–oxo steroids, 775–7
HYDROXYACYLNAPHTHALENE
Acyl migrations in Diels–Alder adducts of acyl–1,4–benzoquinones 166–9
HYDROXYALKENYLPHOSPHONATE
A novel synthesis of α– and γ–fluoroalkylphosphonates, 511–13
HYDROXYALKYL
Novel syntheses of 3–methyleneazetidin–2–one derivatives and related systems, 404–5
A novel photochemical route to functionalized β–lactams, 880
A monocyclic phosphorane oxide anion and the extraordinary reactivity of its tautomeric phosphine oxide alkoxide, 981–2
HYDROXYALKYLACRYLAMINE
Novel syntheses of 3–methyleneazetidin–2–one derivatives and related systems, 404–5
HYDROXYALKYLPHENYL
A monocyclic phosphorane oxide anion and the extraordinary reactivity of its tautomeric phosphine oxide alkoxide, 981–2
HYDROXYALKYLPHENYLPHOSPHINE
A monocyclic phosphorane oxide anion and the extraordinary reactivity of its tautomeric phosphine oxide alkoxide, 981–2
HYDROXYALKYLPHENYLSULFONYLCYCLOALKANONE
A new synthesis of macrocyclic lactones by rearrangement of 2–hydroxyalkyl–2–phenylsulfonylcycloalkanones, 1123–4
HYDROXYAMINE
Chiral diaza–18–crown–6 derivatives, 992–4
HYDROXYAPATITE
Solid state phosphorus NMR spectroscopy of minerals and soils, 1051–2
HYDROXYBENZYLIDENE
A novel synthesis of 1,2,5–benzoxathiazepines, 971–2
HYDROXYBENZYLPHOSPHONATE
A novel synthesis of α– and γ–fluoroalkylphosphonates, 511–13
HYDROXYBUTENYLIDENEPENICILLANATE
New synthesis of 6–alkylpenicillanic acid derivatives, 10–11
HYDROXYCHOLECALCIFEROL
Structure and synthesis of 25–hydroxycholecalciferol–26,23–lactone, a metabolite of vitamin D_3, 424–5
HYDROXYCHOLESTEROL
Stereoselective introduction of hydroxy–groups into the 24–, 25–, and 26–positions of the cholesterol side chain, 115–17
HYDROXYCYANOMETHYL
Asymmetric cyanohydrin synthesis catalyzed by a synthetic cyclic dipeptide, 229–30
HYDROXYCYANOMETHYLBENZENE
Asymmetric cyanohydrin synthesis catalyzed by a synthetic cyclic dipeptide, 229–30
HYDROXYCYCLOPHOSPHAZENE
Salt of a hydroxy derivative of a ring system containing the phosphazene unit; x–ray structure of $[(NSOCl)_2NPClO]^-[Me_4N]^+$, 1065–6
HYDROXYDIAZABICYCLOOCTADIENE
Reactions of ketones with molybdenum nitrosyl complexes: x–ray crystal structures of $[(Mo(HB(3,5\text{–}Me_2C_3HN_2)_3)(NO)I)_2O]$, a complex having a bent Mo–O–Mo bond, and of a bicyclic salt, $[C_6H_3Me_5N_2(OH)][I_{1\cdot2}(I_3)_{1\cdot2}]$, 348–50
HYDROXYDIMETHYLAZADIOXAHEPTACYCLOHENEICOSANE
A novel rearrangement of hetisine, and x–ray crystal structure of the major product: transformation of a dihydroxybicyclo[2.2.2]octane system to an adamantane–type skeleton, 327–9
HYDROXYDIMETHYLSPIRODECENONE
Total synthesis of (±)–solavetivone. X–ray crystal structure of 2–hydroxy–6,10–dimethylspiro[4.5]dec–6–en–8–one, 463–5
HYDROXYETHANESULFONYL
2–Hydroxyethanesulfonyl chloride: a sulfonyl chloride with a primary hydroxy–group, 295–6
HYDROXYGERANIOL
Photocycloaddition of 2,5–dihydrothiophene SS–dioxides to α,β–unsaturated cyclic anhydrides. Synthesis of 10–hydroxygeraniol, 752–3
HYDROXYHYDROPEROXIDE
Synthesis of 1,2,4–trioxanes, 581–2
HYDROXYL
Superacid sites in zeolites, 39–40
HYDROXYLATION
Mode of enzymic oxygenation at primary carbon atoms: stereochemistry of hydroxylation of C–1 chiral octanes by Pseudomonas oleovorans, 76–8
Stereoselective introduction of hydroxy–groups into the 24–, 25–, and 26–positions of the cholesterol side chain, 115–17
Oxidations of cyclopropane, methylcyclopropane, and arenes with the monooxygenase system from Methylococcus capsulatus, 482–3
NIH shift in hemin–iodosylbenzene mediated hydroxylations, 778–9
ipso–Attack in the hydroxylation of o– and p–xylene using

HYDROXYLATION(contd)
bis(trimethylsilyl) peroxide and aluminum chloride, 1079–80
Remote hydroxylation of a steroid D–ring by a free–radical process 1086–7
Mode of mammalian oxygenation at primary carbon atoms: steric course of hydroxylation of C–1 chiral octanes by rat liver microsomes, 1196–7
Hydroxylation of phenylalanine by aqueous hydrogen peroxide in the presence of an artificial water–soluble iron porphyrin complex 1206–7
HYDROXYMETHYLCOBALTICINIUM
Regioselective electroreduction of the cationic methoxycarbonylcobalticinium complex $[Co(\eta\text{–}C_5H_4CO_2Me)(\eta\text{–}C_5H_5)]^+$, 219–20
HYDROXYMETHYLENETETRAMETHYLCHROMANONE
Potassium tert–butoxide–catalyzed oxygenation of an α–tocopherol model compound, 2,2,5,7,8–pentamethylchroman–6–ol, 1267–8
HYDROXYMETHYLHEXANOATE
Facile access to chiral 5–hydroxy–2–methylhexanoic acid lactones (pheromones of the carpenter bee), 1125–6
HYDROXYMETHYLPHENYLAZOXYBENZALDEHYDE
Photochemical oxidation of nitrobenzyl alcohols in aqueous solution, 1023–4
HYDROXYMETHYLPYRIDINE
The charge distribution in complexes having molybdenum–molybdenum or chromium–chromium quadruple bonds, studied by gas–phase x–ray photoelectron spectroscopy, 1027–8
HYDROXYNAPHTHALENE
[1,5] and [1,2] Acetyl shifts in Diels–Alder adducts of 2–acetyl–6–methyl–1,4–benzoquinone, 169–71
Base–induced benzoyl migrations in Diels–Alder adducts of benzoyl–1,4–benzoquinones, 171–3
HYDROXYNORKAURENOATE
Mimics of intermediates in gibberellin biosynthesis as plant growth regulators, 285–6
HYDROXYPENTACYCLOPENTADECADIENONE
Novel rearrangement to a pentacyclopentanoid (polyquinane) system, 755–6
HYDROXYPENTAMETHYLCHROMANONE
Potassium tert–butoxide–catalyzed oxygenation of an α–tocopherol model compound, 2,2,5,7,8–pentamethylchroman–6–ol, 1267–8
HYDROXYPHENYL
Planar tetracoordinate carbon candidates. MNDO calculations on substituted phenyllithium dimers, 260–1
HYDROXYPHENYLLITHIUM
Planar tetracoordinate carbon candidates. MNDO calculations on substituted phenyllithium dimers, 260–1
HYDROXYPHENYLTRIBUTYLSTANNYLPROPYLPHOSPHONATE
A new type of silicon–tin rearrangement involving neighboring group participation of an α–phosphoryl group, 969–70
HYDROXYPHENYLTRIMETHYLSILYLPROPYL
A new type of silicon–tin rearrangement involving neighboring group participation of an α–phosphoryl group, 969–70
HYDROXYPHENYLTRIMETHYLSILYLPROPYLPHOSPHONATE
A new type of silicon–tin rearrangement involving neighboring group participation of an α–phosphoryl group, 969–70
HYDROXYPHOSPHONATE
Silyl phosphite equivalents: 2,2,2–trichloroethoxycarbonylphosphonates, 970–1
HYDROXYPREGNENE
Hypervalent iodine in organic synthesis. A novel route to the dihydroxyacetone side–chain in the pregnene series, 641–2
HYDROXYPREGNENONE
Hypervalent iodine in organic synthesis. A novel route to the dihydroxyacetone side–chain in the pregnene series, 641–2
HYDROXYPROPYLTHIO
1,2–Oxathiolane, a simple sultene, 741–2
HYDROXYPROPYLTHIOPHTHALIMIDE
1,2–Oxathiolane, a simple sultene, 741–2
HYDROXYPYRIDONE
Tautomerism of 1–hydroxy–2–pyridone in the excited triplet state, 1004–5
HYDROXYPYRROLE
Photolysis of 2–azidopyridine 1–oxides. A convenient synthesis of 1,2–oxazines, 36–7
HYDROXYQUINIZARIN
A regioselective synthesis of 8,10–dideoxycarminomycinone, 1075–6
HYDROXYTRIMETHYL
Biosynthesis of the meroterpenoid metabolite, andibenin B: aromatic precursors, 1198–200
HYDROXYTRIMETHYLBENZOATE
Biosynthesis of the meroterpenoid metabolite, andibenin B: aromatic precursors, 1198–200
HYDROXYTRIMETHYLSPIROUNDECADIENONE
Effects of neighboring hydroxy groups in metal–ammonia reductions of α,β–unsaturated carbonyl compounds, 461–3
HYDROXYURACIL
Novel carbon–carbon bond formation at the 5–position of uracils. Facile synthesis of 5–methoxycarbonylmethyluridine and 5–carbamoylmethyluridine, minor component nucleosides derived from transfer ribonuclease, 623–4
HYDROXYVALINE
On the proposed intermediacy of β–hydroxyvaline– and thiazepinone–containing peptides in penicillin biosynthesis, 1146–7
HYDROXYVINCADIFFORMINE
Ozonation in alkaloid chemistry: a mild and selective conversion of vincadifformine into vincamine, 908–9
HYDROXYVITAMIN
Synthesis and determination of the configuration of 23,25–dihydroxyvitamin D_3, a new metabolite of vitamin D_3. X–ray crystal structure of a 3,23,25–triol precursor, 1157–9
HYDROXYWITHANONE
Novel occurrence of 14β–hydroxy group on a withanolide skeleton; x–ray crystal and molecular structure of 14β–hydroxywithanone, 178–9
HYPERCONJUGATION
Negative fluorine hyperconjugation. A theoretical reexamination, 396–8
HYPEROXOBISPENTAAMMINECOBALT
Pressure effect on the rate of outer–sphere electron–transfer within the ion–pair between μ–ethylenediaminetetraacetatodi–μ–oxobis[oxomolybdate(v)] and μ–hyperoxobis[pentaamminecobalt(III)] ions, 1135–6
HYPOBROMOUS
Reaction of olivanic acids with hypobromous acid: the preparation and use of a versatile intermediate, the C–3 thiol, 803–5
HYPOFLUORITE
Acetyl hypofluorite, the first member of a new family of organic compounds, 443–4
IMIDAZOLE
General synthesis of imidazole C–nucleosides from carbohydrate adducts of diaminomaleonitrile, 110–12
Competing paths in the phototransposition of pyrazoles, 604–6
Synthesis of 6–cyano– and 6–carbamoylpurines and 6–carbamoyl–1,2–dihydropurines from N–methylacetonitrilium trifluoromethanesulfonate and diaminomaleonitrile, 788–9
Metalation and metal–halogen exchange reactions of imidazoles, 1095–7
A new imidazole–containing octadentate ligand, capable of binding two metal ions; the x–ray structure of the dinuclear zinc chloride adduct of 1,1,4,7,7–penta(benzimidazol–2–ylmethyl)–1,4,7–triazaheptane, 1124–5
Annular tautomerism in the solid state: a high resolution NMR study, 1207–8
IMIDAZOLIDINEDIONE
Photorearrangement of 5,6–dichloro–1,4–dihydro–1,4–dimethylpyrazine–2,3–dione and its further reactions, 743–4
IMIDAZOLIDINETRIONE
Photorearrangement of 5,6–dichloro–1,4–dihydro–1,4–dimethylpyrazine–2,3–dione and its further reactions, 743–4
IMIDAZOPYRIDINIUM
X–ray study of a new heterocycle: the crystal structure of 1,2–dibromo–1,2–diphenyl–1,2–dihydroazeto[1,2–a]pyridinium chlorate, 481–2
IMIDE
Formation of 3H–1,3–benzodiazepines from quinoline N–acylimides, 211–13
IMIDO
Crystal and molecular structure of $[W(NPh)(\mu\text{–}O)Me_2(PMe_3)]_3$; a trimeric oxo–bridged imido complex of tungsten(VI), 103–4
Molecular complexes for efficient metathesis of olefins. The oxo–ligand as catalyst–cocatalyst bridge and the nature of the active species, 1039–40

IMIDOTUNGSTEN
Molecular complexes for efficient metathesis of olefins. The oxo–ligand as catalyst–cocatalyst bridge and the nature of the active species, 1039–40
IMIDYL
Flash photolysis of N–bromo–3,3–dimethylglutarimide: detection of the imidyl radical, 955–6
IMINE
Asymmetric synthesis of β–lactams, 57–8
Novel syntheses of 3–methyleneazetidin–2–one derivatives and related systems, 404–5
Preparation of stable quinone methide imines, 565–6
Redox properties and stability constants of anion complexes. An electrochemical study of the complexation of metal hexacyanide anions by polyammonium macrocyclic receptor molecules, 1067–9
IMINO
Novel route to β–lactam systems, 41
Solvolysis of syn– and anti–N–chloro–1,4–dihydro–1,4–iminonaphthalenes, 1028–30
IMINOAZETIDINONE
Novel route to β–lactam systems, 41
IMINONAPHTHALENE
Solvolysis of syn– and anti–N–chloro–1,4–dihydro–1,4–iminonaphthalenes, 1028–30
IMINOSUCCINONITRILEDICOBALT
Synthesis, characterization, and chemical transformation of diiminosuccinonitrile cobalt complexes: x–ray crystal structure of cyanobis(diiminosuccinonitrile)cobalt, 329–30
IMMUNOLOGY
Synthesis of a tetratriacontapeptide corresponding to sequence 112–145 of the β–subunit of human chorionic gonadotropin, 357–8
IMPLANTATION
A new method for the chemical modification of polymers, 522–3
IMPREGNATION
Synthesis of light olefins from carbon monoxide and hydrogen over highly dispersed ruthenium/potassium–alumina derived from triruthenium dodecacarbonyl, 1114–15
INCLUSION
Fluorescence enhancement of α–naphthyloxyacetic acid in the cavity of γ–cyclodextrin, assisted by a space–regulating molecule, 194–5
Symmetry and selectivity in the formation of inclusion complexes by macrotricyclic hosts, 990–2
Chiral diaza–18–crown–6 derivatives, 992–4
Crystal and molecular structure of a 2,6–tetradeca–O–methyl–β–cyclodextrin–adamantanol 1:1 inclusion complex, 1291–2
INCORPORATION
Stereochemistry of formation of methyl and ethyl groups in bacteriochlorophyll a, 645–7
Use of deuterium–carbon–13 NMR coupling patterns in terpenoid biosynthesis, 649–50
The biosynthesis of asperlactone: incorporation studies with acetate–2–^{13}C,2–$^{2}H_3$, 708–10
The use of deuterium NMR spectroscopy and β–isotopic shifts in the carbon–13 NMR spectrum to measure deuterium retention in the biosynthesis of the polyketide 6–methylsalicylic acid, 856–8
Biosynthesis of austin, a polyketide–terpenoid metabolite of Aspergillus ustus, 1042–3
Biosynthesis of terretonin, a polyketide–terpenoid metabolite of Aspergillus terreus, 1043–4
Stereochemistry of the introduction of the hydrogen atom at C–2 of cis–aconitic acid during its transformation into itaconic acid in Aspergillus terreus: a deuterium NMR approach, 1050–1
On the proposed intermediacy of β–hydroxyvaline– and thiazepinone–containing peptides in penicillin biosynthesis, 1146–7
Stable isotope studies of the biosynthesis of the sesquiterpenoid dihydrobotrydial, 1169–70
Biosynthesis of the meroterpenoid metabolite, andibenin B: aromatic precursors, 1198–200
INDANOCYCLOPENTANE
Intramolecular cyclization of 1,1',3,3'–tetramethyl–1,1'–biindenyl, 347–8
INDENOBENZAZEPINE
Conversion of a protopine into an indenobenzazepine. Stereoselective formation of cis– and trans–b/c fused indenobenzazepines, 1246–8
INDENYL
Synthesis of dirhodium complexes containing s–cis bridging 1,3–diene ligands. X–ray crystal and molecular structure of μ–(η⁴–cyclohexa–1,3–diene)–μ–carbonylbis(η⁵–indenyl)dirhodium(Rh–Rh), 494–6
INDENYLRHODIUM
Synthesis of dirhodium complexes containing s–cis bridging 1,3–diene ligands. X–ray crystal and molecular structure of μ–(η⁴–cyclohexa–1,3–diene)–μ–carbonylbis(η⁵–indenyl)dirhodium(Rh–Rh), 494–6
INDEX
The bond graph, 818–20
INDOLE
New synthesis of indoles from o–acylaminobenzyltriphenylphosphonium salts, 14–15
Cycloaddition reactions of 2–(indol–2–yl)acrylates and N–alkoxycarbonyl–1,2–dihydropyridine: new synthesis of desethylcatharanthine, 37–9
New synthesis of olivacine via a heteroarylation reaction, 44–6
Arylation of N–acylpyrroles and –indoles with arenes and palladium acetate, 254–5
Synthesis of 2,3–disubstituted indoles under mild conditions, 563
An efficient synthesis of 3–[1–(3–pyridyl)ethyl]indoles, 630–1
Ipso–substitution reactions of 3–substituted indoles with benzoyl tert–butyl nitroxide, 694–5
Enantioselective route to both (+)– and (–)–enantiomers of quebrachamine using a single chiral synthon, 1153–5
Synthesis of a potential synthon for the chiral synthesis of the Corynanthe–type indole alkaloids: enantioselective total synthesis of (–)–antirhine, 1155–6
Regioselective lithiation and substitution of tricarbonyl(η⁶–1–methylindole)chromium(0): x–ray crystal structure analysis of tricarbonyl(η⁶–1–methyl–2–trimethylsilyl–7–ethoxycarbonylindole)chromium(0), 1260–2
INDOLEACRYLATE
Cycloaddition reactions of 2–(indol–2–yl)acrylates and N–alkoxycarbonyl–1,2–dihydropyridine: new synthesis of desethylcatharanthine, 37–9
An unequivocal synthesis of 1–benzyl–3–ethyl–1,6–dihydropyridine and its use for a biogenetically modeled synthesis of (±)–catharanthine, 389–91
INDOLOINDOLIZINE
Chloroformate ester–induced reductive 1,2–bond cleavage of some 1,2,3,4–tetrahydro–β–carboline derivatives, 1209–10
INDOLONE
Ipso–substitution reactions of 3–substituted indoles with benzoyl tert–butyl nitroxide, 694–5
INDOLOQUINOLIZINE
Chloroformate ester–induced reductive 1,2–bond cleavage of some 1,2,3,4–tetrahydro–β–carboline derivatives, 1209–10
INDUCED
Photoinduced reactions of an organosilicon iodide, 175–6
The induced kinetic isotope effect as a tool for mechanistic discrimination, 354–6
Pressure–induced synthesis of an N–sulfonyl–1H–azepine by sulfonyl–nitrene insertion into benzene, 790–1
The infrared multiphoton–induced decomposition of silicon–containing four–membered rings. A new source of silaolefins, 915–17
Spin–echo methods for resolution control of lanthanide–shifted NMR spectra, 1201–3
INDUCTION
Radical–like reactivity of rhodium(II) octaethylporphyrin dimer with trimethyl phosphite, 475–6
Optically active trifluoromethylcarbinols as chiral solvating agents for asymmetric transformations at a ring–nitrogen atom, 588–90
The phosphinoethylsilyl group as a bifunctional chelate. Asymmetric induction at platinum(II), 937–9
INHIBITION
Comparison of activities for hydrogen evolution from water of hydrogenase and colloidal platinum, 56–7
Aryldiazonium salts as photoaffinity labeling reagents for proteins, 398–9
5,6–Methanoleukotriene A_4. A stable and biologically active analog of leukotriene A_4, 1195–6
INHIBITOR
New synthesis of olivacine via a heteroarylation reaction, 44–6
A spectrophotometric method for analyzing mixtures of cis– and trans–diamminedichloroplatinum(II) in solution, 131–2
INSECT
Synthesis of cinnamolide and polygodial, 507–8

INSECT(contd)
A hydroperoxychroman with insect antifeedant properties from an African shrub. Characterization of fully-substituted aromatic structures, 1271–2
INSECTICIDE
Synthesis of a trans-decalin as a potential insect antifeedant, 1001–3
INSERTION
Dinuclear carbene complexes of tungsten as catalysts for metathetical polymerization of alkenes and alkynes; x-ray crystal structure of the insertion product of but-2-yne into a μ-alkylidene carbon-tungsten bond, 152–4
Asymmetric carbon dioxide insertion into a π-allyltitanium(III) complex, 180–1
Titanium-promoted allyl transfer to carbon monoxide and other unsaturated molecules, 342–4
Reaction of dimethyloxosulfonium methylide with N-arylsulfonyl-2-phenylaziridines: a new synthesis of N-arylsulfonyl-2-phenylazetidines, 417–18
Formation of (η-cyclopentadienone)tricarbonyliron on the photolysis of (η-cyclobutadiene)tricarbonyliron in a carbon monoxide matrix at 12 K, 489–90
Closo-carbametallaboranes from direct insertion into nido-carbaboranes: the molecular structures of [6,6-$(Et_3P)_2$-1,2,6-$C_2CoB_7H_9$] and [1,1-$(Et_3P)_2$-1,2,4-$CoC_2B_8H_{10}$], 652–3
Closo-carbametallaboranes with metal-hydrogen bonds from direct insertion into arachno-carbaboranes: the molecular structures of [2-H-2,2-$(Et_3P)_2$-1,6,2-$C_2CoB_7H_9$] and [2-H-2,2-$(Et_3P)_2$-1,6,2-$C_2RhB_7H_9$], and a most unusual crystallographic coincidence, 653–5
Transition metal-catalyzed reactions of diazoesters. Insertion into carbon-hydrogen bonds of paraffins by carbenoids, 688–9
Pressure-induced synthesis of an N-sulfonyl-1H-azepine by sulfonyl-nitrene insertion into benzene, 790–1
Reactions of alkynes with bridging alkylidyne ligands in metal complexes: x-ray crystal structures of [FeW[μ_2-C(C_6H_4Me-4)C(Me)C(Me)]$(CO)_5(\eta$-$C_5H_5)$] and [$Fe_2W(\mu_3$-CC_6H_4Me-4)(μ_2-$Me_3SiC_2SiMe_3$)(μ-CO)$(CO)_6(\eta$-$C_5H_5)$], 867–8
Ab initio study of the insertions of CH_2 and SiH_2 into hydrogen, 890–1
A novel oxidative insertion of a metal center into a degraded closo-borane cluster; crystal and molecular structure of a ten-vertex iso-nido iridacarbadecaborane, 933–4
Facile [1,2]hydrogen-shift reaction promoted by metal-metal bond rupture; x-ray crystal structure of $W_2(CO)_8[C_9H_{14}]$, 1057–9
INTERACTION
Comparison of results obtained in kinetic studies of the interaction between cationic dyes and sodium carboxymethylcellulose using the Joule-heating temperature-jump and laser temperature-jump methods, 386–7
INTERCALATE
Intercalation of tetrathiafulvalene into iron oxychloride, 382–3
New intercalates of graphite: tin-119 Moessbauer spectroscopy and x-ray diffractometry of lamellar compounds containing trimethyltin chloride and tin tetrachloride, 677
INTERCALATION
Intercalation of tetrathiafulvalene into iron oxychloride, 382–3
Preparation and characterization of new intercalates formed between graphite and iron carbonyl compounds, 679–80
INTERCONVERSION
Interconversion of carbocations, free radicals, and carbanions in nitroxide solutions, 70–1
INTERMEDIATE
Cycloadditions of 3-methoxyfuran with mono-activated dienophiles; application to the synthesis of (±)-avenaciolides, 221–2
Pyrrolizidine alkaloids: evidence for N-(4-aminobutyl)-1,4-diaminobutane (homospermidine) as an intermediate in retronecine biosynthesis, 554–6
Model studies on the synthesis of milbemycin β_3, 556–7
The role of cyclohexadienones in the thermal sigmatropic rearrangements of 2-oxidoanilinium ylides, 573–5
Photolysis of diazidosilanes. Generation and reactions of digonal silicon intermediates such as silacarbodiimides, 597–8
A general route to optically pure prostaglandins from a D-glucose derivative, 983–5
INTERMOL
Chemical conversions using sheet silicates: novel intermolecular elimination of ammonia from amines, 9–10
INTERNAL
Internal return in the solvolysis of secondary alkyl arenesulfonates, 1239–40
INTERNUCLEAR
Internuclear exchange of carbonyl groups in dodecacarbonyltriosmium: coupling constants J(osmium-187-carbon-13) in trinuclear osmium carbonyls, 853–5
INTESTINAL
Structure and synthesis of 25-hydroxycholecalciferol-26,23-lactone, a metabolite of vitamin D_3, 424–5
INTRAMOL
Manganese 4,4',4'',4'''-tetrasulfonated phthalocyanine, its dioxygen adduct, and ESR evidence for intramolecular electron transfer in solution, 98–9
Intramolecular bromoalkoxylation: synthesis of 2-bromomethyl-2-methyl crown ethers, 219
Novel synthesis of 3-alkyl-2-phenoxychromones involving an intramolecular Wittig reaction of carbonates, 282–3
Intramolecular cyclization of 1,1',3,3'-tetramethyl-1,1'-biindenyl, 347–8
Substitution of a platinum(II) complex without retention of stereochemistry. Direct evidence for pseudorotation of a five coordinate platinum(II) cationic complex containing chelating phosphine ligands, 381–2
Novel syntheses of 3-methyleneazetidin-2-one derivatives and related systems, 404–5
Synthesis and x-ray crystal structure of 1,5-bis(acetoxymethyl)tricyclo[2.1.0.$0^{2,5}$]pentan-3-one, 455–6
Synthesis of demethoxycapillarisin, a naturally occurring 2-phenoxychromone, and related compounds, 474–5
Photo-acoustic spectroscopic evidence for site-site interactions in a bifunctional surface-bonded phase, 517–18
Intramolecular reactions of N-nitrenes: evidence for nonconcerted addition to alkenes, 549–50
Transition metal-catalyzed N-alkylation of amines by alcohols, 611–12
Acid-catalyzed intramolecular C-alkylation rearrangements of $\beta\gamma$-unsaturated diazomethyl ketones. A novel synthetic entry to pentaleno-annulated polycyclic systems, 746–7
Synthesis of potassium 3-methyl-9-oxo-1,4-diazatricyclo[5.2.0.$0^{4,6}$]non-2-ene-2-carboxylate, 947–8
Photochemical transformations of methoxyphthalaldehydic esters: synthesis of methyl 6-methoxyphthalaldehydate from the 3-methoxy isomer, 962–3
The chemistry of a 1,3,4-thiadiazin-6-one, 1003–4
Photoinduced 1,5-acyl shift of 3-acylated 3-methyloxepin-2(3H)-ones, 1163–4
Surprising reactivity of very crowded phosphinic derivatives, 1197–8
Synthesis of (±)-eleutherin, (±)-isoeleutherin, and their demethoxy analogs. A novel synthetic approach, 1277–8
INVERSION
Structure and photochemistry of matrix-isolated monothioacetylacetone, 486–8
IODIDE
Photoinduced reactions of an organosilicon iodide, 175–6
Synthesis of α-functionalized-alkylplatinum(II) complexes by oxidative addition of geminal dihalides to platinum(0) substrates: x-ray structure of cis-[iodo(iodomethyl)bis(triphenylphosphine)-platinum], 698–9
An NMR method for the quantitative determination of the N-1:N-3 protonation ratio in 2,4-diaminopyrimidine, 1224–5
IODINATION
Formation of dihydrobenzofurans by radical cyclization, 136–7
New method for radioiodinating organic compounds via organoborane reactions, 1011
IODINE
Synthesis gas homologation of aliphatic carboxylic acids, 41–3
Use of polymer-iodine adducts as positive electrodes of cells, 187–8
Synthesis and x-ray characterization of an iodine-bridged tetranuclear gold cluster, di-μ-iodo-tetrakis(triphenylphosphine-)-tetrahedro-tetragold, 222–3
A new method for the chemical modification of polymers, 522–3
Synthesis and molecular structure of mixed-valence compounds of rhenium obtained by diiodine oxidation of rhenium(I) carbonyl complexes; x-ray crystal structure of $Re_3I_6(CO)_6$, 893–4
New method for radioiodinating organic compounds via organoborane reactions, 1011
Doping of polyacetylene films to the metallic state with xenon fluorides and iodine pentafluoride, 1288–9

IODO
A new regio- and stereoselective functionalization of allylic and homoallylic alcohols, 465–6
A general route to optically pure prostaglandins from a D-glucose derivative, 983–5
IODOALKANE
A new synthetic route to perfluoroalkylphosphonates involving facile formation of the CF–P linkage, 1173–4
IODOCARBONATE
A new regio- and stereoselective functionalization of allylic and homoallylic alcohols, 465–6
IODOCARBONATION
A new regio- and stereoselective functionalization of allylic and homoallylic alcohols, 465–6
IODOETHYLCYCLOPENTADIENYLMOLYBDENUM
Synthesis and x-ray crystal structure of the ring-functionalized bis-η-cyclopentadienylmolybdenum compound bis[η-(2-iodoethyl)cyclopentadienyl]molybdenum diiodide and of cyclo-bis(2-η-cyclopentadienylethyl)molybdenum, 156–8
IODOMETHANE
New uses for old complexes. Hydroborations involving nitrogen and phosphorus complexes of borane, 1014–15
IODOMETHYLBISTRIPHENYLPHOSPHINEPLATINUM
Synthesis of α-functionalized-alkylplatinum(II) complexes by oxidative addition of geminal dihalides to platinum(0) substrates: x-ray structure of cis-[iodo(iodomethyl)bis(triphenylphosphine)-platinum], 698–9
IODOMETHYLENEDIOXYPHENYLPROPANE
New method for radioiodinating organic compounds via organoborane reactions, 1011
IODONIUM
Photoinitiated doping of polyacetylene, 384–5
IODOPHENYL
Novel alumina-catalyzed reactions of arylthioalkyl halides, 87–8
New method for radioiodinating organic compounds via organoborane reactions, 1011
IODOPYRAZOLYLBORATOMOLYBDENUM
Reactions of ketones with molybdenum nitrosyl complexes: x-ray crystal structures of $[(Mo(HB(3,5\text{-}Me_2C_3HN_2)_3)(NO)I)_2O]$, a complex having a bent Mo–O–Mo bond, and of a bicyclic salt, $[C_6H_3Me_5N_2(OH)][I_{1\cdot2}(I_3)_{1\cdot2}]$, 348–50
IODOSYLBENZENE
Hypervalent iodine in organic synthesis. A novel route to the dihydroxyacetone side-chain in the pregnene series, 641–2
IODOTETRARUTHENIUMHEXACARBONYL
Synthesis and molecular structure of mixed-valence compounds of rhenium obtained by diiodine oxidation of rhenium(I) carbonyl complexes; x-ray crystal structure of $Re_3I_6(CO)_6$, 893–4
IODOTRICYCLENE
4-Tricyclyliodonium bis(m-chlorobenzoate): a stable aliphatic trivalent iodine diester, 1250–1
IODOUNDECANOATE
New method for radioiodinating organic compounds via organoborane reactions, 1011
IODYLBENZENE
Oxygen atom transfer from iodylbenzene to diphenyl diselenide: a convenient method for dehydrogenation of steroidal 3-ketones, 1044–5
ION
Interconversion of carbocations, free radicals, and carbanions in nitroxide solutions, 70–1
Visible light-induced oxidation of water and of chloride ions in photoelectrochemical cells, 437–40
A new method for the chemical modification of polymers, 522–3
Cupric ion-promoted hydrolysis of cyanomethyl-substituted tetraazamacrocycles, 603–4
Evidence for retention of the cyclic C_3H_5 structure during positive-ion processes in the gas phase, 659–61
Products of low potential energy in mass spectra as a consequence of ion–dipole attractions. The case of isobutyl alcohol, 836–8
Pressure effect on the rate of outer-sphere electron-transfer within the ion-pair between μ-ethylenediaminetetraacetatodi-μ-oxobis[oxomolybdate(v)] and μ-hyperoxobis[pentaamminecobalt(III)] ions, 1135–6
IPOLAMIIDE
Biosynthesis of lamiide and ipolamiide from 8-epi-deoxyloganin studied by deuterium NMR spectroscopy, 228–9
IPSO
ipso-Attack in the hydroxylation of o- and p-xylene using bis(trimethylsilyl) peroxide and aluminum chloride, 1079–80
IR
Platinum–manganese and -rhenium complexes with bridging thiocarbonyl ligands; crystal structure of $[MnPt(\mu\text{-}CS)(CO)_2(P\text{-}MePh_2)_2(\eta\text{-}C_5H_5)]$, 243–5
Products of the reaction of carbon monoxide with octadecacarbonylhexaosmium; x-ray crystal structure of nonadecacarbonylpentaosmium, 273–4
Spectroelectrochemical studies on trisbipyridyl ruthenium complexes. Ultraviolet, visible, and near-infrared spectra of the series $[Ru(bipyridyl)_3]^{2+\cdot1+\cdot0\cdot1-}$, 287–9
IR evidence for a strong hydrogen bond in the fluoride–uracil system, 466–8
Structure and photochemistry of matrix-isolated monothioacetylacetone, 486–8
Formation of (η-cyclopentadienone)tricarbonyliron on the photolysis of (η-cyclobutadiene)tricarbonyliron in a carbon monoxide matrix at 12 K, 489–90
Evidence for x-ray-amorphous zeolites, 591–3
Far-infrared spectra of aqueous solutions of thallium(III) chloride complexes, 772–3
The infrared multiphoton-induced decomposition of silicon-containing four-membered rings. A new source of silaolefins, 915–17
Geometric and ligand effects in the IR spectra of carbon monoxide adsorbed on a platinum–copper alloy, 1024–5
IRIDACARBADECABORANE
A novel oxidative insertion of a metal center into a degraded closo-borane cluster; crystal and molecular structure of a ten-vertex iso-nido iridacarbadecaborane, 933–4
IRIDATE
An octanuclear iridium carbonyl cluster based on two equivalent tetrahedral units. Synthesis and x-ray characterization of bis(tetraphenylphosphonium) hexa-μ-carbonylhexadecacarbonyl-ditetrahedro-octairidate(2-), 528–9
IRIDIUM
NMR evidence for a fluxional allyl-hydride species featuring an aliphatic hydrocarbon-iridium(III) interaction, 506–7
An iridium(V) organometallic compound; synthesis and x-ray crystal structure of tetramethyl(η^5-pentamethylcyclopentadienyl)-iridium, 808–9
A novel oxidative insertion of a metal center into a degraded closo-borane cluster; crystal and molecular structure of a ten-vertex iso-nido iridacarbadecaborane, 933–4
π-Arene complexes as unexpected deactivation products in alkane activation and alkene hydrogenation reactions, 1217–18
IRON
Synthesis of coordinated trans-1,2-di(cycloheptatrienyl)ethylene, a new cyclooctatetraene dimer, and the x-ray crystal structure of an intermediate bisphosphonium salt $[Fe_2(CO)_2(\eta^4,\eta'^4\text{-}C_{16}H_{16}(PPh_3)_2)][PF_6]_2$, 17–18
Reaction of η^4-cyclooctatetraenyliron tricarbonyl with the tropylium ion: unusual rearrangement of cyclooctatetraene and cycloheptatriene rings and the x-ray crystal structure of η^4-styrylcycloheptatrienyliron tricarbonyl, 19–20
Novel rearrangement of an (η^4-2-pyrone)iron complex, 22–5
Interaction of alkyl halides with the diironoctacarbonylate anion: the crystal structures of the tetraethylammonium salts of the μ-acetyl$C^1(Fe^1,Fe^2)O(Fe^1,Fe^3)$nonacarbonyl-triangulo-triferrate and μ_2-carbonylnonacarbonyl-μ_3-2,4-dioxapentylidyne-triangulo-triferrate anions, 189–91
Electrochemical evidence for the generation of new sandwich complexes of iron; cyclopentadienyl(arene)iron anion and cyclopentadienyl(cyclohexadienyl)iron cation, 251–3
Synthesis and fluxional character of derivatives of the type $[HFe_3(CO)_{10}(\mu_2\text{-}CNR_2)]$ and $[HFe_3(CO)_9(\mu_3\text{-}CH{=}NR)]$, 263–5
Electron-induced nucleophilic substitution reactions in organometallic systems, 265–6
Products of the reaction of carbon monoxide with octadecacarbonylhexaosmium; x-ray crystal structure of nonadecacarbonylpentaosmium, 273–4
Interaction of monooxygen donors with porphinatoiron(III) complexes bearing electron-releasing meso-substituents, 293–5
Carbon-13 NMR spectra of highly ^{13}CO-enriched metal carbonyls: observation of $^2J_{CC}$ cis coupling constants, 300–2
Hydride reduction of the cations $((\eta^5\text{-}C_5H_5)Fe[(Ph_2PCH_2)_3CMe])PF_6$, $((\eta^5\text{-}C_5H_5)Ru[(Ph_2PCH_2CH_2)_2PPh])PF_6$, and $([\eta^5\text{-}C_5H_5)Ru[(Ph_2PCH_2)_3CMe])PF_6$: regioselectivity and mechanism 341–2

IRON(contd)
The induced kinetic isotope effect as a tool for mechanistic discrimination, 354–6
Simple, stereospecific syntheses of some insect pheromones using the iron tricarbonyl protecting group, 373–4
Intercalation of tetrathiafulvalene into iron oxychloride, 382–3
Bis(η^5-cyclopentadienyldicarbonyliron); a versatile catalyst for ligand–replacement reactions on transition metal complexes, 408–9
Synthesis and x-ray structural characterization of $[Me_4N]_3[(SCH_2CH_2S)MoS_3]_2Fe$), the first example of a heteronuclear trimer containing molybdenum in a square–pyramidal geometry, 411–12
Formation of (η-cyclopentadienone)tricarbonyliron on the photolysis of (η-cyclobutadiene)tricarbonyliron in a carbon monoxide matrix at 12 K, 489–90
An unusual bonding mode for a dithiocarboxylate ligand: a tetradentate interaction; x-ray crystal structure of the product of the reaction of nonacarbonyldiiron with 1,2-benzodithiole-3-thione, 513–14
Differentiation of spectra as a means of resolving spin–forbidden bands: iron(III) complexes, 518–20
Synthesis and x-ray crystal and molecular structure of $[(RhFe(\mu\text{-}PPh_2)_2(\mu\text{-}CO)(CO)_3)_2]$, an unusual tetranuclear compound with a straight-chain structure, 587–8
Enhanced catalytic activity of specially prepared ferric oxide for the isomerization of but-1-ene and cyclopropane and the dehydration of butan-2-ol, 602–3
A novel paramagnetic octahedral iron cluster: synthesis and x-ray structural characterization of hexakis(triethylphosphine)-μ_3-octasulfurhexairon tetraphenylborate, 640–1
Preparation and characterization of new intercalates formed between graphite and iron carbonyl compounds, 679–80
Reaction of N,N'-ethylenebis(thiosalicylideneiminato)iron(II) with dioxygen. Formation of a μ-peroxo-intermediate and isolation of a μ-oxo complex with the unusual S = 1/2 spin state, 726–8
Synthesis of γ-oxyprotoporphyrin IX and pterobiline (biliverdin IXγ), 763–4
Exchange interactions in a series of novel heteronuclear basic carboxylate complexes containing two iron(III) ions and a divalent metal ion, 796–7
Oxygenation reactions of cytochrome oxidase models. Evidence for hematin formation in mononuclear and heterobinuclear complexes, 799–80
Reactions of alkynes with bridging alkylidyne ligands in metal complexes: x-ray crystal structures of $[FeW[\mu_2\text{-}C(C_6H_4Me\text{-}4)C(Me)C(Me)](CO)_5(\eta\text{-}C_5H_5)]$ and $Fe_2W(\mu_3\text{-}CC_6H_4Me\text{-}4)(\mu_2\text{-}Me_3SiC_2SiMe_3)(\mu\text{-}CO)(CO)_6(\eta\text{-}C_5H_5)]$, 867–8
Formation of η^6-arene–closo–carbaferraboranes by the reaction of a closo–carbaborane with cyclooctadiene(η-cyclopentadienyl)iron in the presence of arenes: molecular structure of [closo-1-(η^6-PhMe)-2,4-Me_2-1,2,4-$FeC_2B_9H_9$], 871–2
Comparison of UV–visible spectra of iron(I)–porphyrin– and iron(II)–porphyrin(thiolato)(thiocarbonyl) and –(carbene) complexes. Relevance to ferrous cytochrome P450 complexes, 888–90
Conversion of a bridged vinylalkylidene complex into cluster complexes of cobalt, iron, and manganese: x-ray crystal structures of $[Fe_3(CO)_6(\mu\text{-}CO)_2(\mu_3\text{-}CMe)(\eta\text{-}C_5H_5)]$ and $[FeCo_3(CO)_7(\mu\text{-}CO)_2(\mu_4C\text{:}CH_2)(\eta\text{-}C_5H_5)]$, 966–8
Role of excess of molybdenum trioxide in ferric oxide–molybdenum trioxide methanol oxidation catalysts studied by x-ray photoelectron spectroscopy, 1018–19
Redox properties and stability constants of anion complexes. An electrochemical study of the complexation of metal hexacyanide anions by polyammonium macrocyclic receptor molecules, 1067–9
New octahedral, asymmetric iron carbonyl complexes, 1071–2
Polynuclear tungsten–iron, –ruthenium, and –osmium carbonyl complexes: crystal structures of $[FeW_2(\mu_3\text{-}C_2R_2)(CO)_6(\eta\text{-}C_5H_5)_2]$, $[OsW_2(\mu_3\text{-}C_2R_2)(CO)_7(\eta\text{-}C_5H_5)_2]$ (two isomers), and $[Os_3W(\mu_3\text{-}CR)(CO)_{11}(\eta\text{-}C_5H_5)]$ (R = C_6H_4Me-4), 1101–3
Selective bond cleavage in the iron(III) chloride–catalyzed photooxidation of olefins, 1116–17
Stereoselective adsorption on a clay surface modified by an optically active nickel(II) tris(1,10-phenanthroline) chelate, 1128–9
Hydroxylation of phenylalanine by aqueous hydrogen peroxide in the presence of an artificial water-soluble iron porphyrin complex 1206–7

ISOAGATHOLACTONE
Stereoselective synthesis of the novel marine diterpene (+)-isoagatholactone, 734–5
ISOAVENACIOLIDE
Cycloadditions of 3-methoxyfuran with mono-activated dienophiles; application to the synthesis of (±)-avenaciolides, 221–2
ISOBACTERIOCHLORIN
Synthesis of the isobacteriochlorin macrocycle: a photochemical approach, 797–9
ISOBASICITY
On relative leaving abilities: use of isobasic plots to determine the relative nucleofugalities of thiolates and their oxy-analogs, 551–3
ISOBENZOFURAN
Regiospecific cycloaddition of 1-substituted isobenzofurans to quinone acetals, 942–3
ISOBUTYL
Products of low potential energy in mass spectra as a consequence of ion–dipole attractions. The case of isobutyl alcohol, 836–8
ISOCOPALATE
Stereoselective synthesis of the novel marine diterpene (+)-isoagatholactone, 734–5
ISOCYANATO
Cyclizations of azidoformates. Cyclization of aryl azidoformates, 241–2
ISOCYANATOCYCLOHEXANE
A base-labile amine component in four-component condensation (4CC) synthesis, 491–2
ISOCYANATODIMETHYLCYCLOHEXADIENONE
Cyclizations of azidoformates. Cyclization of aryl azidoformates, 241–2
ISOCYANIDE
Bis(η^5-cyclopentadienyldicarbonyliron); a versatile catalyst for ligand–replacement reactions on transition metal complexes, 408–9
A base-labile amine component in four-component condensation (4CC) synthesis, 491–2
Reaction of molybdenum and tungsten alkylidyne complexes with 2,6-xylyl isocyanide and carbon monoxide; structural and mechanistic evidence for novel insertion reactions, 986–8
Cluster chemistry. Synthesis and x-ray structure of $[Ru_5(CO)_{14}(C\text{-}NCMe_3)_2]$, containing an unusual open Ru_5 cluster, 1070–1
ISOCYANOACETATE
Simple route for elaboration of the hydroxy ketone and dihydroxyacetone side chains of corticosteroids from 17-oxo steroids, 775–7
ISOCYANOETHYL
Efficient synthesis of the corticosteroid side chain from 17-ketones, 774–5
ISOCYANOXYLENE
Reaction of molybdenum and tungsten alkylidyne complexes with 2,6-xylyl isocyanide and carbon monoxide; structural and mechanistic evidence for novel insertion reactions, 986–8
ISOCYANOXYLYL
Reaction of molybdenum and tungsten alkylidyne complexes with 2,6-xylyl isocyanide and carbon monoxide; structural and mechanistic evidence for novel insertion reactions, 986–8
ISOCYANOXYLYLCYCLOPENTADIENYLMOLYBDENUM
Reaction of molybdenum and tungsten alkylidyne complexes with 2,6-xylyl isocyanide and carbon monoxide; structural and mechanistic evidence for novel insertion reactions, 986–8
ISODEHYDRO
Unusual stereospecificity in the hydrogenation of an isopropenyl function with Wilkinson's catalyst: a route to chiral methyl valine 1175–6
ISOELEUTHERIN
Synthesis of (±)-eleutherin, (±)-isoeleutherin, and their demethoxy analogs. A novel synthetic approach, 1277–8
ISOLATION
2-Methoxycarbonyl-3-prenyl-1,4-naphthoquinone, a metabolite related to the biosynthesis of mollugin and anthraquinones in Galium mollugo L, 334–6
ISOLEPTIC
Use of the bis(trimethylsilyl)cyclopentadienyl ligand for stabilizing early (f^0-f^3) lanthanocene chlorides. X-ray structure of dichlorodi[η-bis(trimethylsilyl)cyclopentadienyl]dipraesodymium and of isoleptic scandium and ytterbium complexes, 1190–1

ISOLEUCINE
Direct proton NMR observation of the cell-free conversion of δ-(L-α-aminoadipyl)-L-cysteinyl-D-valine and δ-(L-α-aminoadipyl)-L-cysteinyl-D-(-)-isoleucine into penicillins, 917–19
ISOMER
Reaction of olivanic acids with hypobromous acid: the preparation and use of a versatile intermediate, the C-3 thiol, 803–5
On the possible role of the 3-methylene isomer of deacetoxycephalosporin C in the biosynthesis of cephalosporins, 934–6
ISOMERISM
Polymeric proanthocyanidins: interflavanoid linkage isomerism in (epicatechin-4)-(epicatechin-4)-catechin procyanidins, 320–2
ISOMERIZATION
Chemical conversions using sheet silicates: facile ester synthesis by direct addition of acids to alkenes, 8–9
Cation-radical transfer: transfer efficiency in photosensitized isomerization reactions, 90–1
Isomerization and hydrogenolysis of 1,3-dioxacycloalkanes on metal catalysts, 106–8
A cis-trans equilibrium isotope effect in arylcyanomethylenepyrrolidinones, 205–6
Microwave study of the reactions of n-butenes over deuterated zeolites, 249–50
Enhanced catalytic activity of specially prepared ferric oxide for the isomerization of but-1-ene and cyclopropane and the dehydration of butan-2-ol, 602–3
Competing paths in the phototransposition of pyrazoles, 604–6
7b-Methyl-7bH-cyclopent[cd]indene, an unsubstituted tricyclic aromatic [10]annulene, 657–8
Synthesis, dynamic behavior, and molecular structures of μ-methylene platinumtriosmium complexes: x-ray crystal structures of two isomers of $[Os_3Pt(\mu\text{-}H)_2(\mu\text{-}CH_2)(CO)_{10}(P(C_6H_{11})_3)]$, 689–91
X-ray crystal structure and molecular dynamics of the μ-dimethylcarbene complex $[Ru_2(CO)_2(\mu\text{-}CO)(\mu\text{-}CMe_2)(\eta\text{-}C_5H_5)_2]$ 861–2
Photochemical transformations of methoxyphthalaldehydic esters: synthesis of methyl 6-methoxyphthalaldehydate from the 3-methoxy isomer, 962–3
Hydroisomerization of 1,3-dioxacycloalkanes to esters on platinum. The role of hydrogen in the isomerization, 978–9
trans-Cycloheptene. Photochemical generation and thermal trans-cis isomerization, 1031–3
Accumulation of potassium oxide on carbon and enhancement of catalytic activity for isomerization by dioxygen, 1061–2
New octahedral, asymmetric iron carbonyl complexes, 1071–2
A new synthesis of macrocyclic lactones by rearrangement of 2-hydroxyalkyl-2-phenylsulfonylcycloalkanones, 1123–4
The thermal cis-trans-isomerization of some substituted tetraphenylcyclopropanes. An assessment of the importance of mero-stabilization of a 1,3-biradical, 1203–4
The photoisomerizations of protonated Schiff base derivatives of some enals, 1268–9
ISOMINTSULFIDE
Sulfide extrusion from methyl sulfonium salts of the sulfur-bridged sesquiterpenes, mintsulfide and isomintsulfide by alkyllithium, 127–8
ISONITRILE
Synthesis and fluxional character of derivatives of the type $[HFe_3(CO)_{10}(\mu_2\text{-}CNR_2)]$ and $[HFe_3(CO)_9(\mu_3\text{-}CH{=}NR)]$, 263–5
ISOPENICILLIN
Penicillin biosynthesis: conversion of deuterated (L-α-amino-δ-adipyl)-L-cysteinyl-D-valine into isopenicillin N by a cell-free extract of Cephalosporium acremonium, 246–7
Direct proton NMR observation of the cell-free conversion of δ-(L-α-aminoadipyl)-L-cysteinyl-D-valine and δ-(L-α-aminoadipyl)-L-cysteinyl-D-(-)-isoleucine into penicillins, 917–19
On the proposed intermediacy of β-hydroxyvaline- and thiazepinone-containing peptides in penicillin biosynthesis, 1146–7
ISOPROPENYL
A new approach to spirosesquiterpenes of the acorane family, 953–5
ISOPROPOXYBISDIPHENYLDIAZOPYRIDINE
Addition of diphenyldiazomethane to hexaalkoxydimolybdenum (M_2^5M) compounds: characterization of $Mo_2(OCHMe_2)_6(N_2CPh_2)_2$(pyridine) by x-ray crystallography, 1229–31
ISOPROPOXYBISDIPHENYLDIAZOPYRIDINEDIMOLYBDENUM
Addition of diphenyldiazomethane to hexaalkoxydimolybdenum (M_2^5M) compounds: characterization of $Mo_2(OCHMe_2)_6(N_2CPh_2)_2$(pyridine) by x-ray crystallography, 1229–31
ISOPROPYLBENZOPHENONE
Effect of ring substituents on the lifetime of biradicals photogenerated from 2,4,6-triisopropylbenzophenones, 1187–8
ISOPROPYLBIPYRIDINECARBOXYLATE
Visible light-induced oxidation of water and of chloride ions in photoelectrochemical cells, 437–40
ISOPROPYLBIPYRIDINECARBOXYLATORUTHENIUM
Visible light-induced oxidation of water and of chloride ions in photoelectrochemical cells, 437–40
ISOPROPYLHEPTYNONE
Total synthesis of (S)-(+)-solanone, 951–2
ISOPROPYLIDENE
Cationic cyclization reactions of 6-methylhept-5-en-2-one oxime; x-ray crystal structure of 3-isopropylidene-2-methyl-Δ^1-pyrroline, 568–9
Evidence for a novel mechanism of the 1,2-bond shift rearrangements catalyzed by coenzyme-B_{12}, 686–8
ISOPROPYLIDENECYCLOPENTANE
Evidence for a novel mechanism of the 1,2-bond shift rearrangements catalyzed by coenzyme-B_{12}, 686–8
ISOPROPYLIDENEMANNOSE
Synthesis of 3-deoxy-D-manno-octulosonic acid (KDO), 1139–40
ISOPROPYLIDENEMETHYLPYRROLINE
Cationic cyclization reactions of 6-methylhept-5-en-2-one oxime; x-ray crystal structure of 3-isopropylidene-2-methyl-Δ^1-pyrroline, 568–9
ISOPROPYLISOUREA
Not the alkoxycarbonylamino-acid O-acylisourea, 543–5
ISOQUINOLINE
Formation of 3H-1,3-benzodiazepines from quinoline N-acylimides, 211–13
ISOQUINOLONE
Cyclization of ortho-halogenated N-acylbenzylamines: a formal synthesis of (±)-cherylline, 1074–5
ISOTACTIC
Solid-state high-resolution carbon-13 NMR spectra of polypropene, 15–16
ISOTHIAZOLECARBOXYLATE
Ring cleavage of 3-azidothiophenes; a novel extrusion of acetylene, 550–1
ISOTHIOCYANATOPENICILLANATE
Triorganotin hydride reduction of 6β-isothiocyanatopenicillanates: a radical-induced sulfur-C(2) bond cleavage, 901–2
ISOTOPE
Hydrogen-deuterium kinetic isotope effect in carbon monoxide hydrogenation over ruthenium/silicon dioxide, 92–3
A cis-trans equilibrium isotope effect in arylcyanomethylenepyrrolidinones, 205–6
Deuterium isotope effect on proton chemical shift in pentadeuteriobenzene, 309
The induced kinetic isotope effect as a tool for mechanistic discrimination, 354–6
Isotope shifts in carbon-13 NMR spectra of oxygen-18-labeled acetals: multiple labeling effects at β-carbons, 501–2
Fully reversible carbon protonation in the hydrolysis of ketene selenoacetals, 738–9
MNDO SCF-MO calculations of kinetic isotope effects for dehydrochlorination reactions of chloroalkanes, 939–40
Isotope effects in chemical exchange systems. Isotope effects for sodium between a cation exchange resin and a methanolic solution, 968–9
Utilization of the deuterium isotope effect to suppress enolization during alkylation of ketones, 1215–16
ISOXAZOLE
3,5-Disubstituted isoxazoles as a latent aldol moiety: application to the synthesis of (±)-[6]-gingerol, 599–600
ISOXAZOLIDINE
Asymmetric synthesis of a new proline analog, 97–8
ISOXAZOLIDINYL
ESR spectra of cyclic oxyamidyls, 253–4
ITACONATE
Stereochemistry of the introduction of the hydrogen atom at C-2 of cis-aconitic acid during its transformation into itaconic acid in Aspergillus terreus: a deuterium NMR approach, 1050–1
JOULE
Comparison of results obtained in kinetic studies of the interaction between cationic dyes and sodium carboxymethylcellulose using

JOULE(contd)
the Joule–heating temperature–jump and laser temperature–jump methods, 386–7
JUMP
Comparison of results obtained in kinetic studies of the interaction between cationic dyes and sodium carboxymethylcellulose using the Joule–heating temperature–jump and laser temperature–jump methods, 386–7
K3
Photosensitized electron transport across a liquid membrane containing photosensitizer, electron mediator, and carrier, 210–11
KETEN
Acetylation by keten of phenols supported on solid adsorbents, 1120
KETENE
Effective method for the asymmetric synthesis of bis–β–lactams by the cycloaddition of azidoketene to benzylideneamines bearing a chiral β–lactam backbone, 344–6
Reactions of trimethylsilylthiazoles with ketens: a new route to regioselective functionalization of the thiazole ring, 655–6
Fully reversible carbon protonation in the hydrolysis of ketene selenoacetals, 738–9
KETENIMINE
Four–membered ring adducts from 2π + 2π cycloaddition of ketenimines to sulfur dioxide. Isolation of 1,2–thiazetidin–3–one 1–oxides, 350–2
KETO
Preparation and reactions of 1–lithiooxy–1–lithioaminoallene derivatives, 65–7
Alkylation of lithium trialkylalkynylborates with benzo–1,3–dithiolium fluoroborate, 164–5
Alkaloid–catalyzed asymmetric addition of thiocarboxylic S–acids to cyclohex–2–en–1–ones. Absolute configuration of the adducts by O,S–dibenzoate Cotton effect, 307–8
Synthesis of macrocyclic oxo–crown ethers from αω–bis diazoketones and polyethylene glycols, 616–17
Efficient synthesis of the corticosteroid side chain from 17–ketones, 774–5
Simple route for elaboration of the hydroxy ketone and dihydroxyacetone side chains of corticosteroids from 17–oxo steroids, 775–7
Synthesis of 6–cyano– and 6–carbamoylpurines and 6–carbamoyl–1,2–dihydropurines from N–methylacetonitrilium trifluoromethanesulfonate and diaminomaleonitrile, 788–9
KETOL
Erythro–selective aldol condensation via triphenyltin enolates. Stereoselection independent of the stereochemistry of the enolates 162–3
KETONE
A new spiro–annelation procedure: intramolecular decarboxylative alkylation of β–keto esters, 30–2
Mechanistic investigations into the photochemical oxidation of thioketones, 112–14
Selective reduction of carbonyl compounds by heterogeneous catalysis on salt surfaces, 121–2
Cesium fluoride–promoted Michael addition in heterogeneous catalysis, 122–3
Direct geminal dimethylation of ketones using dimethyltitanium dichloride, 237–9
Asymmetric reduction of aromatic ketones with chiral alkoxyamine–borane complexes, 315–17
Carbonylation of organic halides in the presence of terminal acetylenes: novel acetylenic ketone synthesis, 333–4
Reactions of ketones with molybdenum nitrosyl complexes: x–ray crystal structures of $[(Mo(HB(3,5\text{-}Me_2C_3HN_2)_3)(NO)I)_2O]$, a complex having a bent Mo–O–Mo bond, and of a bicyclic salt, $[C_6H_3Me_5N_2(OH)][I_{1\cdot2}(I_3)_{1\cdot2}]$, 348–50
Regioselective acylation of allyl sulfides via α–silyl intermediates, 377–8
New method for preparing βγ–unsaturated ketones: use of phenylselenoacetaldehyde, 434–6
Effects of neighboring hydroxy groups in metal–ammonia reductions of α,β–unsaturated carbonyl compounds, 461–3
Synthesis of 2,3–disubstituted indoles under mild conditions, 563
Experimental evidence for a phenyl cation intermediate in the solvolysis reactions of dienynyl trifluoromethanesulfonates, 713–14
Acid–catalyzed intramolecular C–alkylation rearrangements of βγ–unsaturated diazomethyl ketones. A novel synthetic entry to pentaleno–annulated polycyclic systems, 746–7
Synthesis of γ–oxyprotoporphyrin IX and pterobiline (biliverdin IXγ), 763–4
Synthesis of 6–cyano– and 6–carbamoylpurines and 6–carbamoyl–1,2–dihydropurines from N–methylacetonitrilium trifluoromethanesulfonate and diaminomaleonitrile, 788–9
Silyl thioketones and silylated thiiranes, 822–3
Manganese porphyrin–catalyzed oxidation of olefins to ketones by molecular oxygen, 874–5
Efficient synthesis of (±)–solavetivone, 904–5
Formaldehyde as a hydrogen–donor to aldehydes and ketones in metal–catalyzed reactions in water, 924–5
Surface photochemistry: radical pair combination on a silica gel surface and in micelles, 958–9
Oxygen atom transfer from iodylbenzene to diphenyl diselenide: a convenient method for dehydrogenation of steroidal 3–ketones, 1044–5
A new reaction of pentacoordinate phosphorus derivatives: the formation of phosphinates from an oxazaphosph(V)ole and carbonyl compounds, 1054–5
Sand–supported organic reactions: sodium borohydride reduction of carbonyl compounds, 1066–7
Selective bond cleavage in the iron(III) chloride–catalyzed photooxidation of olefins, 1116–17
Synthesis of ketones and tertiary alcohols from trialkylboranes. Use of lithium tris(phenylthio)methanide, 1149–50
Ketone enolates as nucleophiles in palladium–catalyzed allylic alkylation, 1159–60
Utilization of the deuterium isotope effect to suppress enolization during alkylation of ketones, 1215–16
Reaction of lithium dialkylcuprates with S–2–pyridyl thioates in the presence of oxygen. A carboxylic ester synthesis, 1231–2
The photochemical enolization of an aliphatic α,β–unsaturated ketone, 1235–6
KIESELGUHR
A physically supported gel polymer for low pressure, continuous flow solid phase reactions. Application to solid phase peptide synthesis, 1151–2
KINETIC
The induced kinetic isotope effect as a tool for mechanistic discrimination, 354–6
KINETICS
Evidence for heterolytic fission of hydrogen by cobalt cyanide complexes, 33–4
Kinetics of addition of 2–methyl–2–silapropene to hydrogen chloride, hydrogen bromide, and oxygen, 52–3
Rate–determining ionization in methanolysis of an organosilicon halide, 63–4
Nucleophilic attack on a ligand as a prerequisite for ligand replacement. Kinetics and mechanism of the replacement of dimethylphenylphosphine by trimethyl phosphite in $[Ru(S_2CH)(PMe_2Ph)_3(P(OMe)_3)]^+$, 78–9
Grunwald–Winstein plots exhibiting a maximum. Solvolysis of methyl perchlorate, 83–4
Photocontrol of catalytic activity of capped cyclodextrin, 94–6
Base–induced benzoyl migrations in Diels–Alder adducts of benzoyl–1,4–benzoquinones, 171–3
A rapid porphyrin metalation, 192–4
Synthesis and solvolysis of tricyclo[3.2.1.$0^{3,6}$]octan–1–ylmethyl toluene–p–sulfonate, 214–15
$(C_5Me_5)_2UCl$.tetrahydrofuran. Oxidative–addition and related reactions, 232–4
Synthesis, x–ray crystal structure, and reactions of [closo–1,3–μ–2,3–μ–(1,2–μ–(η^2–3,4–$CH_2CH_2C(Me)$:$CHCH_2CH_2CH_2$))–3–H–3–PPh_3–3,1,2–$RhC_2B_9H_9$], a metallacarboranе catalyst, 235–6
Rearrangement of carboxylates derived from N–acetyl–N–nitroso–α–amino acids, 297–9
Electron exchange rates of cobalt tetraarylporphines, 332–3
Comparison of results obtained in kinetic studies of the interaction between cationic dyes and sodium carboxymethylcellulose using the Joule–heating temperature–jump and laser temperature–jump methods, 386–7
Bis–1,4–dihydronicotinamides. Intramolecular electronic interaction and its consequence in the reduction of a carbonyl substrate in aprotic solvents, 444–6
Oxygen–18 exchange of μ–peroxodicobalt(III) complexes, 469–71
Photoreduction of 3,7–diaminophenoxazinylium chloride ('oxonine') by iron(II). A model system for singlet–state driven photogalvanic cells, 497–9

KINETICS(contd)
Elimination–addition mechanisms of sulfonyl group transfer: evidence for a dicarbanionic intermediate in the alkaline hydrolysis of aryl methylsulfonylmethanesulfonate esters, 535–6
On relative leaving abilities: use of isobasic plots to determine the relative nucleofugalities of thiolates and their oxy–analogs, 551–3
Ranks of carbon leaving groups in alkene–forming elimination, 553–4
Hydrogen uptake and hydrogenation activity of the rare earth intermetallic compound trimagnesiumsamarium treated with anthracene, 567
Optically active trifluoromethylcarbinols as chiral solvating agents for asymmetric transformations at a ring–nitrogen atom, 588–90
Cupric ion–promoted hydrolysis of cyanomethyl–substituted tetraazamacrocycles, 603–4
7b–Methyl–7bH–cyclopent[cd]indene, an unsubstituted tricyclic aromatic [10]annulene, 657–8
Accelerative effect of N^6–acyl groups on the C(8)–hydrogen exchange of 9–substituted adenines, 658–9
High–pressure kinetics of the reaction of p–benzoquinone with di–n–butylamine in some aprotic solvents, 725–6
Solvolysis mechanisms for benzyl substrates, 737–8
Fully reversible carbon protonation in the hydrolysis of ketene selenoacetals, 738–9
The influence of electron delocalization on the rate constants for competing $B_{Ac}2$ and E1cb ester hydrolyses, 884–6
The infrared multiphoton–induced decomposition of silicon–containing four–membered rings. A new source of silaolefins, 915–17
Flash photolysis of N–bromo–3,3–dimethylglutarimide: detection of the imidyl radical, 955–6
Anomalous rate of bromination of a ketone: first–order dependence on bromine concentration, 1016–17
trans–Cycloheptene. Photochemical generation and thermal trans–cis isomerization, 1031–3
Direct observation of a thermal ring–walk rearrangement in a spironorcaradiene system, 1035–6
Role of dioxygen as an activator in olefin metathesis, 1062–4
Pressure effect on the rate of outer–sphere electron–transfer within the ion–pair between μ–ethylenediaminetetraacetatodi–μ–oxobis[oxomolybdate(v)] and μ–hyperoxobis[pentaamminecobalt(III)] ions, 1135–6
KNOEVENAGEL
New synthesis of 6–alkylpenicillanic acid derivatives, 10–11
Synthesis of 3β–methoxy–5α,14α–card–20(22)–enolide from 3β–methoxy–5α–androstan–17–one. A method for the construction of the cardenolide side–chain, 25–6
KYNURENINE
Dye–sensitized photooxygenation of tryptophan to give N'–formylkynurenine, 855–6
LABELED
Synthesis of xenon difluoride–^{18}F, a novel agent for the preparation of fluorine–18 radiopharmaceuticals, 198–9
Isotope shifts in carbon–13 NMR spectra of oxygen–18–labeled acetals: multiple labeling effects at β–carbons, 501–2
The biosynthesis of asperlactone: incorporation studies with acetate–2–^{13}C,2–$^2H_3$, 708–10
Cleavage of aryl–tin bonds with elemental fluorine: rapid synthesis of fluorobenzene–^{18}F, 733
New evidence for the structure of dithizone in solution from proton and carbon–13 NMR spectra and nitrogen–15 labeling, 735–6
New method for radioiodinating organic compounds via organoborane reactions, 1011
Biosynthesis of austin, a polyketide–terpenoid metabolite of Aspergillus ustus, 1042–3
Biosynthesis of terretonin, a polyketide–terpenoid metabolite of Aspergillus terreus, 1043–4
Pseudorotation of spin–labeled phosphoranes formed by cyclization of triazenylphosphoranyl radicals, 1107–8
LABELING
Synthesis of xenon difluoride–^{18}F, a novel agent for the preparation of fluorine–18 radiopharmaceuticals, 198–9
Aryldiazonium salts as photoaffinity labeling reagents for proteins, 398–9
Chemical polarization of nitrogen–15 nuclei as a mechanistic criterion for nitration reactions, 402–3
New method for radioiodinating organic compounds via organoborane reactions, 1011
LACTAM
Asymmetric synthesis of β–lactams, 57–8
Effective method for the asymmetric synthesis of bis–β–lactams by the cycloaddition of azidoketene to benzylideneamines bearing a chiral β–lactam backbone, 344–6
A new rearrangement of a 4–mercaptoazetidin–2–one via a thioaldehyde intermediate, 578–9
A novel photochemical route to functionalized β–lactams, 880
Wittig reactions with β–lactam carbonyls: a convenient means of protection. X–ray crystal structure of p–nitrobenzyl–(2R,5R)–Z–7–methoxycarbonylmethylene–Z–3–(β–phthalimidoethylidene)–4–oxa–1–azabicyclo[3.2.0]heptane–2–carboxylate, 929–30
Concise syntheses of 4–(arylcarbonylmethyl)–azetidin–2–ones and related systems, 1076–7
Penicillin biosynthesis: a model for the oxidative cyclization of a peptide to a β–lactam, 1219–21
LACTONE
Cycloadditions of 3–methoxyfuran with mono–activated dienophiles; application to the synthesis of (±)–avenaciolides, 221–2
Structure and synthesis of 25–hydroxycholecalciferol–26,23–lactone, a metabolite of vitamin D_3, 424–5
Acid catalysis induces a total change from retention to inversion of configuration in carbon dioxide elimination from β–lactones, 891–2
A new synthesis of macrocyclic lactones by rearrangement of 2–hydroxyalkyl–2–phenylsulfonylcycloalkanones, 1123–4
Facile access to chiral 5–hydroxy–2–methylhexanoic acid lactones (pheromones of the carpenter bee), 1125–6
Synthesis of phytuberin from elemol, 1236–7
LAMIIDE
Biosynthesis of lamiide and ipolamiide from 8–epi–deoxyloganin studied by deuterium NMR spectroscopy, 228–9
LANTHANOID
Organometallic complexes of the Group 3A and lanthanoid metals containing $M(\mu\text{–}Cl)_2Li$ bridging units. The x–ray structure of $[Nd[\eta\text{–}[C_5H_3(SiMe_3)_2]]_2(\mu\text{–}Cl)_2Li(THF)_2]$ (THF = tetrahydrofuran), 1191–3
Spin–echo methods for resolution control of lanthanide–shifted NMR spectra, 1201–3
LANTHOCENE
Use of the bis(trimethylsilyl)cyclopentadienyl ligand for stabilizing early (f^0–f^3) lanthanocene chlorides. X–ray structure of dichlorodi[η–bis(trimethylsilyl)cyclopentadienyl]dipraesodymium and of isoleptic scandium and ytterbium complexes, 1190–1
LASER
Comparison of results obtained in kinetic studies of the interaction between cationic dyes and sodium carboxymethylcellulose using the Joule–heating temperature–jump and laser temperature–jump methods, 386–7
LATTICE
Broadening of NMR signals of nuclei coupled to fast relaxing spin–1/2 nuclei: an example of T_1 spin–decoupling, 911–12
LEAD
X–ray crystal structures of bis(cyclopentadienyl)tin and bis(pentamethylcyclopentadienyl)lead, 925–7
LEAVING
The influence of electron delocalization on the rate constants for competing $B_{Ac}2$ and E1cb ester hydrolyses, 884–6
LEPIDOPTERA
Synthesis of γ–oxyprotoporphyrin IX and pterobiline (biliverdin IXγ), 763–4
LEUCINE
Stereochemistry of the leucine 2,3–aminomutase from tissue cultures of Andrographis paniculata, 80–2
LEUCO
Photoreduction of 3,7–diaminophenoxazinylium chloride ('oxonine') by iron(II). A model system for singlet–state driven photogalvanic cells, 497–9
LEUKOTRIENE
5,6–Methanoleukotriene A_4. A stable and biologically active analog of leukotriene A_4, 1195–6
LEWIS
Superacid sites in zeolites, 39–40
Molecular complexes for efficient metathesis of olefins. The oxo–ligand as catalyst–cocatalyst bridge and the nature of the active species, 1039–40
ipso–Attack in the hydroxylation of o– and p–xylene using bis(trimethylsilyl) peroxide and aluminum chloride, 1079–80

LEWIS(contd)
α-C-Glycopyranosides from Lewis acid–catalyzed condensations of acetylated glycals and enol silanes, 1180–1
LFER
The influence of electron delocalization on the rate constants for competing $B_{Ac}2$ and E1cb ester hydrolyses, 884–6
LIFETIME
Effect of ring substituents on the lifetime of biradicals photogenerated from 2,4,6-triisopropylbenzophenones, 1187–8
LIGAND
Mechanisms of reactions between organotin compounds and platinum complexes, 55–6
New type of σ-organocobalt complexes: salts of alkyl-mer-[N-(2-aminoethyl)-7-methylsalicylideneaminato](ethylenediamine)cobalt(III). Preparation, characterization, and x-ray crystallographic evidence for structure, 441–2
An unusual bonding mode for a dithiocarboxylate ligand: a tetradentate interaction; x-ray crystal structure of the product of the reaction of nonacarbonyldiiron with 1,2-benzodithiole-3-thione, 513–14
Differentiation of spectra as a means of resolving spin-forbidden bands: iron(III) complexes, 518–20
LINEAROL
Structure of linearol, a novel diterpenoid from the brown seaweed Dictyota linearis, 100
LINKAGE
Polymeric proanthocyanidins: interflavanoid linkage isomerism in (epicatechin-4)-(epicatechin-4)-catechin procyanidins, 320–2
LINOLEATE
Conversion of linoleic and latex furanoid acid to fish C_{18} dimethyl furanoid isomers, 1110–11
LIPASE
Asymmetric hydrolysis of 3-acetylthiocycloheptene and 3-acetoxycycloheptene with a microbial lipase, 185
LIPID
New organometallic reagents for electron microscopy, 1083–4
LIPONUCLEOTIDE
A synthetic phosphinate-phosphonate liponucleotide analog, 976–8
LIQUEFACTION
Volcano-shaped relation between heats of oxide formation of metals and coal-liquefaction activities of liquid-metal catalysts, 721–2
LITHIATION
Amidrazones as acyl anion equivalents, 1121–2
Regioselective lithiation and substitution of tricarbonyl(η^6-1-methylindole)chromium(0): x-ray crystal structure analysis of tricarbonyl(η^6-1-methyl-2-trimethylsilyl-7-ethoxycarbonylindole)chromium(0), 1260–2
LITHIO
Structures of α-lithiomethanol and α-lithiomethylamine; an ab initio study, 579–81
Isolation and x-ray crystal structure of a novel dihydroterpyridine dimer formed via an anionic [6 + 4] cycloaddition, 858–9
LITHIOAMINO
Preparation and reactions of 1-lithiooxy-1-lithioaminoallene derivatives, 65–7
LITHIOAMINOALLENE
Preparation and reactions of 1-lithiooxy-1-lithioaminoallene derivatives, 65–7
LITHIOENAMINE
Amidrazones as acyl anion equivalents, 1121–2
LITHIOMETHANOL
Structures of α-lithiomethanol and α-lithiomethylamine; an ab initio study, 579–81
LITHIOMETHYLAMINE
Structures of α-lithiomethanol and α-lithiomethylamine; an ab initio study, 579–81
LITHIOOXY
Preparation and reactions of 1-lithiooxy-1-lithioaminoallene derivatives, 65–7
LITHIOOXYLITHIOAMINOALLENE
Preparation and reactions of 1-lithiooxy-1-lithioaminoallene derivatives, 65–7
LITHIOOXYPENTADIENE
Model studies on the synthesis of milbemycin β_3, 556–7
LITHIOPHENYLTHIOPROPENOATE
A total synthesis of (±)-methylenomycin A, 714–15
LITHIOPYRIDINE
Isolation and x-ray crystal structure of a novel dihydroterpyridine dimer formed via an anionic [6 + 4] cycloaddition, 858–9
LITHIUM
New method for the synthesis of organoboranes, 5–6
Sulfide extrusion from methyl sulfonium salts of the sulfur-bridged sesquiterpenes, mintsulfide and isomintsulfide by alkyllithium, 127–8
Planar tetracoordinate carbon candidates. MNDO calculations on substituted phenyllithium dimers, 260–1
Unusual coordination in the crystal structure of the 1:2 complex of 18,18'-spirobi(19-crown-6) with lithium iodide dihydrate, 472–3
Conjugate addition of methyl groups to αβ-unsaturated aldehydes: use of $Me_5Cu_3Li_2$, 643–4
Far-infrared spectra of aqueous solutions of thallium(III) chloride complexes, 772–3
The relationship between the energies of carbanions, R^-, and their lithiated counterparts, RLi. An ab initio study, 882–4
The reactions of silyl nitronates with organolithium reagents, 952–3
Lithium-7 cation NMR studies of a lithium cation-ethyl acetoacetate enolate triple ion-lithium cation cryptate complex, 996–7
Synthesis of ketones and tertiary alcohols from trialkylboranes. Use of lithium tris(phenylthio)methanide, 1149–50
Organometallic complexes of the Group 3A and lanthanoid metals containing $M(\mu\text{-}Cl)_2Li$ bridging units. The x-ray structure of $[Nd[\eta\text{-}[C_5H_3(SiMe_3)_2]]_2(\mu\text{-}Cl)_2Li(THF)_2]$ (THF = tetrahydrofuran), 1191–3
Matrix isolation studies on the lithium-induced reductive coupling of carbon dioxide, 1258–60
LOW PRESSURE
A physically supported gel polymer for low pressure, continuous flow solid phase reactions. Application to solid phase peptide synthesis, 1151–2
LUCIGENIN
Chemiluminescence in oriented systems. Chemiluminescence of lucigenin in model-membrane structures, 1082–3
LUMINESCENCE
Charge-transfer luminescence from mixed ligand, 2,2',2''-terpyridine-phosphine, complexes of osmium(II), 793–5
LUNARIA
Total synthesis of the macrocyclic spermidine alkaloids (±)-lunarine and (±)-lunaridine, 286–7
LUNARIDINE
Total synthesis of the macrocyclic spermidine alkaloids (±)-lunarine and (±)-lunaridine, 286–7
LUNARINE
Total synthesis of the macrocyclic spermidine alkaloids (±)-lunarine and (±)-lunaridine, 286–7
LUTETIUM
Heteroleptic tert-butyl lanthanoid complexes. Synthesis and x-ray crystal structure of monomeric bis(cyclopentadienyl)(tert-butyl)lutetium tetrahydrofuranate, 292–3
Organolanthanoid activation of carbon monoxide: single and multiple insertion of carbon monoxide into tert-butyl lanthanoid bonds: x-ray crystallographic identification of a new bonding mode for a bridging enedione diolate ligand formed by formal coupling of four carbon monoxide molecules, 706–8
LYSOCELLIN
Proton-carbon-13 NMR chemical shift correlation, 413–14
M139603
Structure of antibiotic M139603; x-ray crystal structure of the 4-bromo-3,5-dinitrobenzoyl derivative, 1073–4
MACROBICYCLIC
Synthesis and x-ray crystal structures of three isomeric macrobicyclic polyethers having similar melting points and different complexing power for alkali metal cations, 729–31
MACROCAGE
Synthesis of (D_3)-bis(cyclotriveratrylenyl) macrocage by stereospecific replication of a (C_3)-subunit, 1137–9
MACROCYCLE
Sulfur-bonded-only thiocyanate bridges. The synthesis and x-ray crystal structure of a di-μ-thiocyanato-(S)-dicopper(I) complex of a 20-membered macrocycle, 388–9
The nontemplate synthesis of dinucleating macrocyclic Schiff bases derived from thiophene, and their disilver complexes; x-ray crystal structures of two of the products, 628–30
Synthesis with silicon templates: preparation of macrocyclic amides 634–5
Synthesis of the isobacteriochlorin macrocycle: a photochemical approach, 797–9

MACROCYCLIC
Dynamic properties of molecular complexes and receptor–substrate complementarity. Molecular dynamics of macrotricyclic diammonium cryptates, 833–6
A new synthesis of macrocyclic lactones by rearrangement of 2–hydroxyalkyl–2–phenylsulfonylcycloalkanones, 1123–4
MACROLIDE
Structure of thiobiscephalosporolide–A, a macrolide from Cephalosporium aphidicola, 1006–7
MACROTRICYCLIC
Dynamic properties of molecular complexes and receptor–substrate complementarity. Molecular dynamics of macrotricyclic diammonium cryptates, 833–6
MAGNESIATION
Specific hydromagnesiation of prop–2–ynylic alcohols. A simple and specific route to terpenoids, 718–20
MAGNESIUM
Synthesis and x–ray crystal structure of a tungsten(V) metallocycle $[(W(CH_2C_6H_4CH_2\text{–}o)_2O)_2Mg(tetrahydrofuran)_4]$, 6–8
A metallotricycle: synthesis, one–electron reduction, and crystal structure of the thermally robust complex tris–o–xylidenetungsten(VI), 485–6
Hydrogen uptake and hydrogenation activity of the rare earth intermetallic compound trimagnesiumsamarium treated with anthracene, 567
MAGNETIC
Preparation, purification, and x–ray crystal structure of a dimeric manganese(IV) porphyrin complex, 765–6
Exchange interactions in a series of novel heteronuclear basic carboxylate complexes containing two iron(III) ions and a divalent metal ion, 796–7
Broadening of NMR signals of nuclei coupled to fast relaxing spin–1/2 nuclei: an example of T_1 spin–decoupling, 911–12
MAGNETISM
Synthesis and structural characterization of a novel paramagnetic trigonal bipyramidal cluster, $(\eta^5\text{–}C_5H_5)_5V_5O_6$, 28–9
MALEAMOYLPHENYLPORPHYRIN
A rapid porphyrin metalation, 192–4
MALONATE
New synthesis of 6–alkylpenicillanic acid derivatives, 10–11
MANGANESE
Synthesis, reactivity, and x–ray crystal structure of bis[carbonylcyclopentadienyl(triphenylphosphinel)rhodium]silver hexafluorophosphate.toluene: a silver–stabilized radical cation, 43–4
Manganese 4,4',4'',4'''–tetrasulfonated phthalocyanine, its dioxygen adduct, and ESR evidence for intramolecular electron transfer in solution, 98–9
Vibrational spectroscopy at very high pressures. Eclipsed decacarbonyldimanganese and decacarbonyldirhenium, 226–7
Platinum–manganese and –rhenium complexes with bridging thiocarbonyl ligands; crystal structure of $[MnPt(\mu\text{–}CS)(CO)_2(PMePh_2)_2(\eta\text{–}C_5H_5)]$, 243–5
Synthesis of η^3–allyl(η^5–cyclopentadienyl)dicarbonylmanganese cations, 311–13
Catalytic activity of fibrous clay mineral sepiolite for butadiene formation from ethanol, 401–2
Proton–induced ligand uptake by $[Mn_2(CO)_5(Ph_2PCH_2PPh_2)_2]$ to give hydrogen–bridged dimanganese complexes, 724
Preparation, purification, and x–ray crystal structure of a dimeric manganese(IV) porphyrin complex, 765–6
Manganese porphyrin–catalyzed oxidation of olefins to ketones by molecular oxygen, 874–5
MANICOLINE
Isolation and structure (x–ray analysis) of manicoline A, a new α–aminotropone from Dulacia guianensis (Olacaceae), 731–2
MANNITOL
The solid state and solution conformational behavior of a chiral 30–crown–10 derivative synthesized from 1,4:3,6–dianhydro–D–mannitol; x–ray crystal structure, 430–2
Complexing properties of a bisdianhydro–D–mannitolo–30–crown–10 derivative in the solution and solid states; x–ray crystal structure, 432–4
MANOOL
Stereoselective synthesis of the novel marine diterpene (+)–isoagatholactone, 734–5
MARASMIUS
The isoprene units of the sesquiterpenoid, alliacolide, 631–2
MARSCHALK
Simple novel synthesis of the anthracyclinone system using a new modification of the Marschalk reaction and a carbohydrate as a chiral center source, 508–10
MECHANICS
Formation of (η–cyclopentadienone)tricarbonyliron on the photolysis of (η–cyclobutadiene)tricarbonyliron in a carbon monoxide matrix at 12 K, 489–90
MECHANISM
New method for the synthesis of organoboranes, 5–6
Chemical conversions using sheet silicates: facile ester synthesis by direct addition of acids to alkenes, 8–9
Chemical conversions using sheet silicates: novel intermolecular elimination of ammonia from amines, 9–10
A reappraisal of the heat capacity of activation and enthalpy of activation for tert–butyl chloride in water–ethyl alcohol mixtures 13–14
A new and versatile method for the preparation of unsaturated sugars, 26–8
Photochemical benzylation of 1,4–dicyanonaphthalene. X–ray crystal structure of 6,11–dicyano–5,11–methano–5,6,11,12–tetrahydrodibenzo[a,e]cyclooctene, 50–1
Mechanisms of reactions between organotin compounds and platinum complexes, 55–6
Palladium–promoted 1,4–cycloamination of 1,3–dienes to pyrroles, 59–61
Interconversion of carbocations, free radicals, and carbanions in nitroxide solutions, 70–1
Desulfonylation of α–nitrosulfones with N–benzyl–1,4–dihydronicotinamide, 71–2
An example of substitution proceeding with retention in the $S_{RN}1$ reaction. Trapping of a pyramidal benzylic radical by benzenethiolate ion, 79–80
Cation–radical transfer: transfer efficiency in photosensitized isomerization reactions, 90–1
Electrochemical reduction of 1,2–diphenylthiiren dioxide and monoxide, 120–1
1,3–Cycloaddition of benzyne to thiophens, 124–5
Sulfide extrusion from methyl sulfonium salts of the sulfur–bridged sesquiterpenes, mintsulfide and isomintsulfide by alkyllithium, 127–8
The status of oxygen atoms in the removal of C–19 in estrogen biosynthesis, 129–30
Photosensitized (electron transfer) [2e + 4e] dimerization and cross–cycloaddition of phenylated olefins: trapping the intermediate, 138–9
Dinuclear carbene complexes of tungsten as catalysts for metathetical polymerization of alkenes and alkynes; x–ray crystal structure of the insertion product of but–2–yne into a μ–alkylidene carbon–tungsten bond, 152–4
Intramolecular reactions of N–nitrenes: oxidation of 3–amino–2–(arylalkyl)quinazolones, 160–2
Erythro–selective aldol condensation via triphenyltin enolates. Stereoselection independent of the stereochemistry of the enolates 162–3
[1,5] and [1,2] Acetyl shifts in Diels–Alder adducts of 2–acetyl–6–methyl–1,4–benzoquinone, 169–71
Base–induced benzoyl migrations in Diels–Alder adducts of benzoyl–1,4–benzoquinones, 171–3
Photoinduced hydrogen–deuterium exchange between aromatic and aliphatic hydrocarbon systems catalyzed by $[Mo(\eta\text{–}C_5H_5)(Me_2PCH_2CH_2PMe_2)H_3]$, 186–7
Biosynthesis of tajixanthone in Aspergillus variecolor; incorporation of $[^2H]_3$acetate and $[1,2\text{–}^{13}C_2]$acetate, 195–6
Photolysis and thermolysis of phenyl azide in acetic acid, 202–4
Formation of 3H–1,3–benzodiazepines from quinoline N–acylimides, 211–13
Microwave study of the reactions of n–butenes over deuterated zeolites, 249–50
Interaction of monooxygen donors with porphinatoiron(III) complexes bearing electron–releasing meso–substituents, 293–5
2–Hydroxyethanesulfonyl chloride: a sulfonyl chloride with a primary hydroxy–group, 295–6
Rearrangement of carboxylates derived from N–acetyl–N–nitroso–α–amino acids, 297–9
Nitrogen tracer evidence for a cyclic azide species, 299–300
The association of proteins with polyphenols, 309–11
A novel rearrangement of hetisine, and x–ray crystal structure of the major product: transformation of a dihydroxybicyclo[2.2.2]octane system to an adamantane–type skeleton, 327–9
Reactions of a triarylsulfonium salt with alkoxide nucleophiles:

MECHANISM(contd)
involvement of radical intermediates, 346–7
Intramolecular cyclization of 1,1',3,3'-tetramethyl-1,1'-biindenyl, 347–8
The induced kinetic isotope effect as a tool for mechanistic discrimination, 354–6
The autoxidation of a chromium(II) porphyrin. Synthesis and structural characterization by x-ray crystallography of $\alpha\beta\gamma\delta$-tetraphenylporphinatooxochromium(IV), 370–1
Detection of a metalo intermediate and geometrical isomerizations in an oxidative cyclization of a heterocyclic hydrazone with mercury(II) acetate, 376–7
Substitution of a platinum(II) complex without retention of stereochemistry. Direct evidence for pseudorotation of a five coordinate platinum(II) cationic complex containing chelating phosphine ligands, 381–2
Cooperative effects in the catalytic action of N-decanoyl-L-histidine in micelles, 393–4
Chemical polarization of nitrogen-15 nuclei as a mechanistic criterion for nitration reactions, 402–3
Bis(η^5-cyclopentadienyldicarbonyliron); a versatile catalyst for ligand-replacement reactions on transition metal complexes, 408–9
Reactions of amide anions with α-bromo amides, 416–17
Regiospecific attack of methoxide ion on 4-alkoxy-o-quinone imines. A novel route to p-quinone monoacetals, 425–6
Photochemistry of dicyclopentadienylrhenium hydride and dicarbonyl(η^2-cyclopentadiene)(η-cyclopentadienyl)rhenium in low temperature matrixes: hydrogen loss and hydrogen migration 452–4
Mechanism of the Cope rearrangement of acyclic 1,5-dienes and of the Wacker oxidation of alk-1-enes catalyzed by palladium complexes, 456–7
Oxidation of 1,1-disubstituted hydrazines to tetrazenes with benzeneseleninic acid, 530–1
Elimination–addition mechanisms of sulfonyl group transfer: evidence for a dicarbanionic intermediate in the alkaline hydrolysis of aryl methylsulfonylmethanesulfonate esters, 535–6
Pyrrolizidine alkaloids: evidence for N-(4-aminobutyl)-1,4-diaminobutane (homospermidine) as an intermediate in retronecine biosynthesis, 554–6
Mechanism of direct side-chain acylamination and aminoarylation of 2- and 4-picoline 1-oxides, 561–2
The role of cyclohexadienones in the thermal sigmatropic rearrangements of 2-oxidoanilinium ylides, 573–5
A new rearrangement of a 4-mercaptoazetidin-2-one via a thioaldehyde intermediate, 578–9
Photolysis of diazidosilanes. Generation and reactions of digonal silicon intermediates such as silacarbodiimides, 597–8
On the mechanism of base-catalyzed alkane-forming reactions of simple alkylcobaloximes, 598–9
Partial oxidation of propene over UV-irradiated vanadium oxide supported on silica, 601–2
Cupric ion-promoted hydrolysis of cyanomethyl-substituted tetraazamacrocycles, 603–4
Competing paths in the phototransposition of pyrazoles, 604–6
Evidence for a novel mechanism of the 1,2-bond shift rearrangements catalyzed by coenzyme-B_{12}, 686–8
Unusual photocyclization of 1-(N-methyl-1-naphthoylamino)tetramethylcyclohexene: x-ray crystal structure of 4b,8,9,10,10a,10b,-11,12-octahydro-6,8,8,10-tetramethyl-10,12-methanobenzo[i]phenanthridin-5(6H)-one, 692–4
Chemical conversions using sheet silicates: novel intermolecular eliminations of hydrogen sulfide from thiols, 695–6
A new route to 3-alkoxypyridine 1-oxides, 696–8
The biosynthesis of asperlactone: incorporation studies with acetate-2-^{13}C,2-$^2H_3$, 708–10
Experimental evidence for a phenyl cation intermediate in the solvolysis reactions of dienynyl trifluoromethanesulfonates, 713–14
Volcano-shaped relation between heats of oxide formation of metals and coal-liquefaction activities of liquid-metal catalysts, 721–2
Anomalous products from 1,2,5-triaza- and 1,5-diazapentadiene thermolyses: formation of amidines and pyrroles, respectively, 722–3
High-pressure kinetics of the reaction of p-benzoquinone with di-n-butylamine in some aprotic solvents, 725–6
Comments on a reported synthesis of 5,6-diazaazulenes, 736–7
Solvolysis mechanisms for benzyl substrates, 737–8
Evidence for the participation of surface carbon in the steam reforming of ethane over nickel catalysts, 751–2
Novel rearrangement to a pentacyclopentanoid (polyquinane) system, 755–6
Synthesis of a saturated lipid hydroperoxy cyclic peroxide, 766–7
cis- and trans-Dimethyl-di-μ-methylenebis(pentamethylcyclopentadienyl)dirhodium as models for Fischer–Tropsch reactions on metal surfaces, 809–10
Facile synthesis of 4-alkylidenebut-2-enolides by double dehydrochlorination of 2,2-dichloro-4-alkylbutanolides, 815–16
Charge transfer and noncharge transfer crystal forms of (E)-5,5'-dimesitylbifuranylidenediones: an x-ray structural investigation, 823–5
Thermal racemization of a chiral arene oxide metabolite: chrysene 3,4-oxide, 838–9
Dye-sensitized photooxygenation of tryptophan to give N'-formylkynurenine, 855–6
The influence of electron delocalization on the rate constants for competing $B_{Ac}2$ and E1cb ester hydrolyses, 884–6
ortho-Formyl substituted arylazomethylenetriphenylphosphoranes: a novel facile intramolecular thermal rearrangement with nitrogen-nitrogen double bond fission, 894–5
Triorganotin hydride reduction of 6β-isothiocyanatopenicillanates: a radical-induced sulfur-C(2) bond cleavage, 901–2
The reaction of trichlorosilyl radicals with cyclohexyl octyl ether. An S_H2 reaction at an ether oxygen atom, 956–7
A stereospecific synthesis of (4R)-alkoxyazetidin-2-ones, 959–60
A new type of silicon-tin rearrangement involving neighboring group participation of an α-phosphoryl group, 969–70
Anomalous rate of bromination of a ketone: first-order dependence on bromine concentration, 1016–17
Photochemical oxidation of nitrobenzyl alcohols in aqueous solution, 1023–4
Electrochemical carbon–carbon bond formation: synthesis of new substituted butadienes, 1040–1
Associative substitution reactions of rhenium pentacarbonyl radical 1052–3
A new reaction of pentacoordinate phosphorus derivatives: the formation of phosphinates from an oxazaphosph(V)ole and carbonyl compounds, 1054–5
Oxidative cleavage of peptide and protein disulfide bonds by gold(III): a mechanism for gold toxicity, 1111–14
Novel syntheses of 1,6-methano[10]annulene and 4-methylazulene, 1182–3
Electrochemistry of six-coordinate chromium(III) porphyrins, 1212–14
MEDIATOR
Photosensitized electron transport across a liquid membrane containing photosensitizer, electron mediator, and carrier, 210–11
MELT
Differentiation of spectra as a means of resolving spin-forbidden bands: iron(III) complexes, 518–20
MEMBRANE
Photosensitized electron transport across a liquid membrane containing photosensitizer, electron mediator, and carrier, 210–11
New organometallic reagents for electron microscopy, 1083–4
MENSCHUTKIN
Comment on the transition-state structure for Menschutkin reactions, 421–2
Early or late transition states in the Menschutkin reaction. A resolution of the entropy problem, 905–6
MENTHENE
Total synthesis of (S)-(+)-solanone, 951–2
MERCAPTO
Structure and photochemistry of matrix-isolated monothioacetylacetone, 486–8
MERCAPTOACETONITRILE
Synthesis of mercaptoacetonitrile under mild conditions, 569–70
MERCAPTOPENTENONE
Structure and photochemistry of matrix-isolated monothioacetylacetone, 486–8
MERCAPTOTHIO
A new rearrangement of a 4-mercaptoazetidin-2-one via a thioaldehyde intermediate, 578–9
MERCAPTOTHIOMETHOXYCARBONYLMETHYLPROPENYLAZETIDINONE
A new rearrangement of a 4-mercaptoazetidin-2-one via a thioaldehyde intermediate, 578–9

MERCURATION
Amidomercuration: a new and regiospecific addition of amides to olefins, 670–1
Oxidative aminomercuration of prop–2–ynol. Syntheses of substituted propane–1,2–diimines and 2–aminopropionamidines, 1181–2
MERCURY
Comparison of activities for hydrogen evolution from water of hydrogenase and colloidal platinum, 56–7
Mercuricyclization in carbohydrate chemistry. A highly stereoselective route to α–D–C–glucopyranosyl derivatives, 375–6
Detection of a metalo intermediate and geometrical isomerizations in an oxidative cyclization of a heterocyclic hydrazone with mercury(II) acetate, 376–7
X–ray crystal structure of $[N(CH_2CH_2PPh_2)_3]_2Co_2(\mu\text{–}Hg_2)$: the dimeric Hg_2^{2+} ion forms a linear bridge between the two cobalt atoms, 865–6
Conversion of nonterminal alkenes into secondary alkyl tert–butyl peroxides by peroxymercuriation and reduction with tributyltin hydride, 1117–8
MEROTERPENOID
Biosynthesis of the meroterpenoid metabolite, andibenin B: aromatic precursors, 1198–200
MERRIFIELD
Protection of histidine side–chains with π–benzyloxymethyl or π–bromobenzyloxymethyl groups, 648–9
Solid–phase peptide synthesis without acidolysis: the synthesis of thymosin α_1 on a new benzhydrylamine resin, 1012–13
MESITYLHEXAMETHYLTRISILANE
Reaction of dimesitylsilylene with epoxides. Silanone–epoxide adducts, 621–2
MESITYLSILYLENE
Reaction of dimesitylsilylene with epoxides. Silanone–epoxide adducts, 621–2
METABOLITE
Structure and synthesis of 25–hydroxycholecalciferol–26,23–lactone, a metabolite of vitamin D_3, 424–5
Pyrrolizidine alkaloids: evidence for N–(4–aminobutyl)–1,4–diaminobutane (homospermidine) as an intermediate in retronecine biosynthesis, 554–6
Biosynthetic incorporation of cyclo–(L–phenylalanyl–L–phenylalanyl) into bisdethiobis(methylthio)acetylaranotin in Aspergillus terreus, 619–21
Structures of the austalides A–E, five novel toxic metabolites from Aspergillus ustus, 1265–7
METAL
Isomerization and hydrogenolysis of 1,3–dioxacycloalkanes on metal catalysts, 106–8
Synthesis of phosphaalkene transition metal complexes, 199–200
Platinum–manganese and –rhenium complexes with bridging thiocarbonyl ligands; crystal structure of $[MnPt(\mu\text{–}CS)(CO)_2(PMePh_2)_2(\eta\text{–}C_5H_5)]$, 243–5
Circular dichroism spectra of some trigonal–bipyramidal complexes 296–7
Carbon–13 NMR spectra of highly ^{13}CO–enriched metal carbonyls: observation of $^2J_{CC}$ cis coupling constants, 300–2
Bis(η^5–cyclopentadienyldicarbonyliron); a versatile catalyst for ligand–replacement reactions on transition metal complexes, 408–9
Some transition metal complexes of pentakis(methoxycarbonyl)cyclopentadiene: water–soluble metallocenes, and the x–ray crystal structure of η–cyclopentadienyl[η–pentakis(methoxycarbonyl)cyclopentadienyl]ruthenium, 428–30
Improvement of optical purity of metal tris(1,10–phenanthroline) chelates by use of adsorption on a colloidal clay, 539–40
Evidence for a novel mechanism of the 1,2–bond shift rearrangements catalyzed by coenzyme–B_{12}, 686–8
Volcano–shaped relation between heats of oxide formation of metals and coal–liquefaction activities of liquid–metal catalysts, 721–2
Synthesis and x–ray crystal structures of three isomeric macrobicyclic polyethers having similar melting points and different complexing power for alkali metal cations, 729–31
'Organic metals.' Reaction of ferric chloride with polyacetylene, $(CH)_x$, and poly(p–phenylene), $(p\text{–}C_6H_4)_x$, 783–4
cis– and trans–Dimethyl–di–μ–methylenebis(pentamethylcyclopentadienyl)dirhodium as models for Fischer–Tropsch reactions on metal surfaces, 809–10
Conversion of a bridged vinylalkylidene complex into cluster complexes of cobalt, iron, and manganese: x–ray crystal structures of $[Fe_3(CO)_6(\mu\text{–}CO)_2(\mu_3\text{–}CMe)(\eta\text{–}C_5H_5)]$ and $[FeCo_3(CO)_7(\mu\text{–}CO)_2(\mu_4C{:}CH_2)(\eta\text{–}C_5H_5)]$, 966–8
Redox properties and stability constants of anion complexes. An electrochemical study of the complexation of metal hexacyanide anions by polyammonium macrocyclic receptor molecules, 1067–9
Metalation and metal–halogen exchange reactions of imidazoles, 1095–7
Polynuclear tungsten–iron, –ruthenium, and –osmium carbonyl complexes: crystal structures of $[FeW_2(\mu_3\text{–}C_2R_2)(CO)_6(\eta\text{–}C_5H_5)_2]$, $[OsW_2(\mu_3\text{–}C_2R_2)(CO)_7(\eta\text{–}C_5H_5)_2]$ (two isomers), and $[Os_3W(\mu_3\text{–}CR)(CO)_{11}(\eta\text{–}C_5H_5)]$ (R = C_6H_4Me–4), 1101–3
Protonation of tolylidyne ligands bridging tungsten–cobalt and –platinum bonds; reactivity of the cationic dimetal μ–carbene complexes produced, and x–ray crystal structures of $[PtW(\mu\text{–}\eta^1,\eta^3\text{–}CH(C_6H_4Me\text{–}4))(CO)_2(PMe_3)_2(\eta\text{–}C_5H_5)][BF_4]$, $[PtW(\mu\text{–}H)(\mu\text{–}CH(C_6H_4Me\text{–}4))(CO)_2(PMe_3)_2(\eta\text{–}C_5H_5)]$, and $[CoW(\mu\text{–}\eta^1,\eta^3\text{–}C(C_6H_4Me\text{–}4)C(Me)C(Me)H)(\mu\text{–}CO)(CO)(\eta\text{–}C_5H_5)(\eta\text{–}C_5Me_5)][BF_4]$, 1255–8
METALATION
A rapid porphyrin metalation, 192–4
Dimetalation of phenylacetylene. Selective ortho substitution, 366–7
Metalation and metal–halogen exchange reactions of imidazoles, 1095–7
METALLACARBABORANE
Synthesis, x–ray crystal structure, and reactions of [closo–1,3–μ–2,3–μ–(1,2–μ–(η^2–3,4–$CH_2CH_2C(Me){:}CHCH_2CH_2CH_2$))–3–H–3–$PPh_3$–3,1,2–$RhC_2B_9H_9$], a metallacarbaborane catalyst, 235–6
METALLO
Radical–like reactivity of rhodium(II) octaethylporphyrin dimer with trimethyl phosphite, 475–6
METALLOCARBONYL
Bis(η^5–cyclopentadienyldicarbonyliron); a versatile catalyst for ligand–replacement reactions on transition metal complexes, 408–9
METATHESIS
Molecular complexes for efficient metathesis of olefins. The oxo–ligand as catalyst–cocatalyst bridge and the nature of the active species, 1039–40
Role of dioxygen as an activator in olefin metathesis, 1062–4
Homogeneous metathesis of unsaturated nitriles, 1081–2
METHANATION
Nickel/titanium oxide catalysts. The role of the titania in providing active sites, 123–4
METHANESULFONATE
Regio– and stereospecific allylic oxidation of germacrane–type sesquiterpene lactones with selenium dioxide and tert–butyl hydroperoxide, 483–5
Template effect of intramolecular hydrogen–bonding in the synthesis of [1.1.1]cryptates, 777–8
METHANOANNULENE
Novel syntheses of 1,6–methano[10]annulene and 4–methylazulene, 1182–3
METHANOBENZOPHENANTHRIDINONE
Unusual photocyclization of 1–(N–methyl–1–naphthoylamino)tetramethylcyclohexene: x–ray crystal structure of 4b,8,9,10,10a,10b,–11,12–octahydro–6,8,8,10–tetramethyl–10,12–methanobenzo[i]phenanthridin–5(6H)–one, 692–4
METHANOL
Conversion of methanol into hydrocarbons catalyzed by metal salts of heteropolyacids, 400–1
Structures of α–lithiomethanol and α–lithiomethylamine; an ab initio study, 579–81
Hypervalent iodine in organic synthesis. A novel route to the dihydroxyacetone side–chain in the pregnene series, 641–2
Synthesis of acetic acid from methanol and carbon monoxide on nickel–based catalysts supported on active carbon, 906–7
Considerable reduction in crystallization time in the preparation of a new type of zeolite catalyst for olefin synthesis from methanol, 936–7
Role of excess of molybdenum trioxide in ferric oxide–molybdenum trioxide methanol oxidation catalysts studied by x–ray photoelectron spectroscopy, 1018–19
Selective formation of alkenes in the conversion of methanol into hydrocarbons on barium ion–exchanged mordenite, 1091–2
METHANOLEUKOTRIENE
5,6–Methanoleukotriene A_4. A stable and biologically active analog of leukotriene A_4, 1195–6

METHANOLYSIS
Rate–determining ionization in methanolysis of an organosilicon halide, 63–4
Solvolysis of syn– and anti–N–chloro–1,4–dihydro–1,4–iminonaphthalenes, 1028–30
METHIDE
Preparation of stable quinone methide imines, 565–6
METHIONINE
Biosynthesis of austin, a polyketide–terpenoid metabolite of Aspergillus ustus, 1042–3
Biosynthesis of terretonin, a polyketide–terpenoid metabolite of Aspergillus terreus, 1043–4
METHOXIDE
Hexadecamethoxy– and hexadecaethoxytetratungsten: preparation and x–ray crystal and molecular structure of hexadecaethoxytetratungsten, 270
METHOXY
Synthesis of 3β–methoxy–5α,14α–card–20(22)–enolide from 3β–methoxy–5α–androstan–17–one. A method for the construction of the cardenolide side–chain, 25–6
Regioselective mercuration of an estradiol derivative: a facile entry to 2–substituted estrogens, 217
The stereochemistry of 2–substituted–2–oxo–4,5–diphenyl–1,3,2–dioxaphospholanes and the related chiral [^{16}O,^{17}O,^{18}O]phosphate monoesters, 245–6
Photochemical transformations of methoxyphthalaldehydic esters: synthesis of methyl 6–methoxyphthalaldehydate from the 3–methoxy isomer, 962–3
Solvolysis of syn– and anti–N–chloro–1,4–dihydro–1,4–iminonaphthalenes, 1028–30
A regioselective synthesis of 8,10–dideoxycarminomycinone, 1075–6
Preparation of (–)–(7R)–7–acetyl–7–hydroxy–4,4–dimethoxy–5,6,7,8–tetrahydronaphthalen–1(4H)–one, a chiral AB–synthon for anthracycline synthesis, 1100–1
METHOXYANDROSTANONE
Synthesis of 3β–methoxy–5α,14α–card–20(22)–enolide from 3β–methoxy–5α–androstan–17–one. A method for the construction of the cardenolide side–chain, 25–6
METHOXYBENZAZABICYCLOHEPTADIENE
Solvolysis of syn– and anti–N–chloro–1,4–dihydro–1,4–iminonaphthalenes, 1028–30
METHOXYBENZYL
Solvolysis mechanisms for benzyl substrates, 737–8
METHOXYCARBONYL
Switch from O– and N–protonation of 1–methoxycarbonylpiperidine as the acidity increases, 68–9
Some transition metal complexes of pentakis(methoxycarbonyl)cyclopentadiene: water–soluble metallocenes, and the x–ray crystal structure of η–cyclopentadienyl[η–pentakis(methoxycarbonyl)cyclopentadienyl]ruthenium, 428–30
Hydrogenation of alkynes with water and a titanium(II) complex, 665–6
One–step synthesis of methoxycarbonyl–substituted tetraselenafulvalene under high pressure, 669–70
METHOXYCARBONYLCOBALTICINIUM
Regioselective electroreduction of the cationic methoxycarbonylcobalticinium complex [Co(η–$C_5H_4CO_2Me$)(η–C_5H_5)]+, 219–20
METHOXYCARBONYLCYCLOPENTADIENE
Pentakis(methoxycarbonyl)cyclopentadiene chemistry: unexpected replacement of methoxycarbonyl groups by hydrogen: formation and the x–ray crystal structure of a novel rhodicinium salt [Rh(η^5–$C_5H_2(CO_2Me)_3)_2$][$C_5(CO_2Me)_5$], 1253–4
METHOXYCARBONYLCYCLOPENTADIENYL
Some transition metal complexes of pentakis(methoxycarbonyl)cyclopentadiene: water–soluble metallocenes, and the x–ray crystal structure of η–cyclopentadienyl[η–pentakis(methoxycarbonyl)cyclopentadienyl]ruthenium, 428–30
METHOXYCARBONYLMETHYLENE
Wittig reactions with β–lactam carbonyls: a convenient means of protection. X–ray crystal structure of p–nitrobenzyl–(2R,5R)–Z–7–methoxycarbonylmethylene–Z–3–(β–phthalimidoethylidene)–4–oxa–1–azabicyclo[3.2.0]heptane–2–carboxylate, 929–30
METHOXYCARBONYLMETHYLENEOXAAZABICYCLOHEPTANECARBOXYLATE
Wittig reactions with β–lactam carbonyls: a convenient means of protection. X–ray crystal structure of p–nitrobenzyl–(2R,5R)–Z–7–methoxycarbonylmethylene–Z–3–(β–phthalimidoethylidene)–4–oxa–1–azabicyclo[3.2.0]heptane–2–carboxylate, 929–30
METHOXYCARBONYLMETHYLENETRIPHENYLPHOSPHORANE
Wittig reactions with β–lactam carbonyls: a convenient means of protection. X–ray crystal structure of p–nitrobenzyl–(2R,5R)–Z–7–methoxycarbonylmethylene–Z–3–(β–phthalimidoethylidene)–4–oxa–1–azabicyclo[3.2.0]heptane–2–carboxylate, 929–30
METHOXYCARBONYLMETHYLPROPENYL
A new rearrangement of a 4–mercaptoazetidin–2–one via a thioaldehyde intermediate, 578–9
METHOXYCARBONYLPIPERIDINE
Switch from O– and N–protonation of 1–methoxycarbonylpiperidine as the acidity increases, 68–9
METHOXYCARBONYLPROPENYLIDENE
Novel rearrangement of an (η^4–2–pyrone)iron complex, 22–5
METHOXYCARBONYLPYRONE
Novel rearrangement of an (η^4–2–pyrone)iron complex, 22–5
METHOXYCARBONYLRUTHENOCENE
Some transition metal complexes of pentakis(methoxycarbonyl)cyclopentadiene: water–soluble metallocenes, and the x–ray crystal structure of η–cyclopentadienyl[η–pentakis(methoxycarbonyl)cyclopentadienyl]ruthenium, 428–30
METHOXYCARBONYLTETRASELENAFULVALENE
One–step synthesis of methoxycarbonyl–substituted tetraselenafulvalene under high pressure, 669–70
METHOXYCARDENOLIDE
Synthesis of 3β–methoxy–5α,14α–card–20(22)–enolide from 3β–methoxy–5α–androstan–17–one. A method for the construction of the cardenolide side–chain, 25–6
METHOXYDIMETHYLBENZENESULFONYL
Reinvestigation of the 4–methoxy–2,6–dimethylbenzenesulfonyl (Mds) protecting group for the guanidino–function during peptide synthesis, 1243–4
METHOXYETHOXYNITROBENZENESULFONAMIDE
Regiospecific attack of methoxide ion on 4–alkoxy–o–quinone imines. A novel route to p–quinone monoacetals, 425–6
METHOXYFURAN
Cycloadditions of 3–methoxyfuran with mono–activated dienophiles; application to the synthesis of (±)–avenaciolides, 221–2
METHOXYLATION
Regiospecific attack of methoxide ion on 4–alkoxy–o–quinone imines. A novel route to p–quinone monoacetals, 425–6
METHOXYMETHOXY
Olefin metathesis in polycyclic frames. A total synthesis of hirsutene 756–7
METHOXYMETHOXYTRIMETHYLTRICYCLOUNDECYLOXYDITHIOCARBOXYLATE
Olefin metathesis in polycyclic frames. A total synthesis of hirsutene 756–7
METHOXYMETHYL
Diels–Alder reactions of (trimethoxymethyl)cyclopentadienes. Formation of adducts derived from the 2–substituted tautomer, 449–51
METHOXYMETHYLCYCLOPENTADIENE
Diels–Alder reactions of (trimethoxymethyl)cyclopentadienes. Formation of adducts derived from the 2–substituted tautomer, 449–51
METHOXYMETHYLENEPROPYL
Approaches to the synthesis of bicyclomycin, 1126–8
METHOXYMETHYLNITROMETHYLFURAN
A regioselective synthesis of 8,10–dideoxycarminomycinone, 1075–6
METHOXYMETHYLSILYL
Hydrosilylation of carbon dioxide catalyzed by ruthenium complexes, 213–14
METHOXYNAPHTHOQUINONE
Synthesis of (±)–eleutherin, (±)–isoeleutherin, and their demethoxy analogs. A novel synthetic approach, 1277–8
METHOXYOXODIPHENYLDIOXAPHOSPHOLANE
The stereochemistry of 2–substituted–2–oxo–4,5–diphenyl–1,3,2–dioxaphospholanes and the related chiral [^{16}O,^{17}O,^{18}O]phosphate monoesters, 245–6
METHOXYPHENYL
Pyridine N–sulfides. Some simple N–arylthiopyridinium salts and a possible source of arylsulfenium ions, 703–4
N,N–diacyl arylsulfenamides as an unambiguous and convenient source of arylsulfenium ions, 704–5
METHOXYPHENYLIMINOETHANE
Preparation and characterization of novel tris–α–diimino complexes of ruthenium(0) and ruthenium(II). X–ray crystal and molecular

METHOXYPHENYLIMINOETHANE(contd)
structure of the electron–rich complex tris–[1,2–bis–(p–methoxyphenyliminoethane)]ruthenium(0)–toluene, 266–8
METHOXYPHENYLIMINOETHANERUTHENIUM
Preparation and characterization of novel tris–α–diimino complexes of ruthenium(0) and ruthenium(II). X–ray crystal and molecular structure of the electron–rich complex tris–[1,2–bis–(p–methoxyphenyliminoethane)]ruthenium(0)–toluene, 266–8
METHOXYPHTHALALDEHYDATE
Photochemical transformations of methoxyphthalaldehydic esters: synthesis of methyl 6–methoxyphthalaldehydate from the 3–methoxy isomer, 962–3
METHOXYPHTHALALDEHYDE
Photochemical transformations of methoxyphthalaldehydic esters: synthesis of methyl 6–methoxyphthalaldehydate from the 3–methoxy isomer, 962–3
METHYL
A reappraisal of the heat capacity of activation and enthalpy of activation for tert–butyl chloride in water–ethyl alcohol mixtures ¹3–14
Biomimetic synthesis of sclerin, 20–1
Unusual structure and novel fluxional rearrangements in the s–trithian complex $[(Me_3PtCl)_2(SCH_2SCH_2SCH_2)]$; x–ray crystal structure determination, 29–30
Direct and indirect tin–hydrogen coupling constants in methyltin trichloride and trimethyltin chloride partially oriented in nematic phases determined by the dilution–spinning method, 35–6
Grunwald–Winstein plots exhibiting a maximum. Solvolysis of methyl perchlorate, 83–4
Crystal and molecular structure of $[W(NPh)(\mu–O)Me_2(PMe_3)]_3$; a trimeric oxo–bridged imido complex of tungsten(VI), 103–4
Radical–like reactivity of rhodium(II) octaethylporphyrin dimer with trimethyl phosphite, 475–6
Methyl and silyl halide radical anions: an ab initio study, 515–16
Synthetic routes to C–methylated chlorins, 524–6
Cationic cyclization reactions of 6–methylhept–5–en–2–one oxime; x–ray crystal structure of 3–isopropylidene–2–methyl–Δ¹–pyrroline, 568–9
5–Nitro–3H–1,2–benzoxathiole SS–dioxide, a new reagent for coupling in peptide synthesis, 632–4
Hypervalent iodine in organic synthesis. A novel route to the dihydroxyacetone side–chain in the pregnene series, 641–2
Synthesis of ethyl 3–methyl–7–oxo–4–oxa–1–azabicyclo[3.2.0]hept–2–ene–2–carboxylate and the reaction of 4–acetoxyazetidin–2–one with ethyl α–diazoacetoacetate, 642–3
Conjugate addition of methyl groups to αβ–unsaturated aldehydes: use of $Me_5Cu_3Li_2$, 643–4
Protection of histidine side–chains with π–benzyloxymethyl or π–bromobenzyloxymethyl groups, 648–9
Use of deuterium–carbon–13 NMR coupling patterns in terpenoid biosynthesis, 649–50
7b–Methyl–7bH–cyclopent[cd]indene, an unsubstituted tricyclic aromatic [10]annulene, 657–8
Facile lithiation of coordinated trimethylphosphines in bis–(2,6–dimethoxyphenyl)nickel(II) complexes, 680–1
Asymmetric synthesis in the nickel complex–catalyzed formation of olefins from allyl alcohols and Grignard reagents, 681–2
Unusual photocyclization of 1–(N–methyl–1–naphthoylamino)tetramethylcyclohexene: x–ray crystal structure of 4b,8,9,10,10a,10b,–11,12–octahydro–6,8,8,10–tetramethyl–10,12–methanobenzo[i]phenanthridin–5(6H)–one, 692–4
A total synthesis of (±)–methylenomycin A, 714–15
Regiospecific (biogenetic–type) synthesis of 2–methyl–5H–pyrano[3,2–c][1]benzopyran–4–one, the basic skeleton in citromycetin, 761–2
Synthesis of γ–oxyprotoporphyrin IX and pterobiline (biliverdin IXγ), 763–4
Synthesis of a saturated lipid hydroperoxy cyclic peroxide, 766–7
cis– and trans–Dimethyl–di–μ–methylenebis(pentamethylcyclopentadienyl)dirhodium as models for Fischer–Tropsch reactions on metal surfaces, 809–10
A novel photochemical route to functionalized β–lactams, 880
Efficient synthesis of (±)–solavetivone, 904–5
The infrared multiphoton–induced decomposition of silicon–containing four–membered rings. A new source of silaolefins, 915–17
Total synthesis of (±)–prostaglandin I_2 methyl ester and (±)–15–epi–prostaglandin I_2 methyl ester, 922–4
Synthesis of potassium 3–methyl–9–oxo–1,4–diazatricyclo[5.2.0.0⁴,⁶]non–2–ene–2–carboxylate, 947–8
A new approach to spirosesquiterpenes of the acorane family, 953–5
A regioselective synthesis of 8,10–dideoxycarminomycinone, 1075–6
Chemical conversion of thymidine into 5–methyl–2'–deoxycytidine, 1089
Cometathesis of methyl oleate and ethylene; a direct route to methyl dec–9–enoate, 1132–3
Photoinduced 1,5–acyl shift of 3–acylated 3–methyloxepin–2(3H)–ones, 1163–4
Novel syntheses of 1,6–methano[10]annulene and 4–methylazulene, 1182–3
Preparation and rearrangement of some conjugated phenylsulfinylacetate derivatives, 1248–50
METHYLACETONITRILIUM
Synthesis of 6–cyano– and 6–carbamoylpurines and 6–carbamoyl–1,2–dihydropurines from N–methylacetonitrilium trifluoromethanesulfonate and diaminomaleonitrile, 788–9
METHYLACETOPHENONE
Anomalous rate of bromination of a ketone: first–order dependence on bromine concentration, 1016–17
METHYLACRYLATE
Simple and effective synthesis of pyrido[2,1–b]thiazines, 395–6
METHYLALLYL
Intramolecular bromoalkoxylation: synthesis of 2–bromomethyl–2–methyl crown ethers, 219
METHYLALLYLTRIMETHYLSILANE
A simple, new preparation of α,α–dimethylallyltrimethylsilane: a useful prenylation reagent, 1094–5
METHYLAMIDINOPHENYLPHOSPHINATE
A new reaction of pentacoordinate phosphorus derivatives: the formation of phosphinates from an oxazaphosph(V)ole and carbonyl compounds, 1054–5
METHYLAMINE
Synthesis and x–ray structural characterization of $[Me_4N]_3([(SCH_2–CH_2S)MoS_3]_2Fe)$, the first example of a heteronuclear trimer containing molybdenum in a square–pyramidal geometry, 411–12
Structures of α–lithiomethanol and α–lithiomethylamine; an ab initio study, 579–81
METHYLAMINO
Racemization of activated, urethane–protected amino–acids by p–dimethylaminopyridine. Significance in solid–phase peptide synthesis, 336–7
METHYLAMINOBENZENE
Active metals from potassium–graphite. Palladium–graphite as catalyst in the hydrogenation of nitro compounds, alkenes, and alkynes, 540–1
METHYLAMINOFULVENE
Comments on a reported synthesis of 5,6–diazaazulenes, 736–7
METHYLAMINOPHENYLTHIADIAZOLE
The chemistry of a 1,3,4–thiadiazin–6–one, 1003–4
METHYLAMINOPYRIDINE
Racemization of activated, urethane–protected amino–acids by p–dimethylaminopyridine. Significance in solid–phase peptide synthesis, 336–7
METHYLAMMONIUM
Considerable reduction in crystallization time in the preparation of a new type of zeolite catalyst for olefin synthesis from methanol, 936–7
The crystal structures of propane–1,3–diammonium tetrachlorochromate(II), a sheet ferromagnet, and bis(dimethylammonium) tetrachlorochromate(II), an antiferromagnetic compound containing isolated $[Cr_3Cl_{12}]^{6-}$ units, 1046–7
Salt of a hydroxy derivative of a ring system containing the phosphazene unit; x–ray structure of $[(NSOCl)_2NPClO]^-[Me_4N]^+$, 1065–6
METHYLASPARVENONE
Carbon–13 and deuterium NMR studies on the biosynthesis of O–methylasparvenone, a hexaketide metabolite of Aspergillus parvulus, 239–40
METHYLATION
N– and C–methylation of 5,7–dioxo–1,4,8,11–tetraazacyclotetradecanatonickel(II), 158–9
Direct geminal dimethylation of ketones using dimethyltitanium dichloride, 237–9
Conjugate addition of methyl groups to αβ–unsaturated aldehydes: use of $Me_5Cu_3Li_2$, 643–4
Synthesis, x–ray crystal structure, and reactivity of the di–μ–carbene complex $[Ru_2(CO)_2(\mu–CHMe)(\mu–CMe_2)(\eta–C_5H_5)_2]$, 862–4
Conversion of linoleic and latex furanoid acid to fish C_{18} dimethyl

METHYLATION(contd)
furanoid isomers, 1110–11
METHYLAZULENE
Novel syntheses of 1,6–methano[10]annulene and 4–methylazulene, 1182–3
METHYLBISDIIMINOSUCCINONITRILECOBALT
Synthesis, characterization, and chemical transformation of diiminosuccinonitrile cobalt complexes: x–ray crystal structure of cyanobis(diiminosuccinonitrile)cobalt, 329–30
METHYLBISDIPHENYLPHOSPHINYLMETHANE
Synthesis, solution, and solid–state structure (x–ray analysis), and some reactions of the dimer bis[dimethyl[μ–bis(diphenylphosphino)methane]platinum], 805–6
METHYLBORABICYCLONONANE
New method for the synthesis of organoboranes, 5–6
METHYLBUTENE
Synthesis, x–ray crystal structure, and reactivity of the di–μ–carbene complex $[Ru_2(CO)_2(\mu\text{–}CHMe)(\mu\text{–}CMe_2)(\eta\text{–}C_5H_5)_2]$, 862–4
Flash photolysis of N–bromo–3,3–dimethylglutarimide: detection of the imidyl radical, 955–6
METHYLBUTENYL
Preparation of derivatives of tricyclo[4.2.0.0^{1,4}]octane, broken window compounds, 118–20
METHYLBUTENYLCYCLOPENTENONE
Preparation of derivatives of tricyclo[4.2.0.0^{1,4}]octane, broken window compounds, 118–20
METHYLBUTYNOL
A simple, new preparation of α,α–dimethylallyltrimethylsilane: a useful prenylation reagent, 1094–5
METHYLCARBENECARBONYLCYCLOPENTADIENYL
X–ray crystal structure and molecular dynamics of the μ–dimethylcarbene complex $[Ru_2(CO)_2(\mu\text{–}CO)(\mu\text{–}CMe_2)(\eta\text{–}C_5H_5)_2]$ 861–2
Synthesis, x–ray crystal structure, and reactivity of the di–μ–carbene complex $[Ru_2(CO)_2(\mu\text{–}CHMe)(\mu\text{–}CMe_2)(\eta\text{–}C_5H_5)_2]$, 862–4
METHYLCARBENECARBONYLCYCLOPENTADIENYLRUTHENIUM
X–ray crystal structure and molecular dynamics of the μ–dimethylcarbene complex $[Ru_2(CO)_2(\mu\text{–}CO)(\mu\text{–}CMe_2)(\eta\text{–}C_5H_5)_2]$ 861–2
Synthesis, x–ray crystal structure, and reactivity of the di–μ–carbene complex $[Ru_2(CO)_2(\mu\text{–}CHMe)(\mu\text{–}CMe_2)(\eta\text{–}C_5H_5)_2]$, 862–4
METHYLCARBENECYCLOPENTADIENYLRUTHENIUM
X–ray crystal structure and molecular dynamics of the μ–dimethylcarbene complex $[Ru_2(CO)_2(\mu\text{–}CO)(\mu\text{–}CMe_2)(\eta\text{–}C_5H_5)_2]$ 861–2
METHYLCHLORIN
Synthetic routes to C–methylated chlorins, 524–6
METHYLCUPRATE
Conjugate addition of methyl groups to $\alpha\beta$–unsaturated aldehydes: use of $Me_5Cu_3Li_2$, 643–4
METHYLCYCLODEXTRIN
Crystal and molecular structure of a 2,6–tetradeca–O–methyl–β–cyclodextrin–adamantanol 1:1 inclusion complex, 1291–2
METHYLCYCLOPENTADIENYLCARBONYLRHODIO
Rhodium–platinum cluster compounds. Relationships with olefin–platinum complexes and x–ray crystal structures of $[PtRh_4(\mu\text{–}CO)_4(\eta\text{–}C_5Me_5)_4]$ and $[PtRh_2(\mu\text{–}H)(\mu\text{–}CO)_2(CO)(PPh_3)(\eta\text{–}C_5Me_5)_2][BF_4]$, 869–71
METHYLCYCLOPENTADIENYLIRIDIUM
An iridium(V) organometallic compound; synthesis and x–ray crystal structure of tetramethyl(η^5–pentamethylcyclopentadienyl)-iridium, 808–9
METHYLCYCLOPENTADIENYLLEAD
X–ray crystal structures of bis(cyclopentadienyl)tin and bis(pentamethylcyclopentadienyl)lead, 925–7
METHYLCYCLOPENTADIENYLMETHYLSILYLCARBOXYLATONIOBIUM
A novel carbon dioxide complex: synthesis and crystal structure of $[Nb(\eta\text{–}C_5H_4Me)_2(CH_2SiMe_3)(\eta^2\text{–}CO_2)]$, 1145–6
METHYLCYCLOPENTADIENYLMETHYLSILYLNIOBIUM
A novel carbon dioxide complex: synthesis and crystal structure of $[Nb(\eta\text{–}C_5H_4Me)_2(CH_2SiMe_3)(\eta^2\text{–}CO_2)]$, 1145–6
METHYLCYCLOPENTINDENE
7b–Methyl–7bH–cyclopent[cd]indene, an unsubstituted tricyclic aromatic [10]annulene, 657–8
METHYLDEOXYCYTIDINE
Chemical conversion of thymidine into 5–methyl–2'–deoxycytidine, 1089
METHYLDIBENZOAZOCINYL
Generation and thermal reorganization of a linearly–fused N–methyldibenzoazocinyl anion, 647–8
METHYLDIGERMANE
ESR spectra of the hexamethyldisilane and hexamethyldigermane radical cations, 666–8
METHYLDIOXACYCLOALKANE
Hydroisomerization of 1,3–dioxacycloalkanes to esters on platinum. The role of hydrogen in the isomerization, 978–9
METHYLDIPHENYLPHOSPHINOXYLYLENERUTHENIUM
Facile δ–hydrogen abstraction from a ruthenium complex: possible 1–4η–bonding of the o–xylylene ligand, 319–20
METHYLDISILANE
ESR spectra of the hexamethyldisilane and hexamethyldigermane radical cations, 666–8
METHYLDISTANNANE
The cation of hexamethyldistannane generated by radiolysis: an ESR study, 1251–2
METHYLENE
Methylenethioxophosphoranes and 1,2–λ^5–thiaphosphiranes, 72–3
Novel syntheses of 3–methyleneazetidin–2–one derivatives and related systems, 404–5
Reaction of dimethyloxosulfonium methylide with N–arylsulfonyl–2–phenylaziridines: a new synthesis of N–arylsulfonyl–2–phenylazetidines, 417–18
Synthesis, dynamic behavior, and molecular structures of μ–methylene platinumtriosmium complexes: x–ray crystal structures of two isomers of $[Os_3Pt(\mu\text{–}H)_2(\mu\text{–}CH_2)(CO)_{10}(P(C_6H_{11})_3)]$, 689–91
cis– and trans–Dimethyl–di–μ–methylenebis(pentamethylcyclopentadienyl)dirhodium as models for Fischer–Tropsch reactions on metal surfaces, 809–10
Ab initio study of the insertions of CH_2 and SiH_2 into hydrogen, 890–1
On the possible role of the 3–methylene isomer of deacetoxycephalosporin C in the biosynthesis of cephalosporins, 934–6
A new approach to spirosesquiterpenes of the acorane family, 953–5
Three new β,γ–methylene analogs of adenosine triphosphate, 1188–90
METHYLENEAZETIDINONE
Novel syntheses of 3–methyleneazetidin–2–one derivatives and related systems, 404–5
METHYLENEBISPHOSPHONATE
Monofluoro– and difluoromethylenebisphosphonic acids: isopolar analogs of pyrophosphoric acid, 930–2
METHYLENECYCLOHEXENE
Efficient synthesis of (±)–solavetivone, 904–5
METHYLENEENOPYRANONE
Facile access to chiral 5–hydroxy–2–methylhexanoic acid lactones (pheromones of the carpenter bee), 1125–6
METHYLENEMETHYLCYCLOPENTADIENYLRHODIUM
cis– and trans–Dimethyl–di–μ–methylenebis(pentamethylcyclopentadienyl)dirhodium as models for Fischer–Tropsch reactions on metal surfaces, 809–10
METHYLENEPHOSPHINE
Methylenethioxophosphoranes and 1,2–λ^5–thiaphosphiranes, 72–3
METHYLENETHIOXOPHOSPHORANE
Methylenethioxophosphoranes and 1,2–λ^5–thiaphosphiranes, 72–3
METHYLENETRIPHENYLPHOSPHORANE
Facile access to chiral 5–hydroxy–2–methylhexanoic acid lactones (pheromones of the carpenter bee), 1125–6
METHYLENOMYCIN
A total synthesis of (±)–methylenomycin A, 714–15
METHYLETHANE
A reappraisal of the heat capacity of activation and enthalpy of activation for tert–butyl chloride in water–ethyl alcohol mixtures 13–14
METHYLETHENYL
Evidence for a novel mechanism of the 1,2–bond shift rearrangements catalyzed by coenzyme–B_{12}, 686–8
METHYLETHENYLCYCLOPENTANE
Evidence for a novel mechanism of the 1,2–bond shift rearrangements catalyzed by coenzyme–B_{12}, 686–8

METHYLFURAN
Unusual thermal rearrangement of the endo–peroxides of 2,5–dimethylfurans, 720–1
METHYLFURANOPHAN
Role of metal salts in the synthesis of 1,1,7,7,13,13,19,19–octamethyl[1.1.1.1](2,5)furanophan, 149–50
METHYLHEPTADIENYNYLFLUOROMETHANESULFONATE
Experimental evidence for a phenyl cation intermediate in the solvolysis reactions of dienynyl trifluoromethanesulfonates, 713–14
METHYLHEPTENONE
Cationic cyclization reactions of 6–methylhept–5–en–2–one oxime; x–ray crystal structure of 3–isopropylidene–2–methyl–Δ^1–pyrroline, 568–9
METHYLHEPTENYL
Synthesis, x–ray crystal structure, and reactions of [closo–1,3–μ–2,3–μ–(1,2–μ–(η^2–3,4–$CH_2CH_2C(Me):CHCH_2CH_2CH_2$))–3–H–3–$PPh_3$–3,1,2–$RhC_2B_9H_9$], a metallacarbaborane catalyst, 235–6
METHYLHEPTENYLRHODADICARBADODECABORANE
Synthesis, x–ray crystal structure, and reactions of [closo–1,3–μ–2,3–μ–(1,2–μ–(η^2–3,4–$CH_2CH_2C(Me):CHCH_2CH_2CH_2$))–3–H–3–$PPh_3$–3,1,2–$RhC_2B_9H_9$], a metallacarbaborane catalyst, 235–6
METHYLHEPTENYNYL
Experimental evidence for a phenyl cation intermediate in the solvolysis reactions of dienynyl trifluoromethanesulfonates, 713–14
METHYLHOMOALLYL
Threo–selective synthesis of β–methylhomoallyl alcohols via but–2–enyltitanium compounds, 1140–1
METHYLHYDRAZIDOTRIPHENYLPHOSPHINOMOLYBDENUM
Preparation and x–ray crystal structure of [$S_2MoS_2Mo(NNMe_2)_2(PPh_3)$], a binuclear molybdenum hydrazido(2–)–complex containing coordinated tetrathiomolybdate, 132–3
METHYLISOCYANATOTRISELENIDOTETRANIOBIUM
Redox chemistry of niobium chalcogenide halides: a mixed valency niobium III/niobium IV tetramer. Preparation and crystal structure of a (μ–diselenido–μ–selenido)–tetraniobium complex, $Nb_4Br_{10}Se_3(NCMe)_4$, 1241–2
METHYLISOPROPENYLSPIROCYCLOHEXANONECYCLOPENTANE
A new approach to spirosesquiterpenes of the acorane family, 953–5
METHYLISOPROPYLSPIROCYCLOHEXANONECYCLOPENTANE
A new approach to spirosesquiterpenes of the acorane family, 953–5
METHYLMETHANOBENZOPHENANTHRIDINONE
Unusual photocyclization of 1–(N–methyl–1–naphthoylamino)tetramethylcyclohexene: x–ray crystal structure of 4b,8,9,10,10a,10b,–11,12–octahydro–6,8,8,10–tetramethyl–10,12–methanobenzo[i]phenanthridin–5(6H)–one, 692–4
METHYLMETHYLENETRICYCLOUNDECANE
A new approach to spirosesquiterpenes of the acorane family, 953–5
METHYLNAPHTHOYLAMINO
Unusual photocyclization of 1–(N–methyl–1–naphthoylamino)tetramethylcyclohexene: x–ray crystal structure of 4b,8,9,10,10a,10b,–11,12–octahydro–6,8,8,10–tetramethyl–10,12–methanobenzo[i]phenanthridin–5(6H)–one, 692–4
METHYLNAPHTHOYLAMINOCYCLOHEXENE
Unusual photocyclization of 1–(N–methyl–1–naphthoylamino)tetramethylcyclohexene: x–ray crystal structure of 4b,8,9,10,10a,10b,–11,12–octahydro–6,8,8,10–tetramethyl–10,12–methanobenzo[i]phenanthridin–5(6H)–one, 692–4
METHYLNAPHTHOYLAMINOTETRAMETHYLCYCLOHEXENE
Unusual photocyclization of 1–(N–methyl–1–naphthoylamino)tetramethylcyclohexene: x–ray crystal structure of 4b,8,9,10,10a,10b,–11,12–octahydro–6,8,8,10–tetramethyl–10,12–methanobenzo[i]phenanthridin–5(6H)–one, 692–4
METHYLNITROBENZENE
Active metals from potassium–graphite. Palladium–graphite as catalyst in the hydrogenation of nitro compounds, alkenes, and alkynes, 540–1
METHYLNITROBENZENEIMINE
Nitrogen–15 nuclear polarization during nitro group exchange reactions on a σ–complex formed by ipso–attack, 825–7
METHYLNONANE
Evidence for x–ray–amorphous zeolites, 591–3
METHYLOCOCCUS
Oxidations of cyclopropane, methylcyclopropane, and arenes with the monooxygenase system from Methylococcus capsulatus, 482–3
METHYLOXOAZACYCLOTETRADECANATONICKEL
N– and C–methylation of 5,7–dioxo–1,4,8,11–tetraazacyclotetradecanatonickel(II), 158–9
METHYLOXODIAZATRICYCLONONENECARBOXYLATE
Synthesis of potassium 3–methyl–9–oxo–1,4–diazatricyclo[5.2.0.$0^{4,6}$]non–2–ene–2–carboxylate, 947–8
METHYLOXOOXAAZABICYCLOHEPTENE
Synthesis of ethyl 3–methyl–7–oxo–4–oxa–1–azabicyclo[3.2.0]hept–2–ene–2–carboxylate and the reaction of 4–acetoxyazetidin–2–one with ethyl α–diazoacetoacetate, 642–3
METHYLPENTENE
Asymmetric synthesis in the nickel complex–catalyzed formation of olefins from allyl alcohols and Grignard reagents, 681–2
METHYLPHENYL
Experimental evidence for a phenyl cation intermediate in the solvolysis reactions of dienynyl trifluoromethanesulfonates, 713–14
METHYLPHENYLPHOSPHINEGOLD
Nearly regular tetrahedral geometry in a gold(I)–phosphine complex. X–ray crystal structure of tetrakis(methyldiphenylphosphine)gold(I) hexafluorophosphate, 900–1
METHYLPHENYLTHIO
A total synthesis of (±)–methylenomycin A, 714–15
METHYLPHENYLTHIOCYCLOPENTENONE
A total synthesis of (±)–methylenomycin A, 714–15
METHYLPHOSPHINE
Novel synthesis of σ–bonded palladium and nickel compounds by cocondensation of metal vapor with alkyl free radicals, 1283–4
METHYLPLATINUMTHIANE
Unusual structure and novel fluxional rearrangements in the s–trithian complex [$(Me_3PtCl)_2(SCH_2SCH_2SCH_2)$]; x–ray crystal structure determination, 29–30
METHYLPROPENE
Photosensitized (electron transfer) [2e+4e] dimerization and cross–cycloaddition of phenylated olefins: trapping the intermediate, 138–9
METHYLPROPENYL
Unusual stereospecificity in the hydrogenation of an isopropenyl function with Wilkinson's catalyst: a route to chiral methyl valine 1175–6
METHYLPYRANOBENZOPYRANONE
Regiospecific (biogenetic–type) synthesis of 2–methyl–5H–pyrano[3,2–c][1]benzopyran–4–one, the basic skeleton in citromycetin, 761–2
METHYLPYRAZOLYLBORATO
Remarkably easy one–electron reduction of 16–electron molybdenum nitrosyls: mechanistic implications for the formation of alkoxy, amido, hydrazido, and thiolato complexes containing the tris–3,5–dimethylpyrazolylborato ligand, 960–1
METHYLPYRIDONE
A novel photochemical route to functionalized β–lactams, 880
METHYLPYRIMIDINIUM
An NMR method for the quantitative determination of the N–1:N–3 protonation ratio in 2,4–diaminopyrimidine, 1224–5
METHYLSALICYLATE
The use of deuterium NMR spectroscopy and β–isotopic shifts in the carbon–13 NMR spectrum to measure deuterium retention in the biosynthesis of the polyketide 6–methylsalicylic acid, 856–8
METHYLSALICYLIDENEAMINATOCOBALT
New type of σ–organocobalt complexes: salts of alkyl–mer–[N–(2–aminoethyl)–7–methylsalicylideneaminato](ethylenediamine)cobalt(III). Preparation, characterization, and x–ray crystallographic evidence for structure, 441–2
METHYLSILACYCLOBUTANE
The infrared multiphoton–induced decomposition of silicon–containing four–membered rings. A new source of silaolefins, 915–17
METHYLSILAETHENE
Regiospecific addition of 1,1–dimethylsilaethene to a silicon–oxygen bond, 806–7
METHYLSILANONE
Kinetics of addition of 2–methyl–2–silapropene to hydrogen

METHYLSILANONE(contd)
chloride, hydrogen bromide, and oxygen, 52–3
METHYLSILAPROPENE
Kinetics of addition of 2–methyl–2–silapropene to hydrogen chloride, hydrogen bromide, and oxygen, 52–3
The infrared multiphoton–induced decomposition of silicon–containing four–membered rings. A new source of silaolefins, 915–17
METHYLSILYL
Kinetics of addition of 2–methyl–2–silapropene to hydrogen chloride, hydrogen bromide, and oxygen, 52–3
Synthesis and chemistry of 2–trimethylsilylbenzocyclobutenones, 179–80
Reactions of trimethylsilylthiazoles with ketens: a new route to regioselective functionalization of the thiazole ring, 655–6
Regiospecific addition of 1,1–dimethylsilaethene to a silicon–oxygen bond, 806–7
Concise syntheses of 4–(arylcarbonylmethyl)–azetidin–2–ones and related systems, 1076–7
ipso–Attack in the hydroxylation of o– and p–xylene using bis(trimethylsilyl) peroxide and aluminum chloride, 1079–80
METHYLSILYLALKYL
Carbocyclizations employing 2–silyl–1,3–dithianes, 306–7
METHYLSILYLBICYCLOOCTADIENE
Intermolecular cobalt–mediated [2+2+2]cycloadditions: regiospecific one–step construction of bicyclic dienes from α,ω–enynes and alkynes, 53–5
METHYLSILYLBICYCLOOCTADIENECOBALT
Intermolecular cobalt–mediated [2+2+2]cycloadditions: regiospecific one–step construction of bicyclic dienes from α,ω–enynes and alkynes, 53–5
METHYLSILYLCYCLOBUTADIENECOBALT
Intermolecular cobalt–mediated [2+2+2]cycloadditions: regiospecific one–step construction of bicyclic dienes from α,ω–enynes and alkynes, 53–5
METHYLSILYLMETHANE
A gas–phase electron diffraction study of tris(trimethylsilyl)methane. A carbon–hydrogen bond of high p–character, 710–11
METHYLSILYLMETHYLBUTYNYL
A simple, new preparation of α,α–dimethylallyltrimethylsilane: a useful prenylation reagent, 1094–5
METHYLSILYLOXYALKADIENE
Biomimetic synthesis of sclerin, 20–1
METHYLSILYLOXYPENTENE
Selective reaction of silyl enol ethers with α–chloro sulfides containing a ketone group, 1106–7
METHYLSILYLTHIAZOLE
Reactions of trimethylsilylthiazoles with ketens: a new route to regioselective functionalization of the thiazole ring, 655–6
METHYLSTANNYL
Unexpected products from the reaction of alkynylstannanes with 9–borabicyclo[3.3.1]nonane, 1093–4
METHYLSTANNYLBORABICYCLONONANYLALLENE
Unexpected products from the reaction of alkynylstannanes with 9–borabicyclo[3.3.1]nonane, 1093–4
METHYLSULFINYL
A novel route to 2–substituted 1,2–benzisothiazol–3(2H)–ones, 510–11
METHYLSULFINYLBENZAMIDE
A novel route to 2–substituted 1,2–benzisothiazol–3(2H)–ones, 510–11
METHYLSULFONYLMETHANESULFONATE
Elimination–addition mechanisms of sulfonyl group transfer: evidence for a dicarbanionic intermediate in the alkaline hydrolysis of aryl methylsulfonylmethanesulfonate esters, 535–6
METHYLTHIO
A novel S,N–double rearrangement; x–ray crystal structure of 5–carbamoyl–4–methylthio–2–phenyl–1,3–thiazin–6–one and its 2,3–dihydro derivative, 560–1
Preparation of stable quinone methide imines, 565–6
METHYLTHIODITHIOLYLIUM
Preparation of stable quinone methide imines, 565–6
METHYLTHIOPHENE
Photocycloaddition of 2,5–dihydrothiophene SS–dioxides to α,β–unsaturated cyclic anhydrides. Synthesis of 10–hydroxygeraniol, 752–3
METHYLTIN
Bis(trimethyltin)bis(η–toluene)hafnium and –zirconium; x–ray crystal structure of the hafnium compound, 117–18
New intercalates of graphite: tin–119 Moessbauer spectroscopy and x–ray diffractometry of lamellar compounds containing trimethyltin chloride and tin tetrachloride, 677
Homogeneous metathesis of unsaturated nitriles, 1081–2
Cometathesis of methyl oleate and ethylene; a direct route to methyl dec–9–enoate, 1132–3
METHYLTITANIUM
Direct geminal dimethylation of ketones using dimethyltitanium dichloride, 237–9
METMYOGLOBIN
Histidine H–2 NMR resonances of sperm whale oxy–, carbonyl–, and metmyoglobin, 208–9
MEVALONATE
Use of deuterium–carbon–13 NMR coupling patterns in terpenoid biosynthesis, 649–50
Stable isotope studies of the biosynthesis of the sesquiterpenoid dihydrobotrydial, 1169–70
MICELLAR
Micellar control of intramolecular eximer formation of bound substrates, 759–60
MICELLE
Cooperative effects in the catalytic action of N–decanoyl–L–histidine in micelles, 393–4
Proton NMR studies of the orientation of some aromatic compounds by amphiphilic molecules and its relationship to regioselectivity in substitution, 613–15
Micellar control of intramolecular eximer formation of bound substrates, 759–60
Surface photochemistry: radical pair combination on a silica gel surface and in micelles, 958–9
MICHAEL
Cesium fluoride–promoted Michael addition in heterogeneous catalysis, 122–3
Carbocyclizations employing 2–silyl–1,3–dithianes, 306–7
Chiral crown complexes catalyze Michael addition reactions to give adducts in high optical yields, 625–8
Reactions of trimethylsilylthiazoles with ketens: a new route to regioselective functionalization of the thiazole ring, 655–6
MICROBIAL
Asymmetric hydrolysis of 3–acetylthiocycloheptene and 3–acetoxycycloheptene with a microbial lipase, 185
MICROPOROUS
A new family of crystalline, three dimensionally ordered, microporous structures, 1221–2
MICROSCOPY
Chain–ring interconversion in metasilicates, 662–3
New organometallic reagents for electron microscopy, 1083–4
MICROSOME
Mode of mammalian oxygenation at primary carbon atoms: steric course of hydroxylation of C–1 chiral octanes by rat liver microsomes, 1196–7
MICROWAVE
Microwave study of the reactions of n–butenes over deuterated zeolites, 249–50
The detection of unstable monomeric selenidoborons: chloroselenidoboron. ClB=Se, 353–4
The nonplanarity of the ring atoms in 2–oxotetrahydrothiophene, 577–8
MIGRATION
Acyl migrations in Diels–Alder adducts of acyl–1,4–benzoquinones 166–9
Base–induced benzoyl migrations in Diels–Alder adducts of benzoyl–1,4–benzoquinones, 171–3
Facile phosphorus–carbon bond cleavage in the reactions of nitrile oxides with zerovalent triphenylphosphine platinum complexes, 446–8
MILBEMYCIN
Model studies on the synthesis of milbemycin β_3, 556–7
MINERAL
Solid state phosphorus NMR spectroscopy of minerals and soils, 1051–2
MINTSULFIDE
Sulfide extrusion from methyl sulfonium salts of the sulfur–bridged sesquiterpenes, mintsulfide and isomintsulfide by alkyllithium, 127–8
MIXED VALENCY
Redox chemistry of niobium chalcogenide halides: a mixed valency niobium III/niobium IV tetramer. Preparation and crystal

MIXED VALENCY(contd)
structure of a (μ–diselenido–μ–selenido)–tetraniobium complex, $Nb_4Br_{10}Se_3(NCMe)_4$, 1241–2
MIXT
X–ray structure of the reversible dioxygen adduct of [N,N'–(3,3'–dipropylmethylamine)bis(salicylideneaminato)cobalt(II)]: unusual presence of both dioxygenated and nondioxygenated complex molecules in the crystal, 196–8
MNDO
Planar tetracoordinate carbon candidates. MNDO calculations on substituted phenyllithium dimers, 260–1
MO
Negative fluorine hyperconjugation. A theoretical reexamination, 396–8
Methyl and silyl halide radical anions: an ab initio study, 515–16
Structures of α–lithiomethanol and α–lithiomethylamine; an ab initio study, 579–81
Synthesis, electronic structure, and complex formation of simple 1,1,4,4–tetrathiabutadienes, 829–31
The relationship between the energies of carbanions, R^-, and their lithiated counterparts, RLi. An ab initio study, 882–4
Ab initio study of the insertions of CH_2 and SiH_2 into hydrogen, 890–1
MNDO SCF–MO calculations of kinetic isotope effects for dehydrochlorination reactions of chloroalkanes, 939–40
MODERATOR
New helium–moderator anomaly in recoil tritium chemistry, 545–6
MODIFIED
Simple novel synthesis of the anthracyclinone system using a new modification of the Marschalk reaction and a carbohydrate as a chiral center source, 508–10
MODIFIER
Considerable reduction in crystallization time in the preparation of a new type of zeolite catalyst for olefin synthesis from methanol, 936–7
MOESSBAUER
New intercalates of graphite: tin–119 Moessbauer spectroscopy and x–ray diffractometry of lamellar compounds containing trimethyltin chloride and tin tetrachloride, 677
Synthesis and x–ray crystal structure determination of the cationic gold cluster compound $[Au_8(PPh_3)_7](NO_3)_2$, 1218–19
MOL
Preparation and x–ray crystal structure of $[S_2MoS_2Mo(NNMe_2)_2(PPh_3)]$, a binuclear molybdenum hydrazido(2–)–complex containing coordinated tetrathiomolybdate, 132–3
Interaction of alkyl halides with the diironoctacarbonylate anion: the crystal structures of the tetraethylammonium salts of the μ–acetyl$C^1(Fe^1,Fe^2)O(Fe^1,Fe^3)$nonacarbonyl–triangulo–triferrate and μ_2–carbonylnonacarbonyl–μ_3–2,4–dioxapentylidyne–triangulo–triferrate anions, 189–91
Synthesis, x–ray crystal structure, and reactions of [closo–1,3–μ–2,3–μ–(1,2–μ–(η^2–3,4–$CH_2CH_2C(Me)$:$CHCH_2CH_2CH_2$))–3–H–3–PPh_3–3,1,2–$RhC_2B_9H_9$], a metallacarbaborane catalyst, 235–6
Preparation and characterization of novel tris–α–diimino complexes of ruthenium(0) and ruthenium(II). X–ray crystal and molecular structure of the electron–rich complex tris–[1,2–bis–(p–methoxyphenyliminoethane)]ruthenium(0)–toluene, 266–8
Cyclopentadienylruthenium and –osmium chemistry. Cleavage of tetracyanoethylene under mild conditions. X–ray crystal structures of $[Ru(\eta^3\text{–}C(CN)_2CPhC{=}C(CN)_2)(PPh_3)(\eta\text{–}C_5H_5)]$ and $[Ru(C[{=}C(CN)_2]CPh{=}C(CN)_2)(CNCMe_3)(PPh_3)(\eta\text{–}C_5H_5)]$ 271–2
Heteroleptic tert–butyl lanthanoid complexes. Synthesis and x–ray crystal structure of monomeric bis(cyclopentadienyl)(tert–butyl)lutetium tetrahydrofuranate, 292–3
Characterization of 2,2'–bis(1,4,8,11–tetraazacyclotetradecane): x–ray structure and properties of the dinuclear complex $[Ni_2(C_{20}H_{46}N_8)][ClO_4]_4$, 302–4
The association of proteins with polyphenols, 309–11
Confirmation of the structures of gonyautoxins I–IV by correlation with saxitoxin, 314–15
A novel rearrangement of hetisine, and x–ray crystal structure of the major product: transformation of a dihydroxybicyclo[2.2.2]octane system to an adamantane–type skeleton, 327–9
The detection of unstable monomeric selenidoborons: chloroselenidoboron. ClB=Se, 353–4
Complexes of crown ethers and neutral molecules. Synthesis and crystal structure of a urea 18–crown–6 (5:1) complex, 368–9
The autoxidation of a chromium(II) porphyrin. Synthesis and structural characterization by x–ray crystallography of $\alpha\beta\gamma\delta$–tetraphenylporphinatooxochromium(IV), 370–1
Synthesis and molecular structure of $[Rh_3(\mu\text{–}PPh_2)_3(\mu\text{–}Cl)_2(\mu\text{–}CO)(CO)_3]$, a unique triangular rhodium cluster derivative, 407–8
Synthesis and x–ray structural characterization of $[Me_4N]_3([(SCH_2\text{–}CH_2S)MoS_3]_2Fe)$, the first example of a heteronuclear trimer containing molybdenum in a square–pyramidal geometry, 411–12
A high–yield synthesis of pentadecacarbonylpentaruthenium carbide by the carbonylation of heptadecacarbonylhexaruthenium carbide; the x–ray structure analyses of pentadecacarbonylpentaruthenium carbide and triphenylphosphinetetradecacarbonylpentaruthenium carbide, 415–16
Total synthesis of (±)–solavetivone. X–ray crystal structure of 2–hydroxy–6,10–dimethylspiro[4.5]dec–6–en–8–one, 463–5
Structural elucidation of two hopanoids from the photosynthetic bacterium Rhodomicrobium vannielii, 468–9
Formation of (η–cyclopentadienone)tricarbonyliron on the photolysis of (η–cyclobutadiene)tricarbonyliron in a carbon monoxide matrix at 12 K, 489–90
Perfluorotetracyclobutacyclooctatetraene; a planar eight–membered ring system; x–ray crystal structure, 526–8
X–ray crystal and molecular structure of the p–tert–butylphenol–formaldehyde cyclic octamer cyclo[octa[(5–tert–butyl–2–acetoxy–1,3–phenylene)methylene]], 533–4
Three–dimensional x–ray crystal structure of S–adenosyl–L–homocysteine, a potent inhibitor of S–adenosylmethionine–dependent methyltransferases, 671–3
Unusual photocyclization of 1–(N–methyl–1–naphthoylamino)tetramethylcyclohexene: x–ray crystal structure of 4b,8,9,10,10a,10b,–11,12–octahydro–6,8,8,10–tetramethyl–10,12–methanobenzo[i]phenanthridin–5(6H)–one, 692–4
Synthesis of α–functionalized–alkylplatinum(II) complexes by oxidative addition of geminal dihalides to platinum(0) substrates: x–ray structure of cis–[iodo(iodomethyl)bis(triphenylphosphine)–platinum], 698–9
A gas–phase electron diffraction study of tris(trimethylsilyl)methane. A carbon–hydrogen bond of high p–character, 710–11
2,2–Dithiocarboxylation of a chromium coordinated 1,3–dithiane. X–ray crystal structure of fac–tricarbonyl(diethyl 1,3–dithiane–2,2–bisdithiocarboxylato)chromium, 749–50
Novel rearrangement to a pentacyclopentanoid (polyquinane) system, 755–6
Synthesis and x–ray crystal structure of the first example of an anhydronucleoside with two oxygen bridges between the base and the sugar, 780–1
Dynamic properties of molecular complexes and receptor–substrate complementarity. Molecular dynamics of macrotricyclic diammonium cryptates, 833–6
X–ray crystal structure and molecular dynamics of the μ–dimethylcarbene complex $[Ru_2(CO)_2(\mu\text{–}CO)(\mu\text{–}CMe_2)(\eta\text{–}C_5H_5)_2]$ 861–2
(–)–Herbertene, an aromatic sesquiterpene with a novel carbon skeleton from the liverwort Herberta adunca, 864–5
Rhodium–platinum cluster compounds. Relationships with olefin–platinum complexes and x–ray crystal structures of $[PtRh_4(\mu\text{–}CO)_4(\eta\text{–}C_5Me_5)_4]$ and $[PtRh_2(\mu\text{–}H)(\mu\text{–}CO)_2(CO)(PPh_3)(\eta\text{–}C_5Me_5)_2][BF_4]$, 869–71
Synthesis and x–ray structure of an azathiabenzene derivative, a cyclic sulfimide, 927–8
Wittig reactions with β–lactam carbonyls: a convenient means of protection. X–ray crystal structure of p–nitrobenzyl–(2R,5R)–Z–7–methoxycarbonylmethylene–Z–3–(β–phthalimidoethylidene)–4–oxa–1–azabicyclo[3.2.0]heptane–2–carboxylate, 929–30
A novel oxidative insertion of a metal center into a degraded closo–borane cluster; crystal and molecular structure of a ten–vertex iso–nido iridacarbadecaborane, 933–4
The phosphinoethylsilyl group as a bifunctional chelate. Asymmetric induction at platinum(II), 937–9
Synthesis and determination of the configuration of 23,25–dihydroxyvitamin D_3, a new metabolite of vitamin D_3. X–ray crystal structure of a 3,23,25–triol precursor, 1157–9
Use of the bis(trimethylsilyl)cyclopentadienyl ligand for stabilizing early (f^0–f^3) lanthanocene chlorides. X–ray structure of dichlorodi[η–bis(trimethylsilyl)cyclopentadienyl]dipraesodymium and of isoleptic scandium and ytterbium complexes, 1190–1
The oxidation of the trisulfur trinitride anion $S_3N_3^-$ by molecular oxygen: preparation and the crystal and molecular structure of $[(Ph_3P)_2N]^+[S_2N_3O]^-$, 1214–15

MOLYBDATE
Pressure effect on the rate of outer–sphere electron–transfer within the ion–pair between μ–ethylenediaminetetraacetatodi–μ–oxobis[oxomolybdate(v)] and μ–hyperoxobis[pentaamminecobalt(III)] ions, 1135–6
MOLYBDENUM
Synthesis, reactivity, and x–ray crystal structure of bis[carbonylcyclopentadienyl(triphenylphosphinel)rhodium]silver hexafluorophosphate.toluene: a silver–stabilized radical cation, 43–4
Preparation and x–ray crystal structure of $[S_2MoS_2Mo(NNMe_2)_2(PPh_3)]$, a binuclear molybdenum hydrazido(2–)–complex containing coordinated tetrathiomolybdate, 132–3
Synthesis and x–ray crystal structure of the ring–functionalized bis–η–cyclopentadienylmolybdenum compound bis[η–(2–iodoethyl)cyclopentadienyl]molybdenum diiodide and of cyclo–bis(2–η–cyclopentadienylethyl)molybdenum, 156–8
Photoinduced hydrogen–deuterium exchange between aromatic and aliphatic hydrocarbon systems catalyzed by $[Mo(\eta–C_5H_5)(Me_2PCH_2CH_2PMe_2)H_3]$, 186–7
A new bridging geometry for sulfur dioxide in $[Mo(CO)_2(PPh_3)(pyridine)(\mu–SO_2)]_2.2CH_2Cl_2$: x–ray crystal structure, 305–6
Reactions of ketones with molybdenum nitrosyl complexes: x–ray crystal structures of $[(Mo(HB(3,5–Me_2C_3HN_2)_3)(NO)I)_2O]$, a complex having a bent Mo–O–Mo bond, and of a bicyclic salt, $[C_6H_3Me_5N_2(OH)][I_{1·2}(I_3)_{1·2}]$, 348–50
Synthesis and x–ray structural characterization of $[Me_4N]_3[[(SCH_2CH_2S)MoS_3]_2Fe)$, the first example of a heteronuclear trimer containing molybdenum in a square–pyramidal geometry, 411–12
Remarkably easy one–electron reduction of 16–electron molybdenum nitrosyls: mechanistic implications for the formation of alkoxy, amido, hydrazido, and thiolato complexes containing the tris–3,5–dimethylpyrazolylborato ligand, 960–1
Reaction of molybdenum and tungsten alkylidyne complexes with 2,6–xylyl isocyanide and carbon monoxide; structural and mechanistic evidence for novel insertion reactions, 986–8
Role of excess of molybdenum trioxide in ferric oxide–molybdenum trioxide methanol oxidation catalysts studied by x–ray photoelectron spectroscopy, 1018–19
The charge distribution in complexes having molybdenum–molybdenum or chromium–chromium quadruple bonds, studied by gas–phase x–ray photoelectron spectroscopy, 1027–8
Towards a nitrogen–fixing cycle: electrochemical reduction of a hydrazido complex of molybdenum(IV) under dinitrogen to yield the dialkylhydrazine and a molybdenum(0) dinitrogen complex, 1033–5
Evidence for the base–promoted conversion of alkyl–substituted molybdenum and tungsten alkylidyne complexes into anionic vinylalkylidene species, 1037–8
Formation of novel η^2–vinyl complexes by nucleophilic attack at coordinated hexafluorobut–2–yne: implications for the stereochemistry of addition and insertion reactions of coordinated acetylenes. Crystal and molecular structure of $[Mo(SC_5H_4NC(CF_3)C(CF_3))(CF_3C{\equiv}CCF_3)(\eta–C_5H_5)]$, 1059–61
Addition of diphenyldiazomethane to hexaalkoxydimolybdenum (M≡M) compounds: characterization of $Mo_2(OCHMe_2)_6(N_2CPh_2)_2$(pyridine) by x–ray crystallography, 1229–31
Synthesis and x–ray structural characterization of $[Mo_2O(S_2CNEt_2)_6]BF_4$, a μ–oxo–bridged mixed oxidation state complex of molybdenum, 1262–3
MOLYBDENUMSULFIDOIRON
Synthesis and x–ray structural characterization of $[Me_4N]_3[[(SCH_2CH_2S)MoS_3]_2Fe)$, the first example of a heteronuclear trimer containing molybdenum in a square–pyramidal geometry, 411–12
MOLYBDOBISPHOSPHONATE
New organometallic reagents for electron microscopy, 1083–4
MOLYBDOTHORIOURANIC
A novel type of heteropolynuclear complex anion: x–ray crystal structure of the polymeric complex anion $[Th(H_2O)_3UMo_{12}O_{42}]^{4-}{}_n$, 93–4
MOLYBDOTUNGSTATE
Liquid phase oxidation of cycloolefins by a palladium sulfate–heteropolyacid catalyst system, 1274–5
MOLYBDOURANATE
A novel type of heteropolynuclear complex anion: x–ray crystal structure of the polymeric complex anion $[Th(H_2O)_3UMo_{12}O_{42}]^{4-}{}_n$, 93–4
MONOACETAL
Regiospecific attack of methoxide ion on 4–alkoxy–o–quinone imines. A novel route to p–quinone monoacetals, 425–6
MONOMER
Comparison of proton hyperfine coupling constants for the monomer and dimer radical cations of dimethyl sulfide and dimethyl selenide, 1184–5
MONOMORIUM
Stereoselective synthesis of (3R,4S/3S,4R)–(6E,10Z)–3,4,7,11–tetramethyltrideca–6,10–dienal (faranal); the trail pheromone of the Pharaoh's ant, 1234–5
MONOTERPENE
Temperature dependence of the low–frequency vibrational optical activity of α–phellandrene, 771–2
MONOXIDE
Hydrogen–deuterium kinetic isotope effect in carbon monoxide hydrogenation over ruthenium/silicon dioxide, 92–3
Zeolite support effects on carbon monoxide–ruthenium interactions 125–6
Formation of (η–cyclopentadienone)tricarbonyliron on the photolysis of (η–cyclobutadiene)tricarbonyliron in a carbon monoxide matrix at 12 K, 489–90
Formation of η^6–arene–closo–carbaferraboranes by the reaction of a closo–carbaborane with cyclooctadiene(η–cyclopentadienyl)iron in the presence of arenes: molecular structure of [closo–1–(η^6–PhMe)–2,4–Me_2–1,2,4–$FeC_2B_9H_9$], 871–2
Geometric and ligand effects in the IR spectra of carbon monoxide adsorbed on a platinum–copper alloy, 1024–5
Zeolite–catalyzed oxidation of carbon monoxide at unusually low temperatures, 1064–5
Matrix isolation studies on the lithium–induced reductive coupling of carbon dioxide, 1258–60
MONTMORILLONITE
Chemical conversions using sheet silicates: facile ester synthesis by direct addition of acids to alkenes, 8–9
Chemical conversions using sheet silicates: novel intermolecular elimination of ammonia from amines, 9–10
Chemical conversions using sheet silicates: novel intermolecular dehydrations of alcohols to ethers and polymers, 427–8
Improvement of optical purity of metal tris(1,10–phenanthroline) chelates by use of adsorption on a colloidal clay, 539–40
Chemical conversions using sheet silicates: novel intermolecular eliminations of hydrogen sulfide from thiols, 695–6
Partial resolution of tris(acetylacetonato)ruthenium(III) on a liquid chromatography column of Δ–tris(1,10–phenanthroline)nickel(II) montmorillonite, 1168–9
MORDENITE
Superacid sites in zeolites, 39–40
The surface composition of dealuminated zeolites, 422–4
Selective formation of alkenes in the conversion of methanol into hydrocarbons on barium ion–exchanged mordenite, 1091–2
MOTH
Simple, stereospecific syntheses of some insect pheromones using the iron tricarbonyl protecting group, 373–4
MUGINEATE
X–ray crystal structure of the copper(II) complex of mugineic acid, a naturally occurring metal chelator of graminaceous plants, 338–9
MULTIPHOTON
The infrared multiphoton–induced decomposition of silicon–containing four–membered rings. A new source of silaolefins, 915–17
MULTIPLICITY
Precise carbon–13 NMR multiplicity determination, 150–2
MUTAGEN
Optical resolution of mutagenic and carcinogenic derivatives of polyaromatic hydrocarbons by high pressure liquid chromatography on a chiral support, 75–6
Rearrangement of carboxylates derived from N–acetyl–N–nitroso–α–amino acids, 297–9
MUTAROTATION
Synthesis and structure of a chiral sulfinamidocobalt(III) complex derived from (R)–cysteine, 875–7
MYCOTOXIN
Structure and biosynthesis of the penitrems A–F, six novel tremorgenic mycotoxins from Penicillium crustosum, 289–91
Biosynthesis of austin, a polyketide–terpenoid metabolite of Aspergillus ustus, 1042–3
Biosynthesis of terretonin, a polyketide–terpenoid metabolite of Aspergillus terreus, 1043–4
MYOGLOBIN
Histidine H–2 NMR resonances of sperm whale oxy–, carbonyl–,

MYOGLOBIN(contd)
and metmyoglobin, 208–9
NAD
Flavin plus 5-deazaflavin as a turnover oxidation system. Model for the electron bridge from NAD+ to flavin, 391–2
NAPHTHALENE
Photosensitized (electron transfer) [2e+4e] dimerization and cross-cycloaddition of phenylated olefins: trapping the intermediate, 138–9
Cesium fluoroxysulfate as a mild fluorinating agent for the fluorination of alkoxy-substituted benzene and naphthalene derivatives, 148
Acyl migrations in Diels–Alder adducts of acyl-1,4-benzoquinones 166–9
[1,5] and [1,2] Acetyl shifts in Diels–Alder adducts of 2-acetyl-6-methyl-1,4-benzoquinone, 169–71
Base-induced benzoyl migrations in Diels–Alder adducts of benzoyl-1,4-benzoquinones, 171–3
Fluorescence from the intramolecular charge-transfer state of aromatic silanes, 405–6
Oxidations of cyclopropane, methylcyclopropane, and arenes with the monooxygenase system from Methylococcus capsulatus, 482–3
Formation of η^6-arene-closo-carbaferraboranes by the reaction of a closo-carbaborane with cyclooctadiene(η-cyclopentadienyl)iron in the presence of arenes: molecular structure of [closo-1-(η^6-PhMe)-2,4-Me_2-1,2,4-$FeC_2B_9H_9$], 871–2
The absolute configurations of anti-benzene and anti-naphthalene 1,2:3,4-dioxides, 974–6
Solvolysis of syn- and anti-N-chloro-1,4-dihydro-1,4-iminonaphthalenes, 1028–30
NAPHTHALENONE
Preparation of (–)-(7R)-7-acetyl-7-hydroxy-4,4-dimethoxy-5,6,7,8-tetrahydronaphthalen-1(4H)-one, a chiral AB-synthon for anthracycline synthesis, 1100–1
NAPHTHOPYRANOQUINONE
Syntheses of naphtho[2,3-c]pyran-5,10-quinones using ceric ammonium nitrate, 534–5
NAPHTHOQUINONE
Acyl migrations in Diels–Alder adducts of acyl-1,4-benzoquinones 166–9
[1,5] and [1,2] Acetyl shifts in Diels–Alder adducts of 2-acetyl-6-methyl-1,4-benzoquinone, 169–71
Base-induced benzoyl migrations in Diels–Alder adducts of benzoyl-1,4-benzoquinones, 171–3
2-Methoxycarbonyl-3-prenyl-1,4-naphthoquinone, a metabolite related to the biosynthesis of mollugin and anthraquinones in Galium mollugo L, 334–6
Photocyclization between allyltrimethylsilane and 1,4-naphthoquinone and ring cleavage of the resulting cyclobutane assisted by the trimethylsilyl group, 460–1
Syntheses of naphtho[2,3-c]pyran-5,10-quinones using ceric ammonium nitrate, 534–5
Arylation of quinones with arenes and palladium acetate, 859–60
NAPHTHOXAZOLONE
Cyclizations of azidoformates. Cyclization of aryl azidoformates, 241–2
NAPHTHOYLAMINOTETRAMETHYLCYCLOHEXENE
Unusual photocyclization of 1-(N-methyl-1-naphthoylamino)tetramethylcyclohexene: x-ray crystal structure of 4b,8,9,10,10a,10b,-11,12-octahydro-6,8,8,10-tetramethyl-10,12-methanobenzo[i]phenanthridin-5(6H)-one, 692–4
NAPHTHYL
Cyclizations of azidoformates. Cyclization of aryl azidoformates, 241–2
Use of carbohydrates in the preparation of optically active sulfoxides, 505–6
Acid-catalyzed intramolecular C-alkylation rearrangements of $\beta\gamma$-unsaturated diazomethyl ketones. A novel synthetic entry to pentaleno-annulated polycyclic systems, 746–7
NAPHTHYLACETATE
Promotion of charge-transfer complex formation by γ-cyclodextrin 340
NAPHTHYLAMINE
Preparation of stable quinone methide imines, 565–6
NAPHTHYLOXY
Fluorescence enhancement of α-naphthyloxyacetic acid in the cavity of γ-cyclodextrin, assisted by a space-regulating molecule, 194–5
NAPHTHYLOXYACETATE
Fluorescence enhancement of α-naphthyloxyacetic acid in the cavity of γ-cyclodextrin, assisted by a space-regulating molecule, 194–5
NAX
Ordering of silicon and aluminum ions in the framework of NaX zeolites. A solid-state high-resolution silicon-29 NMR study, 712–13
NEGATIVE
Negative fluorine hyperconjugation. A theoretical reexamination, 396–8
NEIGHBORING
Oxidation of nitrobenzofuroxans, 365–6
Photocyclization between allyltrimethylsilane and 1,4-naphthoquinone and ring cleavage of the resulting cyclobutane assisted by the trimethylsilyl group, 460–1
Effects of neighboring hydroxy groups in metal–ammonia reductions of α,β-unsaturated carbonyl compounds, 461–3
On anchimerically assisted homolysis via sulfide functions, 1238–9
NEMATIC
Direct and indirect tin–hydrogen coupling constants in methyltin trichloride and trimethyltin chloride partially oriented in nematic phases determined by the dilution–spinning method, 35–6
NEODYMIUM
Organometallic complexes of the Group 3A and lanthanoid metals containing $M(\mu\text{-}Cl)_2Li$ bridging units. The x-ray structure of $[Nd[\eta\text{-}[C_5H_3(SiMe_3)_2]]_2(\mu\text{-}Cl)_2Li(THF)_2]$ (THF = tetrahydrofuran), 1191–3
NEOFLAVANOID
New neoflavanoid structural-types from Dalbergia, 1254–5
NEOPLASM
New synthesis of olivacine via a heteroarylation reaction, 44–6
A spectrophotometric method for analyzing mixtures of cis- and trans-diamminedichloroplatinum(II) in solution, 131–2
NEOSAXITOXIN
Confirmation of the structures of gonyautoxins I–IV by correlation with saxitoxin, 314–15
NEOTOKOROGENIN
Biosynthesis of yamogenin, neotokorogenin, and their (25R)-isomers from [1,2-$^{13}C_2$]acetate in Dioscorea tokoro tissue cultures, 895–7
NEUTRON
Hydrogen ordering effects in $DUO_2AsO_4.4D_2O$, 784–6
NICKEL
An enneanuclear nickel sulfide with a confacial bioctahedral geometry: x-ray crystal structure of $[Ni_9(\mu_4\text{-}S)_3(\mu_3\text{-}S)_6(PEt_3)_6][BPh_4]_2$, 47–8
Synthesis of (η^3-allyl)(η^4-cycloocta-1,5-diene)nickel cations: valuable catalysts for the oligomerization of alkenes, 49–50
Isomerization and hydrogenolysis of 1,3-dioxacycloalkanes on metal catalysts, 106–8
Nickel/titanium oxide catalysts. The role of the titania in providing active sites, 123–4
N- and C-methylation of 5,7-dioxo-1,4,8,11-tetraazacyclotetradecanatonickel(II), 158–9
A rapid porphyrin metalation, 192–4
Circular dichroism spectra of some trigonal-bipyramidal complexes 296–7
Characterization of 2,2'-bis(1,4,8,11-tetraazacyclotetradecane): x-ray structure and properties of the dinuclear complex $[Ni_2(C_{20}H_{46}N_8)][ClO_4]_4$, 302–4
Regioselective allylation of a Grignard reagent catalyzed by phosphinenickel and -palladium complexes, 313–14
Improvement of optical purity of metal tris(1,10-phenanthroline) chelates by use of adsorption on a colloidal clay, 539–40
Facile lithiation of coordinated trimethylphosphines in bis-(2,6-dimethoxyphenyl)nickel(II) complexes, 680–1
Evidence for the participation of surface carbon in the steam reforming of ethane over nickel catalysts, 751–2
Electronic ligand effects in nickel alloy catalysts, 845–7
Synthesis of acetic acid from methanol and carbon monoxide on nickel-based catalysts supported on active carbon, 906–7
Nitrogen chemisorption on reduced titania and titania-supported nickel catalysts, 965–6
Synthesis and crystal structure of a new mixed-metal cluster, $(\eta\text{-}C_5H_5)_3Ni_3Os_3(CO)_9$. An example of a high yield pyrolytic synthesis, 995–6
Stereochemistry of the nickel-catalyzed hydrocyanation of olefins, 1098–9

NICKEL(contd)
Stereoselective adsorption on a clay surface modified by an optically active nickel(II) tris(1,10–phenanthroline) chelate, 1128–9
Partial resolution of tris(acetylacetonato)ruthenium(III) on a liquid chromatography column of Δ–tris(1,10–phenanthroline)nickel(II) montmorillonite, 1168–9
Trifluoromethyl Group 2B compounds: formation of mono– and bis(trifluoromethyl)platinum, –palladium, and –nickel trialkylphosphine complexes from the reaction of bis(trifluoromethyl)cadmium–glyme 1:1 compound with the diligand metal dihalides, 1282–3
Novel synthesis of σ–bonded palladium and nickel compounds by cocondensation of metal vapor with alkyl free radicals, 1283–4
NICOTINAMIDE
Desulfonylation of α–nitrosulfones with N–benzyl–1,4–dihydronicotinamide, 71–2
Photosensitized electron transport across a liquid membrane containing photosensitizer, electron mediator, and carrier, 210–11
Bis–1,4–dihydronicotinamides. Intramolecular electronic interaction and its consequence in the reduction of a carbonyl substrate in aprotic solvents, 444–6
NICOTINAMIDOPHENYL
Oxygenation reactions of cytochrome oxidase models. Evidence for hematin formation in mononuclear and heterobinuclear complexes, 799–80
NICOTINAMIDOPHENYLPORPHYRIN
Oxygenation reactions of cytochrome oxidase models. Evidence for hematin formation in mononuclear and heterobinuclear complexes, 799–80
NICOTINOYL
A new photochemical spiroannelation method. Access to substituted spirocyclohexanepiperidines, 832–3
NIH
Oxidations of cyclopropane, methylcyclopropane, and arenes with the monooxygenase system from Methylococcus capsulatus, 482–3
NIH shift in hemin–iodosylbenzene mediated hydroxylations, 778–9
NIOBIUM
A novel carbon dioxide complex: synthesis and crystal structure of $[Nb(\eta\text{–}C_5H_4Me)_2(CH_2SiMe_3)(\eta^2\text{–}CO_2)]$, 1145–6
Redox chemistry of niobium chalcogenide halides: a mixed valency niobium III/niobium IV tetramer. Preparation and crystal structure of a (μ–diselenido–μ–selenido)–tetraniobium complex, $Nb_4Br_{10}Se_3(NCMe)_4$, 1241–2
NITRATE
Syntheses of naphtho[2,3–c]pyran–5,10–quinones using ceric ammonium nitrate, 534–5
Trapping of an inner–sphere charge–transfer triplet state in a single crystal of a uranyl complex, 1019–20
NITRATION
An abnormal dinitration product from 4,6–dibromo–2,5–dimethylphenol; x–ray crystal structure of 2,4–dibromo–6–hydroxy–3,6–dimethylcyclohex–3–enone, 225–6
Chemical polarization of nitrogen–15 nuclei as a mechanistic criterion for nitration reactions, 402–3
NITRENE
Intramolecular reactions of N–nitrenes: evidence for nonconcerted addition to alkenes, 549–50
Pressure–induced synthesis of an N–sulfonyl–1H–azepine by sulfonyl–nitrene insertion into benzene, 790–1
NITRIC
Arsenic pentafluoride radical anion intermediate in the charge–transfer interaction with donors, 701–2
NITRIDE
The x–ray crystal and molecular structure of tetrasulfur dinitride, 584–5
Photoinduced electrochemical reduction of water to hydrogen at ruthenium–modified polysulfur nitride electrodes, 1021–3
NITRIDOBISDIBENZOTETRAMETHYLTETRAAZAANNULENEVANADIUM
Deoxovanadium(IV) complexes of the dibenzotetramethyltetraaza[14]annulene ligand: formation of products containing thioxo–, μ–nitrido–, and oxidatively coupled ligands, 910–11
NITRILE
Facile phosphorus–carbon bond cleavage in the reactions of nitrile oxides with zerovalent triphenylphosphine platinum complexes, 446–8
Homogeneous metathesis of unsaturated nitriles, 1081–2
Cycloadditions of nitrile oxides to compounds containing two–coordinate phosphorus or arsenic. Kinetic and thermodynamic regioselectivity, 1131–2
NITRO
Desulfonylation of α–nitrosulfones with N–benzyl–1,4–dihydronicotinamide, 71–2
Bicycloannulation with nitroethene and 1–nitropropene. A one–step synthesis of tricyclenone, 73–4
Optical resolution of mutagenic and carcinogenic derivatives of polyaromatic hydrocarbons by high pressure liquid chromatography on a chiral support, 75–6
Catalytic synthesis of 3–substituted indoles using carbon monoxide as building block and supported rhodium as catalyst, 82–3
Preparation of nitroalkenes from the corresponding nitroalkanes, 261–2
5–Nitro–3H–1,2–benzoxathiole SS–dioxide, a new reagent for coupling in peptide synthesis, 632–4
Substitution of quinizarin and 5–hydroxyquinizarin at C–2, 740–1
Nitrogen–15 nuclear polarization during nitro group exchange reactions on a σ–complex formed by ipso–attack, 825–7
NITROALKENE
Preparation of nitroalkenes from the corresponding nitroalkanes, 261–2
NITROBENZALDEHYDE
Fixation and deoxygenation of carbon dioxide to form furans using organophosphorus intermediates, 607–8
Photochemical oxidation of nitrobenzyl alcohols in aqueous solution, 1023–4
NITROBENZENE
Oxidation of nitrobenzofuroxans, 365–6
NITROBENZENESULFENYL
Pyridine N–sulfides. Some simple N–arylthiopyridinium salts and a possible source of arylsulfenium ions, 703–4
N,N–diacyl arylsulfenamides as an unambiguous and convenient source of arylsulfenium ions, 704–5
NITROBENZHYDRYLAMINE
Solid–phase peptide synthesis without acidolysis: the synthesis of thymosin α_1 on a new benzhydrylamine resin, 1012–13
NITROBENZOFUROXAN
Oxidation of nitrobenzofuroxans, 365–6
NITROBENZOXATHIOLE
5–Nitro–3H–1,2–benzoxathiole SS–dioxide, a new reagent for coupling in peptide synthesis, 632–4
NITROBENZYL
Photochemical oxidation of nitrobenzyl alcohols in aqueous solution, 1023–4
NITROBENZYLIDENE
Synthesis of some branched trisaccharides using photolabile o–nitrobenzylidene acetals as temporary protecting groups, 362–3
NITROCYCLOALKENE
Preparation of nitroalkenes from the corresponding nitroalkanes, 261–2
NITRODIMETHYLANILINE
Chemical polarization of nitrogen–15 nuclei as a mechanistic criterion for nitration reactions, 402–3
NITROGEN
Coordination of amides to cis–diamminediaquaplatinum dication, 61–2
Chemical polarization of nitrogen–15 nuclei as a mechanistic criterion for nitration reactions, 402–3
Synthesis of nitrosothioureas. Nitrogen–15 NMR evidence for the formation of thionitrosyl compounds in the nitrosation of thioureas, 675–6
New evidence for the structure of dithizone in solution from proton and carbon–13 NMR spectra and nitrogen–15 labeling, 735–6
Nitrogen–15 nuclear polarization during nitro group exchange reactions on a σ–complex formed by ipso–attack, 825–7
Nitrogen chemisorption on reduced titania and titania–supported nickel catalysts, 965–6
Towards a nitrogen–fixing cycle: electrochemical reduction of a hydrazido complex of molybdenum(IV) under dinitrogen to yield the dialkylhydrazine and a molybdenum(0) dinitrogen complex, 1033–5
Photochemical synthesis of ammonia over zeolites, 1049–50
Sulfonamidomercuration: a new method for amination of olefins, 1178–9
On anchimerically assisted homolysis via sulfide functions, 1238–9
NITROMETHYL
A regioselective synthesis of 8,10–dideoxycarminomycinone, 1075–6

NITRONATE
The reactions of silyl nitronates with organolithium reagents, 952–3
NITRONE
General synthetic approach to the quinolizidine alkaloids via a [2+3]–cycloaddition, 940–2
NITRONIUM
Nitrosyl–bridged cyclopentadienylcobalt and –rhodium cations, 897–9
NITROOCTENE
Preparation of nitroalkenes from the corresponding nitroalkanes, 261–2
NITROPHENYL
An example of substitution proceeding with retention in the $S_{RN}1$ reaction. Trapping of a pyramidal benzylic radical by benzenethiolate ion, 79–80
Photocontrol of catalytic activity of capped cyclodextrin, 94–6
Pyridine N–sulfides. Some simple N–arylthiopyridinium salts and a possible source of arylsulfenium ions, 703–4
N,N–diacyl arylsulfenamides as an unambiguous and convenient source of arylsulfenium ions, 704–5
A new reaction of pentacoordinate phosphorus derivatives: the formation of phosphinates from an oxazaphosph(V)ole and carbonyl compounds, 1054–5
NITROPHENYLBENZOXAZOLE
A new reaction of pentacoordinate phosphorus derivatives: the formation of phosphinates from an oxazaphosph(V)ole and carbonyl compounds, 1054–5
NITROPHENYLCYCLOHEXANE
An example of substitution proceeding with retention in the $S_{RN}1$ reaction. Trapping of a pyramidal benzylic radical by benzenethiolate ion, 79–80
NITROPHENYLPROPIONALDEHYDE
Catalytic synthesis of 3–substituted indoles using carbon monoxide as building block and supported rhodium as catalyst, 82–3
NITROPHENYLSELENOALKANE
Preparation of nitroalkenes from the corresponding nitroalkanes, 261–2
NITROPHENYLTHIOBUTANE
N,N–diacyl arylsulfenamides as an unambiguous and convenient source of arylsulfenium ions, 704–5
NITROPHENYLTHIOPYRIDINIUM
Pyridine N–sulfides. Some simple N–arylthiopyridinium salts and a possible source of arylsulfenium ions, 703–4
NITROSATION
Synthesis of nitrosothioureas. Nitrogen–15 NMR evidence for the formation of thionitrosyl compounds in the nitrosation of thioureas, 675–6
Organotellurium chemistry. Cis– and trans–2,6–diphenyl–1,4–ditellurafulvenes, 828–9
NITROSO
Rearrangement of carboxylates derived from N–acetyl–N–nitroso–α–amino acids, 297–9
Organotellurium chemistry. Cis– and trans–2,6–diphenyl–1,4–ditellurafulvenes, 828–9
NITROSOAMINOCARBOXYLATE
Rearrangement of carboxylates derived from N–acetyl–N–nitroso–α–amino acids, 297–9
NITROSOBENZENESULFONATE
A water–soluble, nitroso–aromatic spin–trap, 142–3
NITROSOTHIOUREA
Synthesis of nitrosothioureas. Nitrogen–15 NMR evidence for the formation of thionitrosyl compounds in the nitrosation of thioureas, 675–6
NITROSTYRENE
Catalytic synthesis of 3–substituted indoles using carbon monoxide as building block and supported rhodium as catalyst, 82–3
NITROSYL
Synthesis, reactivity, and x–ray crystal structure of bis[carbonylcyclopentadienyl(triphenylphosphinel)rhodium]silver hexafluorophosphate.toluene: a silver–stabilized radical cation, 43–4
Reactions of ketones with molybdenum nitrosyl complexes: x–ray crystal structures of $[(Mo(HB(3,5\text{–}Me_2C_3HN_2)_3)(NO)I)_2O]$, a complex having a bent Mo–O–Mo bond, and of a bicyclic salt, $[C_6H_3Me_5N_2(OH)][I_{1\cdot2}(I_3)_{1\cdot2}]$, 348–50
Remarkably easy one–electron reduction of 16–electron molybdenum nitrosyls: mechanistic implications for the formation of alkoxy, amido, hydrazido, and thiolato complexes containing the tris–3,5–dimethylpyrazolylborato ligand, 960–1
NITROUS
Nitrogen tracer evidence for a cyclic azide species, 299–300
NITROXIDE
Interconversion of carbocations, free radicals, and carbanions in nitroxide solutions, 70–1
Reactions of o–alkenyloxyarenediazonium fluoroborates and related species with nitroxides, 595–7
Ipso–substitution reactions of 3–substituted indoles with benzoyl tert–butyl nitroxide, 694–5
NMR
Improved resolution of low field quaternary carbon resonances in carbon–13 NMR spectroscopy, 12–13
Solid–state high–resolution carbon–13 NMR spectra of polypropene, 15–16
An enneanuclear nickel sulfide with a confacial bioctahedral geometry: x–ray crystal structure of $[Ni_9(\mu_4\text{–}S)_3(\mu_3\text{–}S)_6(PEt_3)_6][BPh_4]_2$, 47–8
Photochemical production of hydrogen from water and nucleophilic platinum metal complexes, 58–9
Coordination of amides to cis–diamminediaquaplatinum dication, 61–2
Methylenethioxophosphoranes and 1,2–λ^5–thiaphosphiranes, 72–3
Precise carbon–13 NMR multiplicity determination, 150–2
Manipulation of the nuclear Overhauser effect by the use of a viscous solvent: the solution conformation of the antibiotic echinomycin, 165–6
Histidine H–2 NMR resonances of sperm whale oxy–, carbonyl–, and metmyoglobin, 208–9
Combined use of multiple and selective proton–decoupled carbon–13 and proton NMR spectra for complete proton and carbon–13 resonance assignments of polypeptides, 230–2
Platinum–manganese and –rhenium complexes with bridging thiocarbonyl ligands; crystal structure of $[MnPt(\mu\text{–}CS)(CO)_2(PMePh_2)_2(\eta\text{–}C_5H_5)]$, 243–5
Hexadecamethoxy– and hexadecaethoxytetratungsten: preparation and x–ray crystal and molecular structure of hexadecaethoxytetratungsten, 270
Carbon–13 NMR spectra of highly ^{13}CO–enriched metal carbonyls: observation of $^2J_{CC}$ cis coupling constants, 300–2
Deuterium isotope effect on proton chemical shift in pentadeuteriobenzene, 309
Carbon–13 NMR study of rhodium carbonyl clusters under high pressures of carbon monoxide/hydrogen, 331–2
Electron exchange rates of cobalt tetraarylporphines, 332–3
Chemical polarization of nitrogen–15 nuclei as a mechanistic criterion for nitration reactions, 402–3
Proton–carbon–13 NMR chemical shift correlation, 413–14
The solid state and solution conformational behavior of a chiral 30–crown–10 derivative synthesized from 1,4:3,6–dianhydro–D–mannitol; x–ray crystal structure, 430–2
Complexing properties of a bisdianhydro–D–mannitolo–30–crown–10 derivative in the solution and solid states; x–ray crystal structure, 432–4
Diastereomeric differentiation of sulfone oxygens by oxygen–17 NMR spectroscopy, 479–80
Isotope shifts in carbon–13 NMR spectra of oxygen–18–labeled acetals: multiple labeling effects at β–carbons, 501–2
NMR evidence for a fluxional allyl–hydride species featuring an aliphatic hydrocarbon–iridium(III) interaction, 506–7
Solid–state silicon–29 NMR and high–resolution electron microscopic studies of a silicate analog of faujasite, 570–1
Proton NMR studies of the orientation of some aromatic compounds by amphiphilic molecules and its relationship to regioselectivity in substitution, 613–15
Use of deuterium–carbon–13 NMR coupling patterns in terpenoid biosynthesis, 649–50
Synthesis of nitrosothioureas. Nitrogen–15 NMR evidence for the formation of thionitrosyl compounds in the nitrosation of thioureas, 675–6
Does the mode of preparation of an aluminosilicate influence the short–range silicon/aluminum ordering?, 678–9
Observation of a neutral metalloformyl complex formed by the reaction of rhodium octaethylporphyrin hydride with carbon monoxide, 700–1
Ordering of silicon and aluminum ions in the framework of NaX zeolites. A solid–state high–resolution silicon–29 NMR study, 712–13
New evidence for the structure of dithizone in solution from proton and carbon–13 NMR spectra and nitrogen–15 labeling, 735–6

NMR(contd)
A dynamic NMR study of the acidity of superacid media (mixtures of fluorosulfuric acid and antimony pentafluoride from 0 to 90 mol % of antimony pentafluoride, 769–71
Nitrogen–15 nuclear polarization during nitro group exchange reactions on a σ–complex formed by ipso–attack, 825–7
Dynamic properties of molecular complexes and receptor–substrate complementarity. Molecular dynamics of macrotricyclic diammonium cryptates, 833–6
The solvolysis of orthotelluric acid in hydrogen fluoride, 841–2
Internuclear exchange of carbonyl groups in dodecacarbonyltriosmium: coupling constants J(osmium–187–carbon–13) in trinuclear osmium carbonyls, 853–5
The use of deuterium NMR spectroscopy and β–isotopic shifts in the carbon–13 NMR spectrum to measure deuterium retention in the biosynthesis of the polyketide 6–methylsalicylic acid, 856–8
X–ray crystal structure and molecular dynamics of the μ–dimethylcarbene complex $[Ru_2(CO)_2(\mu\text{–}CO)(\mu\text{–}CMe_2)(\eta\text{–}C_5H_5)_2]$ 861–2
Rhodium–platinum cluster compounds. Relationships with olefin–platinum complexes and x–ray crystal structures of $[PtRh_4(\mu\text{–}CO)_4(\eta\text{–}C_5Me_5)_4]$ and $[PtRh_2(\mu\text{–}H)(\mu\text{–}CO)_2(CO)(PPh_3)(\eta\text{–}C_5Me_5)_2][BF_4]$, 869–71
Nearly regular tetrahedral geometry in a gold(I)–phosphine complex. X–ray crystal structure of tetrakis(methyldiphenylphosphine)gold(I) hexafluorophosphate, 900–1
A convenient means of predicting the position of the arsenic–75 quadrupole resonance in coordination compounds, 903–4
Broadening of NMR signals of nuclei coupled to fast relaxing spin–1/2 nuclei: an example of T_1 spin–decoupling, 911–12
Direct proton NMR observation of the cell–free conversion of δ–(L–α–aminoadipyl)–L–cysteinyl–D–valine and δ–(L–α–aminoadipyl)–L–cysteinyl–D–(–)–isoleucine into penicillins, 917–19
Symmetry and selectivity in the formation of inclusion complexes by macrotricyclic hosts, 990–2
Chiral diaza–18–crown–6 derivatives, 992–4
Lithium–7 cation NMR studies of a lithium cation–ethyl acetoacetate enolate triple ion–lithium cation cryptate complex, 996–7
Natural abundance carbon–13–carbon–13 coupling constants for carbon connectivity pattern determination and NMR spectral analysis: patchoulol, 999–1001
Evidence for the base–promoted conversion of alkyl–substituted molybdenum and tungsten alkylidyne complexes into anionic vinylalkylidene species, 1037–8
Stereochemistry of the introduction of the hydrogen atom at C–2 of cis–aconitic acid during its transformation into itaconic acid in Aspergillus terreus: a deuterium NMR approach, 1050–1
Solid state phosphorus NMR spectroscopy of minerals and soils, 1051–2
Synthesis of a cation complexing doubly N,N'–bridged bis(1,7–dioxa–4,10–diazacyclododecane), 1084–6
Stereochemistry of the nickel–catalyzed hydrocyanation of olefins, 1098–9
Evidence for secondary building unit effects on the solid state silicon–29 NMR resonance of silicon in zeolitic structures, 1129–31
The preparation and characterization of some organocyanophosphide(I) salts, 1170–1
NMR spectrum of sodium anion in sodium–hexamethylphosphoric triamide solutions, 1185–6
Spin–echo methods for resolution control of lanthanide–shifted NMR spectra, 1201–3
Annular tautomerism in the solid state: a high resolution NMR study, 1207–8
An NMR method for the quantitative determination of the N–1:N–3 protonation ratio in 2,4–diaminopyrimidine, 1224–5
Natural abundance carbon–13–carbon–13 coupling constants in a steroid, 1275–7
NOCARDIA
A circular dichroic method for determining the linkage to symmetric hexocyclitols and hexocyclitolamines: structure of two antibiotics from Nocardia sp., 1134–5
NONACIDIC
Solid–phase peptide synthesis without acidolysis: the synthesis of thymosin α_1 on a new benzhydrylamine resin, 1012–13
NORBORNENE
Synthesis of asymmetrically–substituted cyclopentane derivatives from acyclic sugars, 88–90
Room temperature fluorination of alkenes with cesium fluoroxysulfate, 795–6
Role of dioxygen as an activator in olefin metathesis, 1062–4
NORRISH
CIDNP from a 1,4–biradical in the Norrish type II photoreaction of valerophenone, 499–501
NQR
A convenient means of predicting the position of the arsenic–75 quadrupole resonance in coordination compounds, 903–4
Structural change in $(C_5H_5NH)SbBr_4$ with temperature, 979–81
NUCLEAR
Manipulation of the nuclear Overhauser effect by the use of a viscous solvent: the solution conformation of the antibiotic echinomycin, 165–6
Direct proton NMR observation of the cell–free conversion of δ–(L–α–aminoadipyl)–L–cysteinyl–D–valine and δ–(L–α–aminoadipyl)–L–cysteinyl–D–(–)–isoleucine into penicillins, 917–19
NUCLEOFUGALITY
On relative leaving abilities: use of isobasic plots to determine the relative nucleofugalities of thiolates and their oxy–analogs, 551–3
Ranks of carbon leaving groups in alkene–forming elimination, 553–4
NUCLEOPHILE
Photochemical production of hydrogen from water and nucleophilic platinum metal complexes, 58–9
Preparation and reactions of 1–lithiooxy–1–lithioaminoallene derivatives, 65–7
An example of substitution proceeding with retention in the $S_{RN}1$ reaction. Trapping of a pyramidal benzylic radical by benzenethiolate ion, 79–80
Substitution of a platinum(II) complex without retention of stereochemistry. Direct evidence for pseudorotation of a five coordinate platinum(II) cationic complex containing chelating phosphine ligands, 381–2
NUCLEOPHILIC
Pyridine N–sulfides. Some simple N–arylthiopyridinium salts and a possible source of arylsulfenium ions, 703–4
NUCLEOSIDE
General synthesis of imidazole C–nucleosides from carbohydrate adducts of diaminomaleonitrile, 110–12
Accelerative effect of N^6–acyl groups on the C(8)–hydrogen exchange of 9–substituted adenines, 658–9
Synthesis and x–ray crystal structure of the first example of an anhydronucleoside with two oxygen bridges between the base and the sugar, 780–1
NUCLEOTIDE
The stereochemistry of 2–substituted–2–oxo–4,5–diphenyl–1,3,2–dioxaphospholanes and the related chiral [^{16}O,^{17}O,^{18}O]phosphate monoesters, 245–6
A synthetic phosphinate–phosphonate liponucleotide analog, 976–8
OCTACARBONYL
Synthesis and molecular structure of mixed–valence compounds of rhenium obtained by diiodine oxidation of rhenium(I) carbonyl complexes; x–ray crystal structure of $Re_3I_6(CO)_6$, 893–4
OCTADECYLDIMETHYLAMMONIUM
Use of synthetic surfactant vesicles as electron storage systems, 183–4
OCTAETHYLPORPHYRIN
Radical–like reactivity of rhodium(II) octaethylporphyrin dimer with trimethyl phosphite, 475–6
OCTAHEDRAL
A novel paramagnetic octahedral iron cluster: synthesis and x–ray structural characterization of hexakis(triethylphosphine)–μ_3–octasulfurhexairon tetraphenylborate, 640–1
New octahedral, asymmetric iron carbonyl complexes, 1071–2
OCTANE
Mode of enzymic oxygenation at primary carbon atoms: stereochemistry of hydroxylation of C–1 chiral octanes by Pseudomonas oleovorans, 76–8
The reaction of trichlorosilyl radicals with cyclohexyl octyl ether. An S_H2 reaction at an ether oxygen atom, 956–7
Mode of mammalian oxygenation at primary carbon atoms: steric course of hydroxylation of C–1 chiral octanes by rat liver microsomes, 1196–7
OCTAPEPTIDE
Manipulation of the nuclear Overhauser effect by the use of a viscous solvent: the solution conformation of the antibiotic echinomycin, 165–6

OCTENE
New uses for old complexes. Hydroborations involving nitrogen and phosphorus complexes of borane, 1014–15
OCTYL
The reaction of trichlorosilyl radicals with cyclohexyl octyl ether. An S_H2 reaction at an ether oxygen atom, 956–7
OCTYLOXYCYCLOHEXANE
The reaction of trichlorosilyl radicals with cyclohexyl octyl ether. An S_H2 reaction at an ether oxygen atom, 956–7
OCTYLOXYTRIMETHYLSILANE
The reaction of trichlorosilyl radicals with cyclohexyl octyl ether. An S_H2 reaction at an ether oxygen atom, 956–7
OLEATE
Cometathesis of methyl oleate and ethylene; a direct route to methyl dec–9–enoate, 1132–3
OLEFIN
Active metals from potassium–graphite. Palladium–graphite–catalyzed vinylic substitution reactions, 541–2
Hydrogenation of alkynes with water and a titanium(II) complex, 665–6
Amidomercuration: a new and regiospecific addition of amides to olefins, 670–1
N,N–diacyl arylsulfenamides as an unambiguous and convenient source of arylsulfenium ions, 704–5
Molecular complexes for efficient metathesis of olefins. The oxo–ligand as catalyst–cocatalyst bridge and the nature of the active species, 1039–40
Role of dioxygen as an activator in olefin metathesis, 1062–4
Stereochemistry of the nickel–catalyzed hydrocyanation of olefins, 1098–9
Synthesis of light olefins from carbon monoxide and hydrogen over highly dispersed ruthenium/potassium–alumina derived from triruthenium dodecacarbonyl, 1114–15
Selective bond cleavage in the iron(III) chloride–catalyzed photooxidation of olefins, 1116–17
Sulfonamidomercuration: a new method for amination of olefins, 1178–9
OLIGOETHYLENE
Intramolecular bromoalkoxylation: synthesis of 2–bromomethyl–2–methyl crown ethers, 219
Facile synthesis of monoaza crown ethers, 471–2
OLIGOMERIC
Structures of dimeric, trimeric, and tetrameric procyanidins from Areca catechu L, 781–3
OLIGOMERIZATION
Synthesis of (η^3–allyl)(η^4–cycloocta–1,5–diene)nickel cations: valuable catalysts for the oligomerization of alkenes, 49–50
OLIGOSACCHARIDE
Enhanced intramolecular excimer formation of guest molecules included in the cavity of γ–cyclodextrin, 758–9
OLIVACINE
New synthesis of olivacine via a heteroarylation reaction, 44–6
OLIVANATE
Reaction of olivanic acids with hypobromous acid: the preparation and use of a versatile intermediate, the C–3 thiol, 803–5
OOSPORA
Deuterium NMR determination of the stereochemistry of an allylic displacement in the biosynthesis of virescenol B, 280–2
OPTICAL
Optical resolution of mutagenic and carcinogenic derivatives of polyaromatic hydrocarbons by high pressure liquid chromatography on a chiral support, 75–6
Optical stability of carbanions derived from sulfoximides and sulfilimines, 1005–6
OPTICALLY
Alkaloid–catalyzed asymmetric addition of thiocarboxylic S–acids to cyclohex–2–en–1–ones. Absolute configuration of the adducts by O,S–dibenzoate Cotton effect, 307–8
Use of carbohydrates in the preparation of optically active sulfoxides, 505–6
ORANGE
Comparison of results obtained in kinetic studies of the interaction between cationic dyes and sodium carboxymethylcellulose using the Joule–heating temperature–jump and laser temperature–jump methods, 386–7
ORDER
Direct and indirect tin–hydrogen coupling constants in methyltin trichloride and trimethyltin chloride partially oriented in nematic phases determined by the dilution–spinning method, 35–6
ORDERING
Does the mode of preparation of an aluminosilicate influence the short–range silicon/aluminum ordering?, 678–9
Ordering of silicon and aluminum ions in the framework of NaX zeolites. A solid–state high–resolution silicon–29 NMR study, 712–13
Hydrogen ordering effects in $DUO_2AsO_4.4D_2O$, 784–6
ORGANO
Catalytic activity of supported f–element organometallic complexes 257–8
Electron–induced nucleophilic substitution reactions in organometallic systems, 265–6
ORGANOACTINOID
Catalytic activity of supported f–element organometallic complexes 257–8
ORGANOBORANE
New method for radioiodinating organic compounds via organoborane reactions, 1011
ORGANOBORATION
Unexpected products from the reaction of alkynylstannanes with 9–borabicyclo[3.3.1]nonane, 1093–4
ORGANOCHROMIUM
Electron spin resonance investigation of the thermolysis, photolysis, and oxygenation of bi– and trimetallic organochromium complexes, 531–2
ORGANOCOBALT
Electron–induced nucleophilic substitution reactions in organometallic systems, 265–6
ORGANOGADOLINIUM
New organometallic reagents for electron microscopy, 1083–4
ORGANOIRON
Electron–induced nucleophilic substitution reactions in organometallic systems, 265–6
Reactions of alkynes with bridging alkylidyne ligands in metal complexes: x–ray crystal structures of [FeW[μ_2–C(C_6H_4Me–4)C(Me)C(Me)]($CO)_5$(η–C_5H_5)] and (Fe_2W(μ_3–CC_6H_4Me–4)(μ_2–$Me_3SiC_2SiMe_3$)(μ–CO)($CO)_6$(η–C_5H_5)], 867–8
ORGANOLITHIUM
The relationship between the energies of carbanions, R^-, and their lithiated counterparts, RLi. An ab initio study, 882–4
The reactions of silyl nitronates with organolithium reagents, 952–3
ORGANOMETAL
Role of dioxygen as an activator in olefin metathesis, 1062–4
ORGANOMETALLIC
Direct and indirect tin–hydrogen coupling constants in methyltin trichloride and trimethyltin chloride partially oriented in nematic phases determined by the dilution–spinning method, 35–6
Photoinduced hydrogen–deuterium exchange between aromatic and aliphatic hydrocarbon systems catalyzed by [Mo(η–C_5H_5)(Me_2P–$CH_2CH_2PMe_2$)H_3], 186–7
ORGANOPHOSPHINONICKEL
Facile lithiation of coordinated trimethylphosphines in bis–(2,6–dimethoxyphenyl)nickel(II) complexes, 680–1
ORGANOPLATINUM
Mechanisms of reactions between organotin compounds and platinum complexes, 55–6
Photoassisted isomerization of olefins by platinum complexes, 542–3
ORGANOSILANE
Ruthenium metal–catalyzed deuterium exchange between organosilanes and perdeuteriobenzene, 844–5
ORGANOSILICON
Rate–determining ionization in methanolysis of an organosilicon halide, 63–4
Photoinduced reactions of an organosilicon iodide, 175–6
ORGANOTIN
Mechanisms of reactions between organotin compounds and platinum complexes, 55–6
Triorganotin hydride reduction of 6β–isothiocyanatopenicillanates: a radical–induced sulfur–C(2) bond cleavage, 901–2
ORGANOTUNGSTEN
Molecular complexes for efficient metathesis of olefins. The oxo–ligand as catalyst–cocatalyst bridge and the nature of the active species, 1039–40
ORIGIN
Does the mode of preparation of an aluminosilicate influence the short–range silicon/aluminum ordering?, 678–9
ORTHO
Dimetalation of phenylacetylene. Selective ortho substitution, 366–7

ORTHOMETALATION
Dimetalation of phenylacetylene. Selective ortho substitution, 366–7
ORTHOTELLURATE
The solvolysis of orthotelluric acid in hydrogen fluoride, 841–2
OSMIUM
Products of the reaction of carbon monoxide with octadecacarbonylhexaosmium; x-ray crystal structure of nonadecacarbonylpentaosmium, 273–4
Carbon-13 NMR spectra of highly ^{13}CO-enriched metal carbonyls: observation of $^2J_{CC}$ cis coupling constants, 300–2
Synthesis, dynamic behavior, and molecular structures of μ-methylene platinumtriosmium complexes: x-ray crystal structures of two isomers of $[Os_3Pt(\mu\text{-}H)_2(\mu\text{-}CH_2)(CO)_{10}(P(C_6H_{11})_3)]$, 689–91
Charge-transfer luminescence from mixed ligand, 2,2',2"-terpyridine–phosphine, complexes of osmium(II), 793–5
Two-electron addition reactions and reversible carbonylation of an unsaturated pentanuclear osmium complex; x-ray crystal structure of $[Os_5(CO)_{13}H(PhNC_6H_4N)(PEt_3)]$, 801–3
Internuclear exchange of carbonyl groups in dodecacarbonyltriosmium: coupling constants J(osmium–187–carbon-13) in trinuclear osmium carbonyls, 853–5
Reaction of $[Os_5(CO)_{15}H_2]$ with acetylenes; x-ray crystal structures of $[Os_5(CO)_{15}H_2(CCPh)]$ and $[Os_5(CO)_{13}(PhCCPh)_2]$, 886–8
Synthesis and crystal structure of a new mixed-metal cluster, $(\eta\text{-}C_5H_5)_3Ni_3Os_3(CO)_9$. An example of a high yield pyrolytic synthesis, 995–6
Reversible osmium–osmium bond breaking in the high nuclearity carbido-dianion $[Os_{10}C(CO)_{24}]^{2-}$ on reaction with halogens: x-ray structure analysis of $[(Ph_3P)_2N][Os_{10}C(CO)_{24}I]$ and $Os_{10}C(CO)_{24}I_2$, 1009–11
Polynuclear tungsten–iron, –ruthenium, and –osmium carbonyl complexes: crystal structures of $[FeW_2(\mu_3\text{-}C_2R_2)(CO)_6(\eta\text{-}C_5H_5)_2]$, $[OsW_2(\mu_3\text{-}C_2R_2)(CO)_7(\eta\text{-}C_5H_5)_2]$ (two isomers), and $[Os_3W(\mu_3\text{-}CR)(CO)_{11}(\eta\text{-}C_5H_5)]$ (R = C_6H_4Me-4), 1101–3
A new class of diosmium(IV) complexes containing both oxide and carboxylate bridges, 1120–1
Acetato-complexes of osmium(II, III, and IV), 1164–5
OSMIUMGOLD
Synthesis and x-ray crystal and molecular structure of the mixed metal cluster hexaosmiumeicosacarbonyldihydridoaurate(1–), 753–5
OVERHAUSER
Manipulation of the nuclear Overhauser effect by the use of a viscous solvent: the solution conformation of the antibiotic echinomycin, 165–6
Direct proton NMR observation of the cell-free conversion of δ-(L-α-aminoadipyl)-L-cysteinyl-D-valine and δ-(L-α-aminoadipyl)-L-cysteinyl-D-(–)-isoleucine into penicillins, 917–19
OXAAZABICYCLOHEPTANECARBOXYLATE
Wittig reactions with β-lactam carbonyls: a convenient means of protection. X-ray crystal structure of p-nitrobenzyl-(2R,5R)-Z-7-methoxycarbonylmethylene-Z-3-(β-phthalimidoethylidene)-4-oxa-1-azabicyclo[3.2.0]heptane-2-carboxylate, 929–30
OXAAZABICYCLOHEPTENECARBOXYLATE
Synthesis of ethyl 3-methyl-7-oxo-4-oxa-1-azabicyclo[3.2.0]hept-2-ene-2-carboxylate and the reaction of 4-acetoxyazetidin-2-one with ethyl α-diazoacetoacetate, 642–3
OXAAZAMACROCYCLE
Symmetry and selectivity in the formation of inclusion complexes by macrotricyclic hosts, 990–2
OXABICYCLOHEPTANE
Regiospecific cycloaddition of 1-substituted isobenzofurans to quinone acetals, 942–3
OXABICYCLOHEPTENONE
Photoinduced 1,5-acyl shift of 3-acylated 3-methyloxepin-2(3H)-ones, 1163–4
OXADIAZOLIDINYL
ESR spectra of cyclic oxyamidyls, 253–4
OXALATE
Alkene formation in the cathodic reduction of oxalates, 134–6
Matrix isolation studies on the lithium-induced reductive coupling of carbon dioxide, 1258–60
OXAPORPHINIUM
4,5,6,6a-Tetradehydro-N-methyl-7-oxoaporphinium salts, 1118–19
OXAPROLINE
Asymmetric synthesis of a new proline analog, 97–8
OXATHIAZOLE
Silyl thioketones and silylated thiiranes, 822–3
OXATHIOLANE
1,2-Oxathiolane, a simple sultene, 741–2
1,2-Oxathiolane, 742–3
OXATRICYCLOOCTENE
Synthesis of oxetanes by photocycloaddition of aromatic aldehydes to hexamethyl(Dewar benzene), 950–1
OXAZAPHOSPHOLE
A new reaction of pentacoordinate phosphorus derivatives: the formation of phosphinates from an oxazaphosph(V)ole and carbonyl compounds, 1054–5
OXAZINE
Photolysis of 2-azidopyridine 1-oxides. A convenient synthesis of 1,2-oxazines, 36–7
A new route to 3-alkoxypyridine 1-oxides, 696–8
OXAZINOAZEPINONE
Pyrolysis of phenylalklysulfonyl azides and 2-phenethyl azidoformate. Selectivity of sulfonylnitrenes and contrast between sulfonyl- and carbonylnitrenes, 1087–8
OXAZOLIDINONE
Reactions of amide anions with α-bromo amides, 416–17
Pyrolysis of phenylalklysulfonyl azides and 2-phenethyl azidoformate. Selectivity of sulfonylnitrenes and contrast between sulfonyl- and carbonylnitrenes, 1087–8
OXAZOLONE
Reaction of N-tert-butoxycarbonylamino acid anhydrides with tertiary amines and carbodiimides. New precursors for 2-tert-butoxyoxazol-5(4H)-one and N-acylureas, 1225–7
OXEPINOINDOLONE
Efficient syntheses of 'ellipticine quinone' and the other three isomeric 5H-pyrido[x,y-b]carbazole-5,11(6H)-diones, 994–5
OXEPINONE
Photoinduced 1,5-acyl shift of 3-acylated 3-methyloxepin-2(3H)-ones, 1163–4
OXIDANT
Interaction of monooxygen donors with porphinatoiron(III) complexes bearing electron-releasing meso-substituents, 293–5
OXIDASE
Oxygenation reactions of cytochrome oxidase models. Evidence for hematin formation in mononuclear and heterobinuclear complexes, 799–80
OXIDATIVE
Intermolecular cobalt-mediated [2+2+2]cycloadditions: regiospecific one-step construction of bicyclic dienes from α,ω-enynes and alkynes, 53–5
General synthesis of imidazole C-nucleosides from carbohydrate adducts of diaminomaleonitrile, 110–12
$(C_5Me_5)_2UCl$.tetrahydrofuran. Oxidative-addition and related reactions, 232–4
Preparation of nitroalkenes from the corresponding nitroalkanes, 261–2
Syntheses of naphtho[2,3-c]pyran-5,10-quinones using ceric ammonium nitrate, 534–5
Selenoxide fragmentation leading to allylic amides, 546–7
Synthesis of α-functionalized-alkylplatinum(II) complexes by oxidative addition of geminal dihalides to platinum(0) substrates: x-ray structure of cis-[iodo(iodomethyl)bis(triphenylphosphine)-platinum], 698–9
Synthesis of γ-oxyprotoporphyrin IX and pterobiline (biliverdin IXγ), 763–4
Preparation, purification, and x-ray crystal structure of a dimeric manganese(IV) porphyrin complex, 765–6
A novel oxidative insertion of a metal center into a degraded closo-borane cluster; crystal and molecular structure of a ten-vertex iso-nido iridacarbadecaborane, 933–4
OXIDE
Synthesis and structural characterization of a novel paramagnetic trigonal bipyramidal cluster, $(\eta^5\text{-}C_5H_5)_5V_5O_6$, 28–9
Photolysis of 2-azidopyridine 1-oxides. A convenient synthesis of 1,2-oxazines, 36–7
Electrochemical reduction of 1,2-diphenylthiiren dioxide and monoxide, 120–1
Gas phase fluorination of carbon dioxide by sulfur hexafluoride, 247–8
Organotellurium chemistry. The telluroxide elimination reaction, 277–8
Four-membered ring adducts from $2\pi + 2\pi$ cycloaddition of ketenimines to sulfur dioxide. Isolation of 1,2-thiazetidin-3-one

OXIDE(contd)
1–oxides, 350–2
Facile phosphorus–carbon bond cleavage in the reactions of nitrile oxides with zerovalent triphenylphosphine platinum complexes, 446–8
Syntheses of naphtho[2,3–c]pyran–5,10–quinones using ceric ammonium nitrate, 534–5
Mechanism of direct side–chain acylamination and aminoarylation of 2– and 4–picoline 1–oxides, 561–2
Partial oxidation of propene over UV–irradiated vanadium oxide supported on silica, 601–2
Enhanced catalytic activity of specially prepared ferric oxide for the isomerization of but–1–ene and cyclopropane and the dehydration of butan–2–ol, 602–3
Stable acyloxychlorophosphorane obtained from 2–(diphenylphosphinyl)benzoic acid and thionyl chloride, 622–3
X–ray crystal structure of silver oxide Ag_6O_2, 664–5
A new route to 3–alkoxypyridine 1–oxides, 696–8
Arsenic pentafluoride radical anion intermediate in the charge–transfer interaction with donors, 701–2
Volcano–shaped relation between heats of oxide formation of metals and coal–liquefaction activities of liquid–metal catalysts, 721–2
Thermal racemization of a chiral arene oxide metabolite: chrysene 3,4–oxide, 838–9
General synthetic approach to the quinolizidine alkaloids via a [2+3]–cycloaddition, 940–2
Ruthenium dioxide hydrate; is it a redox catalyst?, 948–50
A monocyclic phosphorane oxide anion and the extraordinary reactivity of its tautomeric phosphine oxide alkoxide, 981–2
Role of excess of molybdenum trioxide in ferric oxide–molybdenum trioxide methanol oxidation catalysts studied by x–ray photoelectron spectroscopy, 1018–19
Change of thermal desorption behavior of adsorbed oxygen with water coadsorption on silver(1+)–doped tin(IV) oxide, 1047–9
Role of a copper complex in an oxygen atom transfer reaction from dioxygen to triphenylphosphine, 1109–10
Cycloadditions of nitrile oxides to compounds containing two–coordinate phosphorus or arsenic. Kinetic and thermodynamic regioselectivity, 1131–2
OXIDN
Synthesis of asymmetrically–substituted cyclopentane derivatives from acyclic sugars, 88–90
Mechanistic investigations into the photochemical oxidation of thioketones, 112–14
S_H2 reactions of diphenyl diselenide; preparation and reactions of bridgehead selenides, 139–40
Intramolecular reactions of N–nitrenes: oxidation of 3–amino–2–(arylalkyl)quinazolones, 160–2
Alkylation of lithium trialkylalkynylborates with benzo–1,3–dithiolium fluoroborate, 164–5
Perfluoro(tetramethylene)sulfilimine and its N–chloro– and N–bromo–derivatives. Perfluoro(tetramethylene)sulfoximine and its N–chloro–derivative, 242–3
Anodic oxidation of vinyl sulfides. A convenient synthesis of α–thiolated aldehydes, 263
Preparation and characterization of novel tris–α–diimino complexes of ruthenium(0) and ruthenium(II). X–ray crystal and molecular structure of the electron–rich complex tris–[1,2–bis–(p–methoxyphenyliminoethane)]ruthenium(0)–toluene, 266–8
Cyclopentadienylruthenium and –osmium chemistry. Cleavage of tetracyanoethylene under mild conditions. X–ray crystal structures of $[Ru(\eta^3\text{–}C(CN)_2CPhC{=}C(CN)_2)(PPh_3)(\eta\text{–}C_5H_5)]$ and $[Ru(C[{=}C(CN)_2]CPh{=}C(CN)_2)(CNCMe_3)(PPh_3)(\eta\text{–}C_5H_5)]$ 271–2
Interaction of monooxygen donors with porphinatoiron(III) complexes bearing electron–releasing meso–substituents, 293–5
Synthesis, characterization, and chemical transformation of diiminosuccinonitrile cobalt complexes: x–ray crystal structure of cyanobis(diiminosuccinonitrile)cobalt, 329–30
Reactions of ketones with molybdenum nitrosyl complexes: x–ray crystal structures of $[(Mo(HB(3,5\text{–}Me_2C_3HN_2)_3)(NO)I)_2O]$, a complex having a bent Mo–O–Mo bond, and of a bicyclic salt, $[C_6H_3Me_5N_2(OH)][I_{1\cdot2}(I_3)_{1\cdot2}]$, 348–50
Oxidation of nitrobenzofuroxans, 365–6
The autoxidation of a chromium(II) porphyrin. Synthesis and structural characterization by x–ray crystallography of αβγδ–tetraphenylporphinatooxochromium(IV), 370–1
Detection of a metalo intermediate and geometrical isomerizations in an oxidative cyclization of a heterocyclic hydrazone with mercury(II) acetate, 376–7
Flavin plus 5–deazaflavin as a turnover oxidation system. Model for the electron bridge from NAD+ to flavin, 391–2
Visible light–induced oxidation of water and of chloride ions in photoelectrochemical cells, 437–40
Mechanism of the Cope rearrangement of acyclic 1,5–dienes and of the Wacker oxidation of alk–1–enes catalyzed by palladium complexes, 456–7
Oxidations of cyclopropane, methylcyclopropane, and arenes with the monooxygenase system from Methylococcus capsulatus, 482–3
Regio– and stereospecific allylic oxidation of germacrane–type sesquiterpene lactones with selenium dioxide and tert–butyl hydroperoxide, 483–5
Oxidation of 1,1–disubstituted hydrazines to tetrazenes with benzeneseleninic acid, 530–1
Syntheses of naphtho[2,3–c]pyran–5,10–quinones using ceric ammonium nitrate, 534–5
Selenoxide fragmentation leading to allylic amides, 546–7
Partial oxidation of propene over UV–irradiated vanadium oxide supported on silica, 601–2
Oxidation of thioketens by singlet oxygen and ozone, 638–9
Experimental evidence for a phenyl cation intermediate in the solvolysis reactions of dienynyl trifluoromethanesulfonates, 713–14
Synthesis of a new Weitz–type organosulfur π–donor: 1,2–bis(thioxanthen–9–ylidene)ethene, 717–18
Reaction of N,N'–ethylenebis(thiosalicylideneiminato)iron(II) with dioxygen. Formation of a μ–peroxo–intermediate and isolation of a μ–oxo complex with the unusual S = 1/2 spin state, 726–8
Oxygenation of 3–hydroxyflavones by superoxide anion, 745
Oxygenaion reactions of cytochrome oxidase models. Evidence for hematin formation in mononuclear and heterobinuclear complexes, 799–80
Manganese porphyrin–catalyzed oxidation of olefins to ketones by molecular oxygen, 874–5
Synthesis and structure of a chiral sulfinamidocobalt(III) complex derived from (R)–cysteine, 875–7
Synthesis and molecular structure of mixed–valence compounds of rhenium obtained by diiodine oxidation of rhenium(I) carbonyl complexes; x–ray crystal structure of $Re_3I_6(CO)_6$, 893–4
Ruthenium–catalyzed oxidation of allyl alcohols by molecular oxygen, 907–8
Total synthesis of (S)–(+)–solanone, 951–2
Redox chemistry of ruthenium porphyrins: evidence for internal electron transfer and the characterization of [Ru(III)(OEP+·)] species, 982–3
Role of excess of molybdenum trioxide in ferric oxide–molybdenum trioxide methanol oxidation catalysts studied by x–ray photoelectron spectroscopy, 1018–19
Photochemical oxidation of nitrobenzyl alcohols in aqueous solution, 1023–4
Photooxidation of water on the surface of hectorite using trans–diaquabis(2,2'–bipyridine)ruthenium(2+) as catalyst, 1026–7
Zeolite–catalyzed oxidation of carbon monoxide at unusually low temperatures, 1064–5
Redox properties and stability constants of anion complexes. An electrochemical study of the complexation of metal hexacyanide anions by polyammonium macrocyclic receptor molecules, 1067–9
Photooxidation of 1,3–dimethylpyrazolo[1,2–a]benzotriazole, 1089–91
Role of a copper complex in an oxygen atom transfer reaction from dioxygen to triphenylphosphine, 1109–10
Selective bond cleavage in the iron(III) chloride–catalyzed photooxidation of olefins, 1116–17
Synthesis of ketones and tertiary alcohols from trialkylboranes. Use of lithium tris(phenylthio)methanide, 1149–50
ESR evidence for chromium(V) porphyrinates, 1165–6
A new synthetic route to perfluoroalkylphosphonates involving facile formation of the CF–P linkage, 1173–4
1,2,3–Triazine, 1174
Oxidative aminomercuration of prop–2–ynol. Syntheses of substituted propane–1,2–diimines and 2–aminopropionamidines, 1181–2
The oxidation of the trisulfur trinitride anion $S_3N_3^-$ by molecular oxygen: preparation and the crystal and molecular structure of $[(Ph_3P)_2N]^+[S_2N_3O]^-$, 1214–15

OXIDN(contd)
Penicillin biosynthesis: a model for the oxidative cyclization of a peptide to a β–lactam, 1219–21
4–Tricyclyliodonium bis(m–chlorobenzoate): a stable aliphatic trivalent iodine diester, 1250–1
Liquid phase oxidation of cycloolefins by a palladium sulfate–heteropolyacid catalyst system, 1274–5
OXIDOANILINIUM
The role of cyclohexadienones in the thermal sigmatropic rearrangements of 2–oxidoanilinium ylides, 573–5
OXIME
Cationic cyclization reactions of 6–methylhept–5–en–2–one oxime; x–ray crystal structure of 3–isopropylidene–2–methyl–Δ^1–pyrroline, 568–9
A new route to 3–alkoxypyridine 1–oxides, 696–8
The reactions of silyl nitronates with organolithium reagents, 952–3
OXO
Crystal and molecular structure of $[W(NPh)(\mu\text{–}O)Me_2(PMe_3)]_3$; a trimeric oxo–bridged imido complex of tungsten(VI), 103–4
The stereochemistry of 2–substituted–2–oxo–4,5–diphenyl–1,3,2–dioxaphospholanes and the related chiral [^{16}O,^{17}O,^{18}O]phosphate monoesters, 245–6
ESR spectra of cyclic oxyamidyls, 253–4
Reactions of ketones with molybdenum nitrosyl complexes: x–ray crystal structures of $[(Mo(HB(3,5\text{–}Me_2C_3HN_2)_3)(NO)I)_2O]$, a complex having a bent Mo–O–Mo bond, and of a bicyclic salt, $[C_6H_3Me_5N_2(OH)][I_{1\cdot2}(I_3)_{1\cdot2}]$, 348–50
The autoxidation of a chromium(II) porphyrin. Synthesis and structural characterization by x–ray crystallography of $\alpha\beta\gamma\delta$–tetraphenylporphinatooxochromium(IV), 370–1
The nonplanarity of the ring atoms in 2–oxotetrahydrothiophene, 577–8
Synthesis of ethyl 3–methyl–7–oxo–4–oxa–1–azabicyclo[3.2.0]hept–2–ene–2–carboxylate and the reaction of 4–acetoxyazetidin–2–one with ethyl α–diazoacetoacetate, 642–3
Preparation, purification, and x–ray crystal structure of a dimeric manganese(IV) porphyrin complex, 765–6
Direct proton NMR observation of the cell–free conversion of δ–(L–α–aminoadipyl)–L–cysteinyl–D–valine and δ–(L–α–aminoadipyl)–L–cysteinyl–D–(–)–isoleucine into penicillins, 917–19
Synthesis of potassium 3–methyl–9–oxo–1,4–diazatricyclo[5.2.0.$0^{4,6}$]non–2–ene–2–carboxylate, 947–8
Molecular complexes for efficient metathesis of olefins. The oxo–ligand as catalyst–cocatalyst bridge and the nature of the active species, 1039–40
Surprising reactivity of very crowded phosphinic derivatives, 1197–8
Conversion of a protopine into an indenobenzazepine. Stereoselective formation of cis– and trans–b/c fused indenobenzazepines, 1246–8
Azepenems: synthesis of 4–substituted 7–oxo–1,4–diazabicyclo[3.2.0]hept–2–ene carboxylates, 1269–71
OXOAZACYCLOTETRADECANATONICKEL
N– and C–methylation of 5,7–dioxo–1,4,8,11–tetraazacyclotetradecanatonickel(II), 158–9
OXOAZETIDINYLOXOBUTYRATE
Synthesis of ethyl 3–methyl–7–oxo–4–oxa–1–azabicyclo[3.2.0]hept–2–ene–2–carboxylate and the reaction of 4–acetoxyazetidin–2–one with ethyl α–diazoacetoacetate, 642–3
OXOAZIRIDINE
Conversion of a protopine into an indenobenzazepine. Stereoselective formation of cis– and trans–b/c fused indenobenzazepines, 1246–8
OXOBISAZIDOPHENYLPORPHYRIN
Preparation, purification, and x–ray crystal structure of a dimeric manganese(IV) porphyrin complex, 765–6
OXOBISAZIDOPHENYLPORPHYRINATOMANGANESE
Preparation, purification, and x–ray crystal structure of a dimeric manganese(IV) porphyrin complex, 765–6
OXOBISDICYCLOPENTADIENYLALKENYLTITANIUM
Hydrogenation of alkynes with water and a titanium(II) complex, 665–6
OXOBISMOLYBDENUM
Synthesis and x–ray structural characterization of $[Mo_2O(S_2CNEt_2)_6]BF_4$, a μ–oxo–bridged mixed oxidation state complex of molybdenum, 1262–3
OXOBUTENYLIDENE
New synthesis of 6–alkylpenicillanic acid derivatives, 10–11
OXOBUTENYLIDENEPENICILLANATE
New synthesis of 6–alkylpenicillanic acid derivatives, 10–11
OXOBUTYL
Enantioselective synthesis of the gibbane framework, 635–7
OXOBUTYLPENICILLANATE
New synthesis of 6–alkylpenicillanic acid derivatives, 10–11
OXOBUTYLPROPYNYLBENZOCYCLOPENTENEDIONE
Enantioselective synthesis of the gibbane framework, 635–7
OXOCHROMIUM
The autoxidation of a chromium(II) porphyrin. Synthesis and structural characterization by x–ray crystallography of $\alpha\beta\gamma\delta$–tetraphenylporphinatooxochromium(IV), 370–1
OXODIAZABICYCLOHEPTANE
Novel synthesis of the 7–oxo–1,3–diazabicyclo[3.2.0]heptane and 8–oxo–1,3–diazabicyclo[4.2.0]octane ring systems, 946–7
OXODIAZABICYCLOHEPTENECARBOXYLATE
Azepenems: synthesis of 4–substituted 7–oxo–1,4–diazabicyclo[3.2.0]hept–2–ene carboxylates, 1269–71
OXODIAZABICYCLOOCTANE
Novel synthesis of the 7–oxo–1,3–diazabicyclo[3.2.0]heptane and 8–oxo–1,3–diazabicyclo[4.2.0]octane ring systems, 946–7
OXOETHYLENEBISTHIOSALICYLIDENEIMINATO
Reaction of N,N'–ethylenebis(thiosalicylideneiminato)iron(II) with dioxygen. Formation of a μ–peroxo–intermediate and isolation of a μ–oxo complex with the unusual S = 1/2 spin state, 726–8
OXOETHYLENEBISTHIOSALICYLIDENEIMINATOIRON
Reaction of N,N'–ethylenebis(thiosalicylideneiminato)iron(II) with dioxygen. Formation of a μ–peroxo–intermediate and isolation of a μ–oxo complex with the unusual S = 1/2 spin state, 726–8
OXOISOXAZOLIDINYL
ESR spectra of cyclic oxyamidyls, 253–4
OXOMETHYLOCTADECANOATE
Conversion of linoleic and latex furanoid acid to fish C_{18} dimethyl furanoid isomers, 1110–11
OXONINE
Photoreduction of 3,7–diaminophenoxazinylium chloride ('oxonine') by iron(II). A model system for singlet–state driven photogalvanic cells, 497–9
OXOOXADIAZOLIDINYL
ESR spectra of cyclic oxyamidyls, 253–4
OXOPHENYLINDOLYLPHENYLINDOLE
Ipso–substitution reactions of 3–substituted indoles with benzoyl tert–butyl nitroxide, 694–5
OXOPYRAZOLYLBORATOMOLYBDENUM
Reactions of ketones with molybdenum nitrosyl complexes: x–ray crystal structures of $[(Mo(HB(3,5\text{–}Me_2C_3HN_2)_3)(NO)I)_2O]$, a complex having a bent Mo–O–Mo bond, and of a bicyclic salt, $[C_6H_3Me_5N_2(OH)][I_{1\cdot2}(I_3)_{1\cdot2}]$, 348–50
OXOTHIOPHENE
The nonplanarity of the ring atoms in 2–oxotetrahydrothiophene, 577–8
OXOTUNGSTEN
Molecular complexes for efficient metathesis of olefins. The oxo–ligand as catalyst–cocatalyst bridge and the nature of the active species, 1039–40
OXOVANADIUM
Deoxovanadium(IV) complexes of the dibenzotetramethyltetraaza–[14]annulene ligand: formation of products containing thioxo–, μ–nitrido–, and oxidatively coupled ligands, 910–11
OXYAMIDYL
ESR spectra of cyclic oxyamidyls, 253–4
OXYCHLORIDE
Intercalation of tetrathiafulvalene into iron oxychloride, 382–3
OXYDIPHOSPHORANE
A rigid double spirocyclic λ^5P–O–λ^5P oxydiphosphorane with a boat–shaped six–membered ring; x–ray crystal structure, 810–12
OXYGEN
Kinetics of addition of 2–methyl–2–silapropene to hydrogen chloride, hydrogen bromide, and oxygen, 52–3
Manganese 4,4',4'',4'''–tetrasulfonated phthalocyanine, its dioxygen adduct, and ESR evidence for intramolecular electron transfer in solution, 98–9
X–ray structure of the reversible dioxygen adduct of [N,N'–(3,3'–dipropylmethylamine)bis(salicylideneaminato)cobalt(II)]: unusual presence of both dioxygenated and nondioxygenated complex molecules in the crystal, 196–8
Oxygen–18 exchange of μ–peroxodicobalt(III) complexes, 469–71

OXYGEN(contd)
Diastereomeric differentiation of sulfone oxygens by oxygen–17 NMR spectroscopy, 479–80
Isotope shifts in carbon–13 NMR spectra of oxygen–18–labeled acetals: multiple labeling effects at β–carbons, 501–2
Oxidation of thioketens by singlet oxygen and ozone, 638–9
Palladium–mediated transfer of oxygen from carbonate ion to an organic ligand, 661–2
Regiospecific addition of 1,1–dimethylsilaethene to a silicon–oxygen bond, 806–7
Activation of oxygen by a binuclear copper(I) compound. Hydroxylation of a new xylyl binucleating ligand to produce a phenoxy–bridged binuclear copper(II) complex; x–ray crystal structure of $[Cu_2(OC_6H_3[CH_2N(CH_2CH_2py)_2]_2–2,6)(OMe)]$ (py = 2–pyridyl), 881–2
Oxygen atom transfer from iodylbenzene to diphenyl diselenide: a convenient method for dehydrogenation of steroidal 3–ketones, 1044–5
Change of thermal desorption behavior of adsorbed oxygen with water coadsorption on silver(1+)–doped tin(IV) oxide, 1047–9
Accumulation of potassium oxide on carbon and enhancement of catalytic activity for isomerization by dioxygen, 1061–2
Role of dioxygen as an activator in olefin metathesis, 1062–4
Role of a copper complex in an oxygen atom transfer reaction from dioxygen to triphenylphosphine, 1109–10
On anchimerically assisted homolysis via sulfide functions, 1238–9
OXYGENATION
Electron spin resonance investigation of the thermolysis, photolysis, and oxygenation of bi– and trimetallic organochromium complexes, 531–2
Preparation of conjugated carbonyl compounds by photolysis of η^3–allylpalladium complexes, 668–9
Dye–sensitized photooxygenation of tryptophan to give N'–formylkynurenine, 855–6
Potassium tert–butoxide–catalyzed oxygenation of an α–tocopherol model compound, 2,2,5,7,8–pentamethylchroman–6–ol, 1267–8
OXYMYOGLOBIN
Histidine H–2 NMR resonances of sperm whale oxy–, carbonyl–, and metmyoglobin, 208–9
OXYPROTOPORPHYRIN IX
Synthesis of γ–oxyprotoporphyrin IX and pterobiline (biliverdin IXγ), 763–4
OXYPROTOPORPHYRINATOIRON
Synthesis of γ–oxyprotoporphyrin IX and pterobiline (biliverdin IXγ), 763–4
OXYTRITHIATRIAZINE
The oxidation of the trisulfur trinitride anion $S_3N_3^-$ by molecular oxygen: preparation and the crystal and molecular structure of $[(Ph_3P)_2N]^+[S_2N_3O]^-$, 1214–15
OZONATION
Ozonation in alkaloid chemistry: a mild and selective conversion of vincadifformine into vincamine, 908–9
OZONE
Oxidation of thioketens by singlet oxygen and ozone, 638–9
OZONIZATION
Ozonation in alkaloid chemistry: a mild and selective conversion of vincadifformine into vincamine, 908–9
OZONOLYSIS
A novel photochemical route to functionalized β–lactams, 880
Wittig reactions with β–lactam carbonyls: a convenient means of protection. X–ray crystal structure of p–nitrobenzyl–(2R,5R)–Z–7–methoxycarbonylmethylene–Z–3–(β–phthalimidoethylidene)–4–oxa–1–azabicyclo[3.2.0]heptane–2–carboxylate, 929–30
P1894
X–ray crystal structure of P–1894 B, a collagen proline hydroxylase inhibitor produced by Streptomyces albogriseolus subsp. No. 1894, 154–5
P450
Comparison of UV–visible spectra of iron(I)–porphyrin– and iron(II)–porphyrin(thiolato)(thiocarbonyl) and –(carbene) complexes. Relevance to ferrous cytochrome P450 complexes, 888–90
Mode of mammalian oxygenation at primary carbon atoms: steric course of hydroxylation of C–1 chiral octanes by rat liver microsomes, 1196–7
PAIR
The role of cyclohexadienones in the thermal sigmatropic rearrangements of 2–oxidoanilinium ylides, 573–5
Pressure effect on the rate of outer–sphere electron–transfer within the ion–pair between μ–ethylenediaminetetraacetatodi–μ–oxobis[oxomolybdate(v)] and μ–hyperoxobis[pentaamminecobalt(III)] ions, 1135–6
PALLADATE
Bridging by carbonyl vs. halide ligands: x–ray crystal structure of bis(tetrabutylammonium) di–μ–carbonyltetrachlorodipalladium, 1077–9
PALLADIUM
Photochemical production of hydrogen from water and nucleophilic platinum metal complexes, 58–9
Palladium–promoted 1,4–cycloamination of 1,3–dienes to pyrroles, 59–61
Isomerization and hydrogenolysis of 1,3–dioxacycloalkanes on metal catalysts, 106–8
A one–step synthesis of acridines via palladium(II)–catalyzed ring formation of allylated enaminones, 114–15
Arylation of N–acylpyrroles and –indoles with arenes and palladium acetate, 254–5
Regioselective allylation of a Grignard reagent catalyzed by phosphinenickel and –palladium complexes, 313–14
Carbonylation of organic halides in the presence of terminal acetylenes: novel acetylenic ketone synthesis, 333–4
Mechanism of the Cope rearrangement of acyclic 1,5–dienes and of the Wacker oxidation of alk–1–enes catalyzed by palladium complexes, 456–7
Active metals from potassium–graphite. Palladium–graphite as catalyst in the hydrogenation of nitro compounds, alkenes, and alkynes, 540–1
Active metals from potassium–graphite. Palladium–graphite–catalyzed vinylic substitution reactions, 541–2
Double silylation of allene and buta–1,2–diene: formation of new organosilicon compounds containing both vinylsilane and allylsilane units, 617–18
Palladium–mediated transfer of oxygen from carbonate ion to an organic ligand, 661–2
Preparation of conjugated carbonyl compounds by photolysis of η^3–allylpalladium complexes, 668–9
Electronic ligand effects in nickel alloy catalysts, 845–7
Arylation of quinones with arenes and palladium acetate, 859–60
New palladium cluster compounds. X–ray crystal structure of $Pd_{10}(CO)_{12}(PBu_3)_6$, 989–90
Palladium(II)–catalyzed isomerizations of 3–acetoxy–1,4–dienes to 1–acetoxy–2,4–dienes: stereochemical and preparative aspects, 1030–1
Ketone enolates as nucleophiles in palladium–catalyzed allylic alkylation, 1159–60
Liquid phase oxidation of cycloolefins by a palladium sulfate–heteropolyacid catalyst system, 1274–5
Trifluoromethyl Group 2B compounds: formation of mono– and bis(trifluoromethyl)platinum, –palladium, and –nickel trialkylphosphine complexes from the reaction of bis(trifluoromethyl)cadmium–glyme 1:1 compound with the diligand metal dihalides, 1282–3
Novel synthesis of σ–bonded palladium and nickel compounds by cocondensation of metal vapor with alkyl free radicals, 1283–4
PARTICIPATION
Oxidation of nitrobenzofuroxans, 365–6
Photocyclization between allyltrimethylsilane and 1,4–naphthoquinone and ring cleavage of the resulting cyclobutane assisted by the trimethylsilyl group, 460–1
Effects of neighboring hydroxy groups in metal–ammonia reductions of α,β–unsaturated carbonyl compounds, 461–3
On anchimerically assisted homolysis via sulfide functions, 1238–9
PATCHOULOL
Natural abundance carbon–13–carbon–13 coupling constants for carbon connectivity pattern determination and NMR spectral analysis: patchoulol, 999–1001
PATH
Carbon–13 and deuterium NMR studies on the biosynthesis of O–methylasparvenone, a hexaketide metabolite of Aspergillus parvulus, 239–40
PENICILLANATE
New synthesis of 6–alkylpenicillanic acid derivatives, 10–11
Triorganotin hydride reduction of 6β–isothiocyanatopenicillanates: a radical–induced sulfur–C(2) bond cleavage, 901–2
PENICILLIN
Partial elimination of valine–oxygen during penicillin biosynthesis, 650–2
The use of deuterium NMR spectroscopy and β–isotopic shifts in

PENICILLIN(contd)
the carbon–13 NMR spectrum to measure deuterium retention in the biosynthesis of the polyketide 6–methylsalicylic acid, 856–8
PENICILLINATE
Wittig reactions with β–lactam carbonyls: a convenient means of protection. X–ray crystal structure of p–nitrobenzyl–(2R,5R)–Z–7–methoxycarbonylmethylene–Z–3–(β–phthalimidoethylidene)–4–oxa–1–azabicyclo[3.2.0]heptane–2–carboxylate, 929–30
PENICILLIUM
Structure and biosynthesis of the penitrems A–F, six novel tremorgenic mycotoxins from Penicillium crustosum, 289–91
Partial elimination of valine–oxygen during penicillin biosynthesis, 650–2
PENITREM
Structure and biosynthesis of the penitrems A–F, six novel tremorgenic mycotoxins from Penicillium crustosum, 289–91
PENTABROMIDE
Variable temperature Raman spectra of phosphorus(V) chloride and bromide deposited at 15 K, 812–14
PENTACARBONYL
Associative substitution reactions of rhenium pentacarbonyl radical 1052–3
PENTACARBONYLRHENIUM
Associative substitution reactions of rhenium pentacarbonyl radical 1052–3
PENTACHLORIDE
Variable temperature Raman spectra of phosphorus(V) chloride and bromide deposited at 15 K, 812–14
PENTACYCLOPENTADECENEDIONE
Novel rearrangement to a pentacyclopentanoid (polyquinane) system, 755–6
PENTACYCLOTRIDECENE
[2+2]–Cycloaddition of a stabilized vinyl cation with cyclopentadiene: x–ray crystal structure of the 2:1 addition product, 683–4
PENTACYCLOUNDECANEDIONE
Olefin metathesis in polycyclic frames. A total synthesis of hirsutene 756–7
PENTADECACARBONYLPENTARUTHENIUM
A high–yield synthesis of pentadecacarbonylpentaruthenium carbide by the carbonylation of heptadecacarbonylhexaruthenium carbide; the x–ray structure analyses of pentadecacarbonylpentaruthenium carbide and triphenylphosphinetetradecacarbonylpentaruthenium carbide, 415–16
PENTAFLUORIDE
Arsenic pentafluoride radical anion intermediate in the charge–transfer interaction with donors, 701–2
A dynamic NMR study of the acidity of superacid media (mixtures of fluorosulfuric acid and antimony pentafluoride from 0 to 90 mol % of antimony pentafluoride, 769–71
Doping of polyacetylene films to the metallic state with xenon fluorides and iodine pentafluoride, 1288–9
PENTALENO
Acid–catalyzed intramolecular C–alkylation rearrangements of βγ–unsaturated diazomethyl ketones. A novel synthetic entry to pentaleno–annulated polycyclic systems, 746–7
PENTALENOANNULATED
Acid–catalyzed intramolecular C–alkylation rearrangements of βγ–unsaturated diazomethyl ketones. A novel synthetic entry to pentaleno–annulated polycyclic systems, 746–7
PENTAMETHYLCHROMANOL
Potassium tert–butoxide–catalyzed oxygenation of an α–tocopherol model compound, 2,2,5,7,8–pentamethylchroman–6–ol, 1267–8
PENTAMETHYLCYCLOPENTADIENYL
An iridium(V) organometallic compound; synthesis and x–ray crystal structure of tetramethyl(η^5–pentamethylcyclopentadienyl)-iridium, 808–9
cis– and trans–Dimethyl–di–μ–methylenebis(pentamethylcyclopentadienyl)dirhodium as models for Fischer–Tropsch reactions on metal surfaces, 809–10
X–ray crystal structures of bis(cyclopentadienyl)tin and bis(pentamethylcyclopentadienyl)lead, 925–7
PENTAMETHYLCYCLOPENTADIENYLLEAD
X–ray crystal structures of bis(cyclopentadienyl)tin and bis(pentamethylcyclopentadienyl)lead, 925–7
PENTANAL
Erythro–selective aldol condensation via triphenyltin enolates. Stereoselection independent of the stereochemistry of the enolates 162–3
PENTAOSMIUMTRIDECACARBONYL
Two–electron addition reactions and reversible carbonylation of an unsaturated pentanuclear osmium complex; x–ray crystal structure of $[Os_5(CO)_{13}H(PhNC_6H_4N)(PEt_3)]$, 801–3
PENTENOL
Asymmetric synthesis in the nickel complex–catalyzed formation of olefins from allyl alcohols and Grignard reagents, 681–2
PENTENONE
Structure and photochemistry of matrix–isolated monothioacetylacetone, 486–8
PENTYLIDENEPENICILLANATE
New synthesis of 6–alkylpenicillanic acid derivatives, 10–11
PEPTIDE
Fast atom bombardment of solids (F.A.B.): a new ion source for mass spectrometry, 325–7
Racemization of activated, urethane–protected amino–acids by p–dimethylaminopyridine. Significance in solid–phase peptide synthesis, 336–7
Synthesis of a tetratriacontapeptide corresponding to sequence 112–145 of the β–subunit of human chorionic gonadotropin, 357–8
New peptide antibiotics, trichopolyns I and II, from Trichoderma polysporum, 585–7
5–Nitro–3H–1,2–benzoxathiole SS–dioxide, a new reagent for coupling in peptide synthesis, 632–4
Direct proton NMR observation of the cell–free conversion of δ–(L–α–aminoadipyl)–L–cysteinyl–D–valine and δ–(L–α–aminoadipyl)–L–cysteinyl–D–(–)–isoleucine into penicillins, 917–19
Solid–phase peptide synthesis without acidolysis: the synthesis of thymosin α_1 on a new benzhydrylamine resin, 1012–13
Oxidative cleavage of peptide and protein disulfide bonds by gold(III): a mechanism for gold toxicity, 1111–14
On the proposed intermediacy of β–hydroxyvaline– and thiazepinone–containing peptides in penicillin biosynthesis, 1146–7
A physically supported gel polymer for low pressure, continuous flow solid phase reactions. Application to solid phase peptide synthesis, 1151–2
Penicillin biosynthesis: a model for the oxidative cyclization of a peptide to a β–lactam, 1219–21
Reinvestigation of the 4–methoxy–2,6–dimethylbenzenesulfonyl (Mds) protecting group for the guanidino–function during peptide synthesis, 1243–4
PERCHLORATE
Grunwald–Winstein plots exhibiting a maximum. Solvolysis of methyl perchlorate, 83–4
Nature of the tris(2,2'–bipyridyl)iridium hydrate trication. Monodentate or covalently hydrated bipyridine ligand? X–ray crystal structure of the perchlorate salt, 1284–6
PERCHLORYL
Monofluoro– and difluoromethylenebisphosphonic acids: isopolar analogs of pyrophosphoric acid, 930–2
PERFLUORO
Perfluoro(tetramethylene)sulfilimine and its N–chloro– and N–bromo–derivatives. Perfluoro(tetramethylene)sulfoximine and its N–chloro–derivative, 242–3
Perfluorotetracyclobutacyclooctatetraene; a planar eight–membered ring system; x–ray crystal structure, 526–8
PERFLUOROALKYL
A new synthetic route to perfluoroalkylphosphonates involving facile formation of the CF–P linkage, 1173–4
PERFLUOROTETRACYCLOBUTACYCLOOCTATETRAENE
Perfluorotetracyclobutacyclooctatetraene; a planar eight–membered ring system; x–ray crystal structure, 526–8
PEROXIDE
Dehydrogenation of cyclic and bicyclic secondary alkyl peroxides during flash vacuum pyrolysis, 547–9
Unusual thermal rearrangement of the endo–peroxides of 2,5–dimethylfurans, 720–1
Synthesis of a saturated lipid hydroperoxy cyclic peroxide, 766–7
Dye–sensitized photooxygenation of tryptophan to give N'–formylkynurenine, 855–6
Conversion of nonterminal alkenes into secondary alkyl tert–butyl peroxides by peroxymercuriation and reduction with tributyltin hydride, 1117–8
Hydroxylation of phenylalanine by aqueous hydrogen peroxide in the presence of an artificial water–soluble iron porphyrin complex 1206–7
PEROXO
Oxygen–18 exchange of μ–peroxodicobalt(III) complexes, 469–71

PEROXODICOBA
Oxygen–18 excha ...odicobalt(III) complexes, 469–71
PEROXOSULFU C
Oxidation of ... benzofuroxans, 365–6
PEROXY
Remote h ...oxylation of a steroid D–ring by a free–radical process 1086–7
PEROXYALKYL
Conversion of nonterminal alkenes into secondary alkyl tert–butyl peroxides by peroxymercuriation and reduction with tributyltin hydride, 1117–8
PEROXYALKYLMERCURY
Conversion of nonterminal alkenes into secondary alkyl tert–butyl peroxides by peroxymercuriation and reduction with tributyltin hydride, 1117–8
PEROXYCHOLANATE
Remote hydroxylation of a steroid D–ring by a free–radical process 1086–7
PEROXYMERCURIATION
Conversion of nonterminal alkenes into secondary alkyl tert–butyl peroxides by peroxymercuriation and reduction with tributyltin hydride, 1117–8
PEROXYPYRROLOINDOLECARBOXYLATE
Dye–sensitized photooxygenation of tryptophan to give N'–formylkynurenine, 855–6
PERSULFATE
Visible light–induced oxidation of water and of chloride ions in photoelectrochemical cells, 437–40
PGF2
Syntheses of 9α,11α–diacylamino–9,11–dideoxyprostaglandin $F_{2\alpha}$ analogs, 840–1
PGI2
Total synthesis of (±)–prostaglandin I_2 methyl ester and (±)–15–epi–prostaglandin I_2 methyl ester, 922–4
PH
A rapid porphyrin metalation, 192–4
Dye–sensitized photooxygenation of tryptophan to give N'–formylkynurenine, 855–6
PHARMACEUTICAL
Synthesis of xenon difluoride–^{18}F, a novel agent for the preparation of fluorine–18 radiopharmaceuticals, 198–9
PHASE
Direct and indirect tin–hydrogen coupling constants in methyltin trichloride and trimethyltin chloride partially oriented in nematic phases determined by the dilution–spinning method, 35–6
Vibrational spectroscopy at very high pressures. Eclipsed decacarbonyldimanganese and decacarbonyldirhenium, 226–7
Racemization of activated, urethane–protected amino–acids by p–dimethylaminopyridine. Significance in solid–phase peptide synthesis, 336–7
Solid–phase peptide synthesis without acidolysis: the synthesis of thymosin α_1 on a new benzhydrylamine resin, 1012–13
A physically supported gel polymer for low pressure, continuous flow solid phase reactions. Application to solid phase peptide synthesis, 1151–2
PHELLANDRENE
Temperature dependence of the low–frequency vibrational optical activity of α–phellandrene, 771–2
PHENANTHRENE
Cation–radical transfer: transfer efficiency in photosensitized isomerization reactions, 90–1
PHENANTHROLINE
Improvement of optical purity of metal tris(1,10–phenanthroline) chelates by use of adsorption on a colloidal clay, 539–40
Role of a copper complex in an oxygen atom transfer reaction from dioxygen to triphenylphosphine, 1109–10
Stereoselective adsorption on a clay surface modified by an optically active nickel(II) tris(1,10–phenanthroline) chelate, 1128–9
PHENANTHROLINECOPPER
Role of a copper complex in an oxygen atom transfer reaction from dioxygen to triphenylphosphine, 1109–10
PHENANTHROLINEIRON
Stereoselective adsorption on a clay surface modified by an optically active nickel(II) tris(1,10–phenanthroline) chelate, 1128–9
PHENANTHROLINENICKEL
Stereoselective adsorption on a clay surface modified by an optically active nickel(II) tris(1,10–phenanthroline) chelate, 1128–9
Partial resolution of tris(acetylacetonato)ruthenium(III) on a liquid chromatography column of Δ–tris(1,10–phenanthroline)nickel(II) montmorillonite, 1168–9
PHENETHYL
Pyrolysis of phenylalklysulfonyl azides and 2–phenethyl azidoformate. Selectivity of sulfonylnitrenes and contrast between sulfonyl– and carbonylnitrenes, 1087–8
PHENOL
Fluoride activation of nucleophilic displacement at tetrahedral phosphorus, 101–3
An abnormal dinitration product from 4,6–dibromo–2,5–dimethylphenol; x–ray crystal structure of 2,4–dibromo–6–hydroxy–3,6–dimethylcyclohex–3–enone, 225–6
The association of proteins with polyphenols, 309–11
Oxidations of cyclopropane, methylcyclopropane, and arenes with the monooxygenase system from Methylococcus capsulatus, 482–3
Proton NMR studies of the orientation of some aromatic compounds by amphiphilic molecules and its relationship to regioselectivity in substitution, 613–15
Acetylation by keten of phenols supported on solid adsorbents, 1120
PHENOXY
Synthesis of demethoxycapillarisin, a naturally occurring 2–phenoxychromone, and related compounds, 474–5
Activation of oxygen by a binuclear copper(I) compound. Hydroxylation of a new xylyl binucleating ligand to produce a phenoxy–bridged binuclear copper(II) complex; x–ray crystal structure of $[Cu_2(OC_6H_3[CH_2N(CH_2CH_2py)_2]_2–2,6)(OMe)]$ (py = 2–pyridyl), 881–2
PHENOXYCHROMONE
Synthesis of demethoxycapillarisin, a naturally occurring 2–phenoxychromone, and related compounds, 474–5
PHENYL
Desulfonylation of α–nitrosulfones with N–benzyl–1,4–dihydronicotinamide, 71–2
Alkene formation in the cathodic reduction of oxalates, 134–6
Photosensitized (electron transfer) [2e + 4e] dimerization and cross–cycloaddition of phenylated olefins: trapping the intermediate, 138–9
S_H2 reactions of diphenyl diselenide; preparation and reactions of bridgehead selenides, 139–40
Erythro–selective aldol condensation via triphenyltin enolates. Stereoselection independent of the stereochemistry of the enolates 162–3
Photolysis and thermolysis of phenyl azide in acetic acid, 202–4
Anodic oxidation of vinyl sulfides. A convenient synthesis of α–thiolated aldehydes, 263
Effective method for the asymmetric synthesis of bis–β–lactams by the cycloaddition of azidoketene to benzylideneamines bearing a chiral β–lactam backbone, 344–6
Novel syntheses of 3–methyleneazetidin–2–one derivatives and related systems, 404–5
Reactions of amide anions with α–bromo amides, 416–17
Facile phosphorus–carbon bond cleavage in the reactions of nitrile oxides with zerovalent triphenylphosphine platinum complexes, 446–8
Diastereomeric differentiation of sulfone oxygens by oxygen–17 NMR spectroscopy, 479–80
Tetraphenylbismuth monotrifluoroacetate: a new reagent for regioselective aryl ether formation, 503–4
Use of carbohydrates in the preparation of optically active sulfoxides, 505–6
A novel stereoselective route to cis olefins via addition of vinyl cuprates to α,β–unsaturated sulfones and subsequent desulfonylation, 523–4
A novel S,N–double rearrangement; x–ray crystal structure of 5–carbamoyl–4–methylthio–2–phenyl–1,3–thiazin–6–one and its 2,3–dihydro derivative, 560–1
Ipso–substitution reactions of 3–substituted indoles with benzoyl tert–butyl nitroxide, 694–5
Chemical conversions using sheet silicates: novel intermolecular eliminations of hydrogen sulfide from thiols, 695–6
Preparation, purification, and x–ray crystal structure of a dimeric manganese(IV) porphyrin complex, 765–6
Conformation of 5–phenyl–1–azabicyclo[3.3.1]nonan–2–one, a bridgehead amide, 814–15
Organotellurium chemistry. Cis– and trans–2,6–diphenyl–1,4–

PHENYL(contd)
ditellurafulvenes, 828–9
Reaction of $[Os_5(CO)_{15}H_2]$ with acetylenes; x-ray crystal structures of $[Os_5(CO)_{15}H_2(CCPh)]$ and $[Os_5(CO)_{13}(PhCCPh)_2]$, 886–8
A new type of silicon–tin rearrangement involving neighboring group participation of an α-phosphoryl group, 969–70
The chemistry of a 1,3,4-thiadiazin-6-one, 1003–4
Electrochemical carbon–carbon bond formation: synthesis of new substituted butadienes, 1040–1
Oxygen atom transfer from iodylbenzene to diphenyl diselenide: a convenient method for dehydrogenation of steroidal 3-ketones, 1044–5
Pyrolysis of phenylalklysulfonyl azides and 2-phenethyl azidoformate. Selectivity of sulfonylnitrenes and contrast between sulfonyl- and carbonylnitrenes, 1087–8
Synthesis of a Weitz-type organosulfur π-donor with a cumulenic bond: 1,2-bis(2,6-diphenyl-4H-thiopyran-4-ylidene)ethene, 1143–5
Photoinduced 1,5-acyl shift of 3-acylated 3-methyloxepin-2(3H)-ones, 1163–4
PHENYLACETATE
Surface photochemistry: radical pair combination on a silica gel surface and in micelles, 958–9
PHENYLACETYLENE
Dimetalation of phenylacetylene. Selective ortho substitution, 366–7
Selective linear codimerization of acetylenes and buta-1,3-diene catalyzed by dihydridotetrakis(trialkylphosphine)ruthenium complexes, 496–7
Reaction of $[Os_5(CO)_{15}H_2]$ with acetylenes; x-ray crystal structures of $[Os_5(CO)_{15}H_2(CCPh)]$ and $[Os_5(CO)_{13}(PhCCPh)_2]$, 886–8
PHENYLALANINE
Hydroxylation of phenylalanine by aqueous hydrogen peroxide in the presence of an artificial water-soluble iron porphyrin complex 1206–7
PHENYLALKYL
Diastereomeric differentiation of sulfone oxygens by oxygen-17 NMR spectroscopy, 479–80
Pyrolysis of phenylalklysulfonyl azides and 2-phenethyl azidoformate. Selectivity of sulfonylnitrenes and contrast between sulfonyl- and carbonylnitrenes, 1087–8
PHENYLALKYLSULFONYL
Pyrolysis of phenylalklysulfonyl azides and 2-phenethyl azidoformate. Selectivity of sulfonylnitrenes and contrast between sulfonyl- and carbonylnitrenes, 1087–8
PHENYLAMIDO
Phenylamido complexes of rhenium(I) and rhenium(III), 451–2
PHENYLARSONIUM
Salt of a hydroxy derivative of a ring system containing the phosphazene unit; x-ray structure of $[(NSOCl)_2NPClO][Me_4N]^+$, 1065–6
PHENYLATION
Tetraphenylbismuth monotrifluoroacetate: a new reagent for regioselective aryl ether formation, 503–4
PHENYLAZABICYCLONONANONE
Conformation of 5-phenyl-1-azabicyclo[3.3.1]nonan-2-one, a bridgehead amide, 814–15
PHENYLAZO
Organotellurium chemistry. Cis- and trans-2,6-diphenyl-1,4-ditellurafulvenes, 828–9
PHENYLAZOBUTANONE
Total synthesis of (±)-solavetivone. X-ray crystal structure of 2-hydroxy-6,10-dimethylspiro[4.5]dec-6-en-8-one, 463–5
PHENYLAZODITELLURAFULVENE
Organotellurium chemistry. Cis- and trans-2,6-diphenyl-1,4-ditellurafulvenes, 828–9
PHENYLBISMUTH
Tetraphenylbismuth monotrifluoroacetate: a new reagent for regioselective aryl ether formation, 503–4
PHENYLBORABICYCLONONANE
New method for the synthesis of organoboranes, 5–6
PHENYLBUTANEDIOL
Reductive rearrangement of 4-phenyl-1,3-dioxanes to 2-phenylbutane-1,4-diols upon treatment with sodium–potassium alloy, 155–6
PHENYLBUTENE
Regioselective allylation of a Grignard reagent catalyzed by phosphinenickel and -palladium complexes, 313–14
PHENYLBUTYNE
[2+2]-Cycloaddition of a stabilized vinyl cation with cyclopentadiene: x-ray crystal structure of the 2:1 addition product, 683–4
PHENYLCYCLOBUTANE
Cation-radical transfer: transfer efficiency in photosensitized isomerization reactions, 90–1
PHENYLDIAZOMETHANE
Addition of diphenyldiazomethane to hexaalkoxydimolybdenum (M≡M) compounds: characterization of $Mo_2(OCHMe_2)_6(N_2CPh_2)_2$(pyridine) by x-ray crystallography, 1229–31
PHENYLDIMETHYLTRIAZAPENTADIENE
Anomalous products from 1,2,5-triaza- and 1,5-diazapentadiene thermolyses: formation of amidines and pyrroles, respectively, 722–3
PHENYLDIOXANE
Reductive rearrangement of 4-phenyl-1,3-dioxanes to 2-phenylbutane-1,4-diols upon treatment with sodium–potassium alloy, 155–6
PHENYLDITELLURAFULVENE
Organotellurium chemistry. Cis- and trans-2,6-diphenyl-1,4-ditellurafulvenes, 828–9
PHENYLENEDIAMINE
A new route to 1H-1,5-benzodiazepinones, 339–40
PHENYLETHYL
Penicillin biosynthesis: a model for the oxidative cyclization of a peptide to a β-lactam, 1219–21
PHENYLETHYLAMINE
The conversion of primary amines into olefins: a mild alternative to the Hofmann elimination, 96
PHENYLETHYLENE
Photosensitized (electron transfer) [2e+4e] dimerization and cross-cycloaddition of phenylated olefins: trapping the intermediate, 138–9
PHENYLETHYLIRIDIUM
π-Arene complexes as unexpected deactivation products in alkane activation and alkene hydrogenation reactions, 1217–18
PHENYLETHYNOLATE
Novel syntheses of 3-methyleneazetidin-2-one derivatives and related systems, 404–5
PHENYLETHYNYLTELLUROLATE
Organotellurium chemistry. Cis- and trans-2,6-diphenyl-1,4-ditellurafulvenes, 828–9
PHENYLFORMAMIDINE
Anomalous products from 1,2,5-triaza- and 1,5-diazapentadiene thermolyses: formation of amidines and pyrroles, respectively, 722–3
PHENYLGLYCOL
Alkene formation in the cathodic reduction of oxalates, 134–6
PHENYLGLYOXYLATE
Oxygenation of 3-hydroxyflavones by superoxide anion, 745
PHENYLHYDRAZINE
Synthesis of 2,3-disubstituted indoles under mild conditions, 563
PHENYLIMIDO
Crystal and molecular structure of $[W(NPh)(\mu\text{-}O)Me_2(PMe_3)]_3$; a trimeric oxo-bridged imido complex of tungsten(VI), 103–4
PHENYLIMIDOCHLOROMETHYLPHOSPHINERHENIUM
Phenylamido complexes of rhenium(I) and rhenium(III), 451–2
PHENYLLITHIUM
Planar tetracoordinate carbon candidates. MNDO calculations on substituted phenyllithium dimers, 260–1
PHENYLMAGNESIUM
Regioselective allylation of a Grignard reagent catalyzed by phosphinenickel and -palladium complexes, 313–14
PHENYLMETHYL
Interconversion of carbocations, free radicals, and carbanions in nitroxide solutions, 70–1
PHENYLMETHYLPEROXYL
Interconversion of carbocations, free radicals, and carbanions in nitroxide solutions, 70–1
PHENYLPHOSPHINE
The triphenylphosphine–sulfur trioxide complex: confirmation of structure, 789–90
A monocyclic phosphorane oxide anion and the extraordinary reactivity of its tautomeric phosphine oxide alkoxide, 981–2
Role of a copper complex in an oxygen atom transfer reaction from dioxygen to triphenylphosphine, 1109–10
Novel transition metal phosphaalkyne complexes. X-ray crystal and molecular structure of a side-bonded $Me_3CC{\equiv}P$ complex of zerovalent platinum, $Pt(PPh_3)_2(Me_3CCP)$, 1141–3
Azepenems: synthesis of 4-substituted 7-oxo-1,4-diazabicyclo[3.2.-

PHENYLPHOSPHINE(contd)
0]hept–2–ene carboxylates, 1269–71
PHENYLPHOSPHINEDIOXACARBOXYLATE
A new class of diosmium(IV) complexes containing both oxide and carboxylate bridges, 1120–1
PHENYLPHOSPHINEPHOSPHAALKYNYLPLATINUM
Novel transition metal phosphaalkyne complexes. X–ray crystal and molecular structure of a side–bonded $Me_3CC{\vdots}P$ complex of zerovalent platinum, $Pt(PPh_3)_2(Me_3CCP)$, 1141–3
PHENYLPHOSPHINETETRACARBONYLRHENIUM
Associative substitution reactions of rhenium pentacarbonyl radical 1052–3
PHENYLPHOSPHINETETRADECACARBONYL
A high–yield synthesis of pentadecacarbonylpentaruthenium carbide by the carbonylation of heptadecacarbonylhexaruthenium carbide; the x–ray structure analyses of pentadecacarbonylpentaruthenium carbide and triphenylphosphinetetradecacarbonylpentaruthenium carbide, 415–16
PHENYLPHOSPHINETETRADECACARBONYLPENTARUTHENIUM
A high–yield synthesis of pentadecacarbonylpentaruthenium carbide by the carbonylation of heptadecacarbonylhexaruthenium carbide; the x–ray structure analyses of pentadecacarbonylpentaruthenium carbide and triphenylphosphinetetradecacarbonylpentaruthenium carbide, 415–16
PHENYLPHOSPHINITONITRILEPHENYLTRIPHENYLPHOSPHINEPLATINUM
Facile phosphorus–carbon bond cleavage in the reactions of nitrile oxides with zerovalent triphenylphosphine platinum complexes, 446–8
PHENYLPHOSPHINOETHYLAMINO
X–ray crystal structure of $[N(CH_2CH_2PPh_2)_3]_2Co_2(\mu\text{–}Hg_2)$: the dimeric Hg_2^{2+} ion forms a linear bridge between the two cobalt atoms, 865–6
PHENYLPHOSPHINOETHYLAMINOCOBALTO
X–ray crystal structure of $[N(CH_2CH_2PPh_2)_3]_2Co_2(\mu\text{–}Hg_2)$: the dimeric Hg_2^{2+} ion forms a linear bridge between the two cobalt atoms, 865–6
PHENYLPHOSPHINOETHYLAMINOCOBALTOMERCURY
X–ray crystal structure of $[N(CH_2CH_2PPh_2)_3]_2Co_2(\mu\text{–}Hg_2)$: the dimeric Hg_2^{2+} ion forms a linear bridge between the two cobalt atoms, 865–6
PHENYLPHOSPHINOMOLYBDENUM
Preparation and x–ray crystal structure of $[S_2MoS_2Mo(NNMe_2)_2(\text{-}PPh_3)]$, a binuclear molybdenum hydrazido(2–)–complex containing coordinated tetrathiomolybdate, 132–3
PHENYLPHOSPHITE
Synthesis and x–ray structural characterization of $Rh_4(\mu\text{–}CO)_4(\mu\text{–}SO_2)_3[P(OPh)_3]_4.{}^1\Psi 2C_6H_6$: a 'butterfly' cluster with an unusual bridging mode for sulfur dioxide, 963–5
PHENYLPHOSPHONIUM
Synthesis and x–ray structure of bistetraphenylphosphonium tris(phenylsulphonylimino)sulfite, 1013–14
PHENYLPORPHINATOCHROMIUM
The autoxidation of a chromium(II) porphyrin. Synthesis and structural characterization by x–ray crystallography of $\alpha\beta\gamma\delta$–tetraphenylporphinatooxochromium(IV), 370–1
PHENYLPORPHINATOCOBALT
Electron exchange rates of cobalt tetraarylporphines, 332–3
PHENYLPORPHINATOOXOCHROMIUM
The autoxidation of a chromium(II) porphyrin. Synthesis and structural characterization by x–ray crystallography of $\alpha\beta\gamma\delta$–tetraphenylporphinatooxochromium(IV), 370–1
PHENYLPORPHINE
Electron exchange rates of cobalt tetraarylporphines, 332–3
PHENYLPORPHYRINATOMANGANESE
Prep[illegible]urification, and x–ray crystal structure of a dimeric [illegible]ese(IV) porphyrin complex, 765–6
PHE[illegible]ENENYL
Pre[illegible]of nitroalkenes from the corresponding nitroalkanes, 261–2
PHENYLSE[illegible]NENYLATION
S_H2 reactions of diphenyl diselenide; preparation and reactions of bridgehead selenides, 139–40
PHENYLSELENOACETALDEHYDE
New method for preparing $\beta\gamma$–unsaturated ketones: use of phenylselenoacetaldehyde, 434–6
PHENYLSELENOGLUCAL
Glycosyloxyselenation–deselenation of glycals: a new approach to 2'–deoxy–disaccharides, 572–3
PHENYLSULFINYL
Use of carbohydrates in the preparation of optically active sulfoxides, 505–6
Preparation and rearrangement of some conjugated phenylsulfinylacetate derivatives, 1248–50
PHENYLSULFINYLACETATE
Preparation and rearrangement of some conjugated phenylsulfinylacetate derivatives, 1248–50
PHENYLSULFINYLHEXADIENOATE
Preparation and rearrangement of some conjugated phenylsulfinylacetate derivatives, 1248–50
PHENYLSULFONYL
Pyrolysis of phenylalklysulfonyl azides and 2–phenethyl azidoformate. Selectivity of sulfonylnitrenes and contrast between sulfonyl– and carbonylnitrenes, 1087–8
A new synthesis of macrocyclic lactones by rearrangement of 2–hydroxyalkyl–2–phenylsulfonylcycloalkanones, 1123–4
PHENYLSULFONYLIMINOSULFITE
Synthesis and x–ray structure of bistetraphenylphosphonium tris(phenylsulphonylimino)sulfite, 1013–14
PHENYLTHIADIAZOLE
The chemistry of a 1,3,4–thiadiazin–6–one, 1003–4
PHENYLTHIIRENE
Electrochemical reduction of 1,2–diphenylthiiren dioxide and monoxide, 120–1
PHENYLTHIOALKENYL
Regioselective acylation of allyl sulfides via α–silyl intermediates, 377–8
PHENYLTHIOL
Chemical conversions using sheet silicates: novel intermolecular eliminations of hydrogen sulfide from thiols, 695–6
PHENYLTHIOMETHANIDE
Synthesis of ketones and tertiary alcohols from trialkylboranes. Use of lithium tris(phenylthio)methanide, 1149–50
PHENYLTHIOPYRANONE
Synthesis of a Weitz–type organosulfur π–donor with a cumulenic bond: 1,2–bis(2,6–diphenyl–4H–thiopyran–4–ylidene)ethene, 1143–5
PHENYLTHIOPYRANYLETHENE
Synthesis of a Weitz–type organosulfur π–donor with a cumulenic bond: 1,2–bis(2,6–diphenyl–4H–thiopyran–4–ylidene)ethene, 1143–5
PHENYLTHIOPYRANYLIDENEETHENE
Synthesis of a Weitz–type organosulfur π–donor with a cumulenic bond: 1,2–bis(2,6–diphenyl–4H–thiopyran–4–ylidene)ethene, 1143–5
PHENYLTIN
Erythro–selective aldol condensation via triphenyltin enolates. Stereoselection independent of the stereochemistry of the enolates 162–3
Cleavage of aryl–tin bonds with elemental fluorine: rapid synthesis of fluorobenzene–^{18}F, 733
PHENYLTRIAZOLINEDIONE
7b–Methyl–7bH–cyclopent[cd]indene, an unsubstituted tricyclic aromatic [10]annulene, 657–8
PHENYLTRIMETHYLSILYLPROPYLPHOSPHONATE
A new type of silicon–tin rearrangement involving neighboring group participation of an α–phosphoryl group, 969–70
PHEROMONE
Simple, stereospecific syntheses of some insect pheromones using the iron tricarbonyl protecting group, 373–4
Facile access to chiral 5–hydroxy–2–methylhexanoic acid lactones (pheromones of the carpenter bee), 1125–6
Stereoselective synthesis of (3R,4S/3S,4R)–(6E,10Z)–3,4,7,11–tetramethyltrideca–6,10–dienal (faranal); the trail pheromone of the Pharaoh's ant, 1234–5
PHOSGENE
The synthesis and properties of a series of strong but hindered organic bases, 1136–7
PHOSPHAALKENE
Synthesis of phosphaalkene transition metal complexes, 199–200
PHOSPHAALKYNYL
Novel transition metal phosphaalkyne complexes. X–ray crystal and molecular structure of a side–bonded $Me_3CC{\vdots}P$ complex of zerovalent platinum, $Pt(PPh_3)_2(Me_3CCP)$, 1141–3

PHOSPHACYCLOPENTADIENE
Trapping of reactive intermediates from phosphites and dimethyl acetylenedicarboxylate. Diversion of reaction pathway towards stable phosphole derivatives, 420–1
PHOSPHAPYRAZOLE
Preparation and crystal structure determination of a diphosphorus compound with a direct λ^5phosphorus–λ^4phosphorus bond, 609–10
PHOSPHASPIRONONANYL
Single crystal ESR study of the 1,6–dioxa–4,9–diaza–5–phospha(V-)spiro[4.4]nonan–5–yl and the 1,6–dioxa–4,9–diaza–2,3,7,8–dibenzo–5–phospha(V)spiro[4.4]nona–2,7–dien–5–yl radicals, 104–6
PHOSPHATE
The stereochemistry of 2–substituted–2–oxo–4,5–diphenyl–1,3,2–dioxaphospholanes and the related chiral [^{16}O,^{17}O,^{18}O]phosphate monoesters, 245–6
Silyl phosphite equivalents: 2,2,2–trichloroethoxycarbonylphosphonates, 970–1
Solid state phosphorus NMR spectroscopy of minerals and soils, 1051–2
PHOSPHAZENE
Formation of bicyclic phosphazenes via the reactions of methyl– and phenylmagnesium chloride with hexachlorocyclotriphosphazene, 852–3
Salt of a hydroxy derivative of a ring system containing the phosphazene unit; x–ray structure of $[(NSOCl)_2NPClO][Me_4N]^+$, 1065–6
PHOSPHIDE
The preparation and characterization of some organocyanophosphide(I) salts, 1170–1
PHOSPHINATE
A synthetic phosphinate–phosphonate liponucleotide analog, 976–8
A new reaction of pentacoordinate phosphorus derivatives: the formation of phosphinates from an oxazaphosph(V)ole and carbonyl compounds, 1054–5
PHOSPHINDOLE
Surprising reactivity of very crowded phosphinic derivatives, 1197–8
PHOSPHINE
New synthesis of indoles from o–acylaminobenzyltriphenylphosphonium salts, 14–15
Synthesis, reactivity, and x–ray crystal structure of bis[carbonylcyclopentadienyl(triphenylphosphinel)rhodium]silver hexafluorophosphate.toluene: a silver–stabilized radical cation, 43–4
An enneanuclear nickel sulfide with a confacial bioctahedral geometry: x–ray crystal structure of $[Ni_9(\mu_4\text{–}S)_3(\mu_3\text{–}S)_6(PEt_3)_6][BPh_4]_2$, 47–8
Photochemical production of hydrogen from water and nucleophilic platinum metal complexes, 58–9
Nucleophilic attack on a ligand as a prerequisite for ligand replacement. Kinetics and mechanism of the replacement of dimethylphenylphosphine by trimethyl phosphite in $[Ru(S_2CH)(PMe_2Ph)_3(P(OMe)_3)]^+$, 78–9
Synthesis and x–ray structural characterization of the centered icosahedral gold cluster compound $[Au_{13}(PMe_2Ph)_{10}Cl_2](PF_6)_3$; the realization of a theoretical prediction, 201–2
Synthesis and x–ray characterization of an iodine–bridged tetranuclear gold cluster, di–μ–iodo–tetrakis(triphenylphosphine-)–tetrahedro–tetragold, 222–3
Electron–induced nucleophilic substitution reactions in organometallic systems, 265–6
Regioselective allylation of a Grignard reagent catalyzed by phosphinenickel and –palladium complexes, 313–14
Substitution of a platinum(II) complex without retention of stereochemistry. Direct evidence for pseudorotation of a five coordinate platinum(II) cationic complex containing chelating phosphine ligands, 381–2
Stable acyloxychlorophosphorane obtained from 2–(diphenylphosphinyl)benzoic acid and thionyl chloride, 622–3
A novel paramagnetic octahedral iron cluster: synthesis and x–ray structural characterization of hexakis(triethylphosphine)–μ_3–octasulfurhexairon tetraphenylborate, 640–1
Facile lithiation of coordinated trimethylphosphines in bis–(2,6–dimethoxyphenyl)nickel(II) complexes, 680–1
A monocyclic phosphorane oxide anion and the extraordinary reactivity of its tautomeric phosphine oxide alkoxide, 981–2
New uses for old complexes. Hydroborations involving nitrogen and phosphorus complexes of borane, 1014–15
New octahedral, asymmetric iron carbonyl complexes, 1071–2
Synthesis and x–ray crystal structure determination of the cationic gold cluster compound $[Au_8(PPh_3)_7](NO_3)_2$, 1218–19
PHOSPHINECARBABORANE
Closo–carbametallaboranes with metal–hydrogen bonds from direct insertion into arachno–carbaboranes: the molecular structures of $[2\text{–}H\text{–}2,2\text{–}(Et_3P)_2\text{–}1,6,2\text{–}C_2CoB_7H_9]$ and $[2\text{–}H\text{–}2,2\text{–}(Et_3P)_2\text{–}1,6,2\text{–}C_2RhB_7H_9]$, and a most unusual crystallographic coincidence, 653–5
PHOSPHINEDIOXACARBOXYLATODIOSMIUM
A new class of diosmium(IV) complexes containing both oxide and carboxylate bridges, 1120–1
PHOSPHINEGOLD
Synthesis of a new heteronuclear gold–cobalt cluster. Preparation and x–ray structure determination of tetrakis(triphenylphosphine)bis(tetracarbonylcobalt)hexagold, 583–4
PHOSPHINIC
Surprising reactivity of very crowded phosphinic derivatives, 1197–8
PHOSPHINO
Synthesis and x–ray crystal and molecular structure of $[(RhFe(\mu\text{–}PPh_2)_2(\mu\text{–}CO)(CO)_3)_2]$, an unusual tetranuclear compound with a straight–chain structure, 587–8
PHOSPHINOETHYLPLATINUM
The phosphinoethylsilyl group as a bifunctional chelate. Asymmetric induction at platinum(II), 937–9
PHOSPHINOETHYLSILANE
The phosphinoethylsilyl group as a bifunctional chelate. Asymmetric induction at platinum(II), 937–9
PHOSPHINOETHYLSILYLPLATINUM
The phosphinoethylsilyl group as a bifunctional chelate. Asymmetric induction at platinum(II), 937–9
PHOSPHINORHODACARBABORANE
Synthesis, characterization, and x–ray crystal structure of $1,1\text{–}(PPh_3)_2\text{–}1\text{–}H\text{–}1,2,4\text{–}RhC_2B_{10}H_{12}$, a supra–icosahedral metallacarbaborane catalyst precursor, 206–7
PHOSPHINYLALKYL
Stereochemically pure E– and Z–alkenes by the Wittig–Horner reaction, 100–1
PHOSPHINYLIRON
Electron–induced nucleophilic substitution reactions in organometallic systems, 265–6
PHOSPHITE
Nucleophilic attack on a ligand as a prerequisite for ligand replacement. Kinetics and mechanism of the replacement of dimethylphenylphosphine by trimethyl phosphite in $[Ru(S_2CH)(PMe_2Ph)_3(P(OMe)_3)]^+$, 78–9
Trapping of reactive intermediates from phosphites and dimethyl acetylenedicarboxylate. Diversion of reaction pathway towards stable phosphole derivatives, 420–1
Radical–like reactivity of rhodium(II) octaethylporphyrin dimer with trimethyl phosphite, 475–6
Fixation and deoxygenation of carbon dioxide to form furans using organophosphorus intermediates, 607–8
Formation of η^6–arene–closo–carbaferraboranes by the reaction of a closo–carbaborane with cyclooctadiene(η–cyclopentadienyl)iron in the presence of arenes: molecular structure of $[closo\text{–}1\text{–}(\eta^6\text{–}PhMe)\text{–}2,4\text{–}Me_2\text{–}1,2,4\text{–}FeC_2B_9H_9]$, 871–2
Monofluoro– and difluoromethylenebisphosphonic acids: isopolar analogs of pyrophosphoric acid, 930–2
Silyl phosphite equivalents: 2,2,2–trichloroethoxycarbonylphosphonates, 970–1
Reaction of molybdenum and tungsten alkylidyne complexes with 2,6–xylyl isocyanide and carbon monoxide; structural and mechanistic evidence for novel insertion reactions, 986–8
New uses for old complexes. Hydroborations involving nitrogen and phosphorus complexes of borane, 1014–15
PHOSPHITEMOLYBDENUM
Reaction of molybdenum and tungsten alkylidyne complexes with 2,6–xylyl isocyanide and carbon monoxide; structural and mechanistic evidence for novel insertion reactions, 986–8
PHOSPHONATE
A novel synthesis of α– and γ–fluoroalkylphosphonates, 511–13
Efficient synthesis of the corticosteroid side chain from 17–ketones, 774–5
Monofluoro– and difluoromethylenebisphosphonic acids: isopolar analogs of pyrophosphoric acid, 930–2
A new type of silicon–tin rearrangement involving neighboring group participation of an α–phosphoryl group, 969–70
A synthetic phosphinate–phosphonate liponucleotide analog, 976–8
A new synthetic route to perfluoroalkylphosphonates involving

PHOSPHONATE(contd)
facile formation of the CF–P linkage, 1173–4
PHOSPHONITE
A new synthetic route to perfluoroalkylphosphonates involving facile formation of the CF–P linkage, 1173–4
PHOSPHONIUM
New synthesis of indoles from o–acylaminobenzyltriphenylphosphonium salts, 14–15
Synthesis of coordinated trans–1,2–di(cycloheptatrienyl)ethylene, a new cyclooctatetraene dimer, and the x–ray crystal structure of an intermediate bisphosphonium salt $[Fe_2(CO)_2(\eta^4,\eta'^4\text{–}C_{16}H_{16}(PPh_3)_2)][PF_6]_2$, 17–18
PHOSPHONOACETATE
An efficient synthesis of 3–[1–(3–pyridyl)ethyl]indoles, 630–1
PHOSPHORANE
Methylenethioxophosphoranes and 1,2–λ^5–thiaphosphiranes, 72–3
Fixation and deoxygenation of carbon dioxide to form furans using organophosphorus intermediates, 607–8
Stable acyloxychlorophosphorane obtained from 2–(diphenylphosphinyl)benzoic acid and thionyl chloride, 622–3
ortho–Formyl substituted arylazomethylenetriphenylphosphoranes: a novel facile intramolecular thermal rearrangement with nitrogen–nitrogen double bond fission, 894–5
Wittig reactions with β–lactam carbonyls: a convenient means of protection. X–ray crystal structure of p–nitrobenzyl–(2R,5R)–Z–7–methoxycarbonylmethylene–Z–3–(β–phthalimidoethylidene)–4–oxa–1–azabicyclo[3.2.0]heptane–2–carboxylate, 929–30
A monocyclic phosphorane oxide anion and the extraordinary reactivity of its tautomeric phosphine oxide alkoxide, 981–2
Pseudorotation of spin–labeled phosphoranes formed by cyclization of triazenylphosphoranyl radicals, 1107–8
PHOSPHORANYL
Stereoisomerization of the tricyclotrioxaazoniaphosphaundecane tetrafluoroborate phosphoranyl radical: a single crystal ESR study, 1148–9
PHOSPHORESCENCE
Tautomerism of 1–hydroxy–2–pyridone in the excited triplet state, 1004–5
PHOSPHORUS
Novel synthesis of 3–alkyl–2–phenoxychromones involving an intramolecular Wittig reaction of carbonates, 282–3
X–ray crystal structure of bis[1,2–bis(dimethylphosphino)ethane]dicarbonyltrifluorophosphinetitanium, a phosphine–substituted derivative of titanium heptacarbonyl, 458–9
Synthesis of demethoxycapillarisin, a naturally occurring 2–phenoxychromone, and related compounds, 474–5
NMR evidence for a fluxional allyl–hydride species featuring an aliphatic hydrocarbon–iridium(III) interaction, 506–7
Fixation and deoxygenation of carbon dioxide to form furans using organophosphorus intermediates, 607–8
Variable temperature Raman spectra of phosphorus(V) chloride and bromide deposited at 15 K, 812–14
Nearly regular tetrahedral geometry in a gold(I)–phosphine complex. X–ray crystal structure of tetrakis(methyldiphenylphosphine)gold(I) hexafluorophosphate, 900–1
Solid state phosphorus NMR spectroscopy of minerals and soils, 1051–2
The preparation and characterization of some organocyanophosphide(I) salts, 1170–1
PHOTOACOUSTIC
Photo–acoustic spectroscopic evidence for site–site interactions in a bifunctional surface–bonded phase, 517–18
PHOTOAFFINITY
Aryldiazonium salts as photoaffinity labeling reagents for proteins, 398–9
PHOTOCHEM
Photolysis of 2–azidopyridine 1–oxides. A convenient synthesis of 1,2–oxazines, 36–7
Photochemical benzylation of 1,4–dicyanonaphthalene. X–ray crystal structure of 6,11–dicyano–5,11–methano–5,6,11,12–tetrahydrodibenzo[a,e]cyclooctene, 50–1
Photochemical production of hydrogen from water and nucleophilic platinum metal complexes, 58–9
An example of substitution proceeding with retention in the $S_{RN}1$ reaction. Trapping of a pyramidal benzylic radical by benzenethiolate ion, 79–80
Photocontrol of catalytic activity of capped cyclodextrin, 94–6
Mechanistic investigations into the photochemical oxidation of thioketones, 112–14
Preparation of derivatives of tricyclo[4.2.0.0^{1,4}]octane, broken window compounds, 118–20
Photosensitized (electron transfer) [2e+4e] dimerization and cross–cycloaddition of phenylated olefins: trapping the intermediate, 138–9
Photochemical hydrogen production using cadmium sulfide suspensions in aerated water, 145–6
Use of synthetic surfactant vesicles as electron storage systems, 183–4
Photoinduced hydrogen–deuterium exchange between aromatic and aliphatic hydrocarbon systems catalyzed by $[Mo(\eta\text{–}C_5H_5)(Me_2P\text{–}CH_2CH_2PMe_2)H_3]$, 186–7
Photolysis and thermolysis of phenyl azide in acetic acid, 202–4
Formation of 3H–1,3–benzodiazepines from quinoline N–acylimides, 211–13
A link between photoreduction and photosubstitution of chloroaromatic compounds, 436–7
Photocyclization of 2–(pyridylvinyl)chromen–4–ones, 442–3
Photocyclization between allyltrimethylsilane and 1,4–naphthoquinone and ring cleavage of the resulting cyclobutane assisted by the trimethylsilyl group, 460–1
Structure and photochemistry of matrix–isolated monothioacetylacetone, 486–8
Formation of (η–cyclopentadienone)tricarbonyliron on the photolysis of (η–cyclobutadiene)tricarbonyliron in a carbon monoxide matrix at 12 K, 489–90
Photoreduction of 3,7–diaminophenoxazinylium chloride ('oxonine') by iron(II). A model system for singlet–state driven photogalvanic cells, 497–9
CIDNP from a 1,4–biradical in the Norrish type II photoreaction of valerophenone, 499–501
Carbon–carbon bond formation through olefin–methylcarbyne linkage at a diruthenium center: x–ray crystal structure of $[Ru_2(CO)(\mu\text{–}CO)(\mu\text{–}\eta^1,\eta^3\text{–}C(Me)C(Me)CH_2)(\eta\text{–}C_5H_5)_2]$, 537–8
Photoreactions of dispiro[naphthalene–1,2'–naphtho[2,1–b]pyran–3',1''–naphthalene]–2(1H),2''(1''H)–dione. A novel case of β–carbon–carbon cleavage in an enone, 557–9
Platinum hydrosols in the sensitized photoreduction of water, 593–4
Partial oxidation of propene over UV–irradiated vanadium oxide supported on silica, 601–2
Competing paths in the phototransposition of pyrazoles, 604–6
Novel and efficient photochemical rearrangement of 1,3–thiazine derivatives, 608–9
Reaction of dimesitylsilylene with epoxides. Silanone–epoxide adducts, 621–2
Preparation of conjugated carbonyl compounds by photolysis of η^3–allylpalladium complexes, 668–9
Unusual photocyclization of 1–(N–methyl–1–naphthoylamino)tetramethylcyclohexene: x–ray crystal structure of 4b,8,9,10,10a,10b,–11,12–octahydro–6,8,8,10–tetramethyl–10,12–methanobenzo[i]phenanthridin–5(6H)–one, 692–4
Photorearrangement of 5,6–dichloro–1,4–dihydro–1,4–dimethylpyrazine–2,3–dione and its further reactions, 743–4
Synthesis of the isobacteriochlorin macrocycle: a photochemical approach, 797–9
Photochemical aromatic cyanomethylation, 817–18
Surface photochemistry: the photodimerization of acenaphthylene on dry silica gel, 820–1
A new photochemical spiroannelation method. Access to substituted spirocyclohexanepiperidines, 832–3
Dye–sensitized photooxygenation of tryptophan to give N'–formylkynurenine, 855–6
A novel photochemical route to functionalized β–lactams, 880
Solid–state photopolymerization of unsaturated organic cations in layer perovskite halide salts, 921–2
Synthesis of oxetanes by photocycloaddition of aromatic aldehydes to hexamethyl(Dewar benzene), 950–1
Total synthesis of (S)–(+)–solanone, 951–2
Photochemical transformations of methoxyphthalaldehydic esters: synthesis of methyl 6–methoxyphthalaldehydate from the 3–methoxy isomer, 962–3
Organic photochemistry in the far–ultraviolet: unusual wavelength dependence in solution–phase irradiations, 973–4
Photoinduced electrochemical reduction of water to hydrogen at ruthenium–modified polysulfur nitride electrodes, 1021–3
Photochemical oxidation of nitrobenzyl alcohols in aqueous solution, 1023–4
Photooxidation of water on the surface of hectorite using trans–diaquabis(2,2'–bipyridine)ruthenium(2+) as catalyst, 1026–7

PHOTOCHEM(contd)
Photochemical synthesis of ammonia over zeolites, 1049–50
Photooxidation of 1,3–dimethylpyrazolo[1,2–a]benzotriazole, 1089–91
Selective bond cleavage in the iron(III) chloride–catalyzed photooxidation of olefins, 1116–17
Photoinduced 1,5–acyl shift of 3–acylated 3–methyloxepin–2(3H)–ones, 1163–4
The photochemical enolization of an aliphatic α,β–unsaturated ketone, 1235–6
The photochemical decomposition of sulfuric acid catalyzed by tris(triethylphosphine)hydridoplatinum monocation, 1245–6
The photoisomerizations of protonated Schiff base derivatives of some enals, 1268–9
PHOTOCYCLIZATION
Preparation of derivatives of tricyclo[4.2.0.0^{1,4}]octane, broken window compounds, 118–20
Photocyclization between allyltrimethylsilane and 1,4–naphthoquinone and ring cleavage of the resulting cyclobutane assisted by the trimethylsilyl group, 460–1
Unusual photocyclization of 1–(N–methyl–1–naphthoylamino)tetramethylcyclohexene: x–ray crystal structure of 4b,8,9,10,10a,10b,11,12–octahydro–6,8,8,10–tetramethyl–10,12–methanobenzo[i]phenanthridin–5(6H)–one, 692–4
PHOTODECOMPN
The photochemical decomposition of sulfuric acid catalyzed by tris(triethylphosphine)hydridoplatinum monocation, 1245–6
PHOTODIMERIZATION
Surface photochemistry: the photodimerization of acenaphthylene on dry silica gel, 820–1
PHOTOELECTROCHEM
Visible light–induced oxidation of water and of chloride ions in photoelectrochemical cells, 437–40
Photoinduced electrochemical reduction of water to hydrogen at ruthenium–modified polysulfur nitride electrodes, 1021–3
PHOTOELECTRON
Satellite structure in the uranium 4f x–ray photoelectron spectrum of uranium dioxide, 691–2
Synthesis, electronic structure, and complex formation of simple 1,1,4,4–tetrathiabutadienes, 829–31
PHOTOELIMINATION
Photolysis of 2–azidopyridine 1–oxides. A convenient synthesis of 1,2–oxazines, 36–7
PHOTOG
Regiospecific attack of methoxide ion on 4–alkoxy–o–quinone imines. A novel route to p–quinone monoacetals, 425–6
PHOTOINITIATION
Photoinitiated doping of polyacetylene, 384–5
PHOTOISOMERIZATION
Photoassisted isomerization of olefins by platinum complexes, 542–3
Conversion of a protopine into an indenobenzazepine. Stereoselective formation of cis– and trans–b/c fused indenobenzazepines, 1246–8
The photoisomerizations of protonated Schiff base derivatives of some enals, 1268–9
PHOTOLABILE
Synthesis of some branched trisaccharides using photolabile o–nitrobenzylidene acetals as temporary protecting groups, 362–3
PHOTOLYSIS
Comparison of activities for hydrogen evolution from water of hydrogenase and colloidal platinum, 56–7
Photochemical production of hydrogen from water and nucleophilic platinum metal complexes, 58–9
Photolysis and thermolysis of phenyl azide in acetic acid, 202–4
Formation of 3H–1,3–benzodiazepines from quinoline N–acylimides, 211–13
Aryldiazonium salts as photoaffinity labeling reagents for proteins, 398–9
Photochemistry of dicyclopentadienylrhenium hydride and dicarbonyl(η^2–cyclopentadiene)(η–cyclopentadienyl)rhenium in low temperature matrixes: hydrogen loss and hydrogen migration 452–4
Electron spin resonance investigation of the thermolysis, photolysis, and oxygenation of bi– and trimetallic organochromium complexes, 531–2
Photoreactions of dispiro[naphthalene–1,2'–naphtho[2,1–b]pyran–3',1''–naphthalene]–2(1H),2''(1''H)–dione. A novel case of β–carbon–carbon cleavage in an enone, 557–9
Photolysis of diazidosilanes. Generation and reactions of digonal silicon intermediates such as silacarbodiimides, 597–8
Reaction of dimesitylsilylene with epoxides. Silanone–epoxide adducts, 621–2
Synthesis and reactions of 5,6,11,12–tetrahydro–5,12;6,11–diethenodibenzo[a,e]cyclooctene (pp'–dinaphthalene), 786–7
Synthesis and x–ray structure of an azathiabenzene derivative, a cyclic sulfimide, 927–8
A new approach to spirosesquiterpenes of the acorane family, 953–5
Flash photolysis of N–bromo–3,3–dimethylglutarimide: detection of the imidyl radical, 955–6
Surface photochemistry: radical pair combination on a silica gel surface and in micelles, 958–9
Organic photochemistry in the far–ultraviolet: unusual wavelength dependence in solution–phase irradiations, 973–4
Trapping of an inner–sphere charge–transfer triplet state in a single crystal of a uranyl complex, 1019–20
Photochemical synthesis of ammonia over zeolites, 1049–50
Generation and reactivity of 4–azatricyclo[5.3.1.1^{3,9}]dodec–3–ene and 5–azatricyclo[4.4.1.1^{3,9}]dodec–5–ene, new bridgehead imines 1193–4
Synthesis and photolysis of 1,2,3,8–tetrakis(trifluoromethyl)cyclooctatetraene, 1289–91
PHOTOOXIDN
Mechanistic investigations into the photochemical oxidation of thioketones, 112–14
Photooxidation of water on the surface of hectorite using trans–diaquabis(2,2'–bipyridine)ruthenium(2+) as catalyst, 1026–7
PHOTOOXYGENATION
Dye–sensitized photooxygenation of tryptophan to give N'–formylkynurenine, 855–6
PHOTOPRODN
Photochemical hydrogen production using cadmium sulfide suspensions in aerated water, 145–6
PHOTOREARRANGEMENT
Photorearrangement of 5,6–dichloro–1,4–dihydro–1,4–dimethylpyrazine–2,3–dione and its further reactions, 743–4
PHOTOREDN
Photochemical hydrogen production using cadmium sulfide suspensions in aerated water, 145–6
Platinum hydrosols in the sensitized photoreduction of water, 593–4
PHOTOREDOX
Visible light–induced oxidation of water and of chloride ions in photoelectrochemical cells, 437–40
PHOTOSENSITIZED
Photosensitized electron transport across a liquid membrane containing photosensitizer, electron mediator, and carrier, 210–11
PHOTOSENSITIZER
Cation–radical transfer: transfer efficiency in photosensitized isomerization reactions, 90–1
Photosensitized electron transport across a liquid membrane containing photosensitizer, electron mediator, and carrier, 210–11
PHOTOTRANSPOSITION
Competing paths in the phototransposition of pyrazoles, 604–6
PHTHALALDEHYDE
Photochemical transformations of methoxyphthalaldehydic esters: synthesis of methyl 6–methoxyphthalaldehydate from the 3–methoxy isomer, 962–3
PHTHALIDE
The regiospecific preparation of 1,4–dioxygenated anthraquinones: a new route to islandicin, digitopurpone, and madeirin, 108–10
PHTHALIMIDE
1,2–Oxathiolane, a simple sultene, 741–2
PHTHALIMIDO
Simple and effective synthesis of pyrido[2,1–b]thiazines, 395–6
PHTHALIMIDOPYRIDOPYRROLE
Simple and effective synthesis of pyrido[2,1–b]thiazines, 395–6
PHTHALIMIDOPYRIDOTHIAZINE
Simple and effective synthesis of pyrido[2,1–b]thiazines, 395–6
PHTHALIMIDOTHIOPROPANOL
1,2–Oxathiolane, 742–3
PHTHALOCYANINE
X–ray crystal structure of a conducting polymer precursor: bridge–stacked phthalocyanine gallium fluoride, 1210–11
PHYTUBERIN
Synthesis of phytuberin from elemol, 1236–7
PICOLINE
Mechanism of direct side–chain acylamination and aminoarylation of 2– and 4–picoline 1–oxides, 561–2

PICRATE
Promotion of charge–transfer complex formation by γ–cyclodextrin 340
PICRYL
Photo–acoustic spectroscopic evidence for site–site interactions in a bifunctional surface–bonded phase, 517–18
PICRYLAMINOPROPYL
Photo–acoustic spectroscopic evidence for site–site interactions in a bifunctional surface–bonded phase, 517–18
PIGMENT
Biosynthesis of tajixanthone in Aspergillus variecolor; incorporation of $[^2H]_3$acetate and $[1,2\text{–}^{13}C_2]$acetate, 195–6
Synthesis of γ–oxyprotoporphyrin IX and pterobiline (biliverdin IXγ), 763–4
PINUS
Polymeric proanthocyanidins: interflavanoid linkage isomerism in (epicatechin–4)–(epicatechin–4)–catechin procyanidins, 320–2
PIPERAZINEDIONE
Approaches to the synthesis of bicyclomycin, 1126–8
PIPERAZINETETRONE
Photorearrangement of 5,6–dichloro–1,4–dihydro–1,4–dimethylpyrazine–2,3–dione and its further reactions, 743–4
PIPERIDINE
Switch from O– and N–protonation of 1–methoxycarbonylpiperidine as the acidity increases, 68–9
A new photochemical spiroannelation method. Access to substituted spirocyclohexanepiperidines, 832–3
PLACENTA
The status of oxygen atoms in the removal of C–19 in estrogen biosynthesis, 129–30
PLANARITY
The nonplanarity of the ring atoms in 2–oxotetrahydrothiophene, 577–8
PLANT
Synthesis of cinnamolide and polygodial, 507–8
PLATINATE
A new one–dimensional 'metal' with conduction through bis(dicyanoethylenedithiolato)platinum anions, 67–8
Electron and hydrogen atom addition to the tetracyanoplatinate(II) ion: an ESR study, 176–8
PLATINUM
Mechanisms of reactions between organotin compounds and platinum complexes, 55–6
Comparison of activities for hydrogen evolution from water of hydrogenase and colloidal platinum, 56–7
Photochemical production of hydrogen from water and nucleophilic platinum metal complexes, 58–9
Coordination of amides to cis–diammineaquaplatinum dication, 61–2
Isomerization and hydrogenolysis of 1,3–dioxacycloalkanes on metal catalysts, 106–8
A spectrophotometric method for analyzing mixtures of cis– and trans–diamminedichloroplatinum(II) in solution, 131–2
Photochemical hydrogen production using cadmium sulfide suspensions in aerated water, 145–6
Platinum–manganese and –rhenium complexes with bridging thiocarbonyl ligands; crystal structure of $[MnPt(\mu\text{–}CS)(CO)_2(PMePh_2)_2(\eta\text{–}C_5H_5)]$, 243–5
Substitution of a platinum(II) complex without retention of stereochemistry. Direct evidence for pseudorotation of a five coordinate platinum(II) cationic complex containing chelating phosphine ligands, 381–2
Two polymorphic forms of the tetrakis(dithioisobutanoato)diplatinum(II) complex: x–ray crystal structure and spectroscopic evidence of intermolecular interactions in the solid state, 409–11
Facile phosphorus–carbon bond cleavage in the reactions of nitrile oxides with zerovalent triphenylphosphine platinum complexes, 446–8
A pseudobase of pyridine, 448–9
Photoassisted isomerization of olefins by platinum complexes, 542–3
Platinum hydrosols in the sensitized photoreduction of water, 593–4
Transition metal–catalyzed N–alkylation of amines by alcohols, 611–12
Synthesis, dynamic behavior, and molecular structures of μ–methylene platinumtriosmium complexes: x–ray crystal structures of two isomers of $[Os_3Pt(\mu\text{–}H)_2(\mu\text{–}CH_2)(CO)_{10}(P(C_6H_{11})_3)]$, 689–91
Synthesis of α–functionalized–alkylplatinum(II) complexes by oxidative addition of geminal dihalides to platinum(0) substrates: x–ray structure of cis–[iodo(iodomethyl)bis(triphenylphosphine)-platinum], 698–9
Synthesis, solution, and solid–state structure (x–ray analysis), and some reactions of the dimer bis[dimethyl[μ–bis(diphenylphosphino)methane]platinum], 805–6
The binding of neutral platinum complexes by crown ethers. X–ray crystal structures of [trans–$PtCl_2(PMe_3)NH_3$.dibenzo–18–crown–6] and $[(trans\text{–}PtCl_2(PMe_3)NH_3)_2$.18–crown–6], 847–9
Formation and x–ray crystal structure of $[Pt(H_2NCH_2CH_2NH_2)_2$.18–crown–$6]^{2+}{}_n[PF_6^-]_{2n}$. A hydrogen bonded stepped–chain copolymer, 851–2
Rhodium–platinum cluster compounds. Relationships with olefin–platinum complexes and x–ray crystal structures of $[PtRh_4(\mu\text{–}CO)_4(\eta\text{–}C_5Me_5)_4]$ and $[PtRh_2(\mu\text{–}H)(\mu\text{–}CO)_2(CO)(PPh_3)(\eta\text{–}C_5Me_5)_2][BF_4]$, 869–71
The phosphinoethylsilyl group as a bifunctional chelate. Asymmetric induction at platinum(II), 937–9
Hydroisomerization of 1,3–dioxacycloalkanes to esters on platinum. The role of hydrogen in the isomerization, 978–9
Geometric and ligand effects in the IR spectra of carbon monoxide adsorbed on a platinum–copper alloy, 1024–5
Polyhydridoplatinum clusters: synthesis and x–ray crystal structures of tris(tri–tert–butylphosphine)hexahydridotriplatinum, tetra(tri–tert–butylphosphine)dihydridodiplatinum, and tetra(diisopropylphenylphosphine)octahydridotetraplatinum, 1104–6
Novel transition metal phosphaalkyne complexes. X–ray crystal and molecular structure of a side–bonded $Me_3CC{\equiv}P$ complex of zerovalent platinum, $Pt(PPh_3)_2(Me_3CCP)$, 1141–3
The photochemical decomposition of sulfuric acid catalyzed by tris(triethylphosphine)hydridoplatinum monocation, 1245–6
Protonation of tolylidyne ligands bridging tungsten–cobalt and –platinum bonds; reactivity of the cationic dimetal μ–carbene complexes produced, and x–ray crystal structures of $[PtW(\mu\text{–}\eta^1,\eta^3\text{–}CH(C_6H_4Me\text{–}4))(CO)_2(PMe_3)_2(\eta\text{–}C_5H_5)][BF_4]$, $[PtW(\mu\text{–}H)(\mu\text{–}CH(C_6H_4Me\text{–}4))(CO)_2(PMe_3)_2(\eta\text{–}C_5H_5)]$, and $[CoW(\mu\text{–}\eta^1,\eta^3\text{–}C(C_6H_4Me\text{–}4)C(Me)C(Me)H)(\mu\text{–}CO)(CO)(\eta\text{–}C_5H_5)(\eta\text{–}C_5Me_5)][BF_4]$, 1255–8
Trifluoromethyl Group 2B compounds: formation of mono– and bis(trifluoromethyl)platinum, –palladium, and –nickel trialkylphosphine complexes from the reaction of bis(trifluoromethyl)cadmium–glyme 1:1 compound with the diligand metal dihalides, 1282–3
PLATINUMOCTAHYDROPENTAPHENYLDIBUTYLPHOSPHINO
A high ratio hydrido–metal cluster: synthesis and x–ray crystal structure of $[Pt_5H_8[P(CMe_3)_2Ph]_5]$, 716–17
PLATINUMTHIANE
Unusual structure and novel fluxional rearrangements in the s–trithian complex $[(Me_3PtCl)_2(SCH_2SCH_2SCH_2)]$; x–ray crystal structure determination, 29–30
PLATINUMTRIOSMIUM
Synthesis, dynamic behavior, and molecular structures of μ–methylene platinumtriosmium complexes: x–ray crystal structures of two isomers of $[Os_3Pt(\mu\text{–}H)_2(\mu\text{–}CH_2)(CO)_{10}(P(C_6H_{11})_3)]$, 689–91
POLARIZATION
Chemical polarization of nitrogen–15 nuclei as a mechanistic criterion for nitration reactions, 402–3
POLYACETYLENE
Organic batteries: reversible n– and p–type electrochemical doping of polyacetylene, $(CH)_x$, 317–19
Photoinitiated doping of polyacetylene, 384–5
A new method for the chemical modification of polymers, 522–3
'Organic metals.' Reaction of ferric chloride with polyacetylene, $(CH)_x$, and poly(p–phenylene), $(p\text{–}C_6H_4)_x$, 783–4
Doping of polyacetylene films to the metallic state with xenon fluorides and iodine pentafluoride, 1288–9
POLYANION
Comparison of results obtained in kinetic studies of the interaction between cationic dyes and sodium carboxymethylcellulose using the Joule–heating temperature–jump and laser temperature–jump methods, 386–7
POLYAROM
Optical resolution of mutagenic and carcinogenic derivatives of polyaromatic hydrocarbons by high pressure liquid chromatography on a chiral support, 75–6
POLYAZAMACROCYCLE
Redox properties and stability constants of anion complexes. An

POLYAZAMACROCYCLE(contd)
electrochemical study of the complexation of metal hexacyanide anions by polyammonium macrocyclic receptor molecules, 1067–9
POLYCYCLE
Acid–catalyzed intramolecular C–alkylation rearrangements of $\beta\gamma$–unsaturated diazomethyl ketones. A novel synthetic entry to pentaleno–annulated polycyclic systems, 746–7
POLYCYCLIC
Optical resolution of mutagenic and carcinogenic derivatives of polyaromatic hydrocarbons by high pressure liquid chromatography on a chiral support, 75–6
POLYETHER
Synthesis and x–ray crystal structures of three isomeric macrobicyclic polyethers having similar melting points and different complexing power for alkali metal cations, 729–31
Chiral diaza–18–crown–6 derivatives, 992–4
POLYETHYLENE
Synthesis of macrocyclic oxo–crown ethers from $\alpha\omega$–bis diazoketones and polyethylene glycols, 616–17
POLYGODIAL
Synthesis of cinnamolide and polygodial, 507–8
POLYHYDRIDOPLATINUM
Polyhydridoplatinum clusters: synthesis and x–ray crystal structures of tris(tri–tert–butylphosphine)hexahydridotriplatinum, tetra(tri–tert–butylphosphine)dihydridodiplatinum, and tetra(diisopropylphenylphosphine)octahydridotetraplatinum, 1104–6
POLYMER
Use of polymer–iodine adducts as positive electrodes of cells, 187–8
The binding of neutral platinum complexes by crown ethers. X–ray crystal structures of [trans–$PtCl_2(PMe_3)NH_3$.dibenzo–18–crown–6] and [(trans–$PtCl_2(PMe_3)NH_3)_2$.18–crown–6], 847–9
Isolation and x–ray crystal structure of $[Cu(NH_3)_4H_2O.18\text{–crown–}6]^{2+}{}_n[PF_6]^-{}_{2n}$, a linear face–to–face hydrogen bonded chain copolymer, 849–50
A physically supported gel polymer for low pressure, continuous flow solid phase reactions. Application to solid phase peptide synthesis, 1151–2
X–ray crystal structure of a conducting polymer precursor: bridge–stacked phthalocyanine gallium fluoride, 1210–11
POLYMERIC
Synthesis and reactivity of bimetallic gold–silver complexes. X–ray structure of a chain polymer containing the moiety ...$(F_5C_6)_2Au(-\mu\text{–}AgSC_4H_8)_2Au(C_6F_5)_2$..., 1097–8
POLYMN
Catalytic activity of supported f–element organometallic complexes 257–8
Intramolecular cyclization of 1,1',3,3'–tetramethyl–1,1'–biindenyl, 347–8
Chemical conversions using sheet silicates: novel intermolecular eliminations of hydrogen sulfide from thiols, 695–6
Solid–state photopolymerization of unsaturated organic cations in layer perovskite halide salts, 921–2
Alkyne polymerizations initiated by μ–alkylidene complexes of tungsten. X–ray crystal structure of a chain–carrier intermediate, 1055–7
Role of dioxygen as an activator in olefin metathesis, 1062–4
POLYNUCLEAR
Polynuclear tungsten–iron, –ruthenium, and –osmium carbonyl complexes: crystal structures of $[FeW_2(\mu_3\text{–}C_2R_2)(CO)_6(\eta\text{–}C_5H_5)_2]$, $[OsW_2(\mu_3\text{–}C_2R_2)(CO)_7(\eta\text{–}C_5H_5)_2]$ (two isomers), and $[Os_3W(\mu_3\text{–}CR)(CO)_{11}(\eta\text{–}C_5H_5)]$ (R = C_6H_4Me–4), 1101–3
POLYPHENOL
The association of proteins with polyphenols, 309–11
Novel resveratrol tetramer, vaticaffinol, from Vatica affinis Thw. (Dipterocarpaceae), 1204–6
POLYPHENYLENE
'Organic metals.' Reaction of ferric chloride with polyacetylene, $(CH)_x$, and poly(p–phenylene), $(p\text{–}C_6H_4)_x$, 783–4
POLYPHENYLENEMETHYLENE
Chemical conversions using sheet silicates: novel intermolecular dehydrations of alcohols to ethers and polymers, 427–8
Chemical conversions using sheet silicates: novel intermolecular eliminations of hydrogen sulfide from thiols, 695–6
POLYPROPENE
Solid–state high–resolution carbon–13 NMR spectra of polypropene, 15–16
POLYTHIENYLENE
Use of polymer–iodine adducts as positive electrodes of cells, 187–8
POLYVINYL
Use of polymer–iodine adducts as positive electrodes of cells, 187–8
POLYVINYLCARBAZOLE
Use of polymer–iodine adducts as positive electrodes of cells, 187–8
POLYVINYLPYRROLIDE
Use of polymer–iodine adducts as positive electrodes of cells, 187–8
PORPHINATO
Interaction of monooxygen donors with porphinatoiron(III) complexes bearing electron–releasing meso–substituents, 293–5
The autoxidation of a chromium(II) porphyrin. Synthesis and structural characterization by x–ray crystallography of $\alpha\beta\gamma\delta$–tetraphenylporphinatooxochromium(IV), 370–1
PORPHINATOCHROMIUM
The autoxidation of a chromium(II) porphyrin. Synthesis and structural characterization by x–ray crystallography of $\alpha\beta\gamma\delta$–tetraphenylporphinatooxochromium(IV), 370–1
PORPHINATOIRON
Interaction of monooxygen donors with porphinatoiron(III) complexes bearing electron–releasing meso–substituents, 293–5
PORPHINATOOXOCHROMIUM
The autoxidation of a chromium(II) porphyrin. Synthesis and structural characterization by x–ray crystallography of $\alpha\beta\gamma\delta$–tetraphenylporphinatooxochromium(IV), 370–1
PORPHYRIN
A rapid porphyrin metalation, 192–4
Protiodeacetylation of porphyrins and pyrroles: a new partial synthesis of dehydrocoproporphyrin (S411–porphyrin), 283–4
NIH shift in hemin–iodosylbenzene mediated hydroxylations, 778–9
Manganese porphyrin–catalyzed oxidation of olefins to ketones by molecular oxygen, 874–5
Comparison of UV–visible spectra of iron(I)–porphyrin– and iron(II)–porphyrin(thiolato)(thiocarbonyl) and –(carbene) complexes. Relevance to ferrous cytochrome P450 complexes, 888–90
Redox chemistry of ruthenium porphyrins: evidence for internal electron transfer and the characterization of [Ru(III)(OEP+·)] species, 982–3
Hydroxylation of phenylalanine by aqueous hydrogen peroxide in the presence of an artificial water–soluble iron porphyrin complex 1206–7
Electrochemistry of six–coordinate chromium(III) porphyrins, 1212–14
Degradation of horse heart cytochrome c to a single diastereoisomeric porphyrin c, 1223–4
PORPHYRINATE
ESR evidence for chromium(V) porphyrinates, 1165–6
PORPHYRINATOIRON
Oxygenation reactions of cytochrome oxidase models. Evidence for hematin formation in mononuclear and heterobinuclear complexes, 799–80
PORPHYRINATOMANGANESE
Preparation, purification, and x–ray crystal structure of a dimeric manganese(IV) porphyrin complex, 765–6
PORPHYRINRHODIUM
Observation of a neutral metalloformyl complex formed by the reaction of rhodium octaethylporphyrin hydride with carbon monoxide, 700–1
POSITION
An NMR method for the quantitative determination of the N–1:N–3 protonation ratio in 2,4–diaminopyrimidine, 1224–5
POTASSIUM
Selective reduction of carbonyl compounds by heterogeneous catalysis on salt surfaces, 121–2
Reductive rearrangement of 4–phenyl–1,3–dioxanes to 2–phenylbutane–1,4–diols upon treatment with sodium–potassium alloy, 155–6
IR evidence for a strong hydrogen bond in the fluoride–uracil system, 466–8
Accumulation of potassium oxide on carbon and enhancement of catalytic activity for isomerization by dioxygen, 1061–2
Synthesis of light olefins from carbon monoxide and hydrogen over highly dispersed ruthenium/potassium–alumina derived from triruthenium dodecacarbonyl, 1114–15
POTENTIAL
Use of polymer–iodine adducts as positive electrodes of cells, 187–8
Conformational analysis of 5–tert–butylcyclohexa–1,3–diene, 372–3
Visible light–induced oxidation of water and of chloride ions in photoelectrochemical cells, 437–40
Ab initio study of the insertions of CH_2 and SiH_2 into hydrogen,

POTENTIAL(contd)
890–1
Barrier to rotation about the nitrogen–nitrogen bond in 1,1'–bipiperidine, 1015–16
Redox properties and stability constants of anion complexes. An electrochemical study of the complexation of metal hexacyanide anions by polyammonium macrocyclic receptor molecules, 1067–9
PRAESODYMIUM
Use of the bis(trimethylsilyl)cyclopentadienyl ligand for stabilizing early (f^0–f^3) lanthanocene chlorides. X–ray structure of dichlorodi[η–bis(trimethylsilyl)cyclopentadienyl]dipraesodymium and of isoleptic scandium and ytterbium complexes, 1190–1
PRECURSOR
Use of carbohydrates in the preparation of optically active sulfoxides, 505–6
Simple novel synthesis of the anthracyclinone system using a new modification of the Marschalk reaction and a carbohydrate as a chiral center source, 508–10
Detection of one symmetrical precursor during the biosynthesis of the fungal metabolite austdiol using acetate–1,2–$^{13}C_2$ and methionine–Me–^{13}C, 575–6
Biosynthetic incorporation of cyclo–(L–phenylalanyl–L–phenylalanyl) into bisdethiobis(methylthio)acetylaranotin in Aspergillus terreus, 619–21
Photocycloaddition of 2,5–dihydrothiophene SS–dioxides to α,β–unsaturated cyclic anhydrides. Synthesis of 10–hydroxygeraniol, 752–3
Olefin metathesis in polycyclic frames. A total synthesis of hirsutene 756–7
A new approach to spirosesquiterpenes of the acorane family, 953–5
Synthesis and determination of the configuration of 23,25–dihydroxyvitamin D_3, a new metabolite of vitamin D_3. X–ray crystal structure of a 3,23,25–triol precursor, 1157–9
X–ray crystal structure of a conducting polymer precursor: bridge–stacked phthalocyanine gallium fluoride, 1210–11
Synthesis of phytuberin from elemol, 1236–7
The origins of the enantioselection in asymmetric catalytic hydrogenation of amino acid precursors, 1278–80
PREGNENOLONE
Hypervalent iodine in organic synthesis. A novel route to the dihydroxyacetone side–chain in the pregnene series, 641–2
PREGNENONE
Hypervalent iodine in organic synthesis. A novel route to the dihydroxyacetone side–chain in the pregnene series, 641–2
PREGNYNE
Stereospecific introduction of a C–17 side chain in a 14β–hydroxy steroid. X–ray crystal structures of two epimeric 17–ethynyl–17–hydroxy–14β–hydroxy steroids, 363–4
PRENYLATION
A simple, new preparation of α,α–dimethylallyltrimethylsilane: a useful prenylation reagent, 1094–5
PRESSURE
Determination of conformational volume changes in liquid 1–bromoalkanes at high pressure by Raman spectroscopy, 159–60
Pressure–induced synthesis of an N–sulfonyl–1H–azepine by sulfonyl–nitrene insertion into benzene, 790–1
Pressure effect on the rate of outer–sphere electron–transfer within the ion–pair between μ–ethylenediaminetetraacetatodi–μ–oxobis[oxomolybdate(v)] and μ–hyperoxobis[pentaamminecobalt(III)] ions, 1135–6
PRIMARY
Chemical conversions using sheet silicates: novel intermolecular dehydrations of alcohols to ethers and polymers, 427–8
PROCESS
Radical–like reactivity of rhodium(II) octaethylporphyrin dimer with trimethyl phosphite, 475–6
PROCYANIDIN
Polymeric proanthocyanidins: interflavanoid linkage isomerism in (epicatechin–4)–(epicatechin–4)–catechin procyanidins, 320–2
Structures of dimeric, trimeric, and tetrameric procyanidins from Areca catechu L, 781–3
PROMOTION
Promotion of charge–transfer complex formation by γ–cyclodextrin 340
PROPANE
Far–UV circular dichroism spectra of (S)–(+)–1,2,2–trimethylpropyl ethyl ether: solvent effects, 590–1
PROPANEDIAMMONIUM
The crystal structures of propane–1,3–diammonium tetrachlorochromate(II), a sheet ferromagnet, and bis(dimethylammonium) tetrachlorochromate(II), an antiferromagnetic compound containing isolated $[Cr_3Cl_{12}]^{6-}$ units, 1046–7
PROPANEDIIMINE
Oxidative aminomercuration of prop–2–ynol. Syntheses of substituted propane–1,2–diimines and 2–aminopropionamidines, 1181–2
PROPENE
New design of highly active, paired chromium structures on solid surfaces for propene hydrogenation, 140–2
Partial oxidation of propene over UV–irradiated vanadium oxide supported on silica, 601–2
PROPENYLIDENE
Novel rearrangement of an (η^4–2–pyrone)iron complex, 22–5
PROPENYLOXY
Formation of dihydrobenzofurans by radical cyclization, 136–7
PROPENYLOXYBENZENEDIAZONIUM
Formation of dihydrobenzofurans by radical cyclization, 136–7
PROPIOLATE
Reaction of olivanic acids with hypobromous acid: the preparation and use of a versatile intermediate, the C–3 thiol, 803–5
PROPIONAMIDINE
Oxidative aminomercuration of prop–2–ynol. Syntheses of substituted propane–1,2–diimines and 2–aminopropionamidines, 1181–2
PROPYLENEDIAMINE
X–ray structure of the reversible dioxygen adduct of [N,N'–(3,3'–dipropylmethylamine)bis(salicylideneaminato)cobalt(II)]: unusual presence of both dioxygenated and nondioxygenated complex molecules in the crystal, 196–8
PROPYNOL
Oxidative aminomercuration of prop–2–ynol. Syntheses of substituted propane–1,2–diimines and 2–aminopropionamidines, 1181–2
PROPYNYL
Enantioselective synthesis of the gibbane framework, 635–7
Specific hydromagnesiation of prop–2–ynylic alcohols. A simple and specific route to terpenoids, 718–20
PROPYNYLBENZOBICYCLONONADIENEDIONE
Enantioselective synthesis of the gibbane framework, 635–7
PROSTACYCLIN
Total synthesis of (±)–prostaglandin I_2 methyl ester and (±)–15–epi–prostaglandin I_2 methyl ester, 922–4
PROSTAGLANDIN
Synthesis of asymmetrically–substituted cyclopentane derivatives from acyclic sugars, 88–90
A general route to optically pure prostaglandins from a D–glucose derivative, 983–5
PROTECTED
Racemization of activated, urethane–protected amino–acids by p–dimethylaminopyridine. Significance in solid–phase peptide synthesis, 336–7
Protection of histidine side–chains with π–benzyloxymethyl or π–bromobenzyloxymethyl groups, 648–9
PROTECTING
Simple, stereospecific syntheses of some insect pheromones using the iron tricarbonyl protecting group, 373–4
PROTECTION
Wittig reactions with β–lactam carbonyls: a convenient means of protection. X–ray crystal structure of p–nitrobenzyl–(2R,5R)–Z–7–methoxycarbonylmethylene–Z–3–(β–phthalimidoethylidene)–4–oxa–1–azabicyclo[3.2.0]heptane–2–carboxylate, 929–30
PROTECTIVE
Synthesis of some branched trisaccharides using photolabile o–nitrobenzylidene acetals as temporary protecting groups, 362–3
Reinvestigation of the 4–methoxy–2,6–dimethylbenzenesulfonyl (Mds) protecting group for the guanidino–function during peptide synthesis, 1243–4
PROTEIN
The association of proteins with polyphenols, 309–11
Aryldiazonium salts as photoaffinity labeling reagents for proteins, 398–9
Oxidative cleavage of peptide and protein disulfide bonds by gold(III): a mechanism for gold toxicity, 1111–14
PROTOANEMONIN
Facile synthesis of 4–alkylidenebut–2–enolides by double dehydrochlorination of 2,2–dichloro–4–alkylbutanolides, 815–16

PROTON
Combined use of multiple and selective proton–decoupled carbon–13 and proton NMR spectra for complete proton and carbon–13 resonance assignments of polypeptides, 230–2
Proton–carbon–13 NMR chemical shift correlation, 413–14
Evidence for the base–promoted conversion of alkyl–substituted molybdenum and tungsten alkylidyne complexes into anionic vinylalkylidene species, 1037–8
PROTONATED
The photoisomerizations of protonated Schiff base derivatives of some enals, 1268–9
PROTONATION
Switch from O– and N–protonation of 1–methoxycarbonylpiperidine as the acidity increases, 68–9
Electron and hydrogen atom addition to the tetracyanoplatinate(II) ion: an ESR study, 176–8
Proton–induced ligand uptake by $[Mn_2(CO)_5(Ph_2PCH_2PPh_2)_2]$ to give hydrogen–bridged dimanganese complexes, 724
Fully reversible carbon protonation in the hydrolysis of ketene selenoacetals, 738–9
Organotellurium chemistry. Cis– and trans–2,6–diphenyl–1,4–ditellurafulvenes, 828–9
An NMR method for the quantitative determination of the N–1:N–3 protonation ratio in 2,4–diaminopyrimidine, 1224–5
Protonation of tolylidyne ligands bridging tungsten–cobalt and –platinum bonds; reactivity of the cationic dimetal μ–carbene complexes produced, and x–ray crystal structures of $[PtW(\mu\text{-}\eta^1,\eta^3\text{-}CH(C_6H_4Me\text{-}4))(CO)_2(PMe_3)_2(\eta\text{-}C_5H_5)][BF_4]$, $[PtW(\mu\text{-}H)(\mu\text{-}CH(C_6H_4Me\text{-}4))(CO)_2(PMe_3)_2(\eta\text{-}C_5H_5)]$, and $[CoW(\mu\text{-}\eta^1,\eta^3\text{-}C(C_6H_4Me\text{-}4)C(Me)C(Me)H)(\mu\text{-}CO)(CO)(\eta\text{-}C_5H_5)(\eta\text{-}C_5Me_5)][BF_4]$, 1255–8
PROTOPINE
Conversion of a protopine into an indenobenzazepine. Stereoselective formation of cis– and trans–b/c fused indenobenzazepines, 1246–8
PSEUDOBASE
A pseudobase of pyridine, 448–9
PSEUDOMONAS
Mode of enzymic oxygenation at primary carbon atoms: stereochemistry of hydroxylation of C–1 chiral octanes by Pseudomonas oleovorans, 76–8
PSEUDOROTATION
Single crystal ESR study of the octahydro–2a,4a,6a,8a–tetraaza–8b–phospha(V)pentaleno[1,6–cd]pentalen–8b–yl radical. Evidence of ligand exchange via a Berry pseudorotation mechanism, 358–60
Pseudorotation of spin–labeled phosphoranes formed by cyclization of triazenylphosphoranyl radicals, 1107–8
PTEROBILINE
Synthesis of γ–oxyprotoporphyrin IX and pterobiline (biliverdin IXγ), 763–4
PURINE
Synthesis of 6–cyano– and 6–carbamoylpurines and 6–carbamoyl–1,2–dihydropurines from N–methylacetonitrilium trifluoromethanesulfonate and diaminomaleonitrile, 788–9
PUTRESCINE
Pyrrolizidine alkaloid biosynthesis; incorporation of carbon–13–labeled putrescines into retronecine, 146–7
Pyrrolizidine alkaloids: evidence for N–(4–aminobutyl)–1,4–diaminobutane (homospermidine) as an intermediate in retronecine biosynthesis, 554–6
PYRANOBENZOPYRANONE
Regiospecific (biogenetic–type) synthesis of 2–methyl–5H–pyrano[3,2–c][1]benzopyran–4–one, the basic skeleton in citromycetin, 761–2
PYRANONE
Model studies on the synthesis of milbemycin β_3, 556–7
PYRANOSIDE
A new and versatile method for the preparation of unsaturated sugars, 26–8
PYRAZINEDIONE
Photorearrangement of 5,6–dichloro–1,4–dihydro–1,4–dimethylpyrazine–2,3–dione and its further reactions, 743–4
PYRAZOLE
Competing paths in the phototransposition of pyrazoles, 604–6
1,2,3–Triazine, 1174
Annular tautomerism in the solid state: a high resolution NMR study, 1207–8
PYRAZOLOBENZOTRIAZOLE
Photooxidation of 1,3–dimethylpyrazolo[1,2–a]benzotriazole, 1089–91
PYRAZOLYLBORATO
Reactions of ketones with molybdenum nitrosyl complexes: x–ray crystal structures of $[(Mo(HB(3,5\text{-}Me_2C_3HN_2)_3)(NO)I)_2O]$, a complex having a bent Mo–O–Mo bond, and of a bicyclic salt, $[C_6H_3Me_5N_2(OH)][I_{1\cdot2}(I_3)_{1\cdot2}]$, 348–50
Remarkably easy one–electron reduction of 16–electron molybdenum nitrosyls: mechanistic implications for the formation of alkoxy, amido, hydrazido, and thiolato complexes containing the tris–3,5–dimethylpyrazolylborato ligand, 960–1
PYRIDAZINONE
The chemistry of a 1,3,4–thiadiazin–6–one, 1003–4
PYRIDINE
Photolysis of 2–azidopyridine 1–oxides. A convenient synthesis of 1,2–oxazines, 36–7
Cycloaddition reactions of 2–(indol–2–yl)acrylates and N–alkoxycarbonyl–1,2–dihydropyridine: new synthesis of desethylcatharanthine, 37–9
New synthesis of olivacine via a heteroarylation reaction, 44–6
Electron exchange rates of cobalt tetraarylporphines, 332–3
Racemization of activated, urethane–protected amino–acids by p–dimethylaminopyridine. Significance in solid–phase peptide synthesis, 336–7
Detection of a metalo intermediate and geometrical isomerizations in an oxidative cyclization of a heterocyclic hydrazone with mercury(II) acetate, 376–7
A pseudobase of pyridine, 448–9
A new route to 3–alkoxypyridine 1–oxides, 696–8
Pyridine N–sulfides. Some simple N–arylthiopyridinium salts and a possible source of arylsulfenium ions, 703–4
Isolation and x–ray crystal structure of a novel dihydroterpyridine dimer formed via an anionic [6 + 4] cycloaddition, 858–9
General synthetic approach to the quinolizidine alkaloids via a [2 + 3]–cycloaddition, 940–2
PYRIDINECARBOXALDEHYDE
Detection of a metalo intermediate and geometrical isomerizations in an oxidative cyclization of a heterocyclic hydrazone with mercury(II) acetate, 376–7
PYRIDINETHIOLATO
Formation of novel η^2–vinyl complexes by nucleophilic attack at coordinated hexafluorobut–2–yne: implications for the stereochemistry of addition and insertion reactions of coordinated acetylenes. Crystal and molecular structure of $[Mo(SC_5H_4NC(\text{-}CF_3)CC(CF_3))(CF_3CCCF_3)(\eta\text{-}C_5H_5)]$, 1059–61
PYRIDINIUM
Structural change in $(C_5H_5NH)SbBr_4$ with temperature, 979–81
PYRIDOCARBAZOLEDIONE
Efficient syntheses of 'ellipticine quinone' and the other three isomeric 5H–pyrido[x,y–b]carbazole–5,11(6H)–diones, 994–5
PYRIDONE
A novel photochemical route to functionalized β–lactams, 880
Tautomerism of 1–hydroxy–2–pyridone in the excited triplet state, 1004–5
PYRIDOPYRROLE
Simple and effective synthesis of pyrido[2,1–b]thiazines, 395–6
PYRIDOTHIAZINE
Simple and effective synthesis of pyrido[2,1–b]thiazines, 395–6
PYRIDYL
Detection of a metalo intermediate and geometrical isomerizations in an oxidative cyclization of a heterocyclic hydrazone with mercury(II) acetate, 376–7
An efficient synthesis of 3–[1–(3–pyridyl)ethyl]indoles, 630–1
PYRIDYLBUTANAL
An efficient synthesis of 3–[1–(3–pyridyl)ethyl]indoles, 630–1
PYRIDYLETHER
An efficient synthesis of 3–[1–(3–pyridyl)ethyl]indoles, 630–1
PYRIDYLETHYLDIAMINOXYLENE
Activation of oxygen by a binuclear copper(I) compound. Hydroxylation of a new xylyl binucleating ligand to produce a phenoxy–bridged binuclear copper(II) complex; x–ray crystal structure of $[Cu_2(OC_6H_3[CH_2N(CH_2CH_2py)_2]_2\text{-}2,6)(OMe)]$ (py = 2–pyridyl), 881–2
PYRIDYLETHYLINDOLE
An efficient synthesis of 3–[1–(3–pyridyl)ethyl]indoles, 630–1
PYRIDYLHYDRAZONE
Detection of a metalo intermediate and geometrical isomerizations in an oxidative cyclization of a heterocyclic hydrazone with

PYRIDYLHYDRAZONE(contd)
mercury(II) acetate, 376–7
PYRIDYLTHIOATE
Reaction of lithium dialkylcuprates with S–2–pyridyl thioates in the presence of oxygen. A carboxylic ester synthesis, 1231–2
PYRIDYLTRIAZOLOPYRIDINE
Detection of a metalo intermediate and geometrical isomerizations in an oxidative cyclization of a heterocyclic hydrazone with mercury(II) acetate, 376–7
PYRIDYLVINYLCHROMENONE
Photocyclization of 2–(pyridylvinyl)chromen–4–ones, 442–3
PYRIMIDINE
Synthesis and x–ray crystal structure of the first example of an anhydronucleoside with two oxygen bridges between the base and the sugar, 780–1
PYROLYSIS
The conversion of primary amines into olefins: a mild alternative to the Hofmann elimination, 96
Dehydrogenation of cyclic and bicyclic secondary alkyl peroxides during flash vacuum pyrolysis, 547–9
1,2–Oxathiolane, a simple sultene, 741–2
1,2–Oxathiolane, 742–3
Olefin metathesis in polycyclic frames. A total synthesis of hirsutene 756–7
cis– and trans–Dimethyl–di–μ–methylenebis(pentamethylcyclopentadienyl)dirhodium as models for Fischer–Tropsch reactions on metal surfaces, 809–10
Pyrolysis of phenylalklysulfonyl azides and 2–phenethyl azidoformate. Selectivity of sulfonylnitrenes and contrast between sulfonyl– and carbonylnitrenes, 1087–8
PYROLYTIC
Synthesis and chemistry of 2–trimethylsilylbenzocyclobutenones, 179–80
PYRONE
Novel rearrangement of an (η^4–2–pyrone)iron complex, 22–5
Regiospecific (biogenetic–type) synthesis of 2–methyl–5H–pyrano[3,2–c][1]benzopyran–4–one, the basic skeleton in citromycetin, 761–2
PYROPHOSPHATE
Monofluoro– and difluoromethylenebisphosphonic acids: isopolar analogs of pyrophosphoric acid, 930–2
PYROPHOSPHITE
A new synthetic route to perfluoroalkylphosphonates involving facile formation of the CF–P linkage, 1173–4
PYRROLE
Photolysis of 2–azidopyridine 1–oxides. A convenient synthesis of 1,2–oxazines, 36–7
Palladium–promoted 1,4–cycloamination of 1,3–dienes to pyrroles, 59–61
Arylation of N–acylpyrroles and –indoles with arenes and palladium acetate, 254–5
1,3–Dipolar cycloaddition of a thiazolo[5,4–d]pyrimidine 1–oxide to dimethyl acetylenedicarboxylate. New ring transformation to a pyrrolo[3,2–d]pyrimidine via a pyrimido[4,5–b][1,4]thiazine, 278–80
Transition metal–catalyzed N–alkylation of amines by alcohols, 611–12
Anomalous products from 1,2,5–triaza– and 1,5–diazapentadiene thermolyses: formation of amidines and pyrroles, respectively, 722–3
First example of predominant β–orientation in electrophilic substitution of pyrrole, 1177–8
PYRROLIDINE
Chemical conversions using sheet silicates: novel intermolecular elimination of ammonia from amines, 9–10
PYRROLIDINONE
A cis–trans equilibrium isotope effect in arylcyanomethylenepyrrolidinones, 205–6
PYRROLIDYL
Chemical conversions using sheet silicates: novel intermolecular elimination of ammonia from amines, 9–10
PYRROLIDYLBUTANAMINE
Chemical conversions using sheet silicates: novel intermolecular elimination of ammonia from amines, 9–10
PYRROLIDYLBUTANE
Chemical conversions using sheet silicates: novel intermolecular elimination of ammonia from amines, 9–10
PYRROLINE
Cationic cyclization reactions of 6–methylhept–5–en–2–one oxime; x–ray crystal structure of 3–isopropylidene–2–methyl–Δ^1–pyrroline, 568–9
PYRROLIZIDINE
Pyrrolizidine alkaloids: evidence for N–(4–aminobutyl)–1,4–diaminobutane (homospermidine) as an intermediate in retronecine biosynthesis, 554–6
Synthesis and stereochemistry of dicrotaline, a macrocyclic pyrrolizidine alkaloid, 1272–4
PYRROLOINDOLE
Arylation of N–acylpyrroles and –indoles with arenes and palladium acetate, 254–5
PYRROLOINDOLECARBOXYLATE
Dye–sensitized photooxygenation of tryptophan to give N'–formylkynurenine, 855–6
PYRROLYLMETHANE
Synthesis of γ–oxyprotoporphyrin IX and pterobiline (biliverdin IXγ), 763–4
PYRYLIUM
The conversion of primary amines into olefins: a mild alternative to the Hofmann elimination, 96
QUATERNARY
Improved resolution of low field quaternary carbon resonances in carbon–13 NMR spectroscopy, 12–13
QUEBRACHAMINE
Enantioselective route to both (+)– and (–)–enantiomers of quebrachamine using a single chiral synthon, 1153–5
QUENCHING
Photoreduction of 3,7–diaminophenoxazinylium chloride ('oxonine') by iron(II). A model system for singlet–state driven photogalvanic cells, 497–9
Flash photolysis of N–bromo–3,3–dimethylglutarimide: detection of the imidyl radical, 955–6
QUINAZOLINECARBOXYLATE
ortho–Formyl substituted arylazomethylenetriphenylphosphoranes: a novel facile intramolecular thermal rearrangement with nitrogen–nitrogen double bond fission, 894–5
QUINAZOLONE
Intramolecular reactions of N–nitrenes: oxidation of 3–amino–2–(arylalkyl)quinazolones, 160–2
Intramolecular reactions of N–nitrenes: evidence for nonconcerted addition to alkenes, 549–50
QUINIZARIN
Simple novel synthesis of the anthracyclinone system using a new modification of the Marschalk reaction and a carbohydrate as a chiral center source, 508–10
Substitution of quinizarin and 5–hydroxyquinizarin at C–2, 740–1
A regioselective synthesis of 8,10–dideoxycarminomycinone, 1075–6
QUINODIMETHANE
Synthesis, electronic structure, and complex formation of simple 1,1,4,4–tetrathiabutadienes, 829–31
QUINOLINE
Formation of 3H–1,3–benzodiazepines from quinoline N–acylimides, 211–13
Pyrolysis of phenylalklysulfonyl azides and 2–phenethyl azidoformate. Selectivity of sulfonylnitrenes and contrast between sulfonyl– and carbonylnitrenes, 1087–8
QUINOLIZIDINE
General synthetic approach to the quinolizidine alkaloids via a [2+3]–cycloaddition, 940–2
QUINOLIZIDINOL
General synthetic approach to the quinolizidine alkaloids via a [2+3]–cycloaddition, 940–2
QUINOMYCIN
Characterization of eight antibiotics of the quinomycin group by field desorption mass spectrometry, 46–7
QUINONE
The regiospecific preparation of 1,4–dioxygenated anthraquinones: a new route to islandicin, digitopurpone, and madeirin, 108–10
Preparation of stable quinone methide imines, 565–6
Arylation of quinones with arenes and palladium acetate, 859–60
Regiospecific cycloaddition of 1–substituted isobenzofurans to quinone acetals, 942–3
RACEMIZATION
Racemization of activated, urethane–protected amino–acids by p–dimethylaminopyridine. Significance in solid–phase peptide synthesis, 336–7
Optically active trifluoromethylcarbinols as chiral solvating agents for asymmetric transformations at a ring–nitrogen atom, 588–90
Thermal racemization of a chiral arene oxide metabolite: chrysene

RACEMIZATION(contd)
3,4-oxide, 838–9
RADICAL
Interconversion of carbocations, free radicals, and carbanions in nitroxide solutions, 70–1
Single crystal ESR study of the 1,6-dioxa-4,9-diaza-5-phospha(V-)spiro[4.4]nonan-5-yl and the 1,6-dioxa-4,9-diaza-2,3,7,8-dibenzo-5-phospha(V)spiro[4.4]nona-2,7-dien-5-yl radicals, 104–6
Electron–transfer chain (ETC) promotion of aromatic substitution reactions. Entry into the $S_{ON}2$ mechanism via ipso radical attack, 133–4
Formation of dihydrobenzofurans by radical cyclization, 136–7
A water-soluble, nitroso-aromatic spin-trap, 142–3
ESR spectra of cyclic oxyamidyls, 253–4
Reactions of a triarylsulfonium salt with alkoxide nucleophiles: involvement of radical intermediates, 346–7
Single crystal ESR study of the octahydro-2a,4a,6a,8a-tetraaza-8b-phospha(V)pentaleno[1,6-cd]pentalen-8b-yl radical. Evidence of ligand exchange via a Berry pseudorotation mechanism, 358–60
An ESR study of the generation and reactivity of the borane radical anion ($H_3B^{\bullet-}$) in solution, 360–1
Radical-like reactivity of rhodium(II) octaethylporphyrin dimer with trimethyl phosphite, 475–6
Methyl and silyl halide radical anions: an ab initio study, 515–16
The role of cyclohexadienones in the thermal sigmatropic rearrangements of 2-oxidoanilinium ylides, 573–5
Reactions of o-alkenyloxyarenediazonium fluoroborates and related species with nitroxides, 595–7
ESR spectra of the hexamethyldisilane and hexamethyldigermane radical cations, 666–8
Arsenic pentafluoride radical anion intermediate in the charge-transfer interaction with donors, 701–2
The electronic configuration of 1,3-dialkyltriazenyl radicals, 748–9
Flash photolysis of N-bromo-3,3-dimethylglutarimide: detection of the imidyl radical, 955–6
The reaction of trichlorosilyl radicals with cyclohexyl octyl ether. An S_H2 reaction at an ether oxygen atom, 956–7
Redox chemistry of ruthenium porphyrins: evidence for internal electron transfer and the characterization of [Ru(III)(OEP$^{+\bullet}$)] species, 982–3
Associative substitution reactions of rhenium pentacarbonyl radical 1052–3
Pseudorotation of spin-labeled phosphoranes formed by cyclization of triazenylphosphoranyl radicals, 1107–8
Stereoisomerization of the tricyclotrioxaazoniaphosphaundecane tetrafluoroborate phosphoranyl radical: a single crystal ESR study, 1148–9
ESR spectra and reactivity of alane radical anions in solution, 1167–8
Comparison of proton hyperfine coupling constants for the monomer and dimer radical cations of dimethyl sulfide and dimethyl selenide, 1184–5
RADIOLYSIS
Electron and hydrogen atom addition to the tetracyanoplatinate(II) ion: an ESR study, 176–8
ESR spectra of the hexamethyldisilane and hexamethyldigermane radical cations, 666–8
The cation of hexamethyldistannane generated by radiolysis: an ESR study, 1251–2
RAMAN
Determination of conformational volume changes in liquid 1-bromoalkanes at high pressure by Raman spectroscopy, 159–60
Vibrational spectroscopy at very high pressures. Eclipsed decacarbonyldimanganese and decacarbonyldirhenium, 226–7
Temperature dependence of the low-frequency vibrational optical activity of α-phellandrene, 771–2
Variable temperature Raman spectra of phosphorus(V) chloride and bromide deposited at 15 K, 812–14
RAT
Mode of mammalian oxygenation at primary carbon atoms: steric course of hydroxylation of C-1 chiral octanes by rat liver microsomes, 1196–7
REACTION
Reaction of η^4-cyclooctatetraenyliron tricarbonyl with the tropylium ion: unusual rearrangement of cyclooctatetraene and cycloheptatriene rings and the x-ray crystal structure of η^4-styrylcycloheptatrienyliron tricarbonyl, 19–20
Complex containing the bridging formazanido(3–) ligand. Synthesis and x-ray crystal structure of [(WBr(1,2-bis(diphenylphosphino)-ethane)$_2$)$_2$(μ-CH(N$_2$)$_2$)]$^+$–[Cr(NH$_3$)$_2$(NCS)$_4$]$^-$.1/3CH$_2$Cl$_2$, 85–7
Carbon dioxide activation; formation of trans-(Ph$_3$P)$_2$Rh(CO)(OC-O$_2$H) in the reaction of carbon dioxide with HRh(CO)(PPh$_3$)$_3$–CO and the determination of its structure by x-ray crystallography, 268–9
2-Hydroxyethanesulfonyl chloride: a sulfonyl chloride with a primary hydroxy-group, 295–6
Nitrogen tracer evidence for a cyclic azide species, 299–300
Carbon-13 NMR study of rhodium carbonyl clusters under high pressures of carbon monoxide/hydrogen, 331–2
Reactions of ketones with molybdenum nitrosyl complexes: x-ray crystal structures of [(Mo(HB(3,5-Me$_2$C$_3$HN$_2$)$_3$)(NO)I)$_2$O], a complex having a bent Mo–O–Mo bond, and of a bicyclic salt, [C$_6$H$_3$Me$_5$N$_2$(OH)][I$_{1,2}$(I$_3$)$_{1,2}$], 348–50
Stereospecific introduction of a C-17 side chain in a 14β-hydroxy steroid. X-ray crystal structures of two epimeric 17-ethynyl-17-hydroxy-14β-hydroxy steroids, 363–4
Simple, novel preparation of unsymmetrical triacetylenes, 459–60
Reinvestigation of the claim that bis(η^5-cyclopentadienyl)tin(II) and (η^5-cyclopentadienyl)tricarbonyltungsten hydride form bis[(η^5-cyclopentadienyl)tricarbonyltungsten]tin(II), 521–2
New helium-moderator anomaly in recoil tritium chemistry, 545–6
Accelerative effect of N^6-acyl groups on the C(8)-hydrogen exchange of 9-substituted adenines, 658–9
Two-electron addition reactions and reversible carbonylation of an unsaturated pentanuclear osmium complex; x-ray crystal structure of [Os$_5$(CO)$_{13}$H(PhNC$_6$H$_4$N)(PEt$_3$)], 801–3
Reaction of olivanic acids with hypobromous acid: the preparation and use of a versatile intermediate, the C-3 thiol, 803–5
Nitrogen-15 nuclear polarization during nitro group exchange reactions on a σ-complex formed by ipso-attack, 825–7
Synthesis, x-ray crystal structure, and reactivity of the di-μ-carbene complex [Ru$_2$(CO)$_2$(μ-CHMe)(μ-CMe$_2$)(η-C$_5$H$_5$)$_2$], 862–4
Surprising reactivity of very crowded phosphinic derivatives, 1197–8
Synthesis and properties of substituted ruthenium aqua complexes, 1216–17
π-Arene complexes as unexpected deactivation products in alkane activation and alkene hydrogenation reactions, 1217–18
Reaction of lithium dialkylcuprates with S-2-pyridyl thioates in the presence of oxygen. A carboxylic ester synthesis, 1231–2
Conversion of a protopine into an indenobenzazepine. Stereoselective formation of cis- and trans-b/c fused indenobenzazepines, 1246–8
Benzylic functionalization of arene(tricarbonyl)chromium complexes, 1264–5
REACTIVITY
Diels–Alder reactions of (trimethoxymethyl)cyclopentadienes. Formation of adducts derived from the 2-substituted tautomer, 449–51
Radical-like reactivity of rhodium(II) octaethylporphyrin dimer with trimethyl phosphite, 475–6
ESR spectra and reactivity of alane radical anions in solution, 1167–8
REAGENT
Synthesis of xenon difluoride–^{18}F, a novel agent for the preparation of fluorine-18 radiopharmaceuticals, 198–9
Aryldiazonium salts as photoaffinity labeling reagents for proteins, 398–9
A simple, new preparation of α,α-dimethylallyltrimethylsilane: a useful prenylation reagent, 1094–5
Benzyl trichloroacetimidate, a versatile reagent for acid-catalyzed benzylation of hydroxy-groups, 1240–1
REARRANGEMENT
Novel rearrangement of an (η^4-2-pyrone)iron complex, 22–5
Unusual structure and novel fluxional rearrangements in the s-trithian complex [(Me$_3$PtCl)$_2$(SCH$_2$SCH$_2$SCH$_2$)]; x-ray crystal structure determination, 29–30
Photolysis of 2-azidopyridine 1-oxides. A convenient synthesis of 1,2-oxazines, 36–7
Novel alumina-catalyzed reactions of arylthioalkyl halides, 87–8
Preparation of derivatives of tricyclo[4.2.0.0^{1,4}]octane, broken window compounds, 118–20
Sulfide extrusion from methyl sulfonium salts of the sulfur-bridged sesquiterpenes, mintsulfide and isomintsulfide by alkyllithium, 127–8
Reductive rearrangement of 4-phenyl-1,3-dioxanes to 2-phenylbutane-1,4-diols upon treatment with sodium-potassium

REARRANGEMENT(contd)
alloy, 155–6
Alkylation of lithium trialkylalkynylborates with benzo–1,3–dithiolium fluoroborate, 164–5
Acyl migrations in Diels–Alder adducts of acyl–1,4–benzoquinones 166–9
[1,5] and [1,2] Acetyl shifts in Diels–Alder adducts of 2–acetyl–6–methyl–1,4–benzoquinone, 169–71
Base–induced benzoyl migrations in Diels–Alder adducts of benzoyl–1,4–benzoquinones, 171–3
Rearrangement of a 2–aryloxycyclohex–2–enone. A new enolate Claisen rearrangement?, 224–5
Rearrangement of carboxylates derived from N–acetyl–N–nitroso–α–amino acids, 297–9
A novel rearrangement of hetisine, and x–ray crystal structure of the major product: transformation of a dihydroxybicyclo[2.2.2]octane system to an adamantane–type skeleton, 327–9
Four–membered ring adducts from $2\pi + 2\pi$ cycloaddition of ketenimines to sulfur dioxide. Isolation of 1,2–thiazetidin–3–one 1–oxides, 350–2
Trapping of reactive intermediates from phosphites and dimethyl acetylenedicarboxylate. Diversion of reaction pathway towards stable phosphole derivatives, 420–1
Mechanism of the Cope rearrangement of acyclic 1,5–dienes and of the Wacker oxidation of alk–1–enes catalyzed by palladium complexes, 456–7
A novel synthesis of α– and γ–fluoroalkylphosphonates, 511–13
A novel S,N–double rearrangement; x–ray crystal structure of 5–carbamoyl–4–methylthio–2–phenyl–1,3–thiazin–6–one and its 2,3–dihydro derivative, 560–1
The role of cyclohexadienones in the thermal sigmatropic rearrangements of 2–oxidoanilinium ylides, 573–5
A new rearrangement of a 4–mercaptoazetidin–2–one via a thioaldehyde intermediate, 578–9
Novel and efficient photochemical rearrangement of 1,3–thiazine derivatives, 608–9
Generation and thermal reorganization of a linearly–fused N–methyldibenzoazocinyl anion, 647–8
Evidence for a novel mechanism of the 1,2–bond shift rearrangements catalyzed by coenzyme–B_{12}, 686–8
A new route to 3–alkoxypyridine 1–oxides, 696–8
Experimental evidence for a phenyl cation intermediate in the solvolysis reactions of dienynyl trifluoromethanesulfonates, 713–14
Unusual thermal rearrangement of the endo–peroxides of 2,5–dimethylfurans, 720–1
Photorearrangement of 5,6–dichloro–1,4–dihydro–1,4–dimethylpyrazine–2,3–dione and its further reactions, 743–4
Acid–catalyzed intramolecular C–alkylation rearrangements of βγ–unsaturated diazomethyl ketones. A novel synthetic entry to pentaleno–annulated polycyclic systems, 746–7
Novel rearrangement to a pentacyclopentanoid (polyquinane) system, 755–6
Synthesis and reactions of 5,6,11,12–tetrahydro–5,12;6,11–diethenodibenzo[a,e]cyclooctene (pp'–dinaphthalene), 786–7
The structure of trichlorabdal B and its transformation into a novel skeleton; x–ray crystal structures, 899–900
A new type of silicon–tin rearrangement involving neighboring group participation of an α–phosphoryl group, 969–70
A novel synthesis of 1,2,5–benzoxathiazepines, 971–2
Efficient syntheses of 'ellipticine quinone' and the other three isomeric 5H–pyrido[x,y–b]carbazole–5,11(6H)–diones, 994–5
Palladium(II)–catalyzed isomerizations of 3–acetoxy–1,4–dienes to 1–acetoxy–2,4–dienes: stereochemical and preparative aspects, 1030–1
Direct observation of a thermal ring–walk rearrangement in a spironorcaradiene system, 1035–6
Photoinduced 1,5–acyl shift of 3–acylated 3–methyloxepin–2(3H)–ones, 1163–4
Novel syntheses of 1,6–methano[10]annulene and 4–methylazulene, 1182–3
Preparation and rearrangement of some conjugated phenylsulfinylacetate derivatives, 1248–50
RECEPTOR
Dynamic properties of molecular complexes and receptor–substrate complementarity. Molecular dynamics of macrotricyclic diammonium cryptates, 833–6
RECOIL
New helium–moderator anomaly in recoil tritium chemistry, 545–6
RECYCLING
Autorecycling system for reduction of carbonyl compounds to alcohols by 1,5–dihydro–5–deazaflavins, 1160–2
REDN
New synthesis of 6–alkylpenicillanic acid derivatives, 10–11
Catalytic synthesis of 3–substituted indoles using carbon monoxide as building block and supported rhodium as catalyst, 82–3
Stereoselective introduction of hydroxy–groups into the 24–, 25–, and 26–positions of the cholesterol side chain, 115–17
Electrochemical reduction of 1,2–diphenylthiiren dioxide and monoxide, 120–1
Selective reduction of carbonyl compounds by heterogeneous catalysis on salt surfaces, 121–2
Alkene formation in the cathodic reduction of oxalates, 134–6
Formation of dihydrobenzofurans by radical cyclization, 136–7
Photochemical hydrogen production using cadmium sulfide suspensions in aerated water, 145–6
Regioselective electroreduction of the cationic methoxycarbonylcobalticinium complex $[Co(\eta\text{–}C_5H_4CO_2Me)(\eta\text{–}C_5H_5)]^+$, 219–20
Spectroelectrochemical studies on trisbipyridyl ruthenium complexes. Ultraviolet, visible, and near–infrared spectra of the series $[Ru(bipyridyl)_3]^{2+\cdot1+\cdot0\cdot1-}$, 287–9
2–Hydroxyethanesulfonyl chloride: a sulfonyl chloride with a primary hydroxy–group, 295–6
Asymmetric reduction of aromatic ketones with chiral alkoxyamine–borane complexes, 315–17
Synthesis, characterization, and chemical transformation of diiminosuccinonitrile cobalt complexes: x–ray crystal structure of cyanobis(diiminosuccinonitrile)cobalt, 329–30
Hydride reduction of the cations $((\eta^5\text{–}C_5H_5)Fe[(Ph_2PCH_2)_3CMe])PF_6$, $((\eta^5\text{–}C_5H_5)Ru[(Ph_2PCH_2CH_2)_2PPh])PF_6$, and $([\eta^5\text{–}C_5H_5)Ru[(Ph_2PCH_2)_3CMe])PF_6$: regioselectivity and mechanism 341–2
Stable 1H–azepines, 399–400
A link between photoreduction and photosubstitution of chloroaromatic compounds, 436–7
Bis–1,4–dihydronicotinamides. Intramolecular electronic interaction and its consequence in the reduction of a carbonyl substrate in aprotic solvents, 444–6
Phenylamido complexes of rhenium(I) and rhenium(III), 451–2
Effects of neighboring hydroxy groups in metal–ammonia reductions of α,β–unsaturated carbonyl compounds, 461–3
Total synthesis of (±)–solavetivone. X–ray crystal structure of 2–hydroxy–6,10–dimethylspiro[4.5]dec–6–en–8–one, 463–5
A metallotricycle: synthesis, one–electron reduction, and crystal structure of the thermally robust complex tris–o–xylidenetungsten(VI), 485–6
Modification of pathways for cathodic reduction via complexation with β–cyclodextrin, 492–4
Photoreduction of 3,7–diaminophenoxazinylium chloride ('oxonine') by iron(II). A model system for singlet–state driven photogalvanic cells, 497–9
A novel stereoselective route to cis olefins via addition of vinyl cuprates to α,β–unsaturated sulfones and subsequent desulfonylation, 523–4
Carbon–carbon bond formation through olefin–methylcarbyne linkage at a diruthenium center: x–ray crystal structure of $[Ru_2(CO)(\mu\text{–}CO)(\mu\text{–}\eta^1,\eta^3\text{–}C(Me)C(Me)CH_2)(\eta\text{–}C_5H_5)_2]$, 537–8
Platinum hydrosols in the sensitized photoreduction of water, 593–4
A novel photochemical route to functionalized β–lactams, 880
Triorganotin hydride reduction of 6β–isothiocyanatopenicillanates: a radical–induced sulfur–C(2) bond cleavage, 901–2
Total synthesis of (S)–(+)–solanone, 951–2
Remarkably easy one–electron reduction of 16–electron molybdenum nitrosyls: mechanistic implications for the formation of alkoxy, amido, hydrazido, and thiolato complexes containing the tris–3,5–dimethylpyrazolylborato ligand, 960–1
Towards a nitrogen–fixing cycle: electrochemical reduction of a hydrazido complex of molybdenum(IV) under dinitrogen to yield the dialkylhydrazine and a molybdenum(0) dinitrogen complex, 1033–5
Photochemical synthesis of ammonia over zeolites, 1049–50
Sand–supported organic reactions: sodium borohydride reduction of carbonyl compounds, 1066–7
Conversion of nonterminal alkenes into secondary alkyl tert–butyl peroxides by peroxymercuriation and reduction with tributyltin hydride, 1117–8
A novel carbon dioxide complex: synthesis and crystal structure of $[Nb(\eta\text{–}C_5H_4Me)_2(CH_2SiMe_3)(\eta^2\text{–}CO_2)]$, 1145–6

REDN(contd)
Autorecycling system for reduction of carbonyl compounds to alcohols by 1,5-dihydro-5-deazaflavins, 1160–2
Generation and reactivity of 4-azatricyclo[5.3.1.1^{3,9}]dodec-3-ene and 5-azatricyclo[4.4.1.1^{3,9}]dodec-5-ene, new bridgehead imines 1193–4
Electrochemistry of six-coordinate chromium(III) porphyrins, 1212–14
REDOX
Use of synthetic surfactant vesicles as electron storage systems, 183–4
$(C_5Me_5)_2$UCl.tetrahydrofuran. Oxidative-addition and related reactions, 232–4
Flavin plus 5-deazaflavin as a turnover oxidation system. Model for the electron bridge from NAD+ to flavin, 391–2
Change of reducibility of cupric ions in Y zeolites with reduction–reoxidation cycles, 842–4
Ruthenium dioxide hydrate; is it a redox catalyst?, 948–50
Redox chemistry of ruthenium porphyrins: evidence for internal electron transfer and the characterization of [Ru(III)(OEP$^{+\bullet}$)] species, 982–3
Photoinduced electrochemical reduction of water to hydrogen at ruthenium-modified polysulfur nitride electrodes, 1021–3
Redox properties and stability constants of anion complexes. An electrochemical study of the complexation of metal hexacyanide anions by polyammonium macrocyclic receptor molecules, 1067–9
REDUCIBILITY
Change of reducibility of cupric ions in Y zeolites with reduction–reoxidation cycles, 842–4
REDUCING
Sand-supported organic reactions: sodium borohydride reduction of carbonyl compounds, 1066–7
REDUCTIVE
A new and versatile method for the preparation of unsaturated sugars, 26–8
Reductive rearrangement of 4-phenyl-1,3-dioxanes to 2-phenylbutane-1,4-diols upon treatment with sodium–potassium alloy, 155–6
Matrix isolation studies on the lithium-induced reductive coupling of carbon dioxide, 1258–60
REFORMING
Evidence for the participation of surface carbon in the steam reforming of ethane over nickel catalysts, 751–2
REGIOSELECTIVE
Regioselective mercuration of an estradiol derivative: a facile entry to 2-substituted estrogens, 217
Regioselective electroreduction of the cationic methoxycarbonylcobalticinium complex [Co(η-$C_5H_4CO_2Me$)(η-C_5H_5)]+, 219–20
Titanium-promoted allyl transfer to carbon monoxide and other unsaturated molecules, 342–4
Diels–Alder reactions of (trimethoxymethyl)cyclopentadienes. Formation of adducts derived from the 2-substituted tautomer, 449–51
A new regio- and stereoselective functionalization of allylic and homoallylic alcohols, 465–6
Oxidations of cyclopropane, methylcyclopropane, and arenes with the monooxygenase system from Methylococcus capsulatus, 482–3
Tetraphenylbismuth monotrifluoroacetate: a new reagent for regioselective aryl ether formation, 503–4
Arylation of quinones with arenes and palladium acetate, 859–60
Selective reaction of silyl enol ethers with α-chloro sulfides containing a ketone group, 1106–7
Cycloadditions of nitrile oxides to compounds containing two-coordinate phosphorus or arsenic. Kinetic and thermodynamic regioselectivity, 1131–2
REGIOSELECTIVITY
Switch from O- and N-protonation of 1-methoxycarbonylpiperidine as the acidity increases, 68–9
Alkene formation in the cathodic reduction of oxalates, 134–6
Cyclizations of azidoformates. Cyclization of aryl azidoformates, 241–2
Microwave study of the reactions of n-butenes over deuterated zeolites, 249–50
Arylation of N-acylpyrroles and -indoles with arenes and palladium acetate, 254–5
Hydride reduction of the cations $((\eta^5\text{-}C_5H_5)Fe[(Ph_2PCH_2)_3CMe])PF_6$, $((\eta^5\text{-}C_5H_5)Ru[(Ph_2PCH_2CH_2)_2PPh])PF_6$, and $([\eta^5\text{-}C_5H_5)Ru[(Ph_2PCH_2)_3CMe])PF_6$: regioselectivity and mechanism 341–2
Diels–Alder reactions of (trimethoxymethyl)cyclopentadienes. Formation of adducts derived from the 2-substituted tautomer, 449–51
Intramolecular reactions of N-nitrenes: evidence for nonconcerted addition to alkenes, 549–50
Accelerative effect of N^6-acyl groups on the C(8)-hydrogen exchange of 9-substituted adenines, 658–9
Transition metal-catalyzed reactions of diazoesters. Insertion into carbon–hydrogen bonds of paraffins by carbenoids, 688–9
Palladium(II)-catalyzed isomerizations of 3-acetoxy-1,4-dienes to 1-acetoxy-2,4-dienes: stereochemical and preparative aspects, 1030–1
Remote hydroxylation of a steroid D-ring by a free-radical process 1086–7
Ketone enolates as nucleophiles in palladium-catalyzed allylic alkylation, 1159–60
First example of predominant β-orientation in electrophilic substitution of pyrrole, 1177–8
REGIOSPECIFIC
The regiospecific preparation of 1,4-dioxygenated anthraquinones: a new route to islandicin, digitopurpone, and madeirin, 108–10
Regiospecific attack of methoxide ion on 4-alkoxy-o-quinone imines. A novel route to p-quinone monoacetals, 425–6
Effects of neighboring hydroxy groups in metal–ammonia reductions of α,β-unsaturated carbonyl compounds, 461–3
Regio- and stereospecific allylic oxidation of germacrane-type sesquiterpene lactones with selenium dioxide and tert-butyl hydroperoxide, 483–5
Selective linear codimerization of acetylenes and buta-1,3-diene catalyzed by dihydridotetrakis(trialkylphosphine)ruthenium complexes, 496–7
Substitution of quinizarin and 5-hydroxyquinizarin at C-2, 740–1
Regiospecific addition of 1,1-dimethylsilaethene to a silicon–oxygen bond, 806–7
REGIOSPECIFICITY
Preparation and reactions of 1-lithiooxy-1-lithioaminoallene derivatives, 65–7
Formation of dihydrobenzofurans by radical cyclization, 136–7
Base-induced benzoyl migrations in Diels–Alder adducts of benzoyl-1,4-benzoquinones, 171–3
Specific hydromagnesiation of prop-2-ynylic alcohols. A simple and specific route to terpenoids, 718–20
Regiospecific (biogenetic-type) synthesis of 2-methyl-5H-pyrano[3,2-c][1]benzopyran-4-one, the basic skeleton in citromycetin, 761–2
Synthesis of a trans-decalin as a potential insect antifeedant, 1001–3
RELAXATION
Broadening of NMR signals of nuclei coupled to fast relaxing spin-1/2 nuclei: an example of T_1 spin-decoupling, 911–12
RELEASING
Regiospecific attack of methoxide ion on 4-alkoxy-o-quinone imines. A novel route to p-quinone monoacetals, 425–6
REPELLANT
Synthesis of cinnamolide and polygodial, 507–8
RESIN
Racemization of activated, urethane-protected amino-acids by p-dimethylaminopyridine. Significance in solid-phase peptide synthesis, 336–7
Solid-phase peptide synthesis without acidolysis: the synthesis of thymosin α_1 on a new benzhydrylamine resin, 1012–13
RESOLN
Improved resolution of low field quaternary carbon resonances in carbon-13 NMR spectroscopy, 12–13
Optical resolution of mutagenic and carcinogenic derivatives of polyaromatic hydrocarbons by high pressure liquid chromatography on a chiral support, 75–6
Asymmetric hydrolysis of 3-acetylthiocycloheptene and 3-acetoxycycloheptene with a microbial lipase, 185
Differentiation of spectra as a means of resolving spin-forbidden bands: iron(III) complexes, 518–20
Improvement of optical purity of metal tris(1,10-phenanthroline) chelates by use of adsorption on a colloidal clay, 539–40
Partial resolution of tris(acetylacetonato)ruthenium(III) on a liquid chromatography column of Δ-tris(1,10-phenanthroline)nickel(II) montmorillonite, 1168–9
Spin-echo methods for resolution control of lanthanide-shifted NMR spectra, 1201–3

RESVERATROL
Novel resveratrol tetramer, vaticaffinol, from Vatica affinis Thw. (Dipterocarpaceae), 1204–6
RETENTION
Stereochemistry of formation of methyl and ethyl groups in bacteriochlorophyll a, 645–7
Optical stability of carbanions derived from sulfoximides and sulfilimines, 1005–6
RETRONECINE
Pyrrolizidine alkaloid biosynthesis; incorporation of carbon–13–labeled putrescines into retronecine, 146–7
Pyrrolizidine alkaloids: evidence for N–(4–aminobutyl)–1,4–diaminobutane (homospermidine) as an intermediate in retronecine biosynthesis, 554–6
RETURN
Internal return in the solvolysis of secondary alkyl arenesulfonates, 1239–40
REVERSIBLE
A metallotricycle: synthesis, one–electron reduction, and crystal structure of the thermally robust complex tris–o–xylidenetungsten(VI), 485–6
RHENIUM
Vibrational spectroscopy at very high pressures. Eclipsed decacarbonyldimanganese and decacarbonyldirhenium, 226–7
Platinum–manganese and –rhenium complexes with bridging thiocarbonyl ligands; crystal structure of $[MnPt(\mu\text{–}CS)(CO)_2(P\text{-}MePh_2)_2(\eta\text{–}C_5H_5)]$, 243–5
Phenylamido complexes of rhenium(I) and rhenium(III), 451–2
Associative substitution reactions of rhenium pentacarbonyl radical 1052–3
Cometathesis of methyl oleate and ethylene; a direct route to methyl dec–9–enoate, 1132–3
RHODADICARBADODECABORANE
Synthesis, x–ray crystal structure, and reactions of [closo–1,3–μ–2,3–μ–(1,2–μ–(η^2–3,4–$CH_2CH_2C(Me)$:$CHCH_2CH_2CH_2$))–3–H–3–PPh_3–3,1,2–$RhC_2B_9H_9$], a metallacarboranate catalyst, 235–6
RHODICINIUM
Pentakis(methoxycarbonyl)cyclopentadiene chemistry: unexpected replacement of methoxycarbonyl groups by hydrogen: formation and the x–ray crystal structure of a novel rhodicinium salt $[Rh(\eta^5\text{–}C_5H_2(CO_2Me)_3)_2][C_5(CO_2Me)_5]$, 1253–4
RHODIOPLATINUM
Rhodium–platinum cluster compounds. Relationships with olefin–platinum complexes and x–ray crystal structures of $[PtRh_4(\mu\text{–}CO)_4(\eta\text{–}C_5Me_5)_4]$ and $[PtRh_2(\mu\text{–}H)(\mu\text{–}CO)_2(CO)(PPh_3)(\eta\text{–}C_5Me_5)_2][BF_4]$, 869–71
RHODIUM
Synthesis, reactivity, and x–ray crystal structure of bis[carbonylcyclopentadienyl(triphenylphosphinel)rhodium]silver hexafluorophosphate.toluene: a silver–stabilized radical cation, 43–4
Photochemical production of hydrogen from water and nucleophilic platinum metal complexes, 58–9
Catalytic synthesis of 3–substituted indoles using carbon monoxide as building block and supported rhodium as catalyst, 82–3
Isomerization and hydrogenolysis of 1,3–dioxacycloalkanes on metal catalysts, 106–8
Synthesis, characterization, and x–ray crystal structure of 1,1–$(PPh_3)_2$–1–H–1,2,4–$RhC_2B_{10}H_{12}$, a supra–icosahedral metallacarbaborane catalyst precursor, 206–7
Carbon dioxide activation; formation of trans–$(Ph_3P)_2Rh(CO)(OC\text{-}O_2H)$ in the reaction of carbon dioxide with $HRh(CO)(PPh_3)_3$–CO and the determination of its structure by x–ray crystallography, 268–9
Carbon–13 NMR study of rhodium carbonyl clusters under high pressures of carbon monoxide/hydrogen, 331–2
Synthesis and molecular structure of $[Rh_3(\mu\text{–}PPh_2)_3(\mu\text{–}Cl)_2(\mu\text{–}CO)(CO)_3]$, a unique triangular rhodium cluster derivative, 407–8
Synthesis and x–ray crystal structure of 1,5–bis(acetoxymethyl)tricyclo[2.1.0.$0^{2,5}$]pentan–3–one, 455–6
Radical–like reactivity of rhodium(II) octaethylporphyrin dimer with trimethyl phosphite, 475–6
Synthesis of dirhodium complexes containing s–cis bridging 1,3–diene ligands. X–ray crystal and molecular structure of μ–(η^4–cyclohexa–1,3–diene)–μ–carbonylbis(η^5–indenyl)dirhodium(Rh–Rh), 494–6
Synthesis and x–ray characterization of the novel $[Rh_{10}S(CO)_{10}(\mu\text{–}CO)_{12}]^{2-}$ anion; a bicapped square–antiprismatic cluster containing an interstitial sulfur atom, 563–5
Synthesis and x–ray crystal and molecular structure of $[(RhFe(\mu\text{–}PPh_2)_2(\mu\text{–}CO)(CO)_3)_2]$, an unusual tetranuclear compound with a straight–chain structure, 587–8
Transition metal–catalyzed N–alkylation of amines by alcohols, 611–12
Synthesis of ethyl 3–methyl–7–oxo–4–oxa–1–azabicyclo[3.2.0]hept–2–ene–2–carboxylate and the reaction of 4–acetoxyazetidin–2–one with ethyl α–diazoacetoacetate, 642–3
Closo–carbametallaboranes with metal–hydrogen bonds from direct insertion into arachno–carbaboranes: the molecular structures of $[2\text{–}H\text{–}2,2\text{–}(Et_3P)_2\text{–}1,6,2\text{–}C_2CoB_7H_9]$ and $[2\text{–}H\text{–}2,2\text{–}(Et_3P)_2\text{–}1,6,2\text{–}C_2RhB_7H_9]$, and a most unusual crystallographic coincidence, 653–5
Transition metal–catalyzed reactions of diazoesters. Insertion into carbon–hydrogen bonds of paraffins by carbenoids, 688–9
Observation of a neutral metalloformyl complex formed by the reaction of rhodium octaethylporphyrin hydride with carbon monoxide, 700–1
cis– and trans–Dimethyl–di–μ–methylenebis(pentamethylcyclopentadienyl)dirhodium as models for Fischer–Tropsch reactions on metal surfaces, 809–10
Nitrosyl–bridged cyclopentadienylcobalt and –rhodium cations, 897–9
Formaldehyde as a hydrogen–donor to aldehydes and ketones in metal–catalyzed reactions in water, 924–5
Synthesis and x–ray structural characterization of $Rh_4(\mu\text{–}CO)_4(\mu\text{–}SO_2)_3[P(OPh)_3]_4\cdot{}^1\Psi 2C_6H_6$: a 'butterfly' cluster with an unusual bridging mode for sulfur dioxide, 963–5
Synthesis and x–ray characterization of the high–nuclearity $[Rh_{17}(\mu_3\text{–}CO)_3(\mu\text{–}CO)_{15}(CO)_{12}]^{3-}$ anion containing a tetracapped twinned cuboctahedral cluster, 1280–2
RHODOMICROBIUM
Structural elucidation of two hopanoids from the photosynthetic bacterium Rhodomicrobium vannielii, 468–9
RHODOPSEUDOMONAS
Stereochemistry of formation of methyl and ethyl groups in bacteriochlorophyll a, 645–7
RHOMBOHEDRAL
A reassessment of zeolite A. Evidence that the structure is rhombohedral with unexpected ordering in the aluminosilicate framework, 276–7
RICINOLEATE
Synthesis of a saturated lipid hydroperoxy cyclic peroxide, 766–7
RING
Synthesis of coordinated trans–1,2–di(cycloheptatrienyl)ethylene, a new cyclooctatetraene dimer, and the x–ray crystal structure of an intermediate bisphosphonium salt $[Fe_2(CO)_2(\eta^4,\eta'^4\text{–}C_{16}H_{16}(PPh_3)_2)][PF_6]_2$, 17–18
Novel rearrangement of an (η^4–2–pyrone)iron complex, 22–5
Synthesis of the diterpenoid grayanol B from grayanotoxin II, 22
Photolysis of 2–azidopyridine 1–oxides. A convenient synthesis of 1,2–oxazines, 36–7
Cycloaddition reactions of 2–(indol–2–yl)acrylates and N–alkoxycarbonyl–1,2–dihydropyridine: new synthesis of desethylcatharanthine, 37–9
Photolysis and thermolysis of phenyl azide in acetic acid, 202–4
Formation of 3H–1,3–benzodiazepines from quinoline N–acylimides, 211–13
1,3–Dipolar cycloaddition of a thiazolo[5,4–d]pyrimidine 1–oxide to dimethyl acetylenedicarboxylate. New ring transformation to a pyrrolo[3,2–d]pyrimidine via a pyrimido[4,5–b][1,4]thiazine, 278–80
Photocyclization between allyltrimethylsilane and 1,4–naphthoquinone and ring cleavage of the resulting cyclobutane assisted by the trimethylsilyl group, 460–1
X–ray study of a new heterocycle: the crystal structure of 1,2–dibromo–1,2–diphenyl–1,2–dihydroazeto[1,2–a]pyridinium chlorate, 481–2
Formation of (η–cyclopentadienone)tricarbonyliron on the photolysis of (η–cyclobutadiene)tricarbonyliron in a carbon monoxide matrix at 12 K, 489–90
A novel route to 2–substituted 1,2–benzisothiazol–3(2H)–ones, 510–11
Dehydrogenation of cyclic and bicyclic secondary alkyl peroxides during flash vacuum pyrolysis, 547–9
Ring cleavage of 3–azidothiophenes; a novel extrusion of acetylene, 550–1
Fixation and deoxygenation of carbon dioxide to form furans using organophosphorus intermediates, 607–8
Chain–ring interconversion in metasilicates, 662–3

RING(contd)
1,2–Oxathiolane, a simple sultene, 741–2
1,2–Oxathiolane, 742–3
Photorearrangement of 5,6–dichloro–1,4–dihydro–1,4–dimethylpyrazine–2,3–dione and its further reactions, 743–4
Oxygenation of 3–hydroxyflavones by superoxide anion, 745
Acid–catalyzed intramolecular C–alkylation rearrangements of βγ–unsaturated diazomethyl ketones. A novel synthetic entry to pentaleno–annulated polycyclic systems, 746–7
Synthesis of γ–oxyprotoporphyrin IX and pterobiline (biliverdin IXγ), 763–4
Dye–sensitized photooxygenation of tryptophan to give N'–formylkynurenine, 855–6
A novel photochemical route to functionalized β–lactams, 880
Triorganotin hydride reduction of 6β–isothiocyanatopenicillanates: a radical–induced sulfur–C(2) bond cleavage, 901–2
The phosphinoethylsilyl group as a bifunctional chelate. Asymmetric induction at platinum(II), 937–9
Synthesis of potassium 3–methyl–9–oxo–1,4–diazatricyclo[5.2.0.0^{4,6}]non–2–ene–2–carboxylate, 947–8
Organic photochemistry in the far–ultraviolet: unusual wavelength dependence in solution–phase irradiations, 973–4
Efficient syntheses of 'ellipticine quinone' and the other three isomeric 5H–pyrido[x,y–b]carbazole–5,11(6H)–diones, 994–5
Cyclization of ortho–halogenated N–acylbenzylamines: a formal synthesis of (±)–cherylline, 1074–5
Remote hydroxylation of a steroid D–ring by a free–radical process 1086–7
Pyrolysis of phenylalklysulfonyl azides and 2–phenethyl azidoformate. Selectivity of sulfonylnitrenes and contrast between sulfonyl– and carbonylnitrenes, 1087–8
Photooxidation of 1,3–dimethylpyrazolo[1,2–a]benzotriazole, 1089–91
Approaches to the synthesis of bicyclomycin, 1126–8
Surprising reactivity of very crowded phosphinic derivatives, 1197–8
Chloroformate ester–induced reductive 1,2–bond cleavage of some 1,2,3,4–tetrahydro–β–carboline derivatives, 1209–10
RNASE
Structuring of denatured ribonuclease–A, 258–9
ROLE
Hydroisomerization of 1,3–dioxacycloalkanes to esters on platinum. The role of hydrogen in the isomerization, 978–9
ROTATION
Synthesis and fluxional character of derivatives of the type $[HFe_3(CO)_{10}(\mu_2\text{–}CNR_2)]$ and $[HFe_3(CO)_9(\mu_3\text{–}CH{=}NR)]$, 263–5
ROTATIONAL
Conformational analysis of 5–tert–butylcyclohexa–1,3–diene, 372–3
Barrier to rotation about the nitrogen–nitrogen bond in 1,1'–bipiperidine, 1015–16
RUPTURE
Facile [1,2]hydrogen–shift reaction promoted by metal–metal bond rupture; x–ray crystal structure of $W_2(CO)_8[C_9H_{14}]$, 1057–9
RUTHENIUM
Synthesis gas homologation of aliphatic carboxylic acids, 41–3
Nucleophilic attack on a ligand as a prerequisite for ligand replacement. Kinetics and mechanism of the replacement of dimethylphenylphosphine by trimethyl phosphite in $[Ru(S_2CH)(PMe_2Ph)_3(P(OMe)_3)]^+$, 78–9
Hydrogen–deuterium kinetic isotope effect in carbon monoxide hydrogenation over ruthenium/silicon dioxide, 92–3
Zeolite support effects on carbon monoxide–ruthenium interactions 125–6
Vicinal glycol esters from synthesis gas, 188–9
Hydrosilylation of carbon dioxide catalyzed by ruthenium complexes, 213–14
Preparation and characterization of novel tris–α–diimino complexes of ruthenium(0) and ruthenium(II). X–ray crystal and molecular structure of the electron–rich complex tris–[1,2–bis–(p–methoxyphenyliminoethane)]ruthenium(0)–toluene, 266–8
Cyclopentadienylruthenium and –osmium chemistry. Cleavage of tetracyanoethylene under mild conditions. X–ray crystal structures of $[Ru(\eta^3\text{–}C(CN)_2CPhC{=}C(CN)_2)(PPh_3)(\eta\text{–}C_5H_5)]$ and $[Ru(C[{=}C(CN)_2]CPh{=}C(CN)_2)(CNCMe_3)(PPh_3)(\eta\text{–}C_5H_5)]$ 271–2
Spectroelectrochemical studies on trisbipyridyl ruthenium complexes. Ultraviolet, visible, and near–infrared spectra of the series $[Ru(bipyridyl)_3]^{2+,1+,0,1-}$, 287–9
Facile δ–hydrogen abstraction from a ruthenium complex: possible 1–4η–bonding of the o–xylylene ligand, 319–20
Hydride reduction of the cations $((\eta^5\text{–}C_5H_5)Fe[(Ph_2PCH_2)_3CMe])PF_6$, $((\eta^5\text{–}C_5H_5)Ru[(Ph_2PCH_2CH_2)_2PPh])PF_6$, and $([\eta^5\text{–}C_5H_5)Ru[(Ph_2PCH_2)_3CMe])PF_6$: regioselectivity and mechanism 341–2
A high–yield synthesis of pentadecacarbonylpentaruthenium carbide by the carbonylation of heptadecacarbonylhexaruthenium carbide; the x–ray structure analyses of pentadecacarbonylpentaruthenium carbide and triphenylphosphinetetradecacarbonylpentaruthenium carbide, 415–16
Visible light–induced oxidation of water and of chloride ions in photoelectrochemical cells, 437–40
$Ru_4(CO)_{10}(C{:}CHCHMe_2)(OH)(PPh_2)$: a tetranuclear ruthenium carbonyl cluster with μ_4–vinylidene and face–bridging hydroxo groups. X–ray crystal structures of $Ru_4(CO)_{10}(C{:}CHCHMe_2)(OR)(PPh_2)$ (R = H or Et), 476–7
Selective linear codimerization of acetylenes and buta–1,3–diene catalyzed by dihydridotetrakis(trialkylphosphine)ruthenium complexes, 496–7
Carbon–carbon bond formation through olefin–methylcarbyne linkage at a diruthenium center: x–ray crystal structure of $[Ru_2(CO)(\mu\text{–}CO)(\mu\text{–}\eta^1,\eta^3\text{–}C(Me)C(Me)CH_2)(\eta\text{–}C_5H_5)_2]$, 537–8
Ruthenium metal–catalyzed deuterium exchange between organosilanes and perdeuteriobenzene, 844–5
X–ray crystal structure and molecular dynamics of the μ–dimethylcarbene complex $[Ru_2(CO)_2(\mu\text{–}CO)(\mu\text{–}CMe_2)(\eta\text{–}C_5H_5)_2]$ 861–2
Synthesis, x–ray crystal structure, and reactivity of the di–μ–carbene complex $[Ru_2(CO)_2(\mu\text{–}CHMe)(\mu\text{–}CMe_2)(\eta\text{–}C_5H_5)_2]$, 862–4
Synthesis and molecular structure of mixed–valence compounds of rhenium obtained by diiodine oxidation of rhenium(I) carbonyl complexes; x–ray crystal structure of $Re_3I_6(CO)_6$, 893–4
Ruthenium–catalyzed oxidation of allyl alcohols by molecular oxygen, 907–8
Ruthenium dioxide hydrate; is it a redox catalyst?, 948–50
Redox chemistry of ruthenium porphyrins: evidence for internal electron transfer and the characterization of [Ru(III)(OEP$^{+\cdot}$)] species, 982–3
Photoinduced electrochemical reduction of water to hydrogen at ruthenium–modified polysulfur nitride electrodes, 1021–3
Photooxidation of water on the surface of hectorite using trans–diaquabis(2,2'–bipyridine)ruthenium(2+) as catalyst, 1026–7
Role of dioxygen as an activator in olefin metathesis, 1062–4
Redox properties and stability constants of anion complexes. An electrochemical study of the complexation of metal hexacyanide anions by polyammonium macrocyclic receptor molecules, 1067–9
Cluster chemistry. Synthesis and x–ray structure of $[Ru_5(CO)_{14}(CNCMe_3)_2]$, containing an unusual open Ru_5 cluster, 1070–1
Synthesis of light olefins from carbon monoxide and hydrogen over highly dispersed ruthenium/potassium–alumina derived from triruthenium dodecacarbonyl, 1114–15
Partial resolution of tris(acetylacetonato)ruthenium(III) on a liquid chromatography column of Δ–tris(1,10–phenanthroline)nickel(II) montmorillonite, 1168–9
Synthesis and properties of substituted ruthenium aqua complexes, 1216–17
RUTHENOCENE
Some transition metal complexes of pentakis(methoxycarbonyl)cyclopentadiene: water–soluble metallocenes, and the x–ray crystal structure of η–cyclopentadienyl[η–pentakis(methoxycarbonyl)cyclopentadienyl]ruthenium, 428–30
SACCHARIDE
The solid state and solution conformational behavior of a chiral 30–crown–10 derivative synthesized from 1,4:3,6–dianhydro–D–mannitol; x–ray crystal structure, 430–2
SAFETY
Rearrangement of carboxylates derived from N–acetyl–N–nitroso–α–amino acids, 297–9
SALICYLATE
The use of deuterium NMR spectroscopy and β–isotopic shifts in the carbon–13 NMR spectrum to measure deuterium retention in the biosynthesis of the polyketide 6–methylsalicylic acid, 856–8
SALICYLIDENEAMINE
X–ray structure of the reversible dioxygen adduct of [N,N'–(3,3'–dipropylmethylamine)bis(salicylideneaminato)cobalt(II)]: unusual presence of both dioxygenated and nondioxygenated complex molecules in the crystal, 196–8
SALT
A novel type of heteropolynuclear complex anion: x–ray crystal

SALT(contd)
structure of the polymeric complex anion $[Th(H_2O)_3UMo_{12}O_{42}]^{4-n}{}_n$, 93–4
The conversion of primary amines into olefins: a mild alternative to the Hofmann elimination, 96
Role of metal salts in the synthesis of 1,1,7,7,13,13,19,19-octamethyl[1.1.1.1](2,5)furanophan, 149–50
Photoinitiated doping of polyacetylene, 384–5
Solid–state photopolymerization of unsaturated organic cations in layer perovskite halide salts, 921–2
Pentakis(methoxycarbonyl)cyclopentadiene chemistry: unexpected replacement of methoxycarbonyl groups by hydrogen: formation and the x-ray crystal structure of a novel rhodicinium salt $[Rh(\eta^5\text{-}C_5H_2(CO_2Me)_3)_2][C_5(CO_2Me)_5]$, 1253–4
SAMARIUM
Hydrogen uptake and hydrogenation activity of the rare earth intermetallic compound trimagnesiumsamarium treated with anthracene, 567
SAND
Sand–supported organic reactions: sodium borohydride reduction of carbonyl compounds, 1066–7
SANDWICH
Electrochemical evidence for the generation of new sandwich complexes of iron; cyclopentadienyl(arene)iron anion and cyclopentadienyl(cyclohexadienyl)iron cation, 251–3
Synthesis and cation complexing of N,N'–bridged bis(1,4,7–trioxa–10–azacyclododecanes), 684–6
SAPOGENIN
Biosynthesis of yamogenin, neotokorogenin, and their (25R)–isomers from [1,2–$^{13}C_2$]acetate in Dioscorea tokoro tissue cultures, 895–7
SCANDIUM
Use of the bis(trimethylsilyl)cyclopentadienyl ligand for stabilizing early (f^0–f^3) lanthanocene chlorides. X–ray structure of dichlorodi[η–bis(trimethylsilyl)cyclopentadienyl]dipraesodymium and of isoleptic scandium and ytterbium complexes, 1190–1
SCHIFF
X–ray structure of the reversible dioxygen adduct of [N,N'–(3,3'–dipropylmethylamine)bis(salicylideneaminato)cobalt(II)]: unusual presence of both dioxygenated and nondioxygenated complex molecules in the crystal, 196–8
The photoisomerizations of protonated Schiff base derivatives of some enals, 1268–9
SCHISTOCERCA
Isolation of 2–deoxy–20–hydroxyecdysone and 3–epi–2–deoxyecdysone from eggs of the desert locust, Schistocerca gregaria, during embryogenesis, 418–20
Isolation of ecdysone–3–acetate as a major ecdysteroid from the developing eggs of the desert locust, Schistocerca gregaria, 594–5
SCLERIN
Biomimetic synthesis of sclerin, 20–1
SCLERINATE
Biomimetic synthesis of sclerin, 20–1
SECONDARY
Chemical conversions using sheet silicates: novel intermolecular dehydrations of alcohols to ethers and polymers, 427–8
SECOSTEROID
Structure and synthesis of 25–hydroxycholecalciferol–26,23–lactone, a metabolite of vitamin D_3, 424–5
SELECTIVE
A simple, new preparation of α,α–dimethylallyltrimethylsilane: a useful prenylation reagent, 1094–5
Spin–echo methods for resolution control of lanthanide–shifted NMR spectra, 1201–3
SELECTIVITY
Selective formation of alkenes in the conversion of methanol into hydrocarbons on barium ion–exchanged mordenite, 1091–2
SELENENYLATION
S_H2 reactions of diphenyl diselenide; preparation and reactions of bridgehead selenides, 139–40
SELENIDE
S_H2 reactions of diphenyl diselenide; preparation and reactions of bridgehead selenides, 139–40
Preparation of nitroalkenes from the corresponding nitroalkanes, 261–2
New method for preparing $\beta\gamma$–unsaturated ketones: use of phenylselenoacetaldehyde, 434–6
Selenoxide fragmentation leading to allylic amides, 546–7
Oxygen atom transfer from iodylbenzene to diphenyl diselenide: a convenient method for dehydrogenation of steroidal 3–ketones, 1044–5
Comparison of proton hyperfine coupling constants for the monomer and dimer radical cations of dimethyl sulfide and dimethyl selenide, 1184–5
Redox chemistry of niobium chalcogenide halides: a mixed valency niobium III/niobium IV tetramer. Preparation and crystal structure of a (μ–diselenido–μ–selenido)–tetraniobium complex, $Nb_4Br_{10}Se_3(NCMe)_4$, 1241–2
SELENIDOBORON
The detection of unstable monomeric selenidoborons: chloroseleni-doboron. ClB=Se, 353–4
SELENIUM
Dimetalation of phenylacetylene. Selective ortho substitution, 366–7
SELENOACETAL
Fully reversible carbon protonation in the hydrolysis of ketene selenoacetals, 738–9
SELENOPHENE
Dimetalation of phenylacetylene. Selective ortho substitution, 366–7
SELENOXIDE
Selenoxide fragmentation leading to allylic amides, 546–7
SELFCONDENSATION
Synthesis of (D_3)–bis(cyclotriveratrylenyl) macrocage by stereospecific replication of a (C_3)–subunit, 1137–9
SENECIO
Pyrrolizidine alkaloid biosynthesis; incorporation of carbon–13–labeled putrescines into retronecine, 146–7
Pyrrolizidine alkaloids: evidence for N–(4–aminobutyl)–1,4–diaminobutane (homospermidine) as an intermediate in retronecine biosynthesis, 554–6
SENSITIZATION
Dye–sensitized photooxygenation of tryptophan to give N'–formylkynurenine, 855–6
SENSITIZER
Photochemical hydrogen production using cadmium sulfide suspensions in aerated water, 145–6
SEPIOLITE
Catalytic activity of fibrous clay mineral sepiolite for butadiene formation from ethanol, 401–2
SEPN
Use of synthetic surfactant vesicles as electron storage systems, 183–4
SERINE
5–Nitro–3H–1,2–benzoxathiole SS–dioxide, a new reagent for coupling in peptide synthesis, 632–4
SERUM
Synthesis of a tetratriacontapeptide corresponding to sequence 112–145 of the β–subunit of human chorionic gonadotropin, 357–8
SESQUITERPENE
Sulfide extrusion from methyl sulfonium salts of the sulfur–bridged sesquiterpenes, mintsulfide and isomintsulfide by alkyllithium, 127–8
Synthesis of cinnamolide and polygodial, 507–8
The isoprene units of the sesquiterpenoid, alliacolide, 631–2
Use of deuterium–carbon–13 NMR coupling patterns in terpenoid biosynthesis, 649–50
Olefin metathesis in polycyclic frames. A total synthesis of hirsutene 756–7
(–)–Herbertene, an aromatic sesquiterpene with a novel carbon skeleton from the liverwort Herberta adunca, 864–5
Total synthesis of (S)–(+)–solanone, 951–2
A new approach to spirosesquiterpenes of the acorane family, 953–5
SESQUITERPENOID
Stable isotope studies of the biosynthesis of the sesquiterpenoid dihydrobotrydial, 1169–70
SESTERTERPENE
Anditomin, a new C_{25} metabolite from Aspergillus variecolor, 914–15
SHAPIRO
Preparation and reactions of 1–lithiooxy–1–lithioaminoallene derivatives, 65–7
SIDE
Stereoselective introduction of hydroxy–groups into the 24–, 25–, and 26–positions of the cholesterol side chain, 115–17
SIGNAL
Broadening of NMR signals of nuclei coupled to fast relaxing spin–1/2 nuclei: an example of T_1 spin–decoupling, 911–12
Spin–echo methods for resolution control of lanthanide–shifted NMR spectra, 1201–3

SILACARBODIIMIDE
Photolysis of diazidosilanes. Generation and reactions of digonal silicon intermediates such as silacarbodiimides, 597–8
SILACYCLOBUTANE
The infrared multiphoton–induced decomposition of silicon–containing four–membered rings. A new source of silaolefins, 915–17
SILACYCLOPENTANE
Reactions of monomeric difluorosilylene with ethylene, 217–18
SILAETHENE
A solid silaethene: isolation and characterization, 191–2
SILANE
Selective reduction of carbonyl compounds by heterogeneous catalysis on salt surfaces, 121–2
Cesium fluoride–promoted Michael addition in heterogeneous catalysis, 122–3
Reactions of trimethylsilylthiazoles with ketens: a new route to regioselective functionalization of the thiazole ring, 655–6
The direct conversion of α–olefins into vinyl– and allylsilanes catalyzed by rhodium complexes, 673–4
Ruthenium metal–catalyzed deuterium exchange between organosilanes and perdeuteriobenzene, 844–5
Stereoselective synthesis of α,β–unsaturated esters, 877–8
Concise syntheses of 4–(arylcarbonylmethyl)–azetidin–2–ones and related systems, 1076–7
α–C–Glycopyranosides from Lewis acid–catalyzed condensations of acetylated glycals and enol silanes, 1180–1
SILANYLBENZENE
Fluorescence from the intramolecular charge–transfer state of aromatic silanes, 405–6
SILANYLNAPHTHALENE
Fluorescence from the intramolecular charge–transfer state of aromatic silanes, 405–6
SILAPROPENE
The infrared multiphoton–induced decomposition of silicon–containing four–membered rings. A new source of silaolefins, 915–17
SILICA
Nickel/titanium oxide catalysts. The role of the titania in providing active sites, 123–4
Photo–acoustic spectroscopic evidence for site–site interactions in a bifunctional surface–bonded phase, 517–18
Partial oxidation of propene over UV–irradiated vanadium oxide supported on silica, 601–2
Surface photochemistry: the photodimerization of acenaphthylene on dry silica gel, 820–1
Surface photochemistry: radical pair combination on a silica gel surface and in micelles, 958–9
SILICEOUS
Solid–state silicon–29 NMR and high–resolution electron microscopic studies of a silicate analog of faujasite, 570–1
SILICON
Photoinduced reactions of an organosilicon iodide, 175–6
Synthesis of xenon difluoride–^{18}F, a novel agent for the preparation of fluorine–18 radiopharmaceuticals, 198–9
Reactions of monomeric difluorosilylene with ethylene, 217–18
Solid–state silicon–29 NMR and high–resolution electron microscopic studies of a silicate analog of faujasite, 570–1
Photolysis of diazidosilanes. Generation and reactions of digonal silicon intermediates such as silacarbodiimides, 597–8
Does the mode of preparation of an aluminosilicate influence the short–range silicon/aluminum ordering?, 678–9
Ordering of silicon and aluminum ions in the framework of NaX zeolites. A solid–state high–resolution silicon–29 NMR study, 712–13
Regiospecific addition of 1,1–dimethylsilaethene to a silicon–oxygen bond, 806–7
A new type of silicon–tin rearrangement involving neighboring group participation of an α–phosphoryl group, 969–70
Evidence for secondary building unit effects on the solid state silicon–29 NMR resonance of silicon in zeolitic structures, 1129–31
SILOXY
A solid silaethene: isolation and characterization, 191–2
SILOXYPENTADIENE
The photochemical enolization of an aliphatic α,β–unsaturated ketone, 1235–6
SILVER
Synthesis, reactivity, and x–ray crystal structure of bis[carbonylcyclopentadienyl(triphenylphosphinel)rhodium]silver hexafluorophosphate.toluene: a silver–stabilized radical cation, 43–4
Synthesis and x–ray crystal structure of a 1,1–dithiolate cluster compound containing a cube of eight Ag(I) atoms, $[Ag(I)_8[S_2C:-C(CN)_2]_6]^{4-}$, 322–4
Syntheses of naphtho[2,3–c]pyran–5,10–quinones using ceric ammonium nitrate, 534–5
The nontemplate synthesis of dinucleating macrocyclic Schiff bases derived from thiophene, and their disilver complexes; x–ray crystal structures of two of the products, 628–30
X–ray crystal structure of silver oxide Ag_6O_2, 664–5
Solvolysis of syn– and anti–N–chloro–1,4–dihydro–1,4–iminonaphthalenes, 1028–30
Change of thermal desorption behavior of adsorbed oxygen with water coadsorption on silver(1+)–doped tin(IV) oxide, 1047–9
Synthesis and reactivity of bimetallic gold–silver complexes. X–ray structure of a chain polymer containing the moiety ...$(F_5C_6)_2Au(-\mu-AgSC_4H_8)_2Au(C_6F_5)_2$..., 1097–8
SILYL
A solid silaethene: isolation and characterization, 191–2
Hydrosilylation of carbon dioxide catalyzed by ruthenium complexes, 213–14
Photocyclization between allyltrimethylsilane and 1,4–naphthoquinone and ring cleavage of the resulting cyclobutane assisted by the trimethylsilyl group, 460–1
Methyl and silyl halide radical anions: an ab initio study, 515–16
Silyl thioketones and silylated thiiranes, 822–3
Stereoselective synthesis of α,β–unsaturated esters, 877–8
The reactions of silyl nitronates with organolithium reagents, 952–3
Silyl phosphite equivalents: 2,2,2–trichloroethoxycarbonylphosphonates, 970–1
SILYLATION
Double silylation of allene and buta–1,2–diene: formation of new organosilicon compounds containing both vinylsilane and allylsilane units, 617–18
Facile lithiation of coordinated trimethylphosphines in bis–(2,6–dimethoxyphenyl)nickel(II) complexes, 680–1
Silyl phosphite equivalents: 2,2,2–trichloroethoxycarbonylphosphonates, 970–1
A simple, new preparation of α,α–dimethylallyltrimethylsilane: a useful prenylation reagent, 1094–5
SILYLBENZOCYCLOBUTENONE
Synthesis and chemistry of 2–trimethylsilylbenzocyclobutenones, 179–80
SILYLDITHIANYL
Carbocyclizations employing 2–silyl–1,3–dithianes, 306–7
SILYLDITHIANYLALKANAL
Carbocyclizations employing 2–silyl–1,3–dithianes, 306–7
SILYLDITHIANYLALKENONE
Carbocyclizations employing 2–silyl–1,3–dithianes, 306–7
SILYLENE
Reactions of monomeric difluorosilylene with ethylene, 217–18
Reaction of dimesitylsilylene with epoxides. Silanone–epoxide adducts, 621–2
Ab initio study of the insertions of CH_2 and SiH_2 into hydrogen, 890–1
SILYLETHOXYCARBONYLINDOLECHROMIUM
Regioselective lithiation and substitution of tricarbonyl(η^6–1–methylindole)chromium(0): x–ray crystal structure analysis of tricarbonyl(η^6–1–methyl–2–trimethylsilyl–7–ethoxycarbonylindole)chromium(0), 1260–2
SILYLMETHYL
Synthesis and chemistry of 2–trimethylsilylbenzocyclobutenones, 179–80
SILYLMETHYLBENZOYL
Synthesis and chemistry of 2–trimethylsilylbenzocyclobutenones, 179–80
SINGLET
Oxidation of thioketens by singlet oxygen and ozone, 638–9
SITE
Superacid sites in zeolites, 39–40
SKATOLE
Catalytic synthesis of 3–substituted indoles using carbon monoxide as building block and supported rhodium as catalyst, 82–3
SODIUM
Reductive rearrangement of 4–phenyl–1,3–dioxanes to 2–phenylbutane–1,4–diols upon treatment with sodium–potassium alloy, 155–6
Preparation and crystal structures of the first alkali rich sodium

SODIUM(contd)
aluminates $Na_7Al_3O_8$ and Na_5AlO_4, 379–81
Synthesis of mercaptoacetonitrile under mild conditions, 569–70
Isotope effects in chemical exchange systems. Isotope effects for sodium between a cation exchange resin and a methanolic solution, 968–9
Synthesis of a cation complexing doubly N,N'–bridged bis(1,7–dioxa–4,10–diazacyclododecane), 1084–6
NMR spectrum of sodium anion in sodium–hexamethylphosphoric triamide solutions, 1185–6
SOIL
Solid state phosphorus NMR spectroscopy of minerals and soils, 1051–2
SOLANONE
Total synthesis of (S)–(+)–solanone, 951–2
SOLAVETIVONE
Efficient synthesis of (±)–solavetivone, 904–5
SOLID
Solid–state high–resolution carbon–13 NMR spectra of polypropene, 15–16
A solid silaethene: isolation and characterization, 191–2
Fast atom bombardment quadrupole mass spectrometry, 324–5
Fast atom bombardment of solids (F.A.B.): a new ion source for mass spectrometry, 325–7
Racemization of activated, urethane–protected amino–acids by p–dimethylaminopyridine. Significance in solid–phase peptide synthesis, 336–7
Solid–phase peptide synthesis without acidolysis: the synthesis of thymosin α_1 on a new benzhydrylamine resin, 1012–13
Acetylation by keten of phenols supported on solid adsorbents, 1120
A physically supported gel polymer for low pressure, continuous flow solid phase reactions. Application to solid phase peptide synthesis, 1151–2
SOLVENT
Manipulation of the nuclear Overhauser effect by the use of a viscous solvent: the solution conformation of the antibiotic echinomycin, 165–6
Fluorescence from the intramolecular charge–transfer state of aromatic silanes, 405–6
Far–UV circular dichroism spectra of (S)–(+)–1,2,2–trimethylpropyl ethyl ether: solvent effects, 590–1
Cobalt–catalyzed reaction of carbon monoxide–hydrogen mixtures in alkoxy–terminated polyglycol solvents, 618–19
Oxidation of thioketens by singlet oxygen and ozone, 638–9
Synthesis, electronic structure, and complex formation of simple 1,1,4,4–tetrathiabutadienes, 829–31
Ruthenium–catalyzed oxidation of allyl alcohols by molecular oxygen, 907–8
Ozonation in alkaloid chemistry: a mild and selective conversion of vincadifformine into vincamine, 908–9
Lithium–7 cation NMR studies of a lithium cation–ethyl acetoacetate enolate triple ion–lithium cation cryptate complex, 996–7
Photooxidation of 1,3–dimethylpyrazolo[1,2–a]benzotriazole, 1089–91
SOLVOLYSIS
A reappraisal of the heat capacity of activation and enthalpy of activation for tert–butyl chloride in water–ethyl alcohol mixtures 13–14
Grunwald–Winstein plots exhibiting a maximum. Solvolysis of methyl perchlorate, 83–4
Fluoride activation of nucleophilic displacement at tetrahedral phosphorus, 101–3
Regiospecific attack of methoxide ion on 4–alkoxy–o–quinone imines. A novel route to p–quinone monoacetals, 425–6
Experimental evidence for a phenyl cation intermediate in the solvolysis reactions of dienynyl trifluoromethanesulfonates, 713–14
Solvolysis mechanisms for benzyl substrates, 737–8
The solvolysis of orthotelluric acid in hydrogen fluoride, 841–2
Internal return in the solvolysis of secondary alkyl arenesulfonates, 1239–40
SPECTRA
Characterization of eight antibiotics of the quinomycin group by field desorption mass spectrometry, 46–7
Products of the reaction of carbon monoxide with octadecacarbonylhexaosmium; x–ray crystal structure of nonadecacarbonylpentaosmium, 273–4
Spectroelectrochemical studies on trisbipyridyl ruthenium complexes. Ultraviolet, visible, and near–infrared spectra of the series $[Ru(bipyridyl)_3]^{2+\cdot1+\cdot0\cdot1-}$, 287–9
Fast atom bombardment quadrupole mass spectrometry, 324–5
Fast atom bombardment of solids (F.A.B.): a new ion source for mass spectrometry, 325–7
The detection of unstable monomeric selenidoborons: chloroselenidoboron. ClB=Se, 353–4
Two polymorphic forms of the tetrakis(dithioisobutanoato)diplatinum(II) complex: x–ray crystal structure and spectroscopic evidence of intermolecular interactions in the solid state, 409–11
Photo–acoustic spectroscopic evidence for site–site interactions in a bifunctional surface–bonded phase, 517–18
Differentiation of spectra as a means of resolving spin–forbidden bands: iron(III) complexes, 518–20
Enhanced intramolecular excimer formation of guest molecules included in the cavity of γ–cyclodextrin, 758–9
Synthesis, electronic structure, and complex formation of simple 1,1,4,4–tetrathiabutadienes, 829–31
Products of low potential energy in mass spectra as a consequence of ion–dipole attractions. The case of isobutyl alcohol, 836–8
SPECTROELECTROCHEM
Spectroelectrochemical studies on trisbipyridyl ruthenium complexes. Ultraviolet, visible, and near–infrared spectra of the series $[Ru(bipyridyl)_3]^{2+\cdot1+\cdot0\cdot1-}$, 287–9
SPECTROMETRY
Fast atom bombardment quadrupole mass spectrometry, 324–5
SPECTROPHOTOMETRY
A spectrophotometric method for analyzing mixtures of cis– and trans–diamminedichloroplatinum(II) in solution, 131–2
SPECTRUM
Fast atom bombardment of solids (F.A.B.): a new ion source for mass spectrometry, 325–7
The surface composition of dealuminated zeolites, 422–4
Satellite structure in the uranium 4f x–ray photoelectron spectrum of uranium dioxide, 691–2
1,2–Oxathiolane, 742–3
SPERM
Histidine H–2 NMR resonances of sperm whale oxy–, carbonyl–, and metmyoglobin, 208–9
SPERMIDINE
Total synthesis of the macrocyclic spermidine alkaloids (±)–lunarine and (±)–lunaridine, 286–7
SPIN
Improved resolution of low field quaternary carbon resonances in carbon–13 NMR spectroscopy, 12–13
Direct and indirect tin–hydrogen coupling constants in methyltin trichloride and trimethyltin chloride partially oriented in nematic phases determined by the dilution–spinning method, 35–6
A water–soluble, nitroso–aromatic spin–trap, 142–3
Carbon–13 NMR spectra of highly ^{13}CO–enriched metal carbonyls: observation of $^2J_{CC}$ cis coupling constants, 300–2
Use of deuterium–carbon–13 NMR coupling patterns in terpenoid biosynthesis, 649–50
Internuclear exchange of carbonyl groups in dodecacarbonyltriosmium: coupling constants J(osmium–187–carbon–13) in trinuclear osmium carbonyls, 853–5
Broadening of NMR signals of nuclei coupled to fast relaxing spin–1/2 nuclei: an example of T_1 spin–decoupling, 911–12
Pseudorotation of spin–labeled phosphoranes formed by cyclization of triazenylphosphoranyl radicals, 1107–8
Natural abundance carbon–13–carbon–13 coupling constants in a steroid, 1275–7
SPIRO
A new spiro–annelation procedure: intramolecular decarboxylative alkylation of β–keto esters, 30–2
Carbocyclizations employing 2–silyl–1,3–dithianes, 306–7
SPIROALKADIENE
Synthesis and x–ray crystal structure of the ring–functionalized bis–η–cyclopentadienylmolybdenum compound bis[η–(2–iodoethyl)cyclopentadienyl]molybdenum diiodide and of cyclo–bis(2–η–cyclopentadienylethyl)molybdenum, 156–8
SPIROALKADIENONE
Oxygen atom transfer from iodylbenzene to diphenyl diselenide: a convenient method for dehydrogenation of steroidal 3–ketones, 1044–5
SPIROALKENONE
Oxygen atom transfer from iodylbenzene to diphenyl diselenide: a convenient method for dehydrogenation of steroidal 3–ketones,

SPIROALKENONE(contd)
1044–5
SPIROANNULATION
Total synthesis of (±)-solavetivone. X-ray crystal structure of 2-hydroxy-6,10-dimethylspiro[4.5]dec-6-en-8-one, 463–5
A new photochemical spiroannelation method. Access to substituted spirocyclohexanepiperidines, 832–3
SPIROBICROWN
Unusual coordination in the crystal structure of the 1:2 complex of 18,18'-spirobi(19-crown-6) with lithium iodide dihydrate, 472–3
SPIROCYCLIC
A rigid double spirocyclic λ^5P-O-λ^5P oxydiphosphorane with a boat-shaped six-membered ring; x-ray crystal structure, 810–12
SPIROCYCLIZATION
A new spiro-annelation procedure: intramolecular decarboxylative alkylation of β-keto esters, 30–2
SPIROCYCLOHEXANE
A new photochemical spiroannelation method. Access to substituted spirocyclohexanepiperidines, 832–3
SPIROCYCLOHEXANEPIPERIDINE
A new photochemical spiroannelation method. Access to substituted spirocyclohexanepiperidines, 832–3
SPIROCYCLOHEXANONECYCLOPENTANE
A new approach to spirosesquiterpenes of the acorane family, 953–5
SPIRODIENONE
Total synthesis of (±)-solavetivone. X-ray crystal structure of 2-hydroxy-6,10-dimethylspiro[4.5]dec-6-en-8-one, 463–5
SPIRONAPHTHALENENAPHTHOPYRANNAPHTHALENEDIONE
Photoreactions of dispiro[naphthalene-1,2'-naphtho[2,1-b]pyran-3',1''-naphthalene]-2(1H),2''(1''H)-dione. A novel case of β-carbon-carbon cleavage in an enone, 557–9
SPIROOXOACENAPHTHENENORCARADIENE
Direct observation of a thermal ring-walk rearrangement in a spironorcaradiene system, 1035–6
SPIROUNDECADIENONE
Effects of neighboring hydroxy groups in metal-ammonia reductions of α,β-unsaturated carbonyl compounds, 461–3
STABILITY
Tetrakis(tert-butyl)tetraborane(4), $(Me_3C)_4B_4$; synthesis of the first peralkyl derivative of a 2N framework electron count deltahedral borane, 250–1
Synthesis and structure of a chiral sulfinamidocobalt(III) complex derived from (R)-cysteine, 875–7
Optical stability of carbanions derived from sulfoximides and sulfilimines, 1005–6
Redox properties and stability constants of anion complexes. An electrochemical study of the complexation of metal hexacyanide anions by polyammonium macrocyclic receptor molecules, 1067–9
STABILIZATION
Stable 1H-azepines, 399–400
The relationship between the energies of carbanions, R^-, and their lithiated counterparts, RLi. An ab initio study, 882–4
Use of the bis(trimethylsilyl)cyclopentadienyl ligand for stabilizing early (f^0–f^3) lanthanocene chlorides. X-ray structure of dichlorodi[η-bis(trimethylsilyl)cyclopentadienyl]dipraesodymium and of isoleptic scandium and ytterbium complexes, 1190–1
STAIN
New organometallic reagents for electron microscopy, 1083–4
STANNANE
Unexpected products from the reaction of alkynylstannanes with 9-borabicyclo[3.3.1]nonane, 1093–4
The cation of hexamethyldistannane generated by radiolysis: an ESR study, 1251–2
STANNYLATION
A new type of silicon-tin rearrangement involving neighboring group participation of an α-phosphoryl group, 969–70
STANNYLPROPYLPHOSPHONATE
A new type of silicon-tin rearrangement involving neighboring group participation of an α-phosphoryl group, 969–70
STATE
Comment on the transition-state structure for Menschutkin reactions, 421–2
Early or late transition states in the Menschutkin reaction. A resolution of the entropy problem, 905–6
MNDO SCF-MO calculations of kinetic isotope effects for dehydrochlorination reactions of chloroalkanes, 939–40
Tautomerism of 1-hydroxy-2-pyridone in the excited triplet state, 1004–5
STEAM
Superacid sites in zeolites, 39–40
Evidence for the participation of surface carbon in the steam reforming of ethane over nickel catalysts, 751–2
STEPHANIA
4,5,6,6a-Tetradehydro-N-methyl-7-oxoaporphinium salts, 1118–19
STEREOCHEM
A new and versatile method for the preparation of unsaturated sugars, 26–8
A new spiro-annelation procedure: intramolecular decarboxylative alkylation of β-keto esters, 30–2
Intermolecular cobalt-mediated [2+2+2]cycloadditions: regiospecific one-step construction of bicyclic dienes from α,ω-enynes and alkynes, 53–5
Asymmetric synthesis of β-lactams, 57–8
Mode of enzymic oxygenation at primary carbon atoms: stereochemistry of hydroxylation of C-1 chiral octanes by Pseudomonas oleovorans, 76–8
An example of substitution proceeding with retention in the $S_{RN}1$ reaction. Trapping of a pyramidal benzylic radical by benzenethiolate ion, 79–80
Stereochemistry of the leucine 2,3-aminomutase from tissue cultures of Andrographis paniculata, 80–2
Synthesis of asymmetrically-substituted cyclopentane derivatives from acyclic sugars, 88–90
The stereochemistry of 2-substituted-2-oxo-4,5-diphenyl-1,3,2-dioxaphospholanes and the related chiral [^{16}O,^{17}O,^{18}O]phosphate monoesters, 245–6
Deuterium NMR determination of the stereochemistry of an allylic displacement in the biosynthesis of virescenol B, 280–2
Regioselective allylation of a Grignard reagent catalyzed by phosphinenickel and -palladium complexes, 313–14
Regioselective acylation of allyl sulfides via α-silyl intermediates, 377–8
Efficient synthesis of estriol 16-glucuronide via 2,4,16α-tribromoestrone, 383–4
Cooperative effects in the catalytic action of N-decanoyl-L-histidine in micelles, 393–4
Regiospecific attack of methoxide ion on 4-alkoxy-o-quinone imines. A novel route to p-quinone monoacetals, 425–6
Active metals from potassium-graphite. Palladium-graphite as catalyst in the hydrogenation of nitro compounds, alkenes, and alkynes, 540–1
Active metals from potassium-graphite. Palladium-graphite-catalyzed vinylic substitution reactions, 541–2
Selenoxide fragmentation leading to allylic amides, 546–7
Stereochemistry of formation of methyl and ethyl groups in bacteriochlorophyll a, 645–7
Reactions of trimethylsilylthiazoles with ketens: a new route to regioselective functionalization of the thiazole ring, 655–6
N,N-diacyl arylsulfenamides as an unambiguous and convenient source of arylsulfenium ions, 704–5
Experimental evidence for a phenyl cation intermediate in the solvolysis reactions of dienynyl trifluoromethanesulfonates, 713–14
Stereoselective synthesis of the novel marine diterpene (+)-isoagatholactone, 734–5
Surface photochemistry: the photodimerization of acenaphthylene on dry silica gel, 820–1
The solvolysis of orthotelluric acid in hydrogen fluoride, 841–2
Acid catalysis induces a total change from retention to inversion of configuration in carbon dioxide elimination from β-lactones, 891–2
Regiospecific cycloaddition of 1-substituted isobenzofurans to quinone acetals, 942–3
Stereochemistry of the introduction of the hydrogen atom at C-2 of cis-aconitic acid during its transformation into itaconic acid in Aspergillus terreus: a deuterium NMR approach, 1050–1
Stereochemistry of the nickel-catalyzed hydrocyanation of olefins, 1098–9
Selective bond cleavage in the iron(III) chloride-catalyzed photooxidation of olefins, 1116–17
Facile access to chiral 5-hydroxy-2-methylhexanoic acid lactones (pheromones of the carpenter bee), 1125–6
Threo-selective synthesis of β-methylhomoallyl alcohols via but-2-enyltitanium compounds, 1140–1
Mode of mammalian oxygenation at primary carbon atoms: steric

STEREOCHEM(contd)
course of hydroxylation of C–1 chiral octanes by rat liver microsomes, 1196–7
Synthesis and stereochemistry of dicrotaline, a macrocyclic pyrrolizidine alkaloid, 1272–4
STEREOISOMERISM
A zirconocene(IV) chloroalkyl and dialkyl containing chiral α–carbon atoms, $[Zr(\eta\text{–}C_5H_5)_2(R^*)(X)]$ [R^* = $CH(SiMe_3)C_6H_4$-Me–o, X = Cl or R^*]: synthesis, stereoisomerism, and d^1 reduction products, 173–5
STEREOISOMERIZATION
Stereoisomerization of the tricyclotrioxaazoniaphosphaundecane tetrafluoroborate phosphoranyl radical: a single crystal ESR study, 1148–9
STEREOSELECTIVE
Asymmetric synthesis of a new proline analog, 97–8
Erythro–selective aldol condensation via triphenyltin enolates. Stereoselection independent of the stereochemistry of the enolates 162–3
Asymmetric hydrolysis of 3–acetylthiocycloheptene and 3–acetoxycycloheptene with a microbial lipase, 185
Effective method for the asymmetric synthesis of bis–β–lactams by the cycloaddition of azidoketene to benzylideneamines bearing a chiral β–lactam backbone, 344–6
A new regio– and stereoselective functionalization of allylic and homoallylic alcohols, 465–6
A novel stereoselective route to cis olefins via addition of vinyl cuprates to α,β–unsaturated sulfones and subsequent desulfonylation, 523–4
Asymmetric synthesis in the nickel complex–catalyzed formation of olefins from allyl alcohols and Grignard reagents, 681–2
Stereoselective synthesis of α,β–unsaturated esters, 877–8
Efficient synthesis of (±)–solavetivone, 904–5
Ozonation in alkaloid chemistry: a mild and selective conversion of vincadifformine into vincamine, 908–9
The phosphinoethylsilyl group as a bifunctional chelate. Asymmetric induction at platinum(II), 937–9
General synthetic approach to the quinolizidine alkaloids via a [2+3]–cycloaddition, 940–2
Stereoselective adsorption on a clay surface modified by an optically active nickel(II) tris(1,10–phenanthroline) chelate, 1128–9
Stereoselective synthesis of (3R,4S/3S,4R)–(6E,10Z)–3,4,7,11–tetramethyltrideca–6,10–dienal (faranal); the trail pheromone of the Pharaoh's ant, 1234–5
Synthesis of phytuberin from elemol, 1236–7
STEREOSELECTIVITY
Bicycloannulation with nitroethene and 1–nitropropene. A one–step synthesis of tricyclenone, 73–4
Alkylation of lithium trialkylalkynylborates with benzo–1,3–dithiolium fluoroborate, 164–5
Mercuricyclization in carbohydrate chemistry. A highly stereoselective route to α–D–C–glucopyranosyl derivatives, 375–6
A novel stereoselective route to cis olefins via addition of vinyl cuprates to α,β–unsaturated sulfones and subsequent desulfonylation, 523–4
Direct demonstration by proton NMR spectrometry of the stereoselectivity of yeast glyoxalase I towards the diasteromeric forms of the α–ketoaldehyde–glutathione hemithioacetal, 944–6
Palladium(II)–catalyzed isomerizations of 3–acetoxy–1,4–dienes to 1–acetoxy–2,4–dienes: stereochemical and preparative aspects, 1030–1
STEREOSPECIFIC
Stereochemically pure E– and Z–alkenes by the Wittig–Horner reaction, 100–1
Stereoselective introduction of hydroxy–groups into the 24–, 25–, and 26–positions of the cholesterol side chain, 115–17
Cycloadditions of 3–methoxyfuran with mono–activated dienophiles; application to the synthesis of (±)–avenaciolides, 221–2
Stereospecific introduction of a C–17 side chain in a 14β–hydroxy steroid. X–ray crystal structures of two epimeric 17–ethynyl–17–hydroxy–14β–hydroxy steroids, 363–4
Efficient synthesis of estriol 16–glucuronide via 2,4,16α–tribromoestrone, 383–4
Stereocontrolled synthesis of 4–demethoxy–7–O–methyldaunomycinone, 478–9
Regio– and stereospecific allylic oxidation of germacrane–type sesquiterpene lactones with selenium dioxide and tert–butyl hydroperoxide, 483–5
Selective linear codimerization of acetylenes and buta–1,3–diene catalyzed by dihydridotetrakis(trialkylphosphine)ruthenium complexes, 496–7
Ruthenium–catalyzed oxidation of allyl alcohols by molecular oxygen, 907–8
Synthesis and x–ray crystal structure of a (C_2)–C_{20}–hexaquinane derivative, a potential dodecahedrane precursor, 912–14
Direct proton NMR observation of the cell–free conversion of δ–(L–α–aminoadipyl)–L–cysteinyl–D–valine and δ–(L–α–aminoadipyl)–L–cysteinyl–D–(–)–isoleucine into penicillins, 917–19
Synthesis of (D_3)–bis(cyclotriveratrylenyl) macrocage by stereospecific replication of a (C_3)–subunit, 1137–9
Degradation of horse heart cytochrome c to a single diastereoisomeric porphyrin c, 1223–4
STEREOSPECIFICITY
Stereoselective introduction of hydroxy–groups into the 24–, 25–, and 26–positions of the cholesterol side chain, 115–17
Alkene formation in the cathodic reduction of oxalates, 134–6
Simple, stereospecific syntheses of some insect pheromones using the iron tricarbonyl protecting group, 373–4
Substitution of a platinum(II) complex without retention of stereochemistry. Direct evidence for pseudorotation of a five coordinate platinum(II) cationic complex containing chelating phosphine ligands, 381–2
Total synthesis of (±)–solavetivone. X–ray crystal structure of 2–hydroxy–6,10–dimethylspiro[4.5]dec–6–en–8–one, 463–5
Simple novel synthesis of the anthracyclinone system using a new modification of the Marschalk reaction and a carbohydrate as a chiral center source, 508–10
Intramolecular reactions of N–nitrenes: evidence for nonconcerted addition to alkenes, 549–50
A new rearrangement of a 4–mercaptoazetidin–2–one via a thioaldehyde intermediate, 578–9
Hydrogenation of alkynes with water and a titanium(II) complex, 665–6
Specific hydromagnesiation of prop–2–ynylic alcohols. A simple and specific route to terpenoids, 718–20
Stereospecific intramolecular addition of α–lithio sulfoxides or sulfones to inactivated double bonds, 764–5
Total synthesis of (S)–(+)–solanone, 951–2
A stereospecific synthesis of (4R)–alkoxyazetidin–2–ones, 959–60
Unusual stereospecificity in the hydrogenation of an isopropenyl function with Wilkinson's catalyst: a route to chiral methyl valine 1175–6
STERIC
Simple and effective synthesis of pyrido[2,1–b]thiazines, 395–6
Surprising reactivity of very crowded phosphinic derivatives, 1197–8
STERICALLY
The synthesis and properties of a series of strong but hindered organic bases, 1136–7
STEROID
Stereoselective introduction of hydroxy–groups into the 24–, 25–, and 26–positions of the cholesterol side chain, 115–17
The configuration at C–20 of a natural Δ^5–C_{26}–sterol, 367–8
Efficient synthesis of estriol 16–glucuronide via 2,4,16α–tribromoestrone, 383–4
Isolation of 2–deoxy–20–hydroxyecdysone and 3–epi–2–deoxyecdysone from eggs of the desert locust, Schistocerca gregaria, during embryogenesis, 418–20
Isolation of ecdysone–3–acetate as a major ecdysteroid from the developing eggs of the desert locust, Schistocerca gregaria, 594–5
Efficient synthesis of the corticosteroid side chain from 17–ketones, 774–5
Simple route for elaboration of the hydroxy ketone and dihydroxyacetone side chains of corticosteroids from 17–oxo steroids, 775–7
Biosynthesis of yamogenin, neotokorogenin, and their (25R)–isomers from [1,2–$^{13}C_2$]acetate in Dioscorea tokoro tissue cultures, 895–7
STEROIDAL
Synthesis of 3β–methoxy–5α,14α–card–20(22)–enolide from 3β–methoxy–5α–androstan–17–one. A method for the construction of the cardenolide side–chain, 25–6
Tetraphenylbismuth monotrifluoroacetate: a new reagent for regioselective aryl ether formation, 503–4
Oxygen atom transfer from iodylbenzene to diphenyl diselenide: a convenient method for dehydrogenation of steroidal 3–ketones, 1044–5

STEROL
The configuration at C-20 of a natural Δ^5-C_{26}-sterol, 367–8
STILBENE
Alkene formation in the cathodic reduction of oxalates, 134–6
Acetyl hypofluorite, the first member of a new family of organic compounds, 443–4
Active metals from potassium–graphite. Palladium–graphite as catalyst in the hydrogenation of nitro compounds, alkenes, and alkynes, 540–1
STOICHIOMETRY
Redox properties and stability constants of anion complexes. An electrochemical study of the complexation of metal hexacyanide anions by polyammonium macrocyclic receptor molecules, 1067–9
STORAGE
Use of synthetic surfactant vesicles as electron storage systems, 183–4
STREPTOMYCES
Characterization of eight antibiotics of the quinomycin group by field desorption mass spectrometry, 46–7
X-ray crystal structure of P-1894 B, a collagen proline hydroxylase inhibitor produced by Streptomyces albogriseolus subsp. No. 1894, 154–5
STYRENE
Catalytic synthesis of 3-substituted indoles using carbon monoxide as building block and supported rhodium as catalyst, 82–3
Intramolecular reactions of N-nitrenes: oxidation of 3-amino-2-(arylalkyl)quinazolones, 160–2
Amidomercuration: a new and regiospecific addition of amides to olefins, 670–1
π-Arene complexes as unexpected deactivation products in alkane activation and alkene hydrogenation reactions, 1217–18
STYRYLCYCLOHEPTATRIENE
Reaction of η^4-cyclooctatetraenyliron tricarbonyl with the tropylium ion: unusual rearrangement of cyclooctatetraene and cycloheptatriene rings and the x-ray crystal structure of η^4-styrylcycloheptatrienyliron tricarbonyl, 19–20
SUBSTITUENT
Intramolecular reactions of N-nitrenes: oxidation of 3-amino-2-(arylalkyl)quinazolones, 160–2
Base-induced benzoyl migrations in Diels–Alder adducts of benzoyl-1,4-benzoquinones, 171–3
Formation of 3H-1,3-benzodiazepines from quinoline N-acylimides, 211–13
Accelerative effect of N^6-acyl groups on the C(8)-hydrogen exchange of 9-substituted adenines, 658–9
Unusual photocyclization of 1-(N-methyl-1-naphthoylamino)tetramethylcyclohexene: x-ray crystal structure of 4b,8,9,10,10a,10b,-11,12-octahydro-6,8,8,10-tetramethyl-10,12-methanobenzo[i]phenanthridin-5(6H)-one, 692–4
Regiospecific cycloaddition of 1-substituted isobenzofurans to quinone acetals, 942–3
Solvolysis of syn- and anti-N-chloro-1,4-dihydro-1,4-iminonaphthalenes, 1028–30
A circular dichroic method for determining the linkage to symmetric hexocyclitols and hexocyclitolamines: structure of two antibiotics from Nocardia sp., 1134–5
Effect of ring substituents on the lifetime of biradicals photogenerated from 2,4,6-triisopropylbenzophenones, 1187–8
SUBSTITUTION
Nucleophilic attack on a ligand as a prerequisite for ligand replacement. Kinetics and mechanism of the replacement of dimethylphenylphosphine by trimethyl phosphite in $[Ru(S_2CH)(PMe_2Ph)_3(P(OMe)_3)]^+$, 78–9
An example of substitution proceeding with retention in the $S_{RN}1$ reaction. Trapping of a pyramidal benzylic radical by benzenethiolate ion, 79–80
Photoinduced reactions of an organosilicon iodide, 175–6
Photolysis and thermolysis of phenyl azide in acetic acid, 202–4
Preparation of nitroalkenes from the corresponding nitroalkanes, 261–2
Electron-induced nucleophilic substitution reactions in organometallic systems, 265–6
Synthesis of η^3-allyl(η^5-cyclopentadienyl)dicarbonylmanganese cations, 311–13
Substitution of a platinum(II) complex without retention of stereochemistry. Direct evidence for pseudorotation of a five coordinate platinum(II) cationic complex containing chelating phosphine ligands, 381–2
Bis(η^5-cyclopentadienyldicarbonyliron); a versatile catalyst for ligand-replacement reactions on transition metal complexes, 408–9
A link between photoreduction and photosubstitution of chloroaromatic compounds, 436–7
Preparation of stable quinone methide imines, 565–6
Synthesis of mercaptoacetonitrile under mild conditions, 569–70
Reactions of trimethylsilylthiazoles with ketens: a new route to regioselective functionalization of the thiazole ring, 655–6
Ipso-substitution reactions of 3-substituted indoles with benzoyl tert-butyl nitroxide, 694–5
Pyridine N-sulfides. Some simple N-arylthiopyridinium salts and a possible source of arylsulfenium ions, 703–4
N,N-diacyl arylsulfenamides as an unambiguous and convenient source of arylsulfenium ions, 704–5
High-pressure kinetics of the reaction of p-benzoquinone with di-n-butylamine in some aprotic solvents, 725–6
Comments on a reported synthesis of 5,6-diazaazulenes, 736–7
Substitution of quinizarin and 5-hydroxyquinizarin at C-2, 740–1
Nitrosyl-bridged cyclopentadienylcobalt and -rhodium cations, 897–9
The reaction of trichlorosilyl radicals with cyclohexyl octyl ether. An S_H2 reaction at an ether oxygen atom, 956–7
Conversion of a bridged vinylalkylidene complex into cluster complexes of cobalt, iron, and manganese: x-ray crystal structures of $[Fe_3(CO)_6(\mu\text{-}CO)_2(\mu_3\text{-}CMe)(\eta\text{-}C_5H_5)]$ and $[FeCo_3(CO)_7(\mu\text{-}CO)_2(\mu_4C\text{:}CH_2)(\eta\text{-}C_5H_5)]$, 966–8
Reaction of molybdenum and tungsten alkylidyne complexes with 2,6-xylyl isocyanide and carbon monoxide; structural and mechanistic evidence for novel insertion reactions, 986–8
Associative substitution reactions of rhenium pentacarbonyl radical 1052–3
A new synthetic route to perfluoroalkylphosphonates involving facile formation of the CF–P linkage, 1173–4
First example of predominant β-orientation in electrophilic substitution of pyrrole, 1177–8
Synthesis and properties of substituted ruthenium aqua complexes, 1216–17
Regioselective lithiation and substitution of tricarbonyl(η^6-1-methylindole)chromium(0): x-ray crystal structure analysis of tricarbonyl(η^6-1-methyl-2-trimethylsilyl-7-ethoxycarbonylindole)chromium(0), 1260–2
SUBSTRATE
Dynamic properties of molecular complexes and receptor–substrate complementarity. Molecular dynamics of macrotricyclic diammonium cryptates, 833–6
SUBUNIT
Synthesis of a tetratriacontapeptide corresponding to sequence 112–145 of the β-subunit of human chorionic gonadotropin, 357–8
SUGAR
The stereochemistry of 2-substituted-2-oxo-4,5-diphenyl-1,3,2-dioxaphospholanes and the related chiral [^{16}O,^{17}O,^{18}O]phosphate monoesters, 245–6
SULFATE
Differentiation of spectra as a means of resolving spin-forbidden bands: iron(III) complexes, 518–20
Liquid phase oxidation of cycloolefins by a palladium sulfate–heteropolyacid catalyst system, 1274–5
SULFENE
A novel synthesis of 1,2,5-benzoxathiazepines, 971–2
SULFIDE
Novel alumina-catalyzed reactions of arylthioalkyl halides, 87–8
Photochemical hydrogen production using cadmium sulfide suspensions in aerated water, 145–6
Anodic oxidation of vinyl sulfides. A convenient synthesis of α-thiolated aldehydes, 263
Regioselective acylation of allyl sulfides via α-silyl intermediates, 377–8
Synthesis and x-ray structural characterization of $[Me_4N]_3[(SCH_2CH_2S)MoS_3]_2Fe]$, the first example of a heteronuclear trimer containing molybdenum in a square-pyramidal geometry, 411–12
Tetraphenylbismuth monotrifluoroacetate: a new reagent for regioselective aryl ether formation, 503–4
Chemical conversions using sheet silicates: novel intermolecular eliminations of hydrogen sulfide from thiols, 695–6
Pyridine N-sulfides. Some simple N-arylthiopyridinium salts and a possible source of arylsulfenium ions, 703–4
N,N-diacyl arylsulfenamides as an unambiguous and convenient source of arylsulfenium ions, 704–5

SULFIDE(contd)
Selective reaction of silyl enol ethers with α–chloro sulfides containing a ketone group, 1106–7
Comparison of proton hyperfine coupling constants for the monomer and dimer radical cations of dimethyl sulfide and dimethyl selenide, 1184–5
On anchimerically assisted homolysis via sulfide functions, 1238–9
The synthesis and characterization of μ–hydridobis(μ–sulfide)ditungsten(III) complexes: the x–ray crystal structure of $[HPPh_3][Cl_3W(\mu\text{–}H)(\mu\text{–}Me_2S)_2WCl_3]$, 1286–8
SULFILIMINE
Perfluoro(tetramethylene)sulfilimine and its N–chloro– and N–bromo–derivatives. Perfluoro(tetramethylene)sulfoximine and its N–chloro–derivative, 242–3
Optical stability of carbanions derived from sulfoximides and sulfilimines, 1005–6
SULFINAMIDOCOBALT
Synthesis and structure of a chiral sulfinamidocobalt(III) complex derived from (R)–cysteine, 875–7
SULFINATE
Tetraphenylbismuth monotrifluoroacetate: a new reagent for regioselective aryl ether formation, 503–4
Use of carbohydrates in the preparation of optically active sulfoxides, 505–6
SULFINE
Mechanistic investigations into the photochemical oxidation of thioketones, 112–14
SULFONAMIDE
Sulfonamidomercuration: a new method for amination of olefins, 1178–9
SULFONAMIDOMERCURATION
Sulfonamidomercuration: a new method for amination of olefins, 1178–9
SULFONE
Desulfonylation of α–nitrosulfones with N–benzyl–1,4–dihydronicotinamide, 71–2
Diastereomeric differentiation of sulfone oxygens by oxygen–17 NMR spectroscopy, 479–80
Tetraphenylbismuth monotrifluoroacetate: a new reagent for regioselective aryl ether formation, 503–4
A novel stereoselective route to cis olefins via addition of vinyl cuprates to α,β–unsaturated sulfones and subsequent desulfonylation, 523–4
Stereospecific intramolecular addition of α–lithio sulfoxides or sulfones to inactivated double bonds, 764–5
SULFONIUM
Reactions of a triarylsulfonium salt with alkoxide nucleophiles: involvement of radical intermediates, 346–7
Photoinitiated doping of polyacetylene, 384–5
SULFONYL
2–Hydroxyethanesulfonyl chloride: a sulfonyl chloride with a primary hydroxy–group, 295–6
Pressure–induced synthesis of an N–sulfonyl–1H–azepine by sulfonyl–nitrene insertion into benzene, 790–1
Pyrolysis of phenylalklysulfonyl azides and 2–phenethyl azidoformate. Selectivity of sulfonylnitrenes and contrast between sulfonyl– and carbonylnitrenes, 1087–8
SULFONYLIMINE
Regiospecific attack of methoxide ion on 4–alkoxy–o–quinone imines. A novel route to p–quinone monoacetals, 425–6
SULFOXIDE
Use of carbohydrates in the preparation of optically active sulfoxides, 505–6
Stereospecific intramolecular addition of α–lithio sulfoxides or sulfones to inactivated double bonds, 764–5
SULFOXIMIDE
Optical stability of carbanions derived from sulfoximides and sulfilimines, 1005–6
SULFOXIMINE
Perfluoro(tetramethylene)sulfilimine and its N–chloro– and N–bromo–derivatives. Perfluoro(tetramethylene)sulfoximine and its N–chloro–derivative, 242–3
SULFUR
An enneanuclear nickel sulfide with a confacial bioctahedral geometry: x–ray crystal structure of $[Ni_9(\mu_4\text{–}S)_3(\mu_3\text{–}S)_6(PEt_3)_6][BPh_4]_2$, 47–8
Methylenethioxophosphoranes and 1,2–λ⁵–thiaphosphiranes, 72–3
Gas phase fluorination of carbon dioxide by sulfur hexafluoride, 247–8
A new bridging geometry for sulfur dioxide in $[Mo(CO)_2(PPh_3)(pyridine)(\mu\text{–}SO_2)]_2.2CH_2Cl_2$: x–ray crystal structure, 305–6
Four–membered ring adducts from 2π + 2π cycloaddition of ketenimines to sulfur dioxide. Isolation of 1,2–thiazetidin–3–one 1–oxides, 350–2
Synthesis and x–ray characterization of the novel $[Rh_{10}S(CO)_{10}(\mu\text{–}CO)_{12}]^{2-}$ anion; a bicapped square–antiprismatic cluster containing an interstitial sulfur atom, 563–5
The x–ray crystal and molecular structure of tetrasulfur dinitride, 584–5
Preparation and crystal structure determination of a diphosphorus compound with a direct λ⁵phosphorus–λ⁴phosphorus bond, 609–10
A novel paramagnetic octahedral iron cluster: synthesis and x–ray structural characterization of hexakis(triethylphosphine)–μ₃–octasulfurhexairon tetraphenylborate, 640–1
The triphenylphosphine–sulfur trioxide complex: confirmation of structure, 789–90
Synthesis and x–ray structural characterization of $Rh_4(\mu\text{–}CO)_4(\mu\text{–}SO_2)_3[P(OPh)_3]_4.1\Psi2C_6H_6$: a 'butterfly' cluster with an unusual bridging mode for sulfur dioxide, 963–5
New uses for old complexes. Hydroborations involving nitrogen and phosphorus complexes of borane, 1014–15
Photoinduced electrochemical reduction of water to hydrogen at ruthenium–modified polysulfur nitride electrodes, 1021–3
SULFURATION
Methylenethioxophosphoranes and 1,2–λ⁵–thiaphosphiranes, 72–3
SULFURIC
The photochemical decomposition of sulfuric acid catalyzed by tris(triethylphosphine)hydridoplatinum monocation, 1245–6
SULTAM
Pyrolysis of phenylalklysulfonyl azides and 2–phenethyl azidoformate. Selectivity of sulfonylnitrenes and contrast between sulfonyl– and carbonylnitrenes, 1087–8
SULTINIMINE
Four–membered ring adducts from 2π + 2π cycloaddition of ketenimines to sulfur dioxide. Isolation of 1,2–thiazetidin–3–one 1–oxides, 350–2
SUPERACID
Superacid sites in zeolites, 39–40
SUPERACIDITY
Superacid sites in zeolites, 39–40
SUPEROXIDE
Oxygenation of 3–hydroxyflavones by superoxide anion, 745
SUPPORT
Nickel/titanium oxide catalysts. The role of the titania in providing active sites, 123–4
Partial oxidation of propene over UV–irradiated vanadium oxide supported on silica, 601–2
Surface photochemistry: the photodimerization of acenaphthylene on dry silica gel, 820–1
Sand–supported organic reactions: sodium borohydride reduction of carbonyl compounds, 1066–7
SUPPRESSION
Utilization of the deuterium isotope effect to suppress enolization during alkylation of ketones, 1215–16
SURFACE
The surface composition of dealuminated zeolites, 422–4
cis– and trans–Dimethyl–di–μ–methylenebis(pentamethylcyclopentadienyl)dirhodium as models for Fischer–Tropsch reactions on metal surfaces, 809–10
Surface photochemistry: radical pair combination on a silica gel surface and in micelles, 958–9
SURFACTANT
Use of synthetic surfactant vesicles as electron storage systems, 183–4
SUSCEPTIBILITY
Exchange interactions in a series of novel heteronuclear basic carboxylate complexes containing two iron(III) ions and a divalent metal ion, 796–7
SYM
A circular dichroic method for determining the linkage to symmetric hexocyclitols and hexocyclitolamines: structure of two antibiotics from Nocardia sp., 1134–5
SYMMETRY
On the symmetry of (–)–1,3,5,7–tetrakis[2–(1S,3S,5R,6S,8R,10R)–D₃–trishomocubanylacetoxymethyl]adamantane, 234
SYNDIOTACTIC
Solid–state nigh–resolution carbon–13 NMR spectra of polyprope-

SYNDIOTACTIC(contd)
ne, 15–16
SYNTHESIS
A new spiro–annelation procedure: intramolecular decarboxylative alkylation of β–keto esters, 30–2
Synthesis gas homologation of aliphatic carboxylic acids, 41–3
New synthesis of olivacine via a heteroarylation reaction, 44–6
Asymmetric synthesis of β–lactams, 57–8
Synthesis of asymmetrically–substituted cyclopentane derivatives from acyclic sugars, 88–90
Vicinal glycol esters from synthesis gas, 188–9
Total synthesis of the macrocyclic spermidine alkaloids (±)–lunarine and (±)–lunaridine, 286–7
Efficient synthesis of estriol 16–glucuronide via 2,4,16α–tribromoestrone, 383–4
An unequivocal synthesis of 1–benzyl–3–ethyl–1,6–dihydropyridine and its use for a biogenetically modeled synthesis of (±)–catharanthine, 389–91
Structure and synthesis of 25–hydroxycholecalciferol–26,23–lactone, a metabolite of vitamin D_3, 424–5
Synthesis of cinnamolide and polygodial, 507–8
3,5–Disubstituted isoxazoles as a latent aldol moiety: application to the synthesis of (±)–[6]–gingerol, 599–600
Cobalt–catalyzed reaction of carbon monoxide–hydrogen mixtures in alkoxy–terminated polyglycol solvents, 618–19
A total synthesis of (±)–methylenomycin A, 714–15
Stereoselective synthesis of the novel marine diterpene (+)–isoagatholactone, 734–5
Olefin metathesis in polycyclic frames. A total synthesis of hirsutene 756–7
Synthesis of γ–oxyprotoporphyrin IX and pterobiline (biliverdin IXγ), 763–4
Efficient synthesis of (±)–solavetivone, 904–5
Total synthesis of (±)–prostaglandin I_2 methyl ester and (±)–15–epi–prostaglandin I_2 methyl ester, 922–4
General synthetic approach to the quinolizidine alkaloids via a [2+3]–cycloaddition, 940–2
Total synthesis of (S)–(+)–solanone, 951–2
A physically supported gel polymer for low pressure, continuous flow solid phase reactions. Application to solid phase peptide synthesis, 1151–2
Synthesis of a potential synthon for the chiral synthesis of the Corynanthe–type indole alkaloids: enantioselective total synthesis of (–)–antirhine, 1155–6
5,6–Methanoleukotriene A_4. A stable and biologically active analog of leukotriene A_4, 1195–6
Stereoselective synthesis of (3R,4S/3S,4R)–(6E,10Z)–3,4,7,11–tetramethyltrideca–6,10–dienal (faranal); the trail pheromone of the Pharaoh's ant, 1234–5
Reinvestigation of the 4–methoxy–2,6–dimethylbenzenesulfonyl (Mds) protecting group for the guanidino–function during peptide synthesis, 1243–4
SYNTHETIC
Use of synthetic surfactant vesicles as electron storage systems, 183–4
SYNTHON
Biomimetic synthesis of sclerin, 20–1
Synthesis of asymmetrically–substituted cyclopentane derivatives from acyclic sugars, 88–90
Stereocontrolled synthesis of 4–demethoxy–7–O–methyldaunomycinone, 478–9
Stereoselective synthesis of the novel marine diterpene (+)–isoagatholactone, 734–5
Synthesis and x–ray crystal structure of a (C_2)–C_{20}–hexaquinane derivative, a potential dodecahedrane precursor, 912–14
Preparation of (–)–(7R)–7–acetyl–7–hydroxy–4,4–dimethoxy–5,6,7,8–tetrahydronaphthalen–1(4H)–one, a chiral AB–synthon for anthracycline synthesis, 1100–1
Approaches to the synthesis of bicyclomycin, 1126–8
TABERSONINE
Ozonation in alkaloid chemistry: a mild and selective conversion of vincadifformine into vincamine, 908–9
TAJIXANTHONE
Biosynthesis of tajixanthone in Aspergillus variecolor; incorporation of $[^2H]_3$acetate and $[1,2\text{–}^{13}C_2]$acetate, 195–6
TALOFURANOSYLPYRIMIDINE
Synthesis and x–ray crystal structure of the first example of an anhydronucleoside with two oxygen bridges between the base and the sugar, 780–1
TANTALUM
A unique 'side–on' bridging mode for the formyl (CHO) ligand in a binuclear tantalum complex. x–ray structural study of $[(\eta^5\text{–}C_5Me_4Et)TaCl_2]_2(\mu\text{–}H)(\mu\text{–}CHO)$, 274–5
TAUTOMERISM
A monocyclic phosphorane oxide anion and the extraordinary reactivity of its tautomeric phosphine oxide alkoxide, 981–2
Tautomerism of 1–hydroxy–2–pyridone in the excited triplet state, 1004–5
Annular tautomerism in the solid state: a high resolution NMR study, 1207–8
TCNQ
Synthesis, electronic structure, and complex formation of simple 1,1,4,4–tetrathiabutadienes, 829–31
Synthesis of $\Delta^{2,2'}$–bithieno[3,4–d]–1,3–dithiole (DTTTF) and some of its charge–transfer salts, 920–1
TELLURIUM
Organotellurium chemistry. The telluroxide elimination reaction, 277–8
The solvolysis of orthotelluric acid in hydrogen fluoride, 841–2
TEMP
Comparison of results obtained in kinetic studies of the interaction between cationic dyes and sodium carboxymethylcellulose using the Joule–heating temperature–jump and laser temperature–jump methods, 386–7
Temperature dependence of the low–frequency vibrational optical activity of α–phellandrene, 771–2
Ozonation in alkaloid chemistry: a mild and selective conversion of vincadifformine into vincamine, 908–9
TEMPLATE
Template effect of intramolecular hydrogen–bonding in the synthesis of [1.1.1]cryptates, 777–8
TERMINAL
The conversion of primary amines into olefins: a mild alternative to the Hofmann elimination, 96
TERPENE
A new spiro–annelation procedure: intramolecular decarboxylative alkylation of β–keto esters, 30–2
Specific hydromagnesiation of prop–2–ynylic alcohols. A simple and specific route to terpenoids, 718–20
Photocycloaddition of 2,5–dihydrothiophene SS–dioxides to α,β–unsaturated cyclic anhydrides. Synthesis of 10–hydroxygeraniol, 752–3
Ruthenium–catalyzed oxidation of allyl alcohols by molecular oxygen, 907–8
TERPENOID
Biosynthesis of austin, a polyketide–terpenoid metabolite of Aspergillus ustus, 1042–3
TERPYRIDINE
Charge–transfer luminescence from mixed ligand, 2,2',2''–terpyridine–phosphine, complexes of osmium(II), 793–5
Isolation and x–ray crystal structure of a novel dihydroterpyridine dimer formed via an anionic [6 + 4] cycloaddition, 858–9
TERPYRIDINEALKYLPHOSPHINE
Charge–transfer luminescence from mixed ligand, 2,2',2''–terpyridine–phosphine, complexes of osmium(II), 793–5
TERPYRIDINEALKYLPHOSPHINEOSMIUM
Charge–transfer luminescence from mixed ligand, 2,2',2''–terpyridine–phosphine, complexes of osmium(II), 793–5
TERRETONIN
Biosynthesis of terretonin, a polyketide–terpenoid metabolite of Aspergillus terreus, 1043–4
TERTIARY
Synthesis of ketones and tertiary alcohols from trialkylboranes. Use of lithium tris(phenylthio)methanide, 1149–50
TESTOSTERONE
Natural abundance carbon–13–carbon–13 coupling constants in a steroid, 1275–7
TETRAALKOXY
Cesium fluoride–promoted Michael addition in heterogeneous catalysis, 122–3
TETRAALKOXYSILANE
Cesium fluoride–promoted Michael addition in heterogeneous catalysis, 122–3
TETRAAMMINE
Isolation and x–ray crystal structure of $[Cu(NH_3)_4H_2O.18\text{–}crown\text{–}6]^{2+}{}_n[PF_6]^-{}_{2n}$, a linear face–to–face hydrogen bonded chain copolymer, 849–50

TETRAAMMINEAQUACOPPER
Isolation and x–ray crystal structure of $[Cu(NH_3)_4H_2O.18\text{–crown–}6]^{2+}{}_n[PF_6^-]_{2n}$, a linear face–to–face hydrogen bonded chain copolymer, 849–50
TETRAAZAMACROCYCLE
Cupric ion–promoted hydrolysis of cyanomethyl–substituted tetraazamacrocycles, 603–4
TETRAAZAPHOSPHAPENTALENOPENTALENYL
Single crystal ESR study of the octahydro–2a,4a,6a,8a–tetraaza–8b–phospha(V)pentaleno[1,6–cd]pentalen–8b–yl radical. Evidence of ligand exchange via a Berry pseudorotation mechanism, 358–60
TETRAAZATETRAOXADITHIATRICYCLOTETRATRIACONTAOCTAENEBISPERCHL
The nontemplate synthesis of dinucleating macrocyclic Schiff bases derived from thiophene, and their disilver complexes; x–ray crystal structures of two of the products, 628–30
TETRAAZATRICYCLOUNDECADIENONE
Synthesis of potassium 3–methyl–9–oxo–1,4–diazatricyclo[5.2.0.0^{4,6}]non–2–ene–2–carboxylate, 947–8
TETRABENZYLOXY
Mercuricyclization in carbohydrate chemistry. A highly stereoselective route to α–D–C–glucopyranosyl derivatives, 375–6
TETRABENZYLOXYHYDROXYHEPTENE
Mercuricyclization in carbohydrate chemistry. A highly stereoselective route to α–D–C–glucopyranosyl derivatives, 375–6
TETRABORANE
Tetrakis(tert–butyl)tetraborane(4), $(Me_3C)_4B_4$; synthesis of the first peralkyl derivative of a 2N framework electron count deltahedral borane, 250–1
TETRABORON
Tetrakis(tert–butyl)tetraborane(4), $(Me_3C)_4B_4$; synthesis of the first peralkyl derivative of a 2N framework electron count deltahedral borane, 250–1
TETRABROMO
Structural change in $(C_5H_5NH)SbBr_4$ with temperature, 979–81
TETRABROMOANTIMONATE
Structural change in $(C_5H_5NH)SbBr_4$ with temperature, 979–81
TETRACHLORIDE
Tetrakis(tert–butyl)tetraborane(4), $(Me_3C)_4B_4$; synthesis of the first peralkyl derivative of a 2N framework electron count deltahedral borane, 250–1
TETRACHLOROCHROMATE
The crystal structures of propane–1,3–diammonium tetrachlorochromate(II), a sheet ferromagnet, and bis(dimethylammonium) tetrachlorochromate(II), an antiferromagnetic compound containing isolated $[Cr_3Cl_{12}]^{6-}$ units, 1046–7
TETRACYCLIC
Photochemical benzylation of 1,4–dicyanonaphthalene. X–ray crystal structure of 6,11–dicyano–5,11–methano–5,6,11,12–tetrahydrodibenzo[a,e]cyclooctene, 50–1
TETRACYCLOBUTACYCLOOCTATETRAENE
Perfluorotetracyclobutacyclooctatetraene; a planar eight–membered ring system; x–ray crystal structure, 526–8
TETRACYCLODODECANE
X–ray crystal structure of 1,5–dibromotetracyclo[4.2.2.2.^{2,5}0^{2,6}]dodecane, 878–9
TETRADENTATE
An unusual bonding mode for a dithiocarboxylate ligand: a tetradentate interaction; x–ray crystal structure of the product of the reaction of nonacarbonyldiiron with 1,2–benzodithiole–3–thione, 513–14
TETRAFLUOROBORATE
Aryldiazonium salts as photoaffinity labeling reagents for proteins, 398–9
π–Arene complexes as unexpected deactivation products in alkane activation and alkene hydrogenation reactions, 1217–18
Synthesis and x–ray structural characterization of $[Mo_2O(S_2CNEt_2)_6]BF_4$, a μ–oxo–bridged mixed oxidation state complex of molybdenum, 1262–3
TETRAHEDRAL
Stable homopolyatomic anions: the tetrastannide(2–) and tetragermanide(2–) anions, Sn_4^{2-} and Ge_4^{2-}. X–ray crystal structure of $[K^+(crypt)]_2Sn_4^{2-}$.ethylenediamine, 236–7
TETRAHYDROFURANATE
Heteroleptic tert–butyl lanthanoid complexes. Synthesis and x–ray crystal structure of monomeric bis(cyclopentadienyl)(tert–butyl)lutetium tetrahydrofuranate, 292–3
TETRAKISCARBOXYLATE
Trapping of reactive intermediates from phosphites and dimethyl acetylenedicarboxylate. Diversion of reaction pathway towards stable phosphole derivatives, 420–1
TETRAKISDIIMINOSUCCINONITRILEDICOBALT
Synthesis, characterization, and chemical transformation of diiminosuccinonitrile cobalt complexes: x–ray crystal structure of cyanobis(diiminosuccinonitrile)cobalt, 329–30
TETRAKISMETHYLDIPHENYLPHOSPHINE
Nearly regular tetrahedral geometry in a gold(I)–phosphine complex. X–ray crystal structure of tetrakis(methyldiphenylphosphine)gold(I) hexafluorophosphate, 900–1
TETRAMALEAMOYLPHENYL
A rapid porphyrin metalation, 192–4
TETRAMALEAMOYLPHENYLPORPHYRIN
A rapid porphyrin metalation, 192–4
TETRAMER
Hexadecamethoxy– and hexadecaethoxytetratungsten: preparation and x–ray crystal and molecular structure of hexadecaethoxytetratungsten, 270
Novel resveratrol tetramer, vaticaffinol, from Vatica affinis Thw. (Dipterocarpaceae), 1204–6
Redox chemistry of niobium chalcogenide halides: a mixed valency niobium III/niobium IV tetramer. Preparation and crystal structure of a (μ–diselenido–μ–selenido)–tetraniobium complex, $Nb_4Br_{10}Se_3(NCMe)_4$, 1241–2
TETRAMETHYL
Evidence for a novel mechanism of the 1,2–bond shift rearrangements catalyzed by coenzyme–B_{12}, 686–8
Unusual photocyclization of 1–(N–methyl–1–naphthoylamino)tetramethylcyclohexene: x–ray crystal structure of 4b,8,9,10,10a,10b,–11,12–octahydro–6,8,8,10–tetramethyl–10,12–methanobenzo[i]phenanthridin–5(6H)–one, 692–4
An iridium(V) organometallic compound; synthesis and x–ray crystal structure of tetramethyl(η^5–pentamethylcyclopentadienyl)–iridium, 808–9
The infrared multiphoton–induced decomposition of silicon–containing four–membered rings. A new source of silaolefins, 915–17
Homogeneous metathesis of unsaturated nitriles, 1081–2
TETRAMETHYLENESULFILIMINE
Perfluoro(tetramethylene)sulfilimine and its N–chloro– and N–bromo–derivatives. Perfluoro(tetramethylene)sulfoximine and its N–chloro–derivative, 242–3
TETRAMETHYLMETHANOBENZOPHENANTHRIDINONE
Unusual photocyclization of 1–(N–methyl–1–naphthoylamino)tetramethylcyclohexene: x–ray crystal structure of 4b,8,9,10,10a,10b,–11,12–octahydro–6,8,8,10–tetramethyl–10,12–methanobenzo[i]phenanthridin–5(6H)–one, 692–4
TETRAMETHYLTOLUENESULFONYLOXYCYCLOHEXANE
Evidence for a novel mechanism of the 1,2–bond shift rearrangements catalyzed by coenzyme–B_{12}, 686–8
TETRANUCLEAR
Synthesis and x–ray crystal and molecular structure of $[(RhFe(\mu\text{–}PPh_2)_2(\mu\text{–}CO)(CO)_3)_2]$, an unusual tetranuclear compound with a straight–chain structure, 587–8
TETRAPHENYL
The autoxidation of a chromium(II) porphyrin. Synthesis and structural characterization by x–ray crystallography of αβγδ–tetraphenylporphinatooxochromium(IV), 370–1
The thermal cis–trans–isomerization of some substituted tetraphenylcyclopropanes. An assessment of the importance of mero–stabilization of a 1,3–biradical, 1203–4
TETRAPHENYLBORATE
A novel paramagnetic octahedral iron cluster: synthesis and x–ray structural characterization of hexakis(triethylphosphine)–μ_3–octasulfurhexairon tetraphenylborate, 640–1
TETRAPHENYLCYCLOPROPANE
The thermal cis–trans–isomerization of some substituted tetraphenylcyclopropanes. An assessment of the importance of mero–stabilization of a 1,3–biradical, 1203–4
TETRAPHENYLPORPHINATOCHROMIUM
The autoxidation of a chromium(II) porphyrin. Synthesis and structural characterization by x–ray crystallography of αβγδ–tetraphenylporphinatooxochromium(IV), 370–1
TETRAPHENYLPORPHINATOOXOCHROMIUM
The autoxidation of a chromium(II) porphyrin. Synthesis and

TETRAPHENYLPORPHINATOOXOCHROMIUM(contd)
structural characterization by x-ray crystallography of $\alpha\beta\gamma\delta$-tetraphenylporphinatooxochromium(IV), 370–1
TETRAPYRROLE
Synthesis of the isobacteriochlorin macrocycle: a photochemical approach, 797–9
TETRASELENAFULVALENE
One-step synthesis of methoxycarbonyl-substituted tetraselenafulvalene under high pressure, 669–70
TETRASULFONATOPHTHALOCYANINE
Manganese 4,4',4'',4'''-tetrasulfonated phthalocyanine, its dioxygen adduct, and ESR evidence for intramolecular electron transfer in solution, 98–9
TETRATHIABUTADIENE
Synthesis, electronic structure, and complex formation of simple 1,1,4,4-tetrathiabutadienes, 829–31
TETRATHIAFULVALENE
Intercalation of tetrathiafulvalene into iron oxychloride, 382–3
TETRATHIOMOLYBDATE
Preparation and x-ray crystal structure of $[S_2MoS_2Mo(NNMe_2)_2(PPh_3)]$, a binuclear molybdenum hydrazido(2-)-complex containing coordinated tetrathiomolybdate, 132–3
TETRATRIACONTAPEPTIDE
Synthesis of a tetratriacontapeptide corresponding to sequence 112–145 of the β-subunit of human chorionic gonadotropin, 357–8
TETRAZENE
Oxidation of 1,1-disubstituted hydrazines to tetrazenes with benzeneseleninic acid, 530–1
THAILANDINE
4,5,6,6a-Tetradehydro-N-methyl-7-oxoaporphinium salts, 1118–19
THALLIUM
Far-infrared spectra of aqueous solutions of thallium(III) chloride complexes, 772–3
THALLIUMPENTACHLORIDE
Far-infrared spectra of aqueous solutions of thallium(III) chloride complexes, 772–3
THERMO
Superacid sites in zeolites, 39–40
THERMODESORPTION
Superacid sites in zeolites, 39–40
THERMODN
Evidence for retention of the cyclic C_3H_5 structure during positive-ion processes in the gas phase, 659–61
trans-Cycloheptene. Photochemical generation and thermal trans–cis isomerization, 1031–3
Direct observation of a thermal ring-walk rearrangement in a spironorcaradiene system, 1035–6
THERMOLYSIS
S_H2 reactions of diphenyl diselenide; preparation and reactions of bridgehead selenides, 139–40
Photolysis and thermolysis of phenyl azide in acetic acid, 202–4
Organotellurium chemistry. The telluroxide elimination reaction, 277–8
Electron spin resonance investigation of the thermolysis, photolysis, and oxygenation of bi- and trimetallic organochromium complexes, 531–2
Anomalous products from 1,2,5-triaza- and 1,5-diazapentadiene thermolyses: formation of amidines and pyrroles, respectively, 722–3
Pressure-induced synthesis of an N-sulfonyl-1H-azepine by sulfonyl-nitrene insertion into benzene, 790–1
Synthesis, x-ray crystal structure, and reactivity of the di-μ-carbene complex $[Ru_2(CO)_2(\mu\text{-}CHMe)(\mu\text{-}CMe_2)(\eta\text{-}C_5H_5)_2]$, 862–4
Pyrolysis of phenylalklysulfonyl azides and 2-phenethyl azidoformate. Selectivity of sulfonylnitrenes and contrast between sulfonyl- and carbonylnitrenes, 1087–8
THIABICYCLOHEPTENONE
Unusual stereospecificity in the hydrogenation of an isopropenyl function with Wilkinson's catalyst: a route to chiral methyl valine 1175–6
THIABICYCLONONANE
Stereospecific intramolecular addition of α-lithio sulfoxides or sulfones to inactivated double bonds, 764–5
THIABICYCLOPENTENE
Synthesis and photolysis of 1,2,3,8-tetrakis(trifluoromethyl)cyclooctatetraene, 1289–91
THIADIAZINONE
The chemistry of a 1,3,4-thiadiazin-6-one, 1003–4
THIADIAZOLE
The chemistry of a 1,3,4-thiadiazin-6-one, 1003–4
THIADIAZOLYLFULVENE
Comments on a reported synthesis of 5,6-diazaazulenes, 736–7
THIANAPHTHALENE
A novel 1,4-cycloaddition reaction of a stable 2-thianaphthalene derivative. Formation and x-ray crystal structure of 3-benzoyl-1a,2-dimethoxycarbonyl-1-methylthio-1a,7b-dihydrocyclopropa[a]naphthalene, 364–5
THIANE
Unusual structure and novel fluxional rearrangements in the s-trithian complex $[(Me_3PtCl)_2(SCH_2SCH_2SCH_2)]$; x-ray crystal structure determination, 29–30
THIAPHOSPHIRANE
Methylenethioxophosphoranes and 1,2-λ^5-thiaphosphiranes, 72–3
THIAPYRAZOLE
Silyl thioketones and silylated thiiranes, 822–3
THIAZEPINONE
On the proposed intermediacy of β-hydroxyvaline- and thiazepinone-containing peptides in penicillin biosynthesis, 1146–7
THIAZETIDINONE
Four-membered ring adducts from $2\pi + 2\pi$ cycloaddition of ketenimines to sulfur dioxide. Isolation of 1,2-thiazetidin-3-one 1-oxides, 350–2
THIAZINE
1,3-Dipolar cycloaddition of a thiazolo[5,4-d]pyrimidine 1-oxide to dimethyl acetylenedicarboxylate. New ring transformation to a pyrrolo[3,2-d]pyrimidine via a pyrimido[4,5-b][1,4]thiazine, 278–80
Simple and effective synthesis of pyrido[2,1-b]thiazines, 395–6
Novel and efficient photochemical rearrangement of 1,3-thiazine derivatives, 608–9
Pyrolysis of phenylalklysulfonyl azides and 2-phenethyl azidoformate. Selectivity of sulfonylnitrenes and contrast between sulfonyl- and carbonylnitrenes, 1087–8
THIAZINONE
A novel S,N-double rearrangement; x-ray crystal structure of 5-carbamoyl-4-methylthio-2-phenyl-1,3-thiazin-6-one and its 2,3-dihydro derivative, 560–1
THIAZOLE
Reactions of trimethylsilylthiazoles with ketens: a new route to regioselective functionalization of the thiazole ring, 655–6
THIAZOLIDINE
Total synthesis of the macrocyclic spermidine alkaloids (±)-lunarine and (±)-lunaridine, 286–7
THIAZOLIDINONE
Reactions of amide anions with α-bromo amides, 416–17
THIAZOLOPYRIMIDINE
1,3-Dipolar cycloaddition of a thiazolo[5,4-d]pyrimidine 1-oxide to dimethyl acetylenedicarboxylate. New ring transformation to a pyrrolo[3,2-d]pyrimidine via a pyrimido[4,5-b][1,4]thiazine, 278–80
THIAZOLYL
Reactions of trimethylsilylthiazoles with ketens: a new route to regioselective functionalization of the thiazole ring, 655–6
THIAZOLYLMETHYLSILYLOXYETHYLENE
Reactions of trimethylsilylthiazoles with ketens: a new route to regioselective functionalization of the thiazole ring, 655–6
THIAZOLYLSILANE
Reactions of trimethylsilylthiazoles with ketens: a new route to regioselective functionalization of the thiazole ring, 655–6
THIENAMYCIN
Reaction of olivanic acids with hypobromous acid: the preparation and use of a versatile intermediate, the C-3 thiol, 803–5
THIENOPYRIDAZINECARBOXYLATE
Ring cleavage of 3-azidothiophenes; a novel extrusion of acetylene, 550–1
THIENOPYRROLE
Synthesis and x-ray structure of an azathiabenzene derivative, a cyclic sulfimide, 927–8
THIENOPYRROLEDICARBOXYLATE
Ring cleavage of 3-azidothiophenes; a novel extrusion of acetylene, 550–1
THIENOTHIAZINE
Synthesis and x-ray structure of an azathiabenzene derivative, a cyclic sulfimide, 927–8
THIENYL
Synthesis and reactivity of bimetallic gold–silver complexes. X-ray structure of a chain polymer containing the moiety ...$(F_5C_6)_2Au(-$

THIENYL(contd)
μ–$AgSC_4H_8)_2Au(C_6F_5)_2$..., 1097–8
THIENYLATION
Active metals from potassium–graphite. Palladium–graphite–catalyzed vinylic substitution reactions, 541–2
THIIRAN
Silyl thioketones and silylated thiiranes, 822–3
THIIRENE
Electrochemical reduction of 1,2–diphenylthiiren dioxide and monoxide, 120–1
THIO
Asymmetric hydrolysis of 3–acetylthiocycloheptene and 3–acetoxycycloheptene with a microbial lipase, 185
Alkaloid–catalyzed asymmetric addition of thiocarboxylic S–acids to cyclohex–2–en–1–ones. Absolute configuration of the adducts by O,S–dibenzoate Cotton effect, 307–8
THIOACETAL
Novel alumina–catalyzed reactions of arylthioalkyl halides, 87–8
THIOACETATE
Synthesis and x–ray structure of an azathiabenzene derivative, a cyclic sulfimide, 927–8
THIOACETYLACETONE
Structure and photochemistry of matrix–isolated monothioacetylacetone, 486–8
THIOALKANE
Novel alumina–catalyzed reactions of arylthioalkyl halides, 87–8
THIOAZIDE
Preparation and x–ray crystal structures of copper(I) complexes of the trithioazide ion (S_3N^-), 1171–3
THIOBISCEPHALOSPOROLIDE
Structure of thiobiscephalosporolide–A, a macrolide from Cephalosporium aphidicola, 1006–7
THIOCARBONYL
Platinum–manganese and –rhenium complexes with bridging thiocarbonyl ligands; crystal structure of $[MnPt(\mu\text{–}CS)(CO)_2(PMePh_2)_2(\eta\text{–}C_3H_5)]$, 243–5
Comparison of UV–visible spectra of iron(I)–porphyrin– and iron(II)–porphyrin(thiolato)(thiocarbonyl) and –(carbene) complexes. Relevance to ferrous cytochrome P450 complexes, 888–90
THIOCARBOXYLATE
Alkaloid–catalyzed asymmetric addition of thiocarboxylic S–acids to cyclohex–2–en–1–ones. Absolute configuration of the adducts by O,S–dibenzoate Cotton effect, 307–8
THIOCYANATOCOPPER
Sulfur–bonded–only thiocyanate bridges. The synthesis and x–ray crystal structure of a di–μ–thiocyanato–(S)–dicopper(I) complex of a 20–membered macrocycle, 388–9
THIOFORMATO
Nucleophilic attack on a ligand as a prerequisite for ligand replacement. Kinetics and mechanism of the replacement of dimethylphenylphosphine by trimethyl phosphite in $[Ru(S_2CH)(PMe_2Ph)_3(P(OMe)_3)]^+$, 78–9
THIOISOBUTANOATOPLATINUM
Two polymorphic forms of the tetrakis(dithioisobutanoato)diplatinum(II) complex: x–ray crystal structure and spectroscopic evidence of intermolecular interactions in the solid state, 409–11
THIOKETENE
Oxidation of thioketens by singlet oxygen and ozone, 638–9
THIOKETONE
Mechanistic investigations into the photochemical oxidation of thioketones, 112–14
THIOL
Chemical conversions using sheet silicates: novel intermolecular eliminations of hydrogen sulfide from thiols, 695–6
Reaction of olivanic acids with hypobromous acid: the preparation and use of a versatile intermediate, the C–3 thiol, 803–5
THIOLATE
On relative leaving abilities: use of isobasic plots to determine the relative nucleofugalities of thiolates and their oxy–analogs, 551–3
Comparison of UV–visible spectra of iron(I)–porphyrin– and iron(II)–porphyrin(thiolato)(thiocarbonyl) and –(carbene) complexes. Relevance to ferrous cytochrome P450 complexes, 888–90
THIOLATED
Anodic oxidation of vinyl sulfides. A convenient synthesis of α–thiolated aldehydes, 263
THIOMOLYBDATE
Preparation and x–ray crystal structure of $[S_2MoS_2Mo(NNMe_2)_2(PPh_3)]$, a binuclear molybdenum hydrazido(2–)–complex containing coordinated tetrathiomolybdate, 132–3
THIONATION
Silyl thioketones and silylated thiiranes, 822–3
THIONE
Silyl thioketones and silylated thiiranes, 822–3
THIONYL
A novel route to 2–substituted 1,2–benzisothiazol–3(2H)–ones, 510–11
THIOPHENE
1,3–Cycloaddition of benzyne to thiophens, 124–5
Ring cleavage of 3–azidothiophenes; a novel extrusion of acetylene, 550–1
The nonplanarity of the ring atoms in 2–oxotetrahydrothiophene, 577–8
Photocycloaddition of 2,5–dihydrothiophene SS–dioxides to α,β–unsaturated cyclic anhydrides. Synthesis of 10–hydroxygeraniol, 752–3
THIOPHENEDICARBOXALDEHYDE
The nontemplate synthesis of dinucleating macrocyclic Schiff bases derived from thiophene, and their disilver complexes; x–ray crystal structures of two of the products, 628–30
THIOPHENOL
Tetraphenylbismuth monotrifluoroacetate: a new reagent for regioselective aryl ether formation, 503–4
THIOPYRANYLIDENEETHENE
Synthesis of a Weitz–type organosulfur π–donor with a cumulenic bond: 1,2–bis(2,6–diphenyl–4H–thiopyran–4–ylidene)ethene, 1143–5
THIOSEMICARBAZONE
The chemistry of a 1,3,4–thiadiazin–6–one, 1003–4
THIOUREA
Synthesis of nitrosothioureas. Nitrogen–15 NMR evidence for the formation of thionitrosyl compounds in the nitrosation of thioureas, 675–6
THIOXANTHENYLIDENEETHENE
Synthesis of a new Weitz–type organosulfur π–donor: 1,2–bis(thioxanthen–9–ylidene)ethene, 717–18
THIOXANTHONE
Synthesis of a new Weitz–type organosulfur π–donor: 1,2–bis(thioxanthen–9–ylidene)ethene, 717–18
THIOXO
Methylenethioxophosphoranes and 1,2–λ^5–thiaphosphiranes, 72–3
THIOXOVANADIUM
Deoxovanadium(IV) complexes of the dibenzotetramethyltetraaza–[14]annulene ligand: formation of products containing thioxo–, μ–nitrido–, and oxidatively coupled ligands, 910–11
THORIOMOLYBDATE
A novel type of heteropolynuclear complex anion: x–ray crystal structure of the polymeric complex anion $[Th(H_2O)_3UMo_{12}O_{42}]^{4-}{}_n^{n-}$, 93–4
THORIUM
A novel type of heteropolynuclear complex anion: x–ray crystal structure of the polymeric complex anion $[Th(H_2O)_3UMo_{12}O_{42}]^{4-}{}_n^{n-}$, 93–4
Catalytic activity of supported f–element organometallic complexes 257–8
THYMIDINE
Chemical conversion of thymidine into 5–methyl–2'–deoxycytidine, 1089
THYMOSIN
Solid–phase peptide synthesis without acidolysis: the synthesis of thymosin α_1 on a new benzhydrylamine resin, 1012–13
TIN
Direct and indirect tin–hydrogen coupling constants in methyltin trichloride and trimethyltin chloride partially oriented in nematic phases determined by the dilution–spinning method, 35–6
Mechanisms of reactions between organotin compounds and platinum complexes, 55–6
Bis(trimethyltin)bis(η–toluene)hafnium and –zirconium; x–ray crystal structure of the hafnium compound, 117–18
Erythro–selective aldol condensation via triphenyltin enolates. Stereoselection independent of the stereochemistry of the enolates 162–3
Stable homopolyatomic anions: the tetrastannide(2–) and tetragermanide(2–) anions, Sn_4^{2-} and Ge_4^{2-}. X–ray crystal structure of $[K^+(crypt)]_2Sn_4^{2-}$.ethylenediamine, 236–7
Reinvestigation of the claim that bis(η^5–cyclopentadienyl)tin(II) and (η^5–cyclopentadienyl)tricarbonyltungsten hydride form

TIN(contd)
bis[(η^5-cyclopentadienyl)tricarbonyltungsten]tin(II), 521–2
New intercalates of graphite: tin–119 Moessbauer spectroscopy and x-ray diffractometry of lamellar compounds containing trimethyltin chloride and tin tetrachloride, 677
X-ray crystal structures of bis(cyclopentadienyl)tin and bis(pentamethylcyclopentadienyl)lead, 925–7
A new type of silicon–tin rearrangement involving neighboring group participation of an α-phosphoryl group, 969–70
Change of thermal desorption behavior of adsorbed oxygen with water coadsorption on silver(1+)-doped tin(IV) oxide, 1047–9
Homogeneous metathesis of unsaturated nitriles, 1081–2
TITANIA
Nickel/titanium oxide catalysts. The role of the titania in providing active sites, 123–4
Ruthenium dioxide hydrate; is it a redox catalyst?, 948–50
Nitrogen chemisorption on reduced titania and titania-supported nickel catalysts, 965–6
TITANIUM
Asymmetric carbon dioxide insertion into a π-allyltitanium(III) complex, 180–1
Direct geminal dimethylation of ketones using dimethyltitanium dichloride, 237–9
Titanium-promoted allyl transfer to carbon monoxide and other unsaturated molecules, 342–4
Intramolecular cyclization of 1,1',3,3'-tetramethyl-1,1'-biindenyl, 347–8
X-ray crystal structure of bis[1,2-bis(dimethylphosphino)ethane]dicarbonyltrifluorophosphinetitanium, a phosphine-substituted derivative of titanium heptacarbonyl, 458–9
Hydrogenation of alkynes with water and a titanium(II) complex, 665–6
Photochemical synthesis of ammonia over zeolites, 1049–50
TITANIUMCYCLOPENTADIENE
Hydrogenation of alkynes with water and a titanium(II) complex, 665–6
TOBACCO
Total synthesis of (S)-(+)-solanone, 951–2
TOCOPHEROL
Potassium tert-butoxide-catalyzed oxygenation of an α-tocopherol model compound, 2,2,5,7,8-pentamethylchroman-6-ol, 1267–8
TOKOROGENIN
Biosynthesis of yamogenin, neotokorogenin, and their (25R)-isomers from [1,2-$^{13}C_2$]acetate in Dioscorea tokoro tissue cultures, 895–7
TOLUENE
Photochemical benzylation of 1,4-dicyanonaphthalene. X-ray crystal structure of 6,11-dicyano-5,11-methano-5,6,11,12-tetrahydrodibenzo[a,e]cyclooctene, 50–1
Bis(trimethyltin)bis(η-toluene)hafnium and -zirconium; x-ray crystal structure of the hafnium compound, 117–18
Tetraphenylbismuth monotrifluoroacetate: a new reagent for regioselective aryl ether formation, 503–4
Sulfonamidomercuration: a new method for amination of olefins, 1178–9
TOLUENECYCLOPENTADIENYLDICARBAFERRABORANE
Formation of η^6-arene-closo-carbaferraboranes by the reaction of a closo-carbaborane with cyclooctadiene(η-cyclopentadienyl)iron in the presence of arenes: molecular structure of [closo-1-(η^6-PhMe)-2,4-Me_2-1,2,4-$FeC_2B_9H_9$], 871–2
TOLUENESULFINATE
Tetraphenylbismuth monotrifluoroacetate: a new reagent for regioselective aryl ether formation, 503–4
TOLUENESULFONAMIDE
Sulfonamidomercuration: a new method for amination of olefins, 1178–9
TOLUENESULFONATE
Synthesis and solvolysis of tricyclo[3.2.1.$0^{3,6}$]octan-1-ylmethyl toluene-p-sulfonate, 214–15
Chiral diaza-18-crown-6 derivatives, 992–4
Internal return in the solvolysis of secondary alkyl arenesulfonates, 1239–40
TOLUENESULFONYL
Pressure-induced synthesis of an N-sulfonyl-1H-azepine by sulfonyl-nitrene insertion into benzene, 790–1
TOLUENESULFONYLAZEPINE
Pressure-induced synthesis of an N-sulfonyl-1H-azepine by sulfonyl-nitrene insertion into benzene, 790–1
TOLUENESULFONYLOXYCYCLOHEXANE
Evidence for a novel mechanism of the 1,2-bond shift rearrangements catalyzed by coenzyme-B_{12}, 686–8
TOLUENETHIOL
Chemical conversions using sheet silicates: novel intermolecular eliminations of hydrogen sulfide from thiols, 695–6
TOLUIDINE
Comparison of results obtained in kinetic studies of the interaction between cationic dyes and sodium carboxymethylcellulose using the Joule-heating temperature-jump and laser temperature-jump methods, 386–7
TOLYL
Reactions of a triarylsulfonium salt with alkoxide nucleophiles: involvement of radical intermediates, 346–7
Tetraphenylbismuth monotrifluoroacetate: a new reagent for regioselective aryl ether formation, 503–4
Use of carbohydrates in the preparation of optically active sulfoxides, 505–6
TOLYLIDYNE
Protonation of tolylidyne ligands bridging tungsten-cobalt and -platinum bonds; reactivity of the cationic dimetal μ-carbene complexes produced, and x-ray crystal structures of [PtW(μ-η^1,η^3-CH(C_6H_4Me-4))($CO)_2(PMe_3)_2$(η-C_5H_5)][BF_4], [PtW(μ-H)(μ-CH(C_6H_4Me-4))($CO)_2(PMe_3)_2$(η-C_5H_5)], and [CoW(μ-η^1,η^3-C(C_6H_4Me-4)C(Me)C(Me)H)(μ-CO)(CO)(η-C_5H_5)(η-C_5Me_5)][BF_4], 1255–8
TOLYLSULFONIUM
Reactions of a triarylsulfonium salt with alkoxide nucleophiles: involvement of radical intermediates, 346–7
TOLYLSULFONYLAZEPINE
Stable 1H-azepines, 399–400
TOLYLSULFONYLOXYETHYL
The solid state and solution conformational behavior of a chiral 30-crown-10 derivative synthesized from 1,4:3,6-dianhydro-D-mannitol; x-ray crystal structure, 430–2
TOMOG
Synthesis of xenon difluoride-^{18}F, a novel agent for the preparation of fluorine-18 radiopharmaceuticals, 198–9
TOXICITY
Gonyautoxin VIII, a cryptic precursor of paralytic shellfish poisons 827–8
Oxidative cleavage of peptide and protein disulfide bonds by gold(III): a mechanism for gold toxicity, 1111–14
TRACER
Synthesis of xenon difluoride-^{18}F, a novel agent for the preparation of fluorine-18 radiopharmaceuticals, 198–9
Nitrogen tracer evidence for a cyclic azide species, 299–300
TRAIL
Stereoselective synthesis of (3R,4S/3S,4R)-(6E,10Z)-3,4,7,11-tetramethyltrideca-6,10-dienal (faranal); the trail pheromone of the Pharaoh's ant, 1234–5
TRANS
Acid catalysis induces a total change from retention to inversion of configuration in carbon dioxide elimination from β-lactones, 891–2
TRANSFER
Interconversion of carbocations, free radicals, and carbanions in nitroxide solutions, 70–1
Manganese 4,4',4'',4'''-tetrasulfonated phthalocyanine, its dioxygen adduct, and ESR evidence for intramolecular electron transfer in solution, 98–9
Promotion of charge-transfer complex formation by γ-cyclodextrin 340
Fluorescence from the intramolecular charge-transfer state of aromatic silanes, 405–6
Regiospecific attack of methoxide ion on 4-alkoxy-o-quinone imines. A novel route to p-quinone monoacetals, 425–6
Palladium-mediated transfer of oxygen from carbonate ion to an organic ligand, 661–2
Arsenic pentafluoride radical anion intermediate in the charge-transfer interaction with donors, 701–2
Synthesis, electronic structure, and complex formation of simple 1,1,4,4-tetrathiabutadienes, 829–31
Synthesis of $\Delta^{2,2'}$-bithieno[3,4-d]-1,3-dithiole (DTTTF) and some of its charge-transfer salts, 920–1
Trapping of an inner-sphere charge-transfer triplet state in a single crystal of a uranyl complex, 1019–20
Oxygen atom transfer from iodylbenzene to diphenyl diselenide: a convenient method for dehydrogenation of steroidal 3-ketones,

TRANSFER(contd)
1044–5
Role of a copper complex in an oxygen atom transfer reaction from dioxygen to triphenylphosphine, 1109–10
Pressure effect on the rate of outer–sphere electron–transfer within the ion–pair between μ–ethylenediaminetetraacetatodi–μ–oxobis[oxomolybdate(v)] and μ–hyperoxobis[pentaamminecobalt(III)] ions, 1135–6
TRANSFORMATION
1,3–Dipolar cycloaddition of a thiazolo[5,4–d]pyrimidine 1–oxide to dimethyl acetylenedicarboxylate. New ring transformation to a pyrrolo[3,2–d]pyrimidine via a pyrimido[4,5–b][1,4]thiazine, 278–80
TRANSITION
Isomerization and hydrogenolysis of 1,3–dioxacycloalkanes on metal catalysts, 106–8
Synthesis of phosphaalkene transition metal complexes, 199–200
Vibrational spectroscopy at very high pressures. Eclipsed decacarbonyldimanganese and decacarbonyldirhenium, 226–7
Comment on the transition–state structure for Menschutkin reactions, 421–2
Some transition metal complexes of pentakis(methoxycarbonyl)cyclopentadiene: water–soluble metallocenes, and the x–ray crystal structure of η–cyclopentadienyl[η–pentakis(methoxycarbonyl)cyclopentadienyl]ruthenium, 428–30
Evidence for a novel mechanism of the 1,2–bond shift rearrangements catalyzed by coenzyme–B_{12}, 686–8
Early or late transition states in the Menschutkin reaction. A resolution of the entropy problem, 905–6
MNDO SCF–MO calculations of kinetic isotope effects for dehydrochlorination reactions of chloroalkanes, 939–40
Conversion of a bridged vinylalkylidene complex into cluster complexes of cobalt, iron, and manganese: x–ray crystal structures of $[Fe_3(CO)_6(\mu\text{–}CO)_2(\mu_3\text{–}CMe)(\eta\text{–}C_5H_5)]$ and $[FeCo_3(CO)_7(\mu\text{–}CO)_2(\mu_4C{:}CH_2)(\eta\text{–}C_5H_5)]$, 966–8
Structural change in $(C_5H_5NH)SbBr_4$ with temperature, 979–81
Polynuclear tungsten–iron, –ruthenium, and –osmium carbonyl complexes: crystal structures of $[FeW_2(\mu_3\text{–}C_2R_2)(CO)_6(\eta\text{–}C_5H_5)_2]$, $[OsW(\mu_3\text{–}CR)(CO)_7(\eta\text{–}C_5H_5)_2]$ (two isomers), and $[Os_3W(\mu_3\text{–}CR)(CO)_{11}(\eta\text{–}C_5H_5)]$ (R = C_6H_4Me–4), 1101–3
TRANSMETALATION
A metallotricycle: synthesis, one–electron reduction, and crystal structure of the thermally robust complex tris–o–xylidenetungsten(VI), 485–6
TRANSPORT
Photosensitized electron transport across a liquid membrane containing photosensitizer, electron mediator, and carrier, 210–11
TRAP
Reactions of monomeric difluorosilylene with ethylene, 217–18
TRAPPING
A water–soluble, nitroso–aromatic spin–trap, 142–3
Novel synthesis of σ–bonded palladium and nickel compounds by cocondensation of metal vapor with alkyl free radicals, 1283–4
TRIALKOXY
Trapping of reactive intermediates from phosphites and dimethyl acetylenedicarboxylate. Diversion of reaction pathway towards stable phosphole derivatives, 420–1
TRIALKOXYPHOSPHONIUM
Trapping of reactive intermediates from phosphites and dimethyl acetylenedicarboxylate. Diversion of reaction pathway towards stable phosphole derivatives, 420–1
TRIALKYL
Alkylation of lithium trialkylalkynylborates with benzo–1,3–dithiolium fluoroborate, 164–5
TRIALKYNE
Simple, novel preparation of unsymmetrical triacetylenes, 459–60
TRIARYL
Photoinitiated doping of polyacetylene, 384–5
TRIAZANONANE
Circular dichroism spectra of some trigonal–bipyramidal complexes 296–7
TRIAZENYL
The electronic configuration of 1,3–dialkyltriazenyl radicals, 748–9
TRIAZENYLPHOSPHORYL
Pseudorotation of spin–labeled phosphoranes formed by cyclization of triazenylphosphoranyl radicals, 1107–8
TRIAZINE
1,2,3–Triazine, 1174
TRIAZOLE
Chemical conversion of thymidine into 5–methyl–2'–deoxycytidine, 1089
TRIAZOLOPYRIDINE
Detection of a metalo intermediate and geometrical isomerizations in an oxidative cyclization of a heterocyclic hydrazone with mercury(II) acetate, 376–7
TRICARBONYL
Simple, stereospecific syntheses of some insect pheromones using the iron tricarbonyl protecting group, 373–4
Reinvestigation of the claim that bis(η^5–cyclopentadienyl)tin(II) and (η^5–cyclopentadienyl)tricarbonyltungsten hydride form bis[(η^5–cyclopentadienyl)tricarbonyltungsten]tin(II), 521–2
2,2–Dithiocarboxylation of a chromium coordinated 1,3–dithiane. X–ray crystal structure of fac–tricarbonyl(diethyl 1,3–dithiane–2,2–bisdithiocarboxylato)chromium, 749–50
TRICARBONYLDIETHYLDITHIANEBISDITHIOCARBOXYLATOCHROMIUM
2,2–Dithiocarboxylation of a chromium coordinated 1,3–dithiane. X–ray crystal structure of fac–tricarbonyl(diethyl 1,3–dithiane–2,2–bisdithiocarboxylato)chromium, 749–50
TRICHLOROACETIMIDATE
Benzyl trichloroacetimidate, a versatile reagent for acid–catalyzed benzylation of hydroxy–groups, 1240–1
TRICHLOROSILYL
The reaction of trichlorosilyl radicals with cyclohexyl octyl ether. An S_H2 reaction at an ether oxygen atom, 956–7
TRICHODERMA
New peptide antibiotics, trichopolyns I and II, from Trichoderma polysporum, 585–7
Biosynthesis of a cyclopentyl dienyl isonitrile acid in cultures of the fungus Trichoderma hamatum (Bon.) Bain. aggr, 1227–9
TRICHOPOLYN
New peptide antibiotics, trichopolyns I and II, from Trichoderma polysporum, 585–7
TRICHORABDAL
The structure of trichlorabdal B and its transformation into a novel skeleton; x–ray crystal structures, 899–900
TRICYCLIC
Effects of neighboring hydroxy grôups in metal–ammonia reductions of α,β–unsaturated carbonyl compounds, 461–3
TRICYCLODECENONE
Acid–catalyzed intramolecular C–alkylation rearrangements of βγ–unsaturated diazomethyl ketones. A novel synthetic entry to pentaleno–annulated polycyclic systems, 746–7
TRICYCLODODECADIENE
X–ray crystal structure of 1,5–dibromotetracyclo[4.2.2.2.^{2,5}0^{2,6}]dodecane, 878–9
TRICYCLOHEPTANONE
Bicycloannulation with nitroethene and 1–nitropropene. A one–step synthesis of tricyclenone, 73–4
TRICYCLOOCTANECARBOXYLATE
Preparation of derivatives of tricyclo[4.2.0.0^{1,4}]octane, broken window compounds, 118–20
TRICYCLOOCTANONE
Bicycloannulation with nitroethene and 1–nitropropene. A one–step synthesis of tricyclenone, 73–4
TRICYCLOOCTANYLMETHYL
Synthesis and solvolysis of tricyclo[3.2.1.0^{3,6}]octan–1–ylmethyl toluene–p–sulfonate, 214–15
TRICYCLOOXAAZONIAPHOSPHAUNDECANE
Stereoisomerization of the tricyclotrioxaazoniaphosphaundecane tetrafluoroborate phosphoranyl radical: a single crystal ESR study, 1148–9
TRICYCLOPENTANONE
Synthesis and x–ray crystal structure of 1,5–bis(acetoxymethyl)tricyclo[2.1.0.0^{2,5}]pentan–3–one, 455–6
TRICYCLOUNDECANE
A new approach to spirosesquiterpenes of the acorane family, 953–5
TRICYCLOUNDECYLOXYDITHIOCARBOXYLATE
Olefin metathesis in polycyclic frames. A total synthesis of hirsutene 756–7
TRICYCLYLIODONIUM
4–Tricyclyliodonium bis(m–chlorobenzoate): a stable aliphatic trivalent iodine diester, 1250–1
TRIDECACARBONYLTRIETHYLPHOSPHINE
Two–electron addition reactions and reversible carbonylation of an unsaturated pentanuclear osmium complex; x–ray crystal structure of $[Os_5(CO)_{13}H(PhNC_6H_4N)(PEt_3)]$, 801–3

TRIDENTATE
New type of σ–organocobalt complexes: salts of alkyl–mer–[N–(2–aminoethyl)–7–methylsalicylideneaminato](ethylenediamine)cobalt(III). Preparation, characterization, and x–ray crystallographic evidence for structure, 441–2
TRIETHYLPHOSPHATE
Trapping of an inner–sphere charge–transfer triplet state in a single crystal of a uranyl complex, 1019–20
TRIETHYLPHOSPHINEBORANE
Closo–carbametallaboranes from direct insertion into nido–carbaboranes: the molecular structures of $[6,6-(Et_3P)_2-1,2,6-C_2CoB_7H_9]$ and $[1,1-(Et_3P)_2-1,2,4-CoC_2B_8H_{10}]$, 652–3
TRIETHYLPHOSPHINEMETALLO
Closo–carbametallaboranes with metal–hydrogen bonds from direct insertion into arachno–carbaboranes: the molecular structures of $[2-H-2,2-(Et_3P)_2-1,6,2-C_2CoB_7H_9]$ and $[2-H-2,2-(Et_3P)_2-1,6,2-C_2RhB_7H_9]$, and a most unusual crystallographic coincidence, 653–5
TRIETHYLPHOSPINEPENTAOSMIUMTRIDECACARBONYL
Two–electron addition reactions and reversible carbonylation of an unsaturated pentanuclear osmium complex; x–ray crystal structure of $[Os_5(CO)_{13}H(PhNC_6H_4N)(PEt_3)]$, 801–3
TRIETHYLPROPYL
Far–UV circular dichroism spectra of (S)–(+)–1,2,2–trimethylpropyl ethyl ether: solvent effects, 590–1
TRIFLUORIDE
A novel synthesis of α– and γ–fluoroalkylphosphonates, 511–13
TRIFLUOROMETHANESULFONATE
Concise syntheses of 4–(arylcarbonylmethyl)–azetidin–2–ones and related systems, 1076–7
TRIFLUOROMETHYL
Optically active trifluoromethylcarbinols as chiral solvating agents for asymmetric transformations at a ring–nitrogen atom, 588–90
Direct observation of a thermal ring–walk rearrangement in a spironorcaradiene system, 1035–6
Trifluoromethyl Group 2B compounds: formation of mono– and bis(trifluoromethyl)platinum, –palladium, and –nickel trialkylphosphine complexes from the reaction of bis(trifluoromethyl)cadmium–glyme 1:1 compound with the diligand metal dihalides, 1282–3
Synthesis and photolysis of 1,2,3,8–tetrakis(trifluoromethyl)cyclooctatetraene, 1289–91
TRIFLUOROMETHYLCARBINOL
Optically active trifluoromethylcarbinols as chiral solvating agents for asymmetric transformations at a ring–nitrogen atom, 588–90
TRIFLUOROMETHYLCYCLOOCTATETRAENE
Synthesis and photolysis of 1,2,3,8–tetrakis(trifluoromethyl)cyclooctatetraene, 1289–91
TRIFLUOROMETHYLTHIABICYCLOPENTENE
Synthesis and photolysis of 1,2,3,8–tetrakis(trifluoromethyl)cyclooctatetraene, 1289–91
TRIGONAL
Circular dichroism spectra of some trigonal–bipyramidal complexes 296–7
TRIHYDROXY
Hypervalent iodine in organic synthesis. A novel route to the dihydroxyacetone side–chain in the pregnene series, 641–2
TRIISOPROPYL
Effect of ring substituents on the lifetime of biradicals photogenerated from 2,4,6–triisopropylbenzophenones, 1187–8
TRIMER
Polymeric proanthocyanidins: interflavanoid linkage isomerism in (epicatechin–4)–(epicatechin–4)–catechin procyanidins, 320–2
TRIMETHOXYPHOSPHINE
Nucleophilic attack on a ligand as a prerequisite for ligand replacement. Kinetics and mechanism of the replacement of dimethylphenylphosphine by trimethyl phosphite in $[Ru(S_2CH)(PMe_2Ph)_3(P(OMe)_3)]^+$, 78–9
TRIMETHYL
Far–UV circular dichroism spectra of (S)–(+)–1,2,2–trimethylpropyl ethyl ether: solvent effects, 590–1
Olefin metathesis in polycyclic frames. A total synthesis of hirsutene 756–7
A new approach to spirosesquiterpenes of the acorane family, 953–5
Anomalous rate of bromination of a ketone: first–order dependence on bromine concentration, 1016–17
TRIMETHYLACETOPHENONE
Anomalous rate of bromination of a ketone: first–order dependence on bromine concentration, 1016–17
TRIMETHYLHYDRAZIDO
Preparation and x–ray crystal structure of $[S_2MoS_2Mo(NNMe_2)_2(PPh_3)]$, a binuclear molybdenum hydrazido(2–)–complex containing coordinated tetrathiomolybdate, 132–3
TRIMETHYLMETHYLENETRICYCLOUNDECANE
A new approach to spirosesquiterpenes of the acorane family, 953–5
TRIMETHYLNITROBENZENEIMINE
Nitrogen–15 nuclear polarization during nitro group exchange reactions on a σ–complex formed by ipso–attack, 825–7
TRIMETHYLSILYL
Intermolecular cobalt–mediated [2+2+2]cycloadditions: regiospecific one–step construction of bicyclic dienes from α,ω–enynes and alkynes, 53–5
TRIMETHYLSILYLMETHYLBENZOYL
Synthesis and chemistry of 2–trimethylsilylbenzocyclobutenones, 179–80
TRINITROGEN
The oxidation of the trisulfur trinitride anion $S_3N_3^-$ by molecular oxygen: preparation and the crystal and molecular structure of $[(Ph_3P)_2N]^+[S_2N_3O]^-$, 1214–15
TRIOXAAZACYCLODODECANE
Synthesis and cation complexing of N,N'–bridged bis(1,4,7–trioxa–10–azacyclododecanes), 684–6
TRIOXANE
Synthesis of 1,2,4–trioxanes, 581–2
TRIOXIDE
The triphenylphosphine–sulfur trioxide complex: confirmation of structure, 789–90
TRIPEPTIDE
Protection of histidine side–chains with π–benzyloxymethyl or π–bromobenzyloxymethyl groups, 648–9
TRIPHENYLMETHYL
Interconversion of carbocations, free radicals, and carbanions in nitroxide solutions, 70–1
TRIPHENYLPHOSPHINE
Synthesis of α–functionalized–alkylplatinum(II) complexes by oxidative addition of geminal dihalides to platinum(0) substrates: x–ray structure of cis–[iodo(iodomethyl)bis(triphenylphosphine)–platinum], 698–9
The triphenylphosphine–sulfur trioxide complex: confirmation of structure, 789–90
TRIPHENYLPHOSPHINEOCTAGOLD
Synthesis and x–ray crystal structure determination of the cationic gold cluster compound $[Au_8(PPh_3)_7](NO_3)_2$, 1218–19
TRIPHENYLPHOSPHINO
Preparation and x–ray crystal structure of $[S_2MoS_2Mo(NNMe_2)_2(PPh_3)]$, a binuclear molybdenum hydrazido(2–)–complex containing coordinated tetrathiomolybdate, 132–3
Synthesis, x–ray crystal structure, and reactions of [closo–1,3–μ–2,3–μ–(1,2–μ–(η^2–3,4–$CH_2CH_2C(Me):CHCH_2CH_2CH_2$))–3–H–3–$PPh_3$–3,1,2–$RhC_2B_9H_9$], a metallacarbaborane catalyst, 235–6
TRIPHOS
Hydride reduction of the cations $((\eta^5-C_5H_5)Fe[(Ph_2PCH_2)_3CMe])PF_6$, $((\eta^5-C_5H_5)Ru[(Ph_2PCH_2CH_2)_2PPh])PF_6$, and $([\eta^5-C_5H_5)Ru[(Ph_2PCH_2)_3CMe])PF_6$: regioselectivity and mechanism 341–2
TRIPLET
Tautomerism of 1–hydroxy–2–pyridone in the excited triplet state, 1004–5
Trapping of an inner–sphere charge–transfer triplet state in a single crystal of a uranyl complex, 1019–20
TRIPOD
Hydride reduction of the cations $((\eta^5-C_5H_5)Fe[(Ph_2PCH_2)_3CMe])PF_6$, $((\eta^5-C_5H_5)Ru[(Ph_2PCH_2CH_2)_2PPh])PF_6$, and $([\eta^5-C_5H_5)Ru[(Ph_2PCH_2)_3CMe])PF_6$: regioselectivity and mechanism 341–2
TRIRUTHENIUM
Synthesis and molecular structure of mixed–valence compounds of rhenium obtained by diiodine oxidation of rhenium(I) carbonyl complexes; x–ray crystal structure of $Re_3I_6(CO)_6$, 893–4
TRISACCHARIDE
Synthesis of some branched trisaccharides using photolabile o–nitrobenzylidene acetals as temporary protecting groups, 362–3
TRISDIMETHYLPHENYLPHOSPHINOXYLYLENERUTHENIUM
Facile δ–hydrogen abstraction from a ruthenium complex: possible 1–4η–bonding of the o–xylylene ligand, 319–20

TRISMETHYLDIPHENYLPHOSPHINOXYLYLENERUTHENIUM
Facile δ–hydrogen abstraction from a ruthenium complex: possible 1–4η–bonding of the o–xylylene ligand, 319–20
TRISPHENYLSULFONYLIMINOSULFITE
Synthesis and x–ray structure of bistetraphenylphosphonium tris(phenylsulphonylimino)sulfite, 1013–14
TRISULFUR
The oxidation of the trisulfur trinitride anion $S_3N_3^-$ by molecular oxygen: preparation and the crystal and molecular structure of $[(Ph_3P)_2N]^+[S_2N_3O]^-$, 1214–15
TRISXYLIDENE
A metallotricycle: synthesis, one–electron reduction, and crystal structure of the thermally robust complex tris–o–xylidenetungsten(VI), 485–6
TRITERPENOID
Structural elucidation of two hopanoids from the photosynthetic bacterium Rhodomicrobium vannielii, 468–9
TRITIUM
New helium–moderator anomaly in recoil tritium chemistry, 545–6
TROPSCH
Cobalt–catalyzed reaction of carbon monoxide–hydrogen mixtures in alkoxy–terminated polyglycol solvents, 618–19
cis– and trans–Dimethyl–di–μ–methylenebis(pentamethylcyclopentadienyl)dirhodium as models for Fischer–Tropsch reactions on metal surfaces, 809–10
Synthesis of light olefins from carbon monoxide and hydrogen over highly dispersed ruthenium/potassium–alumina derived from triruthenium dodecacarbonyl, 1114–15
TROPYLIUM
Reaction of η^4–cyclooctatetraenyliron tricarbonyl with the tropylium ion: unusual rearrangement of cyclooctatetraene and cycloheptatriene rings and the x–ray crystal structure of η^4–styrylcycloheptatrienyliron tricarbonyl, 19–20
TRYPTOPHAN
Dye–sensitized photooxygenation of tryptophan to give N'–formylkynurenine, 855–6
TTF
Conductive mixed halide adducts of tetrathiafulvalene obtained by electrocrystallization, 378–9
TUNGSTATE
The first eight–coordinate cyanide hydride, $K_4[W(CN)_7H].2H_2O$ and a new heptacyano–complex, $K_5[W(CN)_7].H_2O$, 84–5
TUNGSTEN
Synthesis and x–ray crystal structure of a tungsten(V) metallocycle $[(W(CH_2C_6H_4CH_2\text{–}o)_2O)_2Mg(tetrahydrofuran)_4]$, 6–8
Synthesis, reactivity, and x–ray crystal structure of bis[carbonylcyclopentadienyl(triphenylphosphinel)rhodium]silver hexafluorophosphate.toluene: a silver–stabilized radical cation, 43–4
Complex containing the bridging formazanido(3–) ligand. Synthesis and x–ray crystal structure of $[(WBr(1,2\text{–bis(diphenylphosphino)ethane})_2)_2(\mu\text{–}CH(N_2)_2)]^+\text{–}[Cr(NH_3)_2(NCS)_4]^-.1/3CH_2Cl_2$, 85–7
Crystal and molecular structure of $[W(NPh)(\mu\text{–}O)Me_2(PMe_3)]_3$; a trimeric oxo–bridged imido complex of tungsten(VI), 103–4
Hexadecamethoxy– and hexadecaethoxytetratungsten: preparation and x–ray crystal and molecular structure of hexadecaethoxytetratungsten, 270
A metallotricycle: synthesis, one–electron reduction, and crystal structure of the thermally robust complex tris–o–xylidenetungsten(VI), 485–6
Reactions of alkynes with bridging alkylidyne ligands in metal complexes: x–ray crystal structures of $[FeW[\mu_2\text{–}C(C_6H_4Me\text{–}4)C(Me)C(Me)](CO)_5(\eta\text{–}C_5H_5)]$ and $(Fe_2W(\mu_3\text{–}CC_6H_4Me\text{–}4)(\mu_2\text{–}Me_3SiC_2SiMe_3)(\mu\text{–}CO)(CO)_6(\eta\text{–}C_5H_5)]$, 867–8
Reaction of molybdenum and tungsten alkylidyne complexes with 2,6–xylyl isocyanide and carbon monoxide; structural and mechanistic evidence for novel insertion reactions, 986–8
Evidence for the base–promoted conversion of alkyl–substituted molybdenum and tungsten alkylidyne complexes into anionic vinylalkylidene species, 1037–8
Molecular complexes for efficient metathesis of olefins. The oxo–ligand as catalyst–cocatalyst bridge and the nature of the active species, 1039–40
Alkyne polymerizations initiated by μ–alkylidene complexes of tungsten. X–ray crystal structure of a chain–carrier intermediate, 1055–7
Facile [1,2]hydrogen–shift reaction promoted by metal–metal bond rupture; x–ray crystal structure of $W_2(CO)_8[C_9H_{14}]$, 1057–9
Formation of novel η^2–vinyl complexes by nucleophilic attack at coordinated hexafluorobut–2–yne: implications for the stereochemistry of addition and insertion reactions of coordinated acetylenes. Crystal and molecular structure of $[Mo(SC_5H_4NC(\text{–}CF_3)\text{–}C(CF_3))(CF_3C\text{–}CCF_3)(\eta\text{–}C_5H_5)]$, 1059–61
Homogeneous metathesis of unsaturated nitriles, 1081–2
Polynuclear tungsten–iron, –ruthenium, and –osmium carbonyl complexes: crystal structures of $[FeW_2(\mu_3\text{–}C_2R_2)(CO)_6(\eta\text{–}C_5H_5)_2]$, $[OsW_2(\mu_3\text{–}C_2R_2)(CO)_7(\eta\text{–}C_5H_5)_2]$ (two isomers), and $[Os_3W(\mu_3\text{–}CR)(CO)_{11}(\eta\text{–}C_5H_5)]$ (R = C_6H_4Me–4), 1101–3
Cometathesis of methyl oleate and ethylene; a direct route to methyl dec–9–enoate, 1132–3
Protonation of tolylidyne ligands bridging tungsten–cobalt and –platinum bonds; reactivity of the cationic dimetal μ–carbene complexes produced, and x–ray crystal structures of $[PtW(\mu\text{–}\eta^1,\eta^3\text{–}CH(C_6H_4Me\text{–}4))(CO)_2(PMe_3)_2(\eta\text{–}C_5H_5)][BF_4]$, $[PtW(\mu\text{–}H)(\mu\text{–}CH(C_6H_4Me\text{–}4))(CO)_2(PMe_3)_2(\eta\text{–}C_5H_5)]$, and $[CoW(\mu\text{–}\eta^1,\eta^3\text{–}C(C_6H_4Me\text{–}4)C(Me)C(Me)H)(\mu\text{–}CO)(CO)(\eta\text{–}C_5H_5)(\eta\text{–}C_5Me_5)][BF_4]$, 1255–8
The synthesis and characterization of μ–hydridobis(μ–sulfide)ditungsten(III) complexes: the x–ray crystal structure of $[HPPh_3][Cl_3W(\mu\text{–}H)(\mu\text{–}Me_2S)_2WCl_3]$, 1286–8
TUNGSTENTIN
Reinvestigation of the claim that bis(η^5–cyclopentadienyl)tin(II) and (η^5–cyclopentadienyl)tricarbonyltungsten hydride form bis[(η^5–cyclopentadienyl)tricarbonyltungsten]tin(II), 521–2
TUNGSTIC
Synthesis of 1,2,4–trioxanes, 581–2
TUNGSTOLE
Facile [1,2]hydrogen–shift reaction promoted by metal–metal bond rupture; x–ray crystal structure of $W_2(CO)_8[C_9H_{14}]$, 1057–9
TUNGSTOMOLYBDATE
Liquid phase oxidation of cycloolefins by a palladium sulfate–heteropolyacid catalyst system, 1274–5
TYPE
Solid–state silicon–29 NMR and high–resolution electron microscopic studies of a silicate analog of faujasite, 570–1
UNSATD
Alkylation of lithium trialkylalkynylborates with benzo–1,3–dithiolium fluoroborate, 164–5
Titanium–promoted allyl transfer to carbon monoxide and other unsaturated molecules, 342–4
New method for preparing $\beta\gamma$–unsaturated ketones: use of phenylselenoacetaldehyde, 434–6
A novel stereoselective route to cis olefins via addition of vinyl cuprates to α,β–unsaturated sulfones and subsequent desulfonylation, 523–4
Conjugate addition of methyl groups to $\alpha\beta$–unsaturated aldehydes: use of $Me_5Cu_3Li_2$, 643–4
Preparation of conjugated carbonyl compounds by photolysis of η^3–allylpalladium complexes, 668–9
Stereoselective synthesis of α,β–unsaturated esters, 877–8
Ruthenium–catalyzed oxidation of allyl alcohols by molecular oxygen, 907–8
Homogeneous metathesis of unsaturated nitriles, 1081–2
Preparation and rearrangement of some conjugated phenylsulfinylacetate derivatives, 1248–50
UNSYM
Simple, novel preparation of unsymmetrical triacetylenes, 459–60
URACIL
IR evidence for a strong hydrogen bond in the fluoride–uracil system, 466–8
Novel carbon–carbon bond formation at the 5–position of uracils. Facile synthesis of 5–methoxycarbonylmethyluridine and 5–carbamoylmethyluridine, minor component nucleosides derived from transfer ribonuclease, 623–4
URANIUM
A novel type of heteropolynuclear complex anion: x–ray crystal structure of the polymeric complex anion $[Th(H_2O)_3UMo_{12}O_{42}]^{4-}{}_n$, 93–4
Catalytic activity of supported f–element organometallic complexes 257–8
Satellite structure in the uranium 4f x–ray photoelectron spectrum of uranium dioxide, 691–2
URANIUMDIOXIDE
Hydrogen ordering effects in $DUO_2AsO_4.4D_2O$, 784–6
URANOCENE
$(C_5Me_5)_2UCl$.tetrahydrofuran. Oxidative–addition and related reactions, 232–4

URANYL
Trapping of an inner–sphere charge–transfer triplet state in a single crystal of a uranyl complex, 1019–20
UREA
Complexes of crown ethers and neutral molecules. Synthesis and crystal structure of a urea 18–crown–6 (5:1) complex, 368–9
Enhanced catalytic activity of specially prepared ferric oxide for the isomerization of but–1–ene and cyclopropane and the dehydration of butan–2–ol, 602–3
UREADIPHOSPHINE
Preparation and crystal structure determination of a diphosphorus compound with a direct λ^5phosphorus–λ^4phosphorus bond, 609–10
UREADIPHOSPHINEQUINONE
Preparation and crystal structure determination of a diphosphorus compound with a direct λ^5phosphorus–λ^4phosphorus bond, 609–10
URONIDE
Efficient synthesis of estriol 16–glucuronide via 2,4,16α–tribromoestrone, 383–4
UTHONGINE
4,5,6,6a–Tetradehydro–N–methyl–7–oxoaporphinium salts, 1118–19
UV
Photoinduced reactions of an organosilicon iodide, 175–6
Spectroelectrochemical studies on trisbipyridyl ruthenium complexes. Ultraviolet, visible, and near–infrared spectra of the series $[Ru(bipyridyl)_3]^{2+\cdot1+\cdot0\cdot1-}$, 287–9
Interaction of monooxygen donors with porphinatoiron(III) complexes bearing electron–releasing meso–substituents, 293–5
Circular dichroism spectra of some trigonal–bipyramidal complexes 296–7
Two polymorphic forms of the tetrakis(dithioisobutanoato)diplatinum(II) complex: x–ray crystal structure and spectroscopic evidence of intermolecular interactions in the solid state, 409–11
Synthesis, electronic structure, and complex formation of simple 1,1,4,4–tetrathiabutadienes, 829–31
Comparison of UV–visible spectra of iron(I)–porphyrin– and iron(II)–porphyrin(thiolato)(thiocarbonyl) and –(carbene) complexes. Relevance to ferrous cytochrome P450 complexes, 888–90
Synthesis and properties of substituted ruthenium aqua complexes, 1216–17
VACUUM
Dehydrogenation of cyclic and bicyclic secondary alkyl peroxides during flash vacuum pyrolysis, 547–9
VALEROPHENONE
CIDNP from a 1,4–biradical in the Norrish type II photoreaction of valerophenone, 499–501
VALINE
Unusual stereospecificity in the hydrogenation of an isopropenyl function with Wilkinson's catalyst: a route to chiral methyl valine 1175–6
VALINOMYCIN
Combined use of multiple and selective proton–decoupled carbon–13 and proton NMR spectra for complete proton and carbon–13 resonance assignments of polypeptides, 230–2
VANADIUM
Synthesis and structural characterization of a novel paramagnetic trigonal bipyramidal cluster, $(\eta^5\text{–}C_5H_5)_5V_5O_6$, 28–9
Partial oxidation of propene over UV–irradiated vanadium oxide supported on silica, 601–2
Deoxovanadium(IV) complexes of the dibenzotetramethyltetraaza–[14]annulene ligand: formation of products containing thioxo–, μ–nitrido–, and oxidatively coupled ligands, 910–11
VATICA
Novel resveratrol tetramer, vaticaffinol, from Vatica affinis Thw. (Dipterocarpaceae), 1204–6
VATICAFFINOL
Novel resveratrol tetramer, vaticaffinol, from Vatica affinis Thw. (Dipterocarpaceae), 1204–6
VESICLE
Use of synthetic surfactant vesicles as electron storage systems, 183–4
VETISPIRENE
A new spiro–annelation procedure: intramolecular decarboxylative alkylation of β–keto esters, 30–2
VETIVERA
A new spiro–annelation procedure: intramolecular decarboxylative alkylation of β–keto esters, 30–2
VETIVONE
A new spiro–annelation procedure: intramolecular decarboxylative alkylation of β–keto esters, 30–2
VIBRATION
Direct and indirect tin–hydrogen coupling constants in methyltin trichloride and trimethyltin chloride partially oriented in nematic phases determined by the dilution–spinning method, 35–6
VIII
Gonyautoxin VIII, a cryptic precursor of paralytic shellfish poisons 827–8
Trifluoromethyl Group 2B compounds: formation of mono– and bis(trifluoromethyl)platinum, –palladium, and –nickel trialkylphosphine complexes from the reaction of bis(trifluoromethyl)cadmium–glyme 1:1 compound with the diligand metal dihalides, 1282–3
VILSMEIER
The synthesis and properties of a series of strong but hindered organic bases, 1136–7
VINCADIFFORMINE
Ozonation in alkaloid chemistry: a mild and selective conversion of vincadifformine into vincamine, 908–9
VINCAMINE
Ozonation in alkaloid chemistry: a mild and selective conversion of vincadifformine into vincamine, 908–9
VINYL
Anodic oxidation of vinyl sulfides. A convenient synthesis of α–thiolated aldehydes, 263
Carbonylation of organic halides in the presence of terminal acetylenes: novel acetylenic ketone synthesis, 333–4
A novel stereoselective route to cis olefins via addition of vinyl cuprates to α,β–unsaturated sulfones and subsequent desulfonylation, 523–4
The direct conversion of α–olefins into vinyl– and allylsilanes catalyzed by rhodium complexes, 673–4
Efficient synthesis of (±)–solavetivone, 904–5
Synthesis of a trans–decalin as a potential insect antifeedant, 1001–3
Formation of novel η^2–vinyl complexes by nucleophilic attack at coordinated hexafluorobut–2–yne: implications for the stereochemistry of addition and insertion reactions of coordinated acetylenes. Crystal and molecular structure of $[Mo(SC_5H_4NC(CF_3)\text{:}C(CF_3))(CF_3C\text{:}CCF_3)(\eta\text{–}C_5H_5)]$, 1059–61
VINYLALKYLIDENE
Conversion of a bridged vinylalkylidene complex into cluster complexes of cobalt, iron, and manganese: x–ray crystal structures of $[Fe_3(CO)_6(\mu\text{–}CO)_2(\mu_3\text{–}CMe)(\eta\text{–}C_5H_5)]$ and $[FeCo_3(CO)_7(\mu\text{–}CO)_2(\mu_4C\text{:}CH_2)(\eta\text{–}C_5H_5)]$, 966–8
VINYLBORANE
Alkylation of lithium trialkylalkynylborates with benzo–1,3–dithiolium fluoroborate, 164–5
VINYLCYCLOHEXANONE
New method for preparing βγ–unsaturated ketones: use of phenylselenoacetaldehyde, 434–6
VINYLIDINE
Synthesis, x–ray crystal structure, and reactivity of the di–μ–carbene complex $[Ru_2(CO)_2(\mu\text{–}CHMe)(\mu\text{–}CMe_2)(\eta\text{–}C_5H_5)_2]$, 862–4
VINYLSILANE
Double silylation of allene and buta–1,2–diene: formation of new organosilicon compounds containing both vinylsilane and allylsilane units, 617–18
The direct conversion of α–olefins into vinyl– and allylsilanes catalyzed by rhodium complexes, 673–4
VIRESCENOL
Deuterium NMR determination of the stereochemistry of an allylic displacement in the biosynthesis of virescenol B, 280–2
VISCOSITY
Manipulation of the nuclear Overhauser effect by the use of a viscous solvent: the solution conformation of the antibiotic echinomycin, 165–6
VISIBLE
Spectroelectrochemical studies on trisbipyridyl ruthenium complexes. Ultraviolet, visible, and near–infrared spectra of the series $[Ru(bipyridyl)_3]^{2+\cdot1+\cdot0\cdot1-}$, 287–9
VITAMIN
Photosensitized electron transport across a liquid membrane containing photosensitizer, electron mediator, and carrier, 210–11
Structure and synthesis of 25–hydroxycholecalciferol–26,23–lactone, a metabolite of vitamin D_3, 424–5
Synthesis and determination of the configuration of 23,25–

VITAMIN(contd)
dihydroxyvitamin D_3, a new metabolite of vitamin D_3. X-ray crystal structure of a 3,23,25-triol precursor, 1157–9
VOL
High-pressure kinetics of the reaction of p-benzoquinone with di-n-butylamine in some aprotic solvents, 725–6
VOLTAMMOGRAM
Electrochemical reduction of 1,2-diphenylthiiren dioxide and monoxide, 120–1
WACKER
Mechanism of the Cope rearrangement of acyclic 1,5-dienes and of the Wacker oxidation of alk-1-enes catalyzed by palladium complexes, 456–7
WADSWORTH
An efficient synthesis of 3-[1-(3-pyridyl)ethyl]indoles, 630–1
WASSERMAN
Synthesis of 3-deoxy-D-manno-octulosonic acid (KDO), 1139–40
WATER
Comparison of activities for hydrogen evolution from water of hydrogenase and colloidal platinum, 56–7
Photochemical production of hydrogen from water and nucleophilic platinum metal complexes, 58–9
Photochemical hydrogen production using cadmium sulfide suspensions in aerated water, 145–6
Visible light-induced oxidation of water and of chloride ions in photoelectrochemical cells, 437–40
Platinum hydrosols in the sensitized photoreduction of water, 593–4
Hydrogenation of alkynes with water and a titanium(II) complex, 665–6
Ruthenium dioxide hydrate; is it a redox catalyst?, 948–50
Photooxidation of water on the surface of hectorite using trans-diaquabis(2,2'-bipyridine)ruthenium(2+) as catalyst, 1026–7
Change of thermal desorption behavior of adsorbed oxygen with water coadsorption on silver(1+)-doped tin(IV) oxide, 1047–9
Photochemical synthesis of ammonia over zeolites, 1049–50
Stable isotope studies of the biosynthesis of the sesquiterpenoid dihydrobotrydial, 1169–70
WAVELENGTH
Organic photochemistry in the far-ultraviolet: unusual wavelength dependence in solution-phase irradiations, 973–4
WHALE
Histidine H-2 NMR resonances of sperm whale oxy-, carbonyl-, and metmyoglobin, 208–9
WILKINSON
Unusual stereospecificity in the hydrogenation of an isopropenyl function with Wilkinson's catalyst: a route to chiral methyl valine 1175–6
WITHANIA
Novel occurrence of 14β-hydroxy group on a withanolide skeleton; x-ray crystal and molecular structure of 14β-hydroxywithanone, 178–9
WITHANONE
Novel occurrence of 14β-hydroxy group on a withanolide skeleton; x-ray crystal and molecular structure of 14β-hydroxywithanone, 178–9
WITTIG
Stereochemically pure E- and Z-alkenes by the Wittig-Horner reaction, 100–1
Novel synthesis of 3-alkyl-2-phenoxychromones involving an intramolecular Wittig reaction of carbonates, 282–3
Synthesis of demethoxycapillarisin, a naturally occurring 2-phenoxychromone, and related compounds, 474–5
3,5-Disubstituted isoxazoles as a latent aldol moiety: application to the synthesis of (±)-[6]-gingerol, 599–600
Novel carbon-carbon bond formation at the 5-position of uracils. Facile synthesis of 5-methoxycarbonylmethyluridine and 5-carbamoylmethyluridine, minor component nucleosides derived from transfer ribonuclease, 623–4
Wittig reactions with β-lactam carbonyls: a convenient means of protection. X-ray crystal structure of p-nitrobenzyl-(2R,5R)-Z-7-methoxycarbonylmethylene-Z-3-(β-phthalimidoethylidene)-4-oxa-1-azabicyclo[3.2.0]heptane-2-carboxylate, 929–30
A new reaction of pentacoordinate phosphorus derivatives: the formation of phosphinates from an oxazaphosph(V)ole and carbonyl compounds, 1054–5
Facile access to chiral 5-hydroxy-2-methylhexanoic acid lactones (pheromones of the carpenter bee), 1125–6
Synthesis of 3-deoxy-D-manno-octulosonic acid (KDO), 1139–40
WOLFF
Preparation of derivatives of tricyclo[4.2.0.0^{1,4}]octane, broken window compounds, 118–20
WOLLASTONITE
Chain-ring interconversion in metasilicates, 662–3
XENON
Synthesis of xenon difluoride-^{18}F, a novel agent for the preparation of fluorine-18 radiopharmaceuticals, 198–9
Doping of polyacetylene films to the metallic state with xenon fluorides and iodine pentafluoride, 1288–9
XPS
The charge distribution in complexes having molybdenum-molybdenum or chromium-chromium quadruple bonds, studied by gas-phase x-ray photoelectron spectroscopy, 1027–8
XYLENE
ipso-Attack in the hydroxylation of o- and p-xylene using bis(trimethylsilyl) peroxide and aluminum chloride, 1079–80
XYLENOL
ipso-Attack in the hydroxylation of o- and p-xylene using bis(trimethylsilyl) peroxide and aluminum chloride, 1079–80
XYLIDENE
A metallotricycle: synthesis, one-electron reduction, and crystal structure of the thermally robust complex tris-o-xylidenetungsten(VI), 485–6
XYLIDENEMAGNESIUM
A metallotricycle: synthesis, one-electron reduction, and crystal structure of the thermally robust complex tris-o-xylidenetungsten(VI), 485–6
XYLIDENETUNGSTEN
A metallotricycle: synthesis, one-electron reduction, and crystal structure of the thermally robust complex tris-o-xylidenetungsten(VI), 485–6
XYLYL
Reaction of molybdenum and tungsten alkylidyne complexes with 2,6-xylyl isocyanide and carbon monoxide; structural and mechanistic evidence for novel insertion reactions, 986–8
XYLYLENE
Facile δ-hydrogen abstraction from a ruthenium complex: possible 1-4η-bonding of the o-xylylene ligand, 319–20
XYLYLENERUTHENIUM
Facile δ-hydrogen abstraction from a ruthenium complex: possible 1-4η-bonding of the o-xylylene ligand, 319–20
XYLYLIDENE
Synthesis and x-ray crystal structure of a tungsten(V) metallocycle [(W(CH$_2$C$_6$H$_4$CH$_2$-o)$_2$O)$_2$Mg(tetrahydrofuran)$_4$], 6–8
YAMOGENIN
Biosynthesis of yamogenin, neotokorogenin, and their (25R)-isomers from [1,2-^{13}C$_2$]acetate in Dioscorea tokoro tissue cultures, 895–7
YEAST
Direct demonstration by proton NMR spectrometry of the stereoselectivity of yeast glyoxalase I towards the diasteromeric forms of the α-ketoaldehyde-glutathione hemithioacetal, 944–6
YLIDE
Novel synthesis of 3-alkyl-2-phenoxychromones involving an intramolecular Wittig reaction of carbonates, 282–3
Trapping of reactive intermediates from phosphites and dimethyl acetylenedicarboxylate. Diversion of reaction pathway towards stable phosphole derivatives, 420–1
Synthesis of demethoxycapillarisin, a naturally occurring 2-phenoxychromone, and related compounds, 474–5
The role of cyclohexadienones in the thermal sigmatropic rearrangements of 2-oxidoanilinium ylides, 573–5
3,5-Disubstituted isoxazoles as a latent aldol moiety: application to the synthesis of (±)-[6]-gingerol, 599–600
Fixation and deoxygenation of carbon dioxide to form furans using organophosphorus intermediates, 607–8
YNOLATE
Novel syntheses of 3-methyleneazetidin-2-one derivatives and related systems, 404–5
YTTERBIUM
Preparation and crystal structure of μ-carbonyl-OC-bis(pentamethylcyclopentadienyl)(tetrahydrofuran)ytterbium(III)tricarbonylcobalt(I); a Yb-OC-Co linkage, 985–6
Use of the bis(trimethylsilyl)cyclopentadienyl ligand for stabilizing early (f^0-f^1) lanthanocene chlorides. X-ray structure of dichlorodi[η-bis(trimethylsilyl)cyclopentadienyl]dipraesodymium and of isoleptic scandium and ytterbium complexes, 1190–1

YTTERBIUMTRICARBONYLCOBALT
Preparation and crystal structure of μ–carbonyl–OC–bis(pentamethylcyclopentadienyl)(tetrahydrofuran)ytterbium(III)tricarbonylcobalt(I); a Yb–OC–Co linkage, 985–6
ZEOLITE
Superacid sites in zeolites, 39–40
Zeolite support effects on carbon monoxide–ruthenium interactions 125–6
Microwave study of the reactions of n–butenes over deuterated zeolites, 249–50
A reassessment of zeolite A. Evidence that the structure is rhombohedral with unexpected ordering in the aluminosilicate framework, 276–7
Solid–state silicon–29 NMR and high–resolution electron microscopic studies of a silicate analog of faujasite, 570–1
Evidence for x–ray–amorphous zeolites, 591–3
Does the mode of preparation of an aluminosilicate influence the short–range silicon/aluminum ordering?, 678–9
Ordering of silicon and aluminum ions in the framework of NaX zeolites. A solid–state high–resolution silicon–29 NMR study, 712–13
Change of reducibility of cupric ions in Y zeolites with reduction–reoxidation cycles, 842–4
Considerable reduction in crystallization time in the preparation of a new type of zeolite catalyst for olefin synthesis from methanol, 936–7
Photochemical synthesis of ammonia over zeolites, 1049–50
Zeolite–catalyzed oxidation of carbon monoxide at unusually low temperatures, 1064–5
Evidence for secondary building unit effects on the solid state silicon–29 NMR resonance of silicon in zeolitic structures, 1129–31
A new family of crystalline, three dimensionally ordered, microporous structures, 1221–2
ZINC
A rapid porphyrin metalation, 192–4
New method for preparing $\beta\gamma$–unsaturated ketones: use of phenylselenoacetaldehyde, 434–6
Silyl phosphite equivalents: 2,2,2–trichloroethoxycarbonylphosphonates, 970–1
A new imidazole–containing octadentate ligand, capable of binding two metal ions; the x–ray structure of the dinuclear zinc chloride adduct of 1,1,4,7,7–penta(benzimidazol–2–ylmethyl)–1,4,7–triazaheptane, 1124–5
ZIRCONIUM
Bis(trimethyltin)bis(η–toluene)hafnium and –zirconium; x–ray crystal structure of the hafnium compound, 117–18
ZIRCONOCENE
A zirconocene(IV) chloroalkyl and dialkyl containing chiral α–carbon atoms, $[Zr(\eta\text{–}C_5H_5)_2(R^*)(X)]$ [$R^* = CH(SiMe_3)C_6H_4$–Me–o, X = Cl or R^*]: synthesis, stereoisomerism, and d^1 reduction products, 173–5
ZSM
Evidence for x–ray–amorphous zeolites, 591–3

Printed by Heffers Printers Ltd Cambridge England

Publications & Information Board

Chairman

C. W. Rees, Ph.D., D.Sc., C.Chem., F.R.S.C., F.R.S.

K. W. Bagnall, B.Sc., Ph.D., D.Sc., C.Chem., F.R.S.C.
*J. I. G. Cadogan, B.Sc., Ph.D., D.Sc., C.Chem., F.R.S.C., F.R.S.E., F.R.S.
H. J. Cluley, M.Sc., Ph.D., C.Chem., F.R.S.C.
*Sir Ewart Jones, C.Chem., F.R.S.C., F.R.S.
*G. W. Kirby, M.A., Ph.D., Sc.D., C.Chem., F.R.S.C., F.R.S.E.
F. J. McQuillin, M.A., D.Phil., D.Sc., C.Chem., F.R.S.C.
*J. A. Pickup, B.A.
*J. R. Ruck Keene, C.B.E., M.A.
F. S. Stone, Ph.D., D.Sc., C.Chem., F.R.S.C.
*T. M. Sugden, C.B.E., M.A., Ph.D., Sc.D., C.Chem., F.R.S.C., F.R.S.
*K. W. Sykes, B.Sc., M.A., D.Phil., C.Chem., F.R.S.C.
J. M. Thomas, Ph.D., D.Sc., C.Chem., F.R.S.C., F.R.S.
*J. M. Ward, B.Sc., C.Chem., F.R.S.C.
W. B. Whalley, Ph.D., D.Sc., C.Chem., F.R.S.C.

Journals Committee

Chairman

G. W. Kirby, M.A., Ph.D., Sc.D., C.Chem., F.R.S.C., F.R.S.E.

*L. Crombie, Ph.D., D.Sc., C.Chem., F.R.S.C., F.R.S.
*E. A. V. Ebsworth, M.A., Ph.D., Sc.D., C.Chem., F.R.S.C., F.R.S.E.
C. R. Ganellin, B.Sc., Ph.D., C.Chem., F.R.S.C.
P. M. Maitlis, B.Sc., Ph.D., D.Sc., C.Chem., F.R.S.C.
*J. M. Ottaway, B.Sc., Ph.D., D.Sc., C.Chem., F.R.S.C.
*C. W. Rees, Ph.D., D.Sc., C.Chem., F.R.S.C., F.R.S.
*M. C. R. Symons, Ph.D., D.Sc., C.Chem., F.R.S.C.
*I. A. Williams, M.A., Ph.D., M.I. Inf. Sci., C.Chem., M.R.S.C.

* Ex officio members.

© Copyright 1981 by the Royal Society of Chemistry

C 26